1

Title: Perceptions of the Adult US Population regarding the Novel Coronavirus Outbreak

Short title: Perceptions regarding Novel Coronavirus Outbreak

Authors: SarahAnn M. McFadden, PhD, RN, CPN^{1,2}, Amyn A. Malik, MBBS, MPH, PhD^{1,2},

Obianuju G. Aguolu, MBBS, MPH, PhD^{1,2}, Kathryn S. Willebrand^{1,3}, and Saad B. Omer,

MBBS, MPH, PhD, FIDSA^{1,2,3}

Institutions:

1 Yale Institute for Global Health, New Haven, CT 06510, USA

2 Yale School of Medicine, New Haven, CT 06510, USA

3 Yale School of Public Health, New Haven, CT 06510, USA

Corresponding author:

Saad B. Omer

Email: saad.omer@yale.edu

Phone: (203) 432-3656

1 Church St, Ste 340, New Haven, CT 06510

2

Abstract

Background: COVID-19 outbreak is spreading globally. Although the risk of infection in the US is currently low, it is important to understand the public perception of risk and trust in sources of information to better inform public health messaging. In this study, we surveyed the adult US population to understand their risk perceptions about the COVID-19 outbreak.

Methods and Findings: We used an online platform to survey 718 adults in the US in early February 2020 using a questionnaire that we developed. Our sample was fairly similar to the general adult US population in terms of age, gender, race, ethnicity and education. We found that 69% of the respondents wanted the scientific/public health leadership (either the CDC Director or NIH Director) to lead the US response to COVID-19 outbreak as compared to 14% who wanted the political leadership (either the president or the Congress) to lead the response. Risk perception was low (median score of 5 out of 10) with the respondents trusting health professionals and health officials for information on COVID-19. Majority of the respondents were in favor of strict infection prevention policies to control the outbreak.

Conclusion: Given our results, the public health/scientific leadership should be at the forefront of the COVID-19 response to promote trust.

3

Background: The current novel coronavirus outbreak, COVID-19, has spread to 28 countries and territories with tens of thousands infected and thousands of deaths (1). Although risk of contracting the disease in the United States (US) is currently low (2), it is important to understand risk perceptions about COVID-19 and trust in political and public health/scientific leadership among the US population to better inform messaging and policies (3).

Objective: In the first study of its kind on COVID-19, our objective was to survey the adult US population to better understand their risk perceptions about the COVID-19 outbreak.

Methods: Data were collected using an electronic questionnaire via Qualtrics® (Qualtrics, Provo, UT). Participants completed the questionnaire through the CloudResearch (4) online platform in early February 2020. We asked participants to rank who they felt should lead the US response to COVID-19. Options included the president, Congress, the Director of the Centers for Disease Control and Prevention (CDC), and the Director for the National Institutes of Health (NIH; Supplementary Material). In addition, participants completed the perceived risk scale (Cronbach's $\alpha = 0.71$) which had 10 survey-items (5-point Likert Scale: 0 = strongly disagree/disagree/neutral; 1 = agree/strongly agree). We also asked about their support for restrictive infection prevention policies and the reliability of various sources of information (Supplementary Material). Yale University Institutional Review Board approved this study. Participants provided informed consent prior to data collection.

4

Results: The sample consisted of 718 adults and was similar to the US population in terms of age, gender, race, ethnicity, and education (Table 1).

	Total (N=718)	US Population*	
	n (%)	(%)	
Gender			
Male	330 (46)	49	
Female	386 (54)	51	
Other	2 (0)		
Age (years)**			
18-25	84 (12)	12	
26-35	145 (20)	18	
36-45	166 (23)	16	
46-55	111 (15)	17	
55+	212 (30)	36	
Race			
Black/African American	111 (15)	13	
American Indian/Alaska	35 (5)	1	
Native	(10)	~	
Asian	69 (10)	5	
Native Hawaiian/Other Pacific Islander	2(0)	0	
White	501 (70)	73	
Ethnicity			
Hispanic	107 (15)	18	
Non-Hispanic	611 (85)	82	
Education			
No high school	6(1)	12	
High school	182 (25)	27	
Some College	174 (24)	29	
College	223 (31)	19	
Graduate/Professional	133 (19)	12	

Table 1. Demographic characteristics of sample compared to US population

*American Community Survey 2018 (5-year estimate)

** Percentages are out of total population 18 years and older

Over 90% of our sample was aware of the COVID-19 mostly through the news (n = 522, 73%). The majority of participants wanted the CDC Director (n = 382, 53%) or the NIH Director

5

(n = 117, 16%) to lead the COVID-19 response (Figure 1). However, only 13% of participants wanted the president (n = 91) or Congress (n = 5, 1%) to lead the response (Figure 1).

Figure 1. Participants choice for who should lead the US response to COVID-19

outbreak



The mean risk perception score was 5.0 out of 10 (SD = 1.9; Figure 2). Strict policies for infection prevention including quarantine (n = 571, 83%) and travel restriction (n = 519, 75%) were endorsed by most participants. Additionally, thirty-five percent of participants supported "temporary discrimination based on someone's country of origin" in case of an outbreak (n = 244, 35%).



Figure 2. Distribution of risk perception score

The most trusted sources of information for the participants were healthcare professionals (M = 4.3; SD = 0.9) and health officials (e.g. CDC and NIH; M = 4.2; SD = 1.0). The least trusted source of information was social media (M = 2.8; SD = 1.2; Figure 3).



Figure 3. Participants confidence in various information sources

Over 90% of the participants correctly identified CDC-recommended (5) infection prevention measures (Figure 4).

8

Figure 4. Participants Correctly Identifying Effective Infection Prevention



Measures for Themselves/Others

9

Discussion. We found that the public trusted the CDC director to lead the COVID-19 response with trust in the public health/scientific leadership being high. Responsive, open, and respectful communication with the US population by these agencies may improve public health compliance and safety.³ Furthermore, although participants reported relatively low risk perception, many supported restrictive policies for infection prevention. A portion of the sample also supported temporary discrimination based on someone's country of origin. These responses are concerning, and preemptive targeted messaging by the public health agencies is required to ensure a compassionate response to this outbreak. Our findings may be influenced by possible selection bias because participants needed a CloudResearch account and access to smartphone/computer to participate. However, our sample was fairly representative of the general adult US population. A weighted analysis based on age and gender demonstrate that our results are generalizable to national population (Table 2). Data for weighted analysis were extracted from US Census data.⁶

	Sample Result	Weighted Result
Risk Perception Score (mean)	5.0	5.0
Confidence in Sources of information		
(mean)		
Healthcare Professionals	4.3	4.3
CDC/NIH	4.2	4.2
TV	3.7	3.6
Print	3.5	3.4
Web	3.4	3.4
Friends/Family	3.0	3.0
Social Media	2.8	2.8

Table 2.	Comp	arison	of s	ample	result t	o weig	phted	result	based	on a	ge and	gender
			-			~						

Who should lead the US response to COVID-19 (%)

10

Director of CDC	53.2	52.3
Director of NIH	16.3	16.6
President	12.7	13.5
Secretary of DHHS	9.3	9.6
State Departments of Health	3.5	3.4
Local Health Departments	2.8	2.5
Congress	0.7	0.6

Given our results, the public health/scientific leadership should be at the forefront of the COVID-19 response to promote trust. Strategic messaging by the CDC and the NIH through television, print, and internet has strong potential to alleviate unnecessary fear among the US population.

References

- World Health Organization. Coronavirus Disease 2019 (COVID-19) Situation Report -34. 2020.
- Patel A, Jernigan DB. Initial public health response and interim clinical guidance for the 2019 novel coronavirus outbreak - United States, December 31, 2019 - February 4, 2020.
 MMWR. 2020;69(5):140 - 146.
- Sandman PM, Miller PM, Johnson BB, Weinstein ND. Agency communication, community outrage, and perception of risk: Three simulation experiments. *Risk Analysis*. 1993;13(6).
- Litman L, Robinson J, Abberbock T. CloudResearch.com: A versatile crowdsourcing data aquisition platform for the behavioral sciences. *Behav Res Methods*. 2017;49(2):433 442.
- Centers for Disease Control and Prevention. 2019 Novel Coronavirus: Prevention & Treatment. <u>https://www.cdc.gov/coronavirus/COVID-19/about/prevention-</u> treatment.html. Published 2020. Accessed February 10, 2020.
- ACS 2018 5-Year Estimates. SE: A02002 Sex by Age. In SocialExplorer.com. <u>https://www.socialexplorer.com/tables/ACS2018_5yr/R12466612</u>. Accessed February 20, 2020.

12

Supplemental Material

Perceptions of the Adult US Population regarding the Novel Coronavirus Outbreak Questionnaire

Demographics

Instructions: Please select the box next to the answer of your choice.

- 1. Gender
 - □ Male
 - Female
 - □ Other
- 2. Age
 - □ 18 25
 - □ 26 35
 - □ 36 45
 - □ 46 55
 - □ 55+
- 3. Education
 - No high school
 - □ High school
 - □ Some college
 - □ College
 - Graduate/Professional
- 4. Race
 - □ Black or African American
 - □ American Indian or Alaska Native
 - Asian
 - D Native Hawaiian or Other Pacific Islander
 - □ White
- 5. Ethnicity
 - Hispanic
 - □ Non-Hispanic

Knowledge of Novel Coronavirus (COVID-19)

Instructions: The following are questions that will ask about your knowledge level on novel coronavirus. Please select the answer of your choice.

1. Are you aware of the novel coronavirus outbreak?

- □ Yes
- No -> (this explanation pops up if this option is selected) There is an outbreak of respiratory illness caused by a novel (new) coronavirus first identified in Wuhan, Hubei Province, China. There have been thousands of confirmed cases in China. Additional cases have been identified in other international locations, including the United States.
- Don't know -> (this explanation pops up if this option is selected) There is an outbreak of respiratory illness caused by a novel (new) coronavirus first identified in Wuhan, Hubei

Province, China. There have been thousands of confirmed cases in China. Additional cases have been identified in other international locations, including the United States.

2. How did you learn about the coronavirus outbreak?

- □ Media
- Social Media
- Health Officials
- □ Friends/Neighbors/Relatives

3. How would you rate your knowledge level on novel coronavirus?

- □ Very poor
- □ Poor
- □ Average
- □ Good
- Very good

4. Which of the following is correct about the definition of novel coronavirus?

- □ Novel coronavirus is a respiratory disease caused by a viral infection.
- Displayed symptoms usually include respiratory symptoms accompanied by fever, but novel coronavirus is not contagious.
- □ Novel coronavirus can progress to a severe illness but never leads to death.
- Don't know

5. Which of the following is correct about transmission route of novel coronavirus?

- □ Novel coronavirus is transmitted through coughing or sneezing.
- □ Novel coronavirus is not transmitted by close contact with people.
- Don't know.

6. Which of the following is correct about "close contact" of novel coronavirus?

- □ "Close contact" involves a direct contact with persons' respiratory secretions.
- □ Relatives and healthcare workers are excluded from the category of close contact.
- Don't know.

7. Which one is correct about the treatment or vaccine for the novel coronavirus?

- □ There is a curative treatment for novel coronavirus
- □ Currently, there is neither a curative treatment nor a vaccine
- □ Currently, there isn't a curative treatment, but there is a vaccine
- Don't know.

8. Which of the following are effective preventative measures for yourself and/or others against the novel coronavirus?

	Yes	No	Don't know
Hand washing			

Avoiding touching your eyes, nose, and mouth with unwashed hands		
Use of disinfectants		
Staying home when		
you are sick		
Herbal supplements		
Covering your cough		
A balanced diet		
Avoiding close		
contact with		
someone who is sick		
Use algae		
Use caution when		
opening mail		
Avoid eating meat		
Getting the flu shot		
Regular exercise		
Wearing a face mask		
None of the above		

Risk Perception on Novel Coronavirus

1. Instructions: Please select the answer depending on how much you agree with the statements below.

		Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree	Don't Know
1	My health will be severely damaged if I contract novel coronavirus.	1	2	3	4	5	
4	I think novel coronavirus is more severe than flu.	1	2	3	4	5	
5	Even if I fall ill with another disease, I will not go to hospital because of risk of getting novel coronavirus in the hospital.	1	2	3	4	5	
6	Novel coronavirus will inflict serious damage in my community.	1	2	3	4	5	

7	Novel coronavirus will spread widely in the United States.	1	2	3	4	5	
8	I am more likely to get the novel coronavirus than other people.	1	2	3	4	5	
9	I believe I can protect myself against the novel coronavirus.	1	2	3	4	5	
10	I believe I can protect myself against the novel coronavirus better than other people.	1	2	3	4	5	

2. What are some of the measures you have taken to prevent infection from the novel coronavirus? Select all that apply

	Yes	No	Don't Know
Avoided travel novel coronavirus infected areas.	Yes	No	Don't Know
Washed hands with soap and water.	Yes	No	Don't Know
Used disinfectants.	Yes	No	Don't Know
Avoided touching your eyes, nose, and mouth with unwashed hands.	Yes	No	Don't Know
Avoided eating outside of the home.	Yes	No	Don't Know
Stayed home when you were sick.	Yes	No	Don't Know
Covered your cough or sneeze with a tissue, then throw the tissue in the trash.	Yes	No	Don't Know
Avoided close contact with people who are sick.	Yes	No	Don't Know
Took an herbal supplement.	Yes	No	Don't Know
Exercised regularly.	Yes	No	Don't Know
Ate a balanced diet. Used algae. Used caution when opening mail. Avoided eating meat. Wore a face mask	Yes	No	Don't Know
None of the above.	Yes	No	Don't Know

16

- 3. Have you been vaccinated against the flu virus in the last 6 months?
 - □ Yes
 - □ No
 - Don't know
- **4.** Do you plan to get a flu shot in the next 4 months? (pops up only if "no" or "don't know" is selected for previous question)
 - □ Yes
 - □ No
 - Don't know

Sources of Information

Instructions : Please select the answer depending on how much you agree with the statements below.

1. For the following sources of information in United States, please rate how reliable you feel they are with respect to the novel coronavirus.

	Very Little	Little	Some	Much	Very Much	Don't know
1) Television						
2) Newspapers/Magazines						
3) Websites						
4) Friends/Family						
5) Health care professionals						
6) Health Officials (government, Centers for Disease Control and Prevention)						
7) Social Media						

Trust

1. How much confidence do you have in each of these organizations?

	Very Little	Little	Some	Much	Very Much	Don't know
Your own doctor						
Local/County health department						
State health department						
Centers for Disease Control and Prevention (CDC)						
Food and Drug Administration (FDA)						
The White House						
Department of Health and Human Services						
National Institute of Health						
Professional Organizations (example: American Medical Association or the Infectious Disease Society of America)						

2. Please rank each of these organizations in order of your confidence in them.

_

	Rank
Your own doctor	
Local/County health department	
State health department	
Centers for Disease Control and Prevention (CDC)	
Food and Drug Administration (FDA)	
White House	
Department of Health and Human Services	
National Institute of Health	
Professional	

17

Organizations (example: American Medical	
Association or the	
Infectious Disease Society	
of America)	

Outrage

1. Instructions: Please select the answer depending on how much you agree with the statements below.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree	Don't Know
I am very concerned about this outbreak.	1	2	3	4	5	
I believe that the government is exaggerating the threat.	1	2	3	4	5	
I trust that health officials can effectively handle this crisis.	1	2	3	4	5	
I trust the Congress to effectively handle this crisis.	1	2	3	4	5	
I trust that the President can effectively handle this crisis.	1	2	3	4	5	
I expect this outbreak to get larger.	1	2	3	4	5	
I agree that United States should travel from China.	1	2	3	4	5	
Americans who visited China during this outbreak should be quarantined.	1	2	3	4	5	

In case of an outbreak, it is reasonable to temporarily discriminate against a community based on their country of origin	1	2	3	4	5	
---	---	---	---	---	---	--

2. From your perspective, rank in order of who you think should overall be in charge of America's outbreak response.

	Rank
The President	
The Secretary of Health and Human Services	
Director of National Institute of Health (NIH)/National Institute for Allergy and Infectious Diseases	
Director of the Centers for Disease Control and Prevention (CDC)	
State Health Departments	
Local Health Departments	
Other	
Don't know	

Thank you for participating in this survey.

Survey Citation: McFadden, S. M., Malik, A. A., Aguolu, O. G., Willebrand, K. S., & Omer, S. B. (2020). Perceptions of the Adult US Population regarding the Novel Coronavirus Outbreak Questionnaire.