# Quantitative Analysis of the Effectiveness of Public Health Measures on COVID-19 Transmission

Thiago Christiano Silva\*

Universidade de São Paulo, Ribeirão Preto, Brazil

Universidade Católica de Brasília, Brasília, Brazil

Leandro Anghinoni

Universidade de São Paulo, São Carlos, Brazil

Liang Zhao

Universidade de São Paulo, Ribeirão Preto, Brazil

## Abstract

Although COVID-19 has spread almost all over the world, social isolation is still a controversial public health policy and governments of many countries still doubt its level of effectiveness. This situation can create deadlocks in places where there is a discrepancy among municipal, state and federal policies. The exponential increase of the number of infectious people and deaths in the last days shows that the COVID-19 epidemics is still at its early stage in Brazil and such political disarray can lead to very serious results. In this work, we study the COVID-19 epidemics in Brazilian cities using early-time approximations of the SIR model in networks. Different from other works, the underlying network is constructed by feeding real-world data on local COVID-19 cases reported by Brazilian cities to a regularized vector autoregressive model, which estimates directional COVID-19 transmission channels (links) of every pair of cities (vertices) using spectral network analysis. Our results reveal that social isolation and, especially, the use of masks can effectively reduce the transmission rate of COVID-19 in Brazil. We also build counterfactual scenarios to measure the human impact of these public health measures in terms of reducing the number of COVID-19 cases at the epidemics peak. We find that the efficiency of social isolation and of using of masks differs significantly across cities. For instance, we find that they would potentially decrease the COVID-19 epidemics peak in São Paulo (SP) and Brasília (DF) by 15% and 25%, respectively. We hope our study can support the design of further public health measures.

Keywords: COVID-19, SARS-CoV-2, health policy, network, VAR, SIR

## 1. Introduction

The quick spread of the COVID-19 across countries has evidenced the high degree of interconnectedness worldwide. In less than six months, the COVID-19 epicenter traveled around the globe, starting in China, then moving to Italy, and to the US. The Coronavirus Resource Center at the John Hopkins

<sup>\*</sup>Corresponding author. Email: thiago.christiano.silva@usp.br. Address: Universidade Católica de Brasilia, SGAN 916 Módulo B Avenida W5, CEP 70790-160, Asa Norte, Brasília, DF.

University registers more than 4 million cases of the COVID-19 spread around 187 affected countries, i.e., roughly 96% of all countries recognized by the United Nations. Factors of such a rapid spreading include large flows of international air transportation, enabling cross-country jumps of the new coron-avirus. Recently, the airline industry has been experiencing large drops in revenue mainly because of international border closures implemented by governments worldwide to detain "imported transmissions" of the virus. However, COVID-19 cases still substantially grow inside borders and represent a serious health concern of several countries across the globe. In this scenario, we can say that concerns about cross-country transmission have reduced and the understanding of the COVID-19 domestic transmission has gained much relevance.

This paper focuses on the COVID-19 domestic transmission in Brazil, which already registers cases in all 27 states as depicted in Figure 1a. We analyze the efficiency of public health measures—such as social isolation/quarantine and use of masks-in mitigating the COVID-19 transmission in the country using an innovative network-based approach that accounts for intra and intercity COVID-19 transmission channels. There are several unique features that make Brazil an important case study. First, there is a political confusion about the effectiveness of social isolation by the Brazilian federal and state governments [1]. The exponential increase in the number of infectious people and deaths in the last days indicates that such political disarray can lead to very serious results. Second, Brazil contains the 6th largest population in the world. Thus, the human impact of the COVID-19 can be substantial if not properly mitigated and a second wave of cross-country spillovers could be potentially sizable in the future.<sup>1</sup> Third, Brazil has significant socioeconomic and cultural disparities across its 5,570 cities. Therefore, COVID-19 transmission and mortality rates may largely differ across cities, such as evidenced in Figures 1a-1b. The model proposed in this paper is able to estimate these city-specific COVID-19 transmission rates, thus accounting for their distinctive aspects. Fourth, WHO reports show that Latin America will most probably be the next epicenter of the COVID-19 outbreak. Since Brazil is the largest Latin American country and borders 83% of all South American countries, an understanding of the regional aspects of the COVID-19 transmission is crucial for designing public health measures.

Most countries in the Americas are still facing the early stages of the COVID-19 and Brazil is no different. While it is important to have a full picture of the pandemic in each country to better design government policies aimed at mitigating the COVID-19 spread considering their local particularities, the omission of the government in taking effective measures at the onset of the epidemics can have large human and economic effects in the long term. Some eastern countries, such as China, South Korea and Singapore, may be an indication that having previous organized policies and mask usage culture are key to successfully mitigate the death toll. In this work, we consider only the availability of early-time data on the COVID-19 dynamics, thus better reflecting the real-world conditions that most governments are facing.

The dynamic of the COVID-19 epidemics is not only determined by the local aspects of cities. There is a continuous flow of persons from and to different cities either through roadways, domestic airlines, or sea routes that could transport the disease. However, these intercity transmission spillovers are not limited to biological risk factors. For instance, economic activities could also be related to the propensity of acquiring the virus from other places, such as when households or firms buy supplies abroad that are conditioned on surfaces that the virus is viable for long periods without proper sanitation.<sup>2</sup>

<sup>&</sup>lt;sup>1</sup>In [2], the authors projects recurrent wintertime outbreaks of SARS-CoV-2 will occur after the initial pandemic wave. They argue that prolonged or intermittent social distancing could be necessary up to 2022. Even with apparent elimination, the authors state that the resurgence in contagion could be possible as late as 2024.

<sup>&</sup>lt;sup>2</sup>Studies have show that the virus is more stable on smooth surfaces, such as plastic and stainless steel (detectable up to 7 days), and is very sensitive to temperature (the inactivation time is reduced to 5 mins at 70 degrees Celsius)[3]. The aerosol and surface stability of SARS-CoV-2 is similar to SARS-CoV-1, with a half-life of about 1hr in the form of aerosol and up to 7hrs on plastic surfaces. Other surfaces, such as copper, cardboard and stainless steel have also long half-life values, ranging from 1 to 6 hours [4].



**Figure 1:** COVID-19 geographical spreading pattern in Brazil in terms of (a) COVID-19 cases at the city level and (b) mortality rate at the state level as of May 8, 2020. Gray areas represent cities that have not reported any COVID-19 epidemiologcal bulletin. We evaluate mortality rates by taking the ratio of the number of deaths due to COVID-19 to the number of infectious persons. Mortality rates are probably upward biased because the number of observed infectious persons is likely to be underestimated, as the COVID-19 may pass unnoticed for some cases (mild or no adverse conditions at all). We report mortality rates at the state rather than city level because there are many cities with few COVID-19 cases and deaths, which would distort the estimated mortality rates.

This transmission dynamic renders each city subject not only to its inherent "COVID-19 natural transmission rate" dictated by the local aspects of the city itself—such as demography, culture, law, and weather—but also from outside the city. Our model permits to estimate transmission rates of each city while accounting for infectious factors from the outside using the Susceptible-Infectious-Recovered (SIR) model in a special type of transmission network among cities.

We take an innovative approach to construct the underlying COVID-19 transmission network among cities. Even though we apply the model for the COVID-19 propagation inside Brazil, the model is general and could be applied for any networked environment, such as in cross-country studies or even more granular approaches than at the city level. We model such network using a weighted directed graph. Vertices are cities and links represent potential COVID-19 contagion/spillovers from one city to another. To estimate the links, we consider a panel-format data <sup>3</sup> composed of city-specific COVID-19 infectious counts of locals over time. We then use a vector autoregressive (VAR) model to find directional COVID-19 transmissions of every pair of cities in the network. Since the seminal paper of [5], VARs have provided key empirical input into substantive economic and financial aspects. Despite the robustness of the model, their use in epidemiology is still a new topic. Here, we design a VAR model that explicitly considers the temporal ordering of the disease spreading. We let every city-specific infectious count be dependent not only on its own past value but also from all other cities. The weights of past values of each city *j* that influence the current city *i*'s infectious local count are the links in our network. Such links are estimated by fitting the entire network structure to temporal

<sup>&</sup>lt;sup>3</sup>A *panel data* is composed of *n* multivariate time series, each representing the evolution of COVID-19 cases of a specific city. It is a mixture of *cross-sectional data*—in which we observe *n* cities all in a specific time point—and *time series data*—in which we observe a single individual over time.

city-specific infectious count data. We mitigate concerns with parameter overfitting by using an elastic net regularization scheme during training time<sup>4</sup> and one-step ahead rolling validation methodologies borrowed from the machine learning literature.<sup>5</sup>

An interesting property of the early-time dynamics of a SIR model is that it still enables us to estimate the transmission rate  $\beta$  of the model. Given the recovery rate  $\gamma$  of infectious persons,<sup>6</sup> then the model can be completely described [11], including late-time dynamics and infectious peak. It is worth mentioning that the rate  $\gamma$  can be divided into two parts, the time from onset to death and the time from onset to recovery. Both can vary from country to country, since they are highly correlated to demographics, health care system and the treatments available. The onset to recovery time is, however, invariant to the topological structure of the system and, therefore, we use an average value of 14 days in all scenarios of our study

In early-time dynamics, the effective transmission rate  $\beta$  of an *isolated SIR* and a *networked SIR* model differs by the spectrum of the estimated COVID-19 transmission network. When we do not consider the network environment, we are effectively supposing the existence of a single large city composed of all cities in the model. In this way, the susceptibility of being infected depends on the total number of infected (all cities). The introduction of multiple cities effectively reduces this propensity by imposing that the likelihood of being infected is higher inside cities rather than across cities. The network spectrum corresponds to the largest eigenvalue of the network adjacency matrix. If the isolated SIR has a transmission rate  $\beta$ , then the networked SIR will have an effective transmission rate of  $\beta_{\text{eff}} = \lambda_{\text{max}}\beta$ , in which  $\lambda_{\text{max}}$  is the largest eigenvalue of the network. The network spectrum encodes all the graph structure in terms of its ability of spreading and amplifying intercity contagion at early time.

In this paper, we also analyze the efficiency of health policy measures implemented by the Brazilian government to mitigate the COVID-19 propagation. Social isolation and quarantine measures were adopted by several states at different time scales. Following that, the Brazilian Health Ministry recommended the use of masks at the federal level. Political disagreements on the effectiveness of quarantine measures by the federal and state governments were on display and may have lead the population into confusion, thus affecting the efficacy of such measures. Our work contributes to this discussion by estimating the joint efficacy of these measures.

We find that the quarantine and use of masks measures decreased the growth rate of the spectrum of the COVID-19 transmission network over time, suggesting that the measures were effective. To get a sense, Figure 2 portrays the average COVID-19 growth rate of cities in the state of São Paulo segregated in terms of their average social distancing index in the period.<sup>7</sup> First, after the use of masks recommendation, the COVID-19 growth rate, in general, decreased. However, it decreased more in cities of São Paulo with low social distancing measures. This may be due to the fact that these cities

<sup>&</sup>lt;sup>4</sup>The elastic net is composed of a convex combination of the Lasso  $(L_1)$  and Ridge  $(L_2 \text{ norm})$  regularization. We refer the reader to the seminal work of [6] for further details.

<sup>&</sup>lt;sup>5</sup>Parameter overfitting becomes a serious concern when we have several cities in the model. For instance, we apply our method to Brazilian data, which is a country with vast territorial dimensions and with more 5,570 cities (end of 2019). In this case, we would have to estimate  $5,570 \times 5,570 \approx 31$  million parameters with only a few time points (because we only have early-time data). Ensuring regularization is vital to have reasonable out-of-sample estimates. See [7] for more details on regularization of VAR models.

<sup>&</sup>lt;sup>6</sup>The recovery rate can be estimated from the timeline between the appearance of symptoms and the case resolution. Several ongoing studies report estimates for the recovery rate. For instance, the authors in [8] assumes that the duration of the infection ranges from 15 to 20 days. Data from the outbreak in Wuhan show an onset-to-death time of 17.8 days and an onset-to-recovery time of 24.7 days [9]. This results are, however, biased to higher values due to the overwhelmed health care system in Wuhan in the early days of the outbreak and the sub-notification of the outcome of mild-cases. Reports from WHO indicate a recovery time of 14 days for mild cases and 21-42 days for severe cases. Among those who die the onset to outcome ranges from 14 to 56 days [10]. Since the mild cases account for most of the cases, we set gamma to 14 days in this study.

<sup>&</sup>lt;sup>7</sup>Such index represents the extent of compliance of the population to the quarantine measures.



Social Distancing - Low - Medium - High

Figure 2: Average COVID-19 growth rate in cities of the state of São Paulo, Brazil, with low, medium, and high socialdistancing indices. Available data goes until May 8, 2020. The first vertical line is the beginning of SP quarantine, while the second represents the use of mask recommendation by the federal government. Data from social distancing is public and comes from the São Paulo State Government (in Portuguese). To alleviate week seasonality, we use 7-day moving averages to construct the average growth rates. The low, medium, and high social-distancing indices represent the bottom, middle, and upper terciles of the corresponding distribution. Data from the number of infectious persons per each city is discussed in Section 4.1.

could have more potential close human-to-human contact and therefore the use of masks is crucial to detain the COVID-19 transmission. To get a sense of the human impact of such measures, we build counterfactual scenarios in which we consider that none of these measures were taken by the government. By running the SIR model in networks, we find that the quarantine and the use of masks recommendation reduced the peak of the COVID-19 epidemics, on average, in 15% in São Paulo (SP) and almost 25% in Brasília (DF), when we look at the average effect in the last week of available data (May 2 to 8, 2020). This reduction is explained by the flattening of the epidemics curve: São Paulo (SP) and Brasília (DF) have peak date shifts from July 7 to July 24 and August 29 to September 28, respectively.

Our results show the increasing trend of infectious cases in the last days, which is confirmed by the updated official data in Brazil. This situation is consistent with the decreasing social isolation rate shown by Figure 2, which, in turn, probably caused by the political discrepancy in public health measure application.

# 2. Related background and literature

In this section, we present relevant background on SIR models in networks and the related literature about our work.

# 2.1. Relevant background: early-time dynamic of SIR models in networks

In this section, we present relevant background on the Susceptible-Infectious-Recovered (SIR) model in networks. We refer the reader to [11] for a comprehensive analysis on epidemiological models and to [12] for the seminal paper on the original SIR model. Since we focus on the early-time dynamics of the SIR models, we can assume that the number of births and deaths are much smaller than the population, in a way that the closed population hypothesis holds.

Define as  $s_i(t)$ ,  $x_i(t)$ , and  $r_i(t)$  the share of susceptible, infectious, and recovery persons of city *i* relative to the local population at time *t*. In a closed population, the SIR model in networks is government by the following differential equations:

$$\frac{d}{dt}\boldsymbol{s}_i(t+1) = -\boldsymbol{\beta} \cdot \boldsymbol{s}_i(t) \cdot \sum_{j \in \mathcal{V}} \boldsymbol{A}_{ij} \boldsymbol{x}_j(t)$$
(1)

$$\frac{d}{dt}\boldsymbol{x}_{i}(t+1) = \boldsymbol{\beta} \cdot \boldsymbol{s}_{i}(t) \cdot \sum_{j \in \mathscr{V}} \boldsymbol{A}_{ij}\boldsymbol{x}_{j}(t) - \boldsymbol{\gamma} \cdot \boldsymbol{x}_{i}(t)$$
(2)

$$\frac{d}{dt}\boldsymbol{r}_i(t+1) = \boldsymbol{\gamma} \cdot \boldsymbol{x}_i(t) \tag{3}$$

$$1 = \boldsymbol{s}_i(t) + \boldsymbol{x}_i(t) + \boldsymbol{r}_i(t) \tag{4}$$

 $\forall i \in \mathscr{V} \text{ and } t \geq 0$ . We can substitute (4) into (2), yielding:

$$\frac{d}{dt}\boldsymbol{x}_{i}(t+1) = \boldsymbol{\beta} \cdot (1 - \boldsymbol{x}_{i}(t) - \boldsymbol{r}_{i}(t)) \cdot \sum_{j \in \mathscr{V}} \boldsymbol{A}_{ij}\boldsymbol{x}_{j}(t) - \boldsymbol{\gamma} \cdot \boldsymbol{x}_{i}(t)$$
(5)

In early time, i.e., we can assume that  $x_i(t) \ll 1$  and  $r_i(t) \approx 0$ ,  $\forall i \in \mathcal{V}$ . Therefore, we can ignore second-order  $x_i(t)$  terms and effectively set  $r_i(t)$  to 0. With these modifications, Equation (5) becomes:

$$\frac{d}{dt}\boldsymbol{x}_{i}(t+1) = \boldsymbol{\beta} \cdot \sum_{j \in \mathscr{V}} \boldsymbol{A}_{ij}\boldsymbol{x}_{j}(t) - \boldsymbol{\gamma} \cdot \boldsymbol{x}_{i}(t)$$

$$= \boldsymbol{\beta} \cdot \sum_{j \in \mathscr{V}} \left(\boldsymbol{A}_{ij} - \frac{\boldsymbol{\gamma}}{\boldsymbol{\beta}} \boldsymbol{\delta}_{ij}\right) \boldsymbol{x}_{j}(t),$$

$$= \boldsymbol{\beta} \left(\boldsymbol{A} - \left(\frac{\boldsymbol{\gamma}}{\boldsymbol{\beta}}\right) \boldsymbol{I}\right) \boldsymbol{x}(t)$$

$$= \boldsymbol{\beta} \boldsymbol{M} \boldsymbol{x}(t)$$
(6)

in which I is the identity matrix,  $M = A - \begin{pmatrix} \frac{\gamma}{\beta} \end{pmatrix} I$  is the adjacency matrix A with a homogeneous perturbation of  $\frac{\gamma}{\beta}$  in the main diagonal, and  $\delta_{ij} = 1$  if i = j, and  $\delta_{ij} = 0$  otherwise. Equation (6) is a standard differential linear system whose solution can be written in terms of the eigenvector basis of the adjacency matrix A:

$$\boldsymbol{x}_{i}(t) = \sum_{k=1}^{V} \boldsymbol{a}_{i,k}(0) e^{(\lambda_{k}\beta - \gamma)t} \boldsymbol{v}_{i,k},$$
(7)

in which  $\mathbf{A} \cdot \mathbf{v}_k = \lambda_k \mathbf{v}_k$  holds  $\forall k \in \{1, \dots, V\}$ . The term  $\lambda_k$  is the *k*-th eigenvalue of  $\mathbf{A}$ ,  $\mathbf{v}_{i,k}$  is the *i*-th entry of the eigenvector associated with the *k*-th eigenvalue. The parameter  $\mathbf{a}_{i,k}(0)$  in (7) is a scaling constant that depends on the initial condition of city *i*.

In early time, the growth rate of equation (7) is government by the exponent term with the largest eigenvalue  $\lambda_1 = \lambda_{\text{max}}$  of matrix A, which is a well-known measure from spectral graph theory denominated graph spectrum [13]. Therefore:

$$\boldsymbol{x}_{i}(t) \approx \boldsymbol{v}_{i,1} e^{(\lambda_{\max} \beta - \gamma)t},$$
 (8)

i.e., the growth rate is  $\lambda_{\max}\beta - \gamma$  and the probability of contagion is proportional to the eigenvector associate with the largest eigenvalue  $\lambda_{\max}$ ,  $v_1$ , which corresponds to the eigenvector centrality measure of the graph, according to the spectral graph theory [13].

#### 2.2. Relative literature

Basically, there are two strategies to prevent epidemic spreading in networks [14]. One is the efficient immunization protocols and the other is to find out relevant spreaders and activation mechanisms.

Immunization strategies are methods for identification of nodes that shall be immunized, taking into account the network structure. Immunized nodes and all the incident links can be removed from the epidemic network. Immunization can not only protect immunized individuals, but can also reduce the epidemic threshold, precluding the outbreak of the disease. Among various immunization strategies, random immunization protocol is the simplest one, where a fraction of randomly selected nodes are made immune. However, in this case, the immunization threshold tends to be 1 in heterogeneous networks, indicating that almost the whole network must be immunized. In [16, 15], the authors show that the immunization threshold can be exponentially small over a large range of the spreading rate if considers the immunization of a fraction of nodes with the largest degree. Other approaches consider not only the critical nodes, but also the entire prevalence curve (the so-called viral conductance) [17, 18].

Although immunization is a fundamental strategy in the epidemic study, the research community pays also much attention to find out which nodes, links and local structures are most influential or effective in the spreading process [19, 20, 21, 22, 23, 24, 25, 26]. These findings aimed at understanding network measures on nodes and links, such as degree, betweenness, K-core index, closeness, link property on spreading dynamics. Besides of finding superspreaders, some researchers also worked on the identification of how topological features influence global epidemics [27, 28, 29].

However, the above mentioned strategies require the discovery of vaccine or at least partial knowledge on the epidemic network under consideration. With the mass and quick spreading of COVID-19, neither of them is a practical method to prevent the outbreak. Therefore, global intervention methods, like social isolation, even lockdown, have already been proven to be efficient. For this reason, we study the effectiveness of public intervention methods. Our results provide strong evidence on the effectiveness of public health measures, such as quarantine and use of masks, to reduce the increasing rate of infection even without detailed information of the highly dynamical population network.

## 3. Methodology

This section discusses the underpinnings of our methodology. Our analysis consists of the following stages:

- 1. *Network construction*: we construct the COVID-19 network transmission network by fitting the network links to real data.
- 2. *COVID-19 epidemics estimation using the SIR model*: we use the network estimated in Step 1 and simulate the COVID-19 evolution in every city of the network.
- 3. *Effectiveness evaluation of public health policy*: we change the network structure so as to simulate the omission of public health policies and run our epidemics model in Step 2 without the government intervention. We estimate the efficiency of the public health policies by inspecting the change in the COVID-19 epidemics peak.

## 3.1. Network construction using panel data

Consider the weighted directed graph  $\mathscr{G} = \langle \mathscr{V}, \mathscr{E} \rangle$  in which  $\mathscr{V}$  is the set of vertices and  $\mathscr{E}$  is the set of links. There are  $V = |\mathscr{V}|$  vertices and  $E = |\mathscr{E}|$  links in the network. In our epidemiological application, vertices can represent cities, states, countries, or any well-defined entity or geographical circumscription (neighborhood, street, house etc.). For simplicity and with no loss of generality, we denominate the vertices as cities. We assume as given the set of cities/vertices  $\mathscr{V}$ . In contrast, links between cities *i* and *j* connote potential COVID-19 transmission from *i* to *j* and are *a priori* unknown. In the context of cities, city-to-city contagion could happen for a series of reasons, such as when infectious persons visit or migrate or even from intercity transportation of supplies covered in surfaces that the SARS-CoV-2 is viable for long periods. Therefore, the network  $\mathscr{G}$  encodes all potential transmission paths between cities be through organic or non-organic media. The goal of this section is to estimate the set of links  $\mathscr{E}$ , i.e., the intercity COVID-19 transmission channels.

Let  $\mathbf{x}(t) = [\mathbf{x}_1(t), \mathbf{x}_2(t), \dots, \mathbf{x}_V(t)]$  denote the vector with shares of infectious persons relative to the local population of every city  $i \in \mathcal{V}$  in the network at discrete time  $t \ge 0$ . Specifically, we denote as  $\mathbf{x}_i(t) \in [0, 1]$  the share of infectious persons within city i at time t. That is, we take the ratio between the number of infectious persons to the total local population in the city. When  $\mathbf{x}_i(t) = 1$ , then all population in the city is infectious. When  $\mathbf{x}_i(t) = 0$ , none is infectious. In-between values represent partial shares of infectious population. Define the column vector  $\mathbf{x}_i = [\mathbf{x}_i(0), \mathbf{x}_i(1), \dots, \mathbf{x}_i(T)]'$  as the COVID-19 time series evolution in city i up to time T, in which the superscript ' is the transpose operator. Since we perform an early-time analysis of the epidemics, T is likely to not be large. Let also the matrix  $\mathbf{X} = [\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_V]$ , dim $(\mathbf{X}) = T \times V$ , be all the cities' time series with the shares of infectious over all period with available data (panel data).

To construct the network, we consider the temporal ordering of the COVID-19 spread across different cities. We attempt to describe the current share of infectious persons vector  $x_t$  with the same vector immediately at the previous time step, i.e.,  $x_{t-1}$  as follows:

$$\boldsymbol{x}_t = \boldsymbol{\kappa} + \boldsymbol{A} \cdot \boldsymbol{x}_{t-1} + \boldsymbol{\epsilon}_t, \tag{9}$$

 $\forall t \in \{0, 1, \dots, T\}$ . The term  $\kappa$ , dim $(\kappa) = V \times 1$ , is an intercept column vector; A, dim $(A) = V \times V$ , is the adjacency matrix encoding the set of links  $\mathscr{E}$  of the graph; and  $\epsilon_t \sim (0, \Sigma_{\epsilon})$  is the unobservable zero mean white noise vector process (serially uncorrelated or independent) with time-invariant covariance matrix  $\Sigma_{\epsilon}$ . Let  $A_{ij}$  be the (i,j)-entry of A,  $i, j \in \mathscr{V}$ . When  $A_{ij} > 0$ , then city *i* can spillover COVID-19 to city *j*. The larger  $A_{ij}$  is, the stronger is such contagion. Then, the set of links is given by  $\mathscr{E} = \{i, j \in \mathscr{V} : A_{ij} > 0\}$ .

The terms  $\kappa$ , A in Equation (9) are unknown and are estimated using a fitting process to the observed data X.Equation (9) describes a VAR(1) model. To ensure that the system is stable, the companion matrix must have roots inside the complex unit circle. To guarantee such property, our variables  $x_i, i \in \mathcal{V}$ , must be stationary. Since they are lower- and upper-bounded—i.e.,  $x_i \in [0,1]$ —then they are stationary by construction. Specifically, we minimize the following regularized loss function L [7] using the coordinate descent algorithm [30]:

$$L = \min_{\boldsymbol{\kappa}, \boldsymbol{A}} \sum_{t=0}^{T} \|\boldsymbol{\epsilon}_{t}\|_{F}^{2} + \text{Regularization}(\boldsymbol{A})$$
  
$$= \min_{\boldsymbol{\kappa}, \boldsymbol{A}} \sum_{t=0}^{T} \|\boldsymbol{y}_{t} - (\boldsymbol{\kappa} + \boldsymbol{A}\boldsymbol{x}_{t-1})\|_{F}^{2} + \lambda \left(\boldsymbol{\alpha} \|\boldsymbol{A}\|_{1} + (1 - \boldsymbol{\alpha}) \|\boldsymbol{A}\|_{2}\right),$$
(10)

in which  $\lambda \ge 0$  is the *elastic net* regularization term and  $\alpha \in [0,1]$  is the tradeoff parameter between Lasso ( $L_1$  norm) and Ridge ( $L_2$  norm) regularizations. We notate  $\|.\|_F$ ,  $\|.\|_1$ ,  $\|.\|_2$  as the Frobenius,  $L_1$ , and  $L_2$  norms, respectively. Larger values of  $\lambda$  encourage sparser networks. The first term represents minimization of the error term  $\epsilon_t$ ,  $\forall t \in 0, 1, ..., T$ , and ensures that the estimated adjacency matrix Abetter reflects the COVID-19 transmission dynamics over time. The second term is a regularization term over the adjacency matrix A introduced to prevent overfitting and ensure that the estimation is numerically tractable. We do not regularize the intercept vector  $\kappa$  because it conceptually adapts to the city-specific average values of our data.

There is an empirical challenge in fitting the adjacency matrix A to the panel data X when we are dealing with large-scale networks in which the number of cities V largely surpasses the number of available time points T, i.e., when  $V \gg T$ . Such problem is aggravated when we only have early-time information about the disease, i.e., T is small. In this case, we would incur in overparametrization and overfitting is a concern. The regularization term in (10) mitigates such concern. We opt for an *elastic net* regularization scheme because it is a robust regularizator that combines positive features of Lasso and Ridge regularizations [30].

Due to the temporal dependency of the panel data, the usual *k*-fold cross-validation is not well-suited for our model selection procedure. Following [7], we optimize the penalty parameters  $\lambda$  and  $\alpha$  in (10) using a *h*-step ahead mean-square forecast error (MSFE). Due to data availability, we keep h = 1 so as to minimize further data losses. We divide the data into three equally-spaced and contiguous periods: (i) initialization ( $t \in \{0, ..., T_1\}$ ), (ii) training ( $t \in \{T_1 + 1, ..., T_2\}$ ), and (iii) forecast evaluation ( $t \in \{T_2 + 1, ..., T\}$ ), in which  $T_1 = \lfloor \frac{T}{3} \rfloor$  and  $T_2 = \lfloor \frac{2T}{3} \rfloor$ . We also use a rolling validation process as follows. We first fit the model using all data up to time  $T_1$  and forecast  $\hat{x}_{T_1+1}^{(\lambda_c, \alpha_c)}$ , in which  $\lambda_c$  and  $\alpha_c$  are fixed candidate penalty terms. We then sequentially add one observation at a time and repeat this process until  $T_2 - 1$ . Then, we choose the penalty terms  $\lambda$  and  $\alpha$  that minimize the one-step ahead MSFE given by:

$$MSFE(\lambda, \alpha) = \frac{1}{T_2 - T_1} \sum_{t=T_1}^{T_2 - 1} \left\| \hat{x}_{t+1}^{(\lambda, \alpha)} - \hat{x}_{t+1} \right\|_F^2.$$
(11)

Finally, we estimate the one-step ahead forecast accuracy using data points in  $t \in \{T_2, ..., T\}$ , which have not been used in the model selection procedure. To better assess the potentiality of the network in amplifying contagion across different municipalities, we remove the self-loops in the estimated network, which correspond to the influence of the local infectious population on its own future value.

#### 3.2. Estimating transmission rate in early-time epidemics networks

In this section, we assume the network structure  $\mathscr{G} = \langle \mathscr{V}, \mathscr{E} \rangle$  as given, i.e., the set of vertices and links are already established in accordance with the network construction described in Section 3.1. We start from the results of the early-time dynamic of SIR models in networks described in Section 2.1. Therein, we show that the growth rate at early time is determined by  $\lambda_{\max}\beta - \gamma$  (see Equation (8)). Therefore, the graph spectrum  $\lambda_{\max}$  modulates the transmission rate parameter by either amplifying or dampening the contagion speed.

If  $\lambda_{\max}\beta > \gamma$ , then Equation (8) grows exponentially, while it decays when  $\lambda_{\max}\beta < \gamma$ . Therefore, the reproduction number (critical point) is  $R_0 = \frac{\lambda_{\max}\beta}{\gamma}$ . Recall that the reproduction number in the SIR model without network is  $R_0 = \frac{\beta}{\gamma}$  [12]. Therefore, the reproduction numbers of both models differ by the graph spectrum of A,  $\lambda_{\max}$ .

Equation (8) assumes that every city in the model has a single growth rate dynamics dictated by the term

 $\lambda_{\max}\beta - \gamma$ . Changes in the epidemics spreading for each city would then be fully determined by their eigenvector centralities, because growth rates are identical across cities (see Equation (8)). However, studies show that the transmission rate parameter  $\beta$  is dependent on local aspects of cities [11]. In contrast, the recovery rate parameter is much less variable across different places. As mentioned earlier in this study, WHO indicates an average recovery time of 14 days for mild cases. Therefore, we consider a different transmission rate for each city in the network  $\beta_i$  while letting fixed the recovery rate  $\gamma$  for all cities. We can still apply the classical framework of SIR in networks because, even though transmission rates are city specific, they tend to be normally distributed around some mean natural value. That is, large deviations are unusual. We empirically find this fact using our application to the Brazilian case. Mathematically, we rewrite (8) as follows:

$$\boldsymbol{x}_{i}(t) \approx \boldsymbol{v}_{i,1} e^{(\lambda_{1} \beta_{i} - \gamma)t}.$$
(12)

We can linearize (12) by simply taking the log(.) at both sides of the equation for each city *i* in the network:

$$\log\left(\boldsymbol{x}_{i}(t)\right) = \log\left(\boldsymbol{v}_{1,i}\right) + \left(\lambda_{1}\beta_{i} - \gamma\right)t,\tag{13}$$

 $\forall i \in \mathscr{V}$ . The LHS and RHS are always non-negative, because  $x(0) \ge 0$  and is non-decreasing (earlytime assumption),  $e^{(\lambda_1 \beta_i - \gamma)t} \ge 0$  (asymptotically speaking), and  $v_{1,i} \ge 0$  [13]. We can then apply the log(.) without any restrictions. We can estimate (13) for all cities *i* at once by adding dummies for the constant and time-dependent term for each city in the model (2 dummies per each city). We end up with a set of 2n - 1 dummy variables, because the last one is the reference dummy. Since we have a panel data with temporal dependencies (the same city appears multiple times), we use a linear panel-data estimation model [31] as follows:

$$\boldsymbol{x}_{i}(t) = \sum_{j \in \mathscr{V}} \delta_{ij} \left[ \boldsymbol{\alpha}_{j} + \boldsymbol{\rho}_{j} \cdot t \right] + \boldsymbol{\epsilon}_{i}(t), \tag{14}$$

 $\forall i \in \mathcal{V}$ , in which  $\alpha_i$  and  $\rho_i$  are the constant and time-variant dummy terms for city *i*, and  $\varepsilon_i(t)$  is the residual from the least square estimation with dummies. We cluster the errors at the city level, such as to mitigate concerns with heteroskedasticity and serial correlation, which could bias our coefficient estimates. Equations (13) and (14) are linked by the following identities:

$$\alpha_i = \log\left(v_{1,i}\right) \Rightarrow v_{1,i} = e^{\alpha_i},\tag{15}$$

$$\rho_i = \lambda_1 \beta_i - \gamma \Rightarrow \beta_i = \frac{\rho_i + \gamma}{\lambda_{\max}}.$$
(16)

Given the recovery rate  $\gamma$ —which is assumed to not change over time nor across cities—we can fully identify the eigenvector centrality and the local transmission rate of every city *i* using (15) and (16), respectively. We only take city-specific estimations of  $v_{1,i}$  and  $\beta_i$  that are statistically significant at the 10% level. Otherwise, we set the estimated coefficients to zero.

# 3.3. Assessing efficiency of health policy measures in epidemics spreading

With our framework, we can analyze the speed of the epidemics spreading through the network at early time by simply inspecting the graph spectrum  $\lambda_{max} = \lambda_1$  for different time horizons using the methodology described in Section 3.1. Since the reproduction number of the epidemics is proportional to the graph spectrum, then large graph spectra indicate a higher speed of contagion. Any changes of the graph spectrum can be attributed to a "net effect" of public policies of the government in the entire network. Since we use the share of infectious persons of each Brazilian city, then this "net effect" comprises not only federal policies, but also state- and even city-level policies.

Moreover, we can estimate the human impact of these policies in terms of changes in the number of infectious persons at the peak by running the SIR model described in Section 3.2 for each estimated city-specific transmission rate parameter  $\beta_i$  defined in (16) and for different values of the graph spectrum. We use a conservative approach and compare the largest observed graph spectrum with the most recent graph spectrum in our dataset. We assume that the largest graph spectrum occurs when public policies were still latent and were not having effects in the epidemics spreading. Most recent values of the graph spectrum are assumed to represent transmission dynamic after public policies were in, as was the case in Brazil who adopted quarantine and recommended the use of masks in the period that we have available data.

# 4. Application

In this section, we apply our model to Brazilian data at the city level.

# 4.1. Data

We use daily data on the number of infectious persons per each city in Brazil using COVID-19 epidemiological bulletins of 27 State Health Departments from February 25, 2020, to May 8, 2020.<sup>8</sup> Each Brazilian state compiles local reports from cities inside their geographical circumscription. We end up with 60,021 city-time epidemiological bulletins comprising 2,754 (out of 5,570) cities affected by COVID-19 in Brazil.

Our data is representative because local hospitals are required by law to register any COVID-19 events to the local government while cities and states must notify the federal government. However, there may be substantial sub-notifications due to persons that acquire the COVID-19 and recover unnoticed or without hospitalization.

We also collect city-level population estimates in the Brazilian Institute of Geography and Statistics (IBGE), which is the agency responsible for official collection of statistical, geographic, cartographic, geodetic and environmental information in Brazil. We evaluate the share of infectious persons by taking the ratio of COVID-19 cases reported in the local health bulletin and the local population size. The use of shares in our estimation models is important because it is a stationary variable.

We apply a three-day smoothing filter on the number of infectious persons in each municipality to alleviate concerns with late contamination reports or short-term rectifications by the local health government that could compromise our estimations. In our network construction procedure (see Section 3.1), we keep only cities that reported COVID-19 cases in at least 20% of the available time frame. Our results remain qualitatively the same if we do not apply this filtering criterion. In our estimation of the SIR parameters (see Section 3.2), we center all time points in relation to the occurrence of the first death in the city.

<sup>&</sup>lt;sup>8</sup>This data is scattered around a large quantity of state government sites. In general, the bulletins are not standardized across different states and not even cities. We use the compiled dataset from Brasil.io for this task.

<sup>&</sup>lt;sup>8</sup>Asymptomatic and mild-cases can represent up to 80% of the cases according to China reported numbers. This cases tend not to be tested in Brazil.



Figure 3: COVID-19 evolution in six of the most affected cities in Brazil (a) in absolute terms (number of infectious persons) and (a) as a share of the local population size. Horizontal axis represent the relative day in terms of the first observed death due to the COVID-19.

Figures 3a–3b portray the COVID-19 evolution in six of the most affected cities in Brazil relatively to the first reported death in terms of the number of COVID-19 cases and as a share of the local population size, respectively. São Paulo (SP) has the highest number of infectious persons. However, there is strong size effect: São Paulo (SP) has almost 12.2 million residents while the second largest city, Rio de Janeiro (RJ), has almost half of that (6.8 million). To get a sense of the local COVID-19 criticality, we can look at its evolution as a share of the local population. In this case, we note that COVID-19 transmission speed is much larger in Manaus (AM) and Fortaleza (CE). Brasília (DF) and Porto Alegre (RS) have smaller transmission rates and local COVID-19 criticality. However, mortality rates may not follow such incidence criticality, because they correlate with local health quality and demography characteristics.

# 4.2. Results

This section presents the main empirical results of the paper. We first build the COVID-19 intercity transmission network and analyze its propensity of amplifying the COVID-19 in different cities. Then, we analyze the net effectiveness of public health measures adopted by the Brazilian government.

# 4.2.1. Intercity COVID-19 transmission network in Brazil

Figure 4 shows the graph spectrum of the COVID-19 intercity transmission network of Brazil over time. For each time point (horizontal axis), we run the network construction through the fitting process in Section 3.1 with data from the beginning of the sample up to that specific time point. Even though our sample starts in February 25, 2020, we start the fitting process from March 13, 2020, such as to have enough data for the fitting process. That is, we start with 18 time points for each Brazilian city. Therefore, we initially divide the panel data in three equally-sized groups with 6 time points for model training, model selection (parameters and penalty terms), and model evaluation. These group sizes increase as we add more time points. We perform the network construction estimation daily from March 13 to May 8, 2020, in an independent manner.

In Figure 4, we add a shaded area indicating the timing window in which quarantine measures were adopted by the most affected Brazilian states. Since São Paulo is the COVID-19 epicenter in Brazil as it encloses 57.4% of all the COVID-19 infections in Brazil, we also add a vertical dashed red line indicating the beginning of the quarantine adopted by the São Paulo State Government. We also draw the use of masks recommendation beginning date by the Federal Health Ministry in Brazil as a dashed blue line enacted. While quarantine measures are at the state level, the use of masks recommendations goes at the federal level and encompasses all the 5,570 cities and 27 states in Brazil. São Paulo is the most central city in the transmission network. Therefore, it practically shapes the graph spectrum of the intercity transmission network.



**Figure 4:** Graph spectrum of the COVID-19 intercity transmission network of Brazil (see Section 3.1). The shaded area indicating the timing window in which quarantine measures were adopted by the most affected Brazilian states. The red dashed line indices the beginning of the quarantine in São Paulo, the COVID-19 epicenter in Brazil. The blue dashed line indices the beginning of the use of masks recommendation by the Federal Health Ministry. For each time point (horizontal axis), we build the network with city-specific shares of infectious persons with data up to that point.

We observe a reduction in the growth rate of the graph spectrum after the quarantine measures precisely two days after the measure. However, the growth rate still persisted at positive rates, indicating that the COVID-19 transmission speed kept increasing after such measure, but with a slower pace. After the incubation period following the use of masks recommendation, we observe a drastic change in the graph spectrum. The growth rate changed sign and started to reduce, showing that the set of health policy measures taken by the government was efficient. However, after April 23, 2020, the graph spectrum again started to increase. This can be due to several factors, such as social confusion in following health guidelines in view of the political disarray that Brazil is facing, or even non-compliance with quarantine and use of masks measures. Our model does not permit to have an isolated causal impact of the use of masks recommendation nor of the quarantine measures. However, it enables us to understand how the set of all policy measures affected the COVID-19 transmission rate across cities over time. Combining Figures 2 and 4, it seems that the reduction in the COVID-19 growth rates after the use of masks recommendation was more apparent in cities with relative low social distancing indices. This may be due to the fact that these cities have more potential close human-to-human contact and therefore the use of masks is crucial to detain the COVID-19 transmission.

To understand the topological aspects of the COVID-19 intercity transmission network, Figure 5 plots the PageRank centrality for the top 5 most central cities in each of the five regions in Brazil. We normalize the PageRank with respect to the most central city: São Paulo (SP) on May 8, 2020. As the city centrality becomes higher, the more it contributes to spreading the COVID-19 throughout the network. The top 5 most central cities in the country are the following state capitals (in decreasing order): (i) São Paulo (SP), (ii) Rio de Janeiro (RJ), (iii) Fortaleza (CE), (iv) Recife (PE), and (v) Manaus (AM). These cities all have airports and are strongly interconnected to the remainder of cities in Brazil through roadways and are likely to be the hubs for the COVID-19 spread to other nearby cities in Brazil, especially countryside municipalities. The centrality of São Paulo (SP) in the Southeast monotonically increases over the entire sample. The same roughly occurs with Manaus (AM) in the North, Fortaleza (CE) in the Northeast. Porto Alegre (RS) in the South and Brasília (DF) in the Midwest have the highest centralities in their region but with a negative growth rate in the last days of the sample. Overall, there is a very heterogeneous profile of the city centralities over time, showing the underlying non-trivial patterns in the COVID-19 transmission network.

4.2.2. Measuring the human impact of health policy measures to mitigate the COVID-19 propagation In this section, we run the SIR in networks (see Equations (1)–(4)) with different transmission rate parameters for each city in Brazil, in accordance with (16). We first estimate the city-specific  $\rho_i$  using the panel-data information on counts of the share of infectious persons in each city in Brazil via (14).



*Figure 5:* Evolution of the normalized PageRank centrality measure in the COVID-19 transmission network (see Section 3.1 for the network construction details). We only report the top 5 cities with highest PageRank at each Brazilian region. For each time point (horizontal axis), we build the network with city-specific shares of infectious persons with temporal data up to that point. Each label is composed of the city name followed by its state inside parentheses.





(b) Potential share of spared infections at the peak as a function of the city's distance to the capital (normalized within state)

**Figure 6:** Distribution of the efficiency of health policy measures along all affected cities in Brazil over time. We plot the efficiency distribution as a function of (a) time and (b) the city's distance to the capital within the same state it resides. Since states in Brazil have substantial differences in their sizes, we normalize the city's distance to the capital to the most distant city within the state.

Then, we estimate the transmission rate parameter  $\beta_i$  of each city  $i \in \mathcal{V}$  in Brazil by fixing the recovery rate parameter as  $\gamma = 1/14$ . We use the remaining parameter  $\lambda_{max}$ —the graph spectrum—to evaluate the effectiveness of the set of health policy measures in detaining the COVID-19 in Brazil. We take as baseline model the graph spectrum reached in April 10, 2020, which is the maximum observed value. We assume that this graph spectrum would have not changed afterwards in case the set of health policy measures were not taken.<sup>9</sup> We then run several SIR models with the observed graph spectrum values in Figure 4 after the graph spectrum maximum in April, 10, 2020.

Figure 6a shows a comparison of the infectious peaks of the baseline SIR model—i.e., the hypothetical scenario in which health policy measures were not introduced-and the ones with graph spectrum values observed daily after that maximum. The vertical axis shows the relative change in these infectious peaks of the baseline and the observed model day by day, which can be interpreted in terms of the potential share of spared infections at the infectious peak due to the introduction of the set of health policy measures. Since we have data from each city affected by the COVID-19, we plot the median, percentiles 75% (0.25 distant from the median) and 90% (0.40) of this distribution. In the Supplementary Material, we provide the effectiveness of public health policies for each affected municipality in Brazil. In April 10, 2020, the share of spared infections in the epidemics peak is zero, because the baseline model is compared with itself. Then, as we move forward in time and use smaller graph spectrum values, as shown in Figure 4, the potential share of spared infectious increases. The share of spared infectious persons in the epidemics peak reaches a median value 40% lower than that of the baseline model when we use the graph spectrum in April, 24, 2020, suggesting high effectiveness of the quarantine and use of masks health policies. After this point, the share of spared persons decreasesreflecting the increase in the graph spectrum in Figure 4-giving more room for the spread of the COVID-19. The effectiveness of the health policy measures, however, remains positive throughout the entire sample.

The first case of the COVID-19 in Brazil was reported in São Paulo (SP) on February 25, 2020. After that, it spread to several Brazilian state capitals probably through air transportation (most of the airports in Brazil are in the state capitals and capitals are far from each other). The epidemics took some time before reaching the first case in countryside cities. Figure 6b displays the distribution of the potential

<sup>&</sup>lt;sup>9</sup>This is a conservative approach, because we can observe a positive momentum of the graph spectrum growth rate prior to reaching April 10, 2020. However, we cannot be sure whether such graph spectrum would still increase if these policies were not in place. Therefore, we keep the conservative approach and consider such point as the maximum.





**Figure 7:** Efficiency of public health measures over time as a function of (a) the share of the spared local population and (b) the spared number of persons (in millions). We depict curves only for six capital cities that are being substantially affected by the COVID-19: Belém (PA), Fortaleza (CE), Rio de Janeiro (RJ), Brasília (DF), Manaus (AM), and São Paulo (SP).

share of spared infections in terms of the city distance to the state capital. Since Brazilian states are very different in size, we normalize the distance to the most distant city within the state. We observe a positive relationship between potential share of spared infectious and distance to the capital, suggesting that health public policies are most effective in cities that are distant from the capital. This may reflect not only the temporal delay of the COVID-19 in reaching the countryside, which puts the local COVID-19 at very early time in these regions, but also demography aspects, such as lower population density, and agricultural economic activities that do not require large conglomerates of persons.

Figure 7a shows the effectiveness of the set of public health measures for six of the most affected Brazilian capitals. In particular, Brasília (DF) reaches a 50% lower share of infectious persons at the peak when we compare peaks reached with the graph spectrum value on April 24, 2020 (against the baseline in April 10, 2020). Figure 7b shows the number of potential spared infectious persons due to the set of health policy measures. This figure is constructed by simply multiplying the share of spared infectious with the local population size of each of the six cities. Since São Paulo (SP) is the largest city, it would potentially spare more persons when the COVID-19 epidemics reach its peak.

# 5. Conclusions

At the current stage of the COVID-19 infection, many countries have stopped the entrance of foreigners. Therefore, the study of virus transmission dynamics inside each country gains relevance. In the last few days, Brazil has become one of the most infectious countries in the world. In this work, we present a general epidemics transmission model and apply it to the Brazilian case. Our method has three steps. First, we construct the COVID-19 transmission network by fitting city-specific COVID-19 cases over time to calibrate the network links, which represent intercity COVID-19 transmission. Second, we gauge the network propensity of spreading COVID-19 throughout the cities using a spectral graph analysis. Third, we propose a methodology to quantify the effectiveness of public health policies using the dynamics of early-time SIR model and spectral network theory.

Our spectral network analysis indicates that social isolation and the use of masks can effectively reduce the transmission rate of the COVID-19 in Brazil. The COVID-19 propagation dynamics seems to decrease following these public health policies when we also consider an incubation period, which lags the effect of any COVID-19 mitigation measure. Moreover, our empirical analysis supports the view that use of masks seems to be more effective than social isolation, which is further corroborated by what is being occurring in Austria [32]. With no vaccine up to date, public health intervention is

still the main method of epidemic control. We hope our study can help the government make correct decisions.

# Acknowledgements

This work is supported in part by the São Paulo State Research Foundation (FAPESP) under grant numbers 2015/50122-0 and 2013/07375-0, the Brazilian Coordination of Superior Level Staff Improvement (CAPES), the Pro-Rectory of Research (PRP) of University of São Paulo under grant number 2018.1.1702.59.8, and the Brazilian National Council for Scientific and Technological Development (CNPq) under grant numbers 303199/2019-9, 308171/2019-5, and 408546/2018-2.

# **Authors contributions statement**

T.C.S., L.A. and L.Z. conceived the study idea and researched the related work. T.C.S. designed the method and conducted the experiments. T.C.S. and L.A. gathered the datasets. L.Z. supervised the research scheme. All authors reviewed the manuscript.

# **Declaration of interests**

The authors declare no competing interests.

## References

- [1] The Lancet, COVID-19 in Brazil: "so what?", 2020. The Lancet Editorial.
- [2] S. M. Kissler, C. Tedijanto, E. Goldstein, Y. H. Grad, M. Lipsitch, Projecting the transmission dynamics of SARS-CoV-2 through the postpandemic period, Science (2020) eabb5793.
- [3] A. Chin, J. Chu, M. Perera, K. Hui, H.-L. Yen, M. Chan, M. Peiris, L. Poon, Stability of SARS-CoV-2 in different environmental conditions, The Lancet (2020). DOI: 10.1016/S2666-5247(20)30003-3.
- [4] N. van Doremalen, T. Bushmaker, D. H. Morris, M. G. Holbrook, A. Gamble, B. N. Williamson, A. Tamin, J. L. Harcourt, N. J. Thornburg, S. I. Gerber, J. O. Lloyd-Smith, E. de Wit, V. J. Munster, Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1, New England Journal of Medicine 382 (2020) 1564–1567.
- [5] C. Sims, Macroeconomics and reality, Econometrica 48 (1980) 1-48.
- [6] H. Zou, T. Hastie, Regularization and variable selection via the elastic net, Journal of the Royal Statistical Society: Series B 67 (2005) 301–320.
- [7] W. B. Nicholson, D. S. Matteson, J. Bien, VARX-L: Structured regularization for large vector autoregressions with exogenous variables, International Journal of Forecasting 33 (2017) 627– 651.
- [8] A. Remuzzi, G. Remuzzi, COVID-19 and Italy: what next?, The Lancet (2020).
- [9] R. Verity, L. C. Okell, I. Dorigatti, P. Winskill, C. Whittaker, N. Imai, G. Cuomo-Dannenburg, H. Thompson, P. G. Walker, H. Fu, et al., Estimates of the severity of coronavirus disease 2019: a model-based analysis, The Lancet Infectious Diseases (2020). DOI: 10.1016/S1473-3099(20) 30243-7.

- [10] World Health Organization, China joint mission on coronavirus disease 2019 (COVID-19), https://www.who.int/docs/default-source/coronaviruse/ who-china-joint-mission-on-covid-19-final-report.pdf, 2020. Online, Accessed: 2020-05-05.
- [11] M. J. Keeling, K. T. Eames, Networks and epidemic models, Journal of the Royal Society Interface 2 (2005) 295–307.
- [12] W. O. Kermack, A. G. McKendrick, A contribution to the mathematical theory of epidemics, Proceedings of the Royal Society of London. Series A 115 (1927) 700–721.
- [13] F. R. Chung, F. C. Graham, Spectral graph theory, American Mathematical Society, 1997.
- [14] R. Pastor-Satorras, C. Castellano, P. Van Mieghem, A. Vespignani, Epidemic processes in complex networks, Reviews of Modern Physics 87 (2015) 925–979.
- [15] R. Pastor-Satorras, A. Vespignani, Immunization of complex networks, Physical Review E 65 (2002) 036104.
- [16] R. Pastor-Satorras, A. Vespignani, Epidemic spreading in scale-free networks, Physical Review Letters 86 (2001) 3200–3203.
- [17] M. Youssef, R. Kooij, C. Scoglio, Viral conductance: Quantifying the robustness of networks with respect to spread of epidemics, Journal of Computational Science 2 (2011) 286–298.
- [18] P. V. Mieghem, The viral conductance of a network, Computer Communications 35 (2012) 1494–1506.
- [19] D. Chen, L. Lü, M.-S. Shang, Y.-C. Zhang, T. Zhou, Identifying influential nodes in complex networks, Physica A 391 (2012) 1777–1787.
- [20] D.-B. Chen, R. Xiao, A. Zeng, Y.-C. Zhang, Path diversity improves the identification of influential spreaders, Europhysics Letters 104 (2013) 68006.
- [21] F. Bauer, J. T. Lizier, Identifying influential spreaders and efficiently estimating infection numbers in epidemic models: A walk counting approach, Europhysics Letters 99 (2012) 68007.
- [22] L. Hébert-Dufresne, A. Allard, J.-G. Young, L. J. Dubé, Global efficiency of local immunization on complex networks, Scientific Reports 3 (2013) 2171.
- [23] A. Zeng, C.-J. Zhang, Global efficiency of local immunization on complex networks, Physics Letters A 377 (2013) 1031–1035.
- [24] P. Holme, T. Takaguchi, Time evolution of predictability of epidemics on networks, Physical Review E 91 (2015) 042811.
- [25] R. Yi-Run, L. Song-Yang, X. Yan-Dong, W. Jun-De, B. Liang, Identifying influence of nodes in complex networks with coreness centrality: Decreasing the impact of densely local connection, Chinese Physics Letters 33 (2016) 028901.
- [26] J. T. Matamalas, A. Arenas, S. Gómez, Effective approach to epidemic containment using link equations in complex networks, Science Advances 4 (2018) eaau4212.
- [27] C. Castellano, R. Pastor-Satorras, Competing activation mechanisms in epidemics on networks, Scientific Reports 2 (2012) 371.

- [28] C. Stegehuis, R. van der Hofstad, J. S. H. van Leeuwaarden, Epidemic spreading on complex networks with community structures, Scientific Reports 6 (2016) 29748.
- [29] F. Iannelli, A. Koher, D. Brockmann, P. Hovel, I. M. Sokolov, Effective distances for epidemics spreading on complex networks, Physical Review E 95 (2017) 012313.
- [30] J. Friedman, T. Hastie, R. Tibshirani, Regularization paths for generalized linear models via coordinate descent, Journal of Statistical Software 33 (2010) 1–22.
- [31] J. M. Wooldridge, Econometric analysis of cross section and panel data, MIT Press, 2002.
- [32] Reuters, Austria says reopening shops has not accelerated coronavirus infections, https: //www.reuters.com/article/us-health-coronavirus-austria-idUSKBN22H1HP, 2020. Accessed: 2020-05-08.

# **Supplementary Material**

This Supplementary Material presents additional results of our empirical application to Brazil.

**Table A1:** Estimated share of the local population with COVID-19 in Brazil at the peak and the corresponding month and day in 2020. We report the peak date and share of infectious persons to the local population of the city with and without health policy measures (see Section 4.2 for details). This simulation uses data up to May 8, 2020. We only report estimates for cities in which the simulated infectious peak with policy is higher than 5% of the local population.

				No P	olicy (Peak)	With	Policy (Peak)	
Row Number	Region	State	Name	Date	Infectious (%)	Date	Infectious (%)	Reduction (%)
1	Southeast	São Paulo	Ourinhos	Oct 17	10.42	Nov 30	7.03	36.57
2	Midwest	Mato Grosso	Mirassol d'Oeste	Sep 29	10.96	Nov 06	7.49	35.10
3	South	Paraná	Santa Fé	Oct 10	9.65	Nov 29	6.33	34.82
4	South	Rio Grande do Sul	Tio Hugo	Sep 19	10.43	Oct 26	7.03	34.66
5	Southeast	São Paulo	Laranjal Paulista	Oct 08	10.46	Nov 23	7.04	33.14
6	North	Pará	Cachoeira do Arari	Sep 29	10.97	Nov 02	7.67	32.55
7	South	Rio Grande do Sul	Porto Alegre	Oct 03	9.78	Nov 22	6.45	32.12
8	South	Paraná	Fazenda Rio Grande	Oct 17	9.61	Nov 22	6.83	31.72
9	Northeast	Ceará	Acopiara	Sep 20	14.79	Oct 21	11.03	31.70
10	Southeast	São Paulo	Aracariguama	Sep 26	13.25	Oct 31	9.56	31.48
11	South	Paraná	Pato Branco	Oct 01	12.13	Nov 10	8.53	31.18
12	Northeast	Rio Grande do Norte	Nísia Floresta	Sep 08	14.59	Oct 06	10.83	31.05
13	Southeast	São Paulo	São Roque	Sep 12	14.30	Oct 13	10.56	31.04
14	South	Rio Grande do Sul	Vacaria	Oct 31	10.45	Dec 21	7.04	30.44
15	South	Santa Catarina	Balneário Arroio do Silva	Sep 27	10.18	Nov 06	6.80	30.44
16	Northeast	Bahia	Feira de Santana	Oct 13	10.13	Nov 29	6.76	30.21
17	South	Santa Catarina	Pedras Grandes	Sep 10	9.88	Oct 20	6.54	30.19
18	Northeast	Paraíba	Junco do Seridó	Sep 07	11.71	Oct 13	8.15	30.02
19	Southeast	Rio de Janeiro	Barra do Piraí	Sep 30	10.70	Nov 11	7.26	29.75
20	South	Santa Catarina	Balneário Camboriú	Sep 07	10.25	Oct 12	6.87	29.54
21	South	Rio Grande do Sul	Canoas	Oct 23	10.12	Dec 14	6.76	29.49
22	Southeast	São Paulo	Lavrinhas	Aug 31	17.11	Sep 25	13.22	29.47
23	Southeast	Minas Gerais	Belo Horizonte	Sep 25	10.59	Nov 10	7.17	28.79
24	Northeast	Piauí	Piracuruca	Sep 12	12.03	Oct 18	8.44	28.63
25	Northeast	Ceará	Alto Santo	Aug 23	16.80	Sep 16	12.91	28.07
26	Northeast	Rio Grande do Norte	Tenente Ananias	Sep 15	11.61	Oct 24	8.08	28.06
27	Midwest	Mato Grosso do Sul	Campo Grande	Sep 23	12.55	Oct 31	8.92	27.80
28	South	Paraná	Paranaguá	Sep 26	12.47	Nov 06	8.84	27.79
29	Southeast	São Paulo	Angatuba	Sep 20	14.95	Oct 23	11.13	27.76
30	South	Paraná	Araruna	Aug 09	15 44	Aug 30	11.60	27.71
31	Southeast	São Paulo	Atibaia	Sep 22	11.80	Oct 30	8.25	27.42
32	Northeast	Pernambuco	Lagoa dos Gatos	Sep 16	13.36	Oct 21	9.66	27.06
33	South	Paraná	Campo Mourão	Sep 10 Sep 07	12.32	Oct 14	8.72	26.93
34	Southeast	São Paulo	São José do Rio Preto	Sep 23	11.69	Nov 04	8.15	26.89
35	Southeast	São Paulo	Jacareí	Oct 05	11.12	Nov 16	7.65	26.72
36	South	Santa Catarina	Florianópolis	Aug 26	12.78	Sep 28	9.13	26.70
37	Midwest	Mato Grosso	Rondonópolis	Sep 12	12.88	Oct 17	9.22	26.66
38	Northeast	Rio Grande do Norte	Parnamirim		13.00	Sep 28	9.33	26.41
39	Southeast	São Paulo	Taubaté	Sep 11	15.38	Oct 09	11.55	26.39
40	Southeast	São Paulo	Barra Bonita	Sep 09	14.92	Oct 05	11.30	26.22
41	Southeast	São Paulo	Peruíbe	Sep 05	13.89	Sep 28	10.77	26.19
42	South	Paraná	Umuarama	Sep 29	15 47	Oct 25	12.27	26.17
43	Southeast	Rio de Janeiro	Paraty	Sep 19	12.63	Oct 24	9.00	26.04
44	South	Rio Grande do Sul	Novo Hamburgo	Oct 04	13.51	Nov 16	9.79	25.84
45	Southeast	São Paulo	Marília	Oct 19	11.32	Dec 06	7.85	25.77
46	Southeast	Minas Gerais	Patos de Minas	Sep 15	13.92	Oct 21	10.17	25.52
47	Southeast	São Paulo	Nazaré Paulista	Aug 20	17.97	Sep 12	14.00	25.47
48	South	Paraná	Cascavel	Sep 10	14.14	Oct 17	10.38	25.33
49	Southeast	São Paulo	São José dos Campos	Sep 05	12.83	Oct 09	9.18	25.33
50	Northeast	Bahia	Itagibá	Aug 25	12.90	Sep 25	9.25	25.27
51	Southeast	Rio de Janeiro	Nova Friburgo	Sep 03	13.96	Oct 03	10.21	24.92
52	Southeast	São Paulo	Mococa	Oct 24	10.49	Dec 15	7.04	24.88
53	Southeast	São Paulo	Aracatuba	Aug 28	14.64	Sep 24	10.84	24.85
54	Southeast	Minas Gerais	Varginha	Sep 18	13 44	Oct 25	9.74	24.80
55	Midwest	Distrito Federal	Brasília	Aug 26	13.12	Sep 30	9.45	24.79
56	South	Santa Catarina	Itanema	Aug 20	17.43	Sep 12	13.47	24.62
57	South	Rio Grande do Sul	Alvorada	Sep 22	14.16	Oct 30	10.40	24 55
58	Southeast	São Paulo	Braganca Paulista	Sep 01	13.45	Oct 04	9.75	24.32
59	Northeast	Bahia	Itanetinoa	Sep 19	14 78	Oct 27	10.97	24.20
60	Northeast	Pernambuco	Catende	Sep 28	12.96	Nov 09	9.32	24.11
61	Northeast	Bahia	Urnenca	Aug 20	13.57	Sen 19	9.87	24.05
62	South	Santa Catarina	Itaiaí	A110 20	13 50	Oct 01	9.80	24.01
63	Northeast	Bahia	Lauro de Freitas	Sep 01	13 38	Oct 04	9.70	23.89
55	or meast	Durinu	Enuro de Frendo	50p 01	15.50	551 04	2.10	20.07

Table A1 – continued from previous page

Bow Number         Region         State         Name         Date         Infectious (*)         Date         Infectious (*)         Delate         Infectious (*)         Delations (*) <thdelations (*)<="" th=""> <thdelations (*)<="" th="">         &lt;</thdelations></thdelations>					No Po	olicy (Peak)	With I	Policy (Peak)	
64         Southeast         Minas Gerais         Patrochino         Aug 24         16.43         Sep 20         12.31         23.8           65         Southeast         Minas Gerais         Juiz de Forn         Sep 17         12.60         Oct 25         9.98         23.6           67         Southeast         Bahia         Camagari         Sep 17         13.30         Oct 21         9.64         23.6           68         Northeast         Bahia         Sas Patholo         Stas Carlus         Sas Patholo         13.6         Oct 25         12.13         Dect 43         Sas Patholo         Sas Carlus         Sas Patholo         Sas Carlus         Sas Patholo         Carlus         23.3           73         Southeast         Sas Carlus         Sas Patholo         Carlus         23.3         7.5         23.3           74         Southeast         Sas Carlus         Caultargia         Oct 12         12.01         22.9         Aug 25         6.71         23.0           75         Southeast         Sas Patho         Mairagia         Aug 24         15.30         Oct 21         12.01         22.8           78         Matheast         Mariagia         Aug 24         15.34         Sep 10         10.0	Row Number	Region	State	Name	Date	Infectious (%)	Date	Infectious (%)	Reduction (%)
66         Southesst         Mina Grais         Juiz de Fora         Sep 12         13.0         Oct 25         8.91         23.3           66         Southesst         Bains         Carmaçari         Sep 17         13.30         Oct 25         9.91         23.45           67         Southesst         Bains         Carmaçari         Sep 17         13.30         Oct 21         9.04         23.45           71         Southesst         Southest         Miningia         Aug 20         14.41         Oct 10         10.04         23.1           75         South         Paraná         Guaraça         Nor 15         9.20         Aug 25         C.12         22.2         23.3           76         Midwest         Gorias         Pres do Rio         Southest         Southest         Southest         Southest         Southest         Southest         Southest         Southest         Southest	64	Southeast	Minas Gerais	Patrocínio	Aug 24	16.43	Sep 20	12.51	23.82
66         Southeast         Minas Granis         Juiz de Forn         Sep 17         15.09         Oct 05         9.916         23.6           67         Southeast         Bahia         Camaçari         Sep 17         15.30         Oct 21         9.64         23.6           68         Northeast         Baia Granis         Sico Echstailo de Paneiro         Sico Echstailo de Paneiro         Sico Carlos         Southeast         Sico Paneiro         Augei A         11.78         23.3           71         Southeast         Sico Paneiro         Augei A         14.4         14.83         South         11.78         23.4           73         Southeast         Sico Paneiro         Longin Paneiro         Longin Paneiro         11.91         Dect 05         0.92         10.1         23.0           76         Midwest         Maneiro Granis         Longin Paneiro         Nov 12         9.1         Juiz 10.0         12.0         22.9           77         South         Pannis         Maringia         Aug 20         15.89         Oct 02         12.0         22.9           78         Northeast         Pannis         Paneiro Maneiros Oritica         Aug 20         14.04         Sep 16         10.92         22.8	65	Southeast	Rio de Janeiro	Mangaratiba	Sep 17	12.50	Oct 26	8.91	23.79
67         Southeast         São Paulo         Eldorado         Sep 17         12.77         Oct 26         9.16         22.65           68         Nontheast         Raina Carana,         Sao Sebastião do Paraño         Oct 26         12.13         Doc 14         8.58         23.5           70         Southeast         São Carlos         Sep 03         14.44         8.58         11.12         23.3           71         Southeast         São Carlos         Sep 05         14.43         Sep 10         10.10         10.2         23.3           73         Southeast         São Carlos         Sep 05         14.41         Oct 10         10.64         23.1           73         Southeast         Grais Carlos         Rera do Carga         Sep 05         14.41         Oct 10         10.66         00.02         22.9           70         Mottheast         Maring A         Aug 30         15.8         0.001         12.0         22.8           71         Southeast         São Paulo         Ferrar do Rino         Sep 11         12.0         22.2           80         Southeast         São Paulo         Carás         Prera do Rino         Sep 13         12.08         22.8           81 <td>66</td> <td>Southeast</td> <td>Minas Gerais</td> <td>Juiz de Fora</td> <td>Sep 02</td> <td>13.69</td> <td>Oct 05</td> <td>9.98</td> <td>23.64</td>	66	Southeast	Minas Gerais	Juiz de Fora	Sep 02	13.69	Oct 05	9.98	23.64
66         Northeast         Bahia         Camagari         Sep 17         13.30         Oct 21         9.64         23.5           69         Southeast         Sin Pedro a Aldeia         Sop 16         1.55         Oct 31         1.1.78         22.45           71         Southeast         Sin Paulo         Sin Carlos         Sop 16         1.55         Oct 31         1.1.78         22.43           72         Midwest         Goiás         Goiándira         Aug 14         1.4.83         Sop 10         1.0.78         22.43           73         Southeast         Sin Paulo         Longrisp 100         Longisp 20         2.9         Aug 25         6.71         22.0           75         South         Paraná         Maringá         Aug 24         1.5.34         Sop 20         1.0.05         6.01         12.10         22.9           78         Midvest         Goiás         Prires do Rio         Sop 10         10.60         Oct 01         12.10         22.8           78         Midvest         Goiás         Prires do Rio         Sop 10         12.10         22.8           80         Southeast         Sio Paulo         Maringá         Aug 20         14.49         Sop 70 <t< td=""><td>67</td><td>Southeast</td><td>São Paulo</td><td>Eldorado</td><td>Sep 17</td><td>12.77</td><td>Oct 26</td><td>9.16</td><td>23.63</td></t<>	67	Southeast	São Paulo	Eldorado	Sep 17	12.77	Oct 26	9.16	23.63
66         Southeast         Minas Genia         São Sebastão do Paraíso         Sep 03         1.14         Dec 14         8.58         23.5           70         Southeast         São Carlos         Sep 03         1.44         Oct 10         1.1.2         23.5           71         Southeast         São Carlos         Sep 05         1.43         Sep 10         1.0.2         23.3           73         Southeast         São Carlos         Sep 05         1.44         Oct 10         10.64         23.1           75         Southeast         Graina Gerais         Oct 15         9.29         Aug 25         6.71         23.0           76         Midwest         Marcínsó         Norl 2         9.21         Jun 10         10.6         0.22.9           78         Northeast         Parando         Maringå         Aug 20         11.5.9         22.8           78         Northeast         Romanboo         Aliangå         Aug 20         14.24         Sep 10         11.0         22.2           81         Southeast         Sko Delao         Ferrar de Vascuncede Aug 20         14.24         Sep 01         11.17         22.7           84         Northeast         Roinde do Norte         S	68	Northeast	Bahia	Camacari	Sep 17	13.30	Oct 21	9.64	23.62
70         Southeast         São Pedro da Aldeia         São Pedro da Aldeia         Sep 16         1.44         0.01         11.78         23.5           71         Southeast         São Paluo         Lacrols         Sep 16         11.78         23.3           73         Southeast         São Paluo         Lacrols         Ott         19.10         Dec 37.52         23.3           74         Southeast         Minas Gerais         Uberlândia         Sep 05         14.41         Oct 10         10.64         23.1           75         Southeast         Maro Graiss         Uberlândia         Sep 05         14.41         Oct 10         12.01         22.9           78         Northeast         Marone         Alag 30         15.34         Sep 01         15.01         22.8           79         Midwest         Gois         Prires do Rio         Sep 01         16.06         Oct 01         12.16         22.8           80         Southeast         São Faulo         Farrar de Vasconcico         Aug 30         14.24         Sep 03         11.10         22.7           81         Southeast         Sio Grais         Southeast         Sio Grais         Sep 04         14.13         Sep 04         11.12 </td <td>69</td> <td>Southeast</td> <td>Minas Gerais</td> <td>São Sebastião do Paraíso</td> <td>Oct 26</td> <td>12.13</td> <td>Dec 14</td> <td>8.58</td> <td>23.59</td>	69	Southeast	Minas Gerais	São Sebastião do Paraíso	Oct 26	12.13	Dec 14	8.58	23.59
71       Southeast       Sao Carlos       Sep 16       15.65       Oct 20       11.78       23.4         72       Midwest       Goias Grandira       Aug 14       14.83       Sep 10       11.02       23.3         73       Southeast       Sine Cerais       Uberländia       Sep 05       14.1       Oct 10       10.64       23.1         76       Midwest       Maria Gerais       Outerländia       Aug 20       15.89       Oct 02       12.01       22.9         77       South       Parnai       Maringia       Aug 20       15.44       Sep 10       11.00       22.9         78       Northeast       Parnai       Maringia       Aug 20       15.44       Sep 10       11.50       22.8         80       Southeast       São Paulo       Kineiros do Tied       Aug 20       11.60       Oct 01       12.16       22.7         78       Northeast Rio Grande do Norte       Aug 20       16.04       Sep 08       12.23       22.5         81       Southeast       São Paulo       Leme       Oct 01       12.19       22.4         82       Southeast       Sán Carado       Aug 20       10.47       Sep 10       12.2       22.5	70	Southeast	Rio de Janeiro	São Pedro da Aldeia	Sep 03	14.94	Oct 03	11.12	23.55
"72         Mitdwest         Geiads         Geiandrin         Aug 14         14.83         Sep 10         11.02         23.3           73         Southeast         Minas Gerais         Uberlandia         Sep 05         14.41         Oct 10         10.64         23.3           74         Southeast         Minarig         Oct 15         9.29         Aug 25         6.71         23.0           76         Midvest         Matringá         Aug 24         15.34         Sep 20         11.20         22.9           78         Northeast         Southeast         São Paulo         Minarios do Tieté         Aug 19         15.89         Oct 01         12.16         22.8           80         Southeast         São Paulo         Mineiros do Tieté         Aug 19         15.97         Sep 13         12.08         22.8           81         Southeast         Rio Grande do Norte         São Gonçalo do Amarante         Aug 30         14.22         Sep 16         11.02         22.3           83         Southeast         Rio Grande do Norte         São Gonçalo do Amarante         Aug 30         14.77         Sep 30         10.97         22.5         23.5         86         South         São Paulo         Caranãa Aug 23 <td< td=""><td>71</td><td>Southeast</td><td>São Paulo</td><td>São Carlos</td><td>Sep 16</td><td>15.65</td><td>Oct 20</td><td>11.78</td><td>23.44</td></td<>	71	Southeast	São Paulo	São Carlos	Sep 16	15.65	Oct 20	11.78	23.44
73       Southeast       Southast       Southeast <t< td=""><td>72</td><td>Midwest</td><td>Goiás</td><td>Goiandira</td><td>Δησ 14</td><td>14.83</td><td>Sen 10</td><td>11.02</td><td>23 37</td></t<>	72	Midwest	Goiás	Goiandira	Δησ 14	14.83	Sen 10	11.02	23 37
74         Southeast         Minas Gerais         Call Construction         South         Paraná         Construction         Construction <thconstruction< th=""> <thconstr< td=""><td>72</td><td>Southeast</td><td>São Paulo</td><td>L encóis Paulista</td><td>Oct 17</td><td>10.91</td><td>Dec 03</td><td>7 52</td><td>23.37</td></thconstr<></thconstruction<>	72	Southeast	São Paulo	L encóis Paulista	Oct 17	10.91	Dec 03	7 52	23.37
75         South         Paraná         Guainraçá         0 Cut 15         9.29         Aug 25         6.71         22.0           76         Midwest         Mato Grosso         Barna do Gargas         Nou 12         9.31         Jan 05         6.00         22.9           78         Northeast         Permambaco         Aliança         Aug 24         15.34         Sep 20         11.50         22.9           78         Northeast         Goiás         Pires do Río         Sep 01         16.06         Cot 01         12.16         22.8           80         Southeast         Goiás         Pires do Río         Sep 01         16.17         22.7         Sep 14         16.08         Sep 14         12.08         22.8           81         Southeast         Sio Paulo         Lenne         Ovt 01         14.24         Sep 01         12.15         22.7           85         Northeast         Sio Carophol         Aug 31         16.13         Sep 01         12.25         22.7           85         Northeast         Sio Lacophol         Aug 31         14.81         Ovt 02         11.17         22.7           85         Northeast         Sio Lacophol         Aug 23         16.33	73	Southeast	Minas Gerais	Uberlândia	Sen 05	14 41	Oct 10	10.64	23.55
7.6         Mikubar         Tana and the Gravie         Description         Description <thdescription< th=""> <thdescription< th=""> <th< td=""><td>74</td><td>South</td><td>Paraná</td><td>Guairacá</td><td>Oct 15</td><td>0.20</td><td>Aug 25</td><td>671</td><td>23.11</td></th<></thdescription<></thdescription<>	74	South	Paraná	Guairacá	Oct 15	0.20	Aug 25	671	23.11
10         Induces         Junit Outsky         Junit Outsky <t< td=""><td>75</td><td>Midwoot</td><td>I al alla Moto Grosso</td><td>Duanaça Darra da Caraas</td><td>Nov 12</td><td>9.29</td><td>Aug 25</td><td>6.00</td><td>23.01</td></t<>	75	Midwoot	I al alla Moto Grosso	Duanaça Darra da Caraas	Nov 12	9.29	Aug 25	6.00	23.01
1/1         South         Parametrico         Alianga         Aug. 20         11.85         Oct. 02         11.20         22.8           79         Midwest         Goias         Pires do Rio         Sep 01         16.06         Oct. 01         12.16         22.8           80         Southeast         Sio Paulo         Fierra de Vasconecios         Aug. 20         14.72         Sep 13         12.06         22.8           81         Southeast         Sio de Janeiro         Boru Jardini         Aug. 20         14.72         Sep 23         10.92         22.8           82         Southeast         Sio de Janeiro         Boru Jardini         Aug. 20         14.24         Sep 23         10.92         22.8           83         Southeast         Kio Grande do Sur         Sio Conçulo         Aug. 20         16.13         Sep 20         10.21         22.4           84         Northeast         Rinambaco         Carnatba         Aug. 21         17.17         Southeast         Sio Conçulo         Aug. 23         16.53         Sep 21         12.01         22.2           91         Southeast         Sio Paulo         Monte Alto         Aug. 24         16.85         Sep 21         12.01         22.2	70	South	Doromá	Baila do Gaiças	NOV 12	9.51	Dat 02	12.01	22.93
16         Nutlucias         Period Nutlucias         Period National Actional	77	Northaast	Falalla	Alienze	Aug 30	15.09	Sen 20	12.01	22.91
and Nativest         Guilast         Filtes 00 Ki0         Sep 01         10.00         Oct 01         12.10         22.8           80         Southeast         Sia o Paulo         Ferraz de Vasconcelos         Aug 20         14.72         Sep 13         12.08         22.8           81         Southeast         Sia o Faulo         Eerraz de Vasconcelos         Aug 20         14.72         Sep 13         10.02         22.8           82         Southeast         Sia o Eapoldo         Lenne         Oct 01         14.99         Nov 09         12.13         22.7           84         Northeast Rio Grande do Sur         Sia Oenoldo         Aug 20         14.77         Sep 30         10.97         22.5           85         Southeast         Mina Gerais         Pouso Alegre         Aug 31         14.81         Oct 20         11.01         22.4           88         Northeast         Pernambuco         Carnañba         Aug 22         17.17         Sep 13         12.66         22.2           91         Southeast         Sande Paulo         Carnañba         Aug 24         16.85         Sep 21         12.01         22.2           92         Southeast         Minas Gerais         Uberaba         Aug 24         <	70	Midwaat	Caiáa	Allaliça Direc de Die	Aug 24	15.54	Sep 20	12.16	22.00
ability         Southests         Sale Paulo         Attention of Minetis do Tetto Aug 19         [1-39]         Sep 16         10-20         22.8           81         Southests         Rio de Janeiro         Bom Jardim         Aug 09         11-424         Sep 16         10-49         22.8           82         Southests         Rio Datolo         Lenne         Oct 01         14-39         Nov 09         11.17         22.7           84         Northests         Rio Grande do Sul         Sio Conçalo do Amarane         Aug 19         16.13         Sep 08         12.25         22.5           86         Southest         Riona Gerais         Pouso Alegre?         Aug 31         17.17         Sep 03         12.15         22.7           87         Southests         Pernambuco         Caraniha         Aug 28         16.53         Sep 25         12.61         22.3           90         Southests         Siao Paulo         Caraniha         Aug 22         17.17         Sep 16         10.92         22.2           91         Southests         Siao Paulo         Caraniha         Aug 25         16.58         Sep 11         12.06         22.2           92         Southestot Siao Paulo         Creciánna         Aug 26 </td <td>79</td> <td>Midwest</td> <td>Golas</td> <td>Piles do Rio</td> <td></td> <td>10.00</td> <td>Oct 01</td> <td>12.10</td> <td>22.80</td>	79	Midwest	Golas	Piles do Rio		10.00	Oct 01	12.10	22.80
st         Southest         S	80	Southeast	Sao Paulo	Mineiros do Tiete	Aug 19	15.97	Sep 15	12.08	22.82
82         Southeast         Kio de Janetro         Born Jardim         Aug 30         14.24         Step 20         10.49         22.8           83         Southeast         Rio Grande do Norte         Aug 09         16.04         Sep 01         12.15         22.7           84         Northeast Rio Grande do Sul         São Cacquo do Amarante         Aug 30         14.77         Sep 30         10.97         22.5           85         Southeast         Nina Gerais         Pouso Alegre         Aug 31         14.81         Oct 02         11.01         22.4           88         Northeast         Pernambuco         Carninba         Aug 28         16.53         Sep 25         12.61         22.3           90         Southeast         São Paulo         Carninba         Aug 28         16.53         Sep 21         12.26         22.2           91         Southeast         São Paulo         Cravinhos         Aug 23         16.58         Sep 71         13.00         22.2           92         Southeast         Mina Gerais         Ouro Fino         Sep 08         14.71         Oct 71         10.93         21.9           93         Southeast Minas Gerais         Ouro Fino         Sep 10         11.577 <td< td=""><td>81</td><td>Southeast</td><td>Sao Paulo</td><td>Ferraz de Vasconcelos</td><td>Aug 20</td><td>14.72</td><td>Sep 16</td><td>10.92</td><td>22.81</td></td<>	81	Southeast	Sao Paulo	Ferraz de Vasconcelos	Aug 20	14.72	Sep 16	10.92	22.81
84         Northeast         North	82	Southeast	Rio de Janeiro	Bom Jardim	Aug 30	14.24	Sep 29	10.49	22.80
84         Northeast Rio Grande do Norte         Aug         Aug (9)         16.04         Sep 08         12.15         22.7           85         Southeast         Rina Grande do Sul         São Leopoldo         Aug 30         14.77         Sep 30         10.97         22.5           86         Southeast         Rinas Gerais         Pousso Alegre         Aug 31         14.81         Oct 02         11.01         22.4           88         Northeast         Pernambuco         Belo Jardin         Aug 31         14.81         Oct 02         11.01         22.4           89         Northeast         Sio Paulo         Caramba         Aug 28         16.53         Sep 25         12.01         22.2           90         Southeast         Sio Paulo         Cravinhos         Aug 24         16.85         Sep 21         12.91         22.2           91         Southeast         Minas Gerais         Ouro Fino         Sep 08         14.71         Oct 37         22.2           92         Southeast         Sio Paulo         Previdente Venceslau         Aug 20         16.58         Sep 17         12.06         22.2           95         Southeast         Sio Paulo         Previnerone Sep 08         14.71         Oct	83	Southeast	São Paulo	Leme	Oct 01	14.99	Nov 09	11.17	22.79
85         Northeast Rio Grande do Norte         São Loopoldo         Aug 13         16.13         Sep 30         12.23         22.5           86         South Rio Grande do Su         São Leopoldo         Aug 31         14.81         Oct 02         11.01         22.4           88         Northeast         Pernambuco         Belo Jardin         Aug 21         11.71.7         Sep 12         12.1         22.4           89         Northeast         Pernambuco         Caraniba         Aug 22         17.17         Sep 17         13.20         22.2           90         Southeast         São Paulo         Monte Atlo<	84	Northeast	Rio Grande do Norte	Açu	Aug 09	16.04	Sep 01	12.15	22.70
86         South Rio Grande do Sul         São Leopoldo         Aug 31         14.77         Sep 30         10.97         22.4           88         Northeast         Pernambuco         Belo Jardim         Aug 31         17.17         Sep 26         13.21         22.4           89         Northeast         Pernambuco         Carnarba         Aug 28         16.53         Sep 25         12.61         22.3           90         Southeast         São Paulo         Cravinhos         Aug 24         16.85         Sep 17         13.20         22.2           91         Southeast         São Paulo         Cravinhos         Aug 24         16.85         Sep 21         12.66         22.2           93         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 17         12.66         22.2           94         Southeast         Minas Gerais         Duro Fino         Sep 08         14.71         Oct 13         10.93         21.9           95         Southeast         Minas Gerais         Belnin' Drag         Aug 29         12.74         Sep 30         9.18         21.7           100         Northeast         Bahia         Gragog         Aug 20         12.44	85	Northeast	Rio Grande do Norte	São Gonçalo do Amarante	Aug 13	16.13	Sep 08	12.23	22.50
87         Southeast         Minas Gerais         Pouso Alegre         Aug 31         14.81         Oct 02         11.01         22.4           88         Northeast         Pernambuco         Carnañba         Aug 23         16.53         Sep 25         12.61         22.3           90         Southeast         São Paulo         Monte Alto         Aug 22         17.17         Sep 17         13.20         22.2           91         Southeast         Minas Gerais         Uberaba         Aug 24         16.85         Sep 21         12.91         22.2           92         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 15         10.87         22.2           93         Southeast         Minas Gerais         Ouro Fino         Sep 18         11.71         Oct 13         10.93         21.6           94         Southeast         Siao Paulo         Vinhodo         Aug 20         16.51         Aug 23         14.51         Aug 23         14.50         21.71           97         Northeast         Bahia         Gongogi         Aug 20         16.51         Aug 23         14.50         21.77           100         Northeast         Sao Paulo         Vinich	86	South	Rio Grande do Sul	São Leopoldo	Aug 30	14.77	Sep 30	10.97	22.50
88         Northeast         Pernambuco         Carnaba         Aug 28         16.53         Sep 26         13.21         22.4           90         Southeast         São Paulo         Montc Alto         Aug 28         16.53         Sep 17         13.20         22.2           91         Southeast         São Paulo         Cravinhos         Aug 24         16.83         Sep 17         12.01         22.2           92         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 21         12.66         22.2           93         Southeast         Minas Gerais         Our Pino         Sep 08         14.71         Oct 13         10.93         21.91           94         Southeast         Minas Gerais         Belmiro Braga         Aug 29         12.74         Sep 30         9.18         21.7           95         Southeast         São Paulo         Vinhedo         Aug 08         18.61         Aug 23         14.58         21.7           96         Southeast         São Paulo         Vagrem Grande Paulista         Aug 20         16.77         Sep 19         12.84         21.6           100         Northeast         São Paulo         Jaboricabal         Aug 20 <td>87</td> <td>Southeast</td> <td>Minas Gerais</td> <td>Pouso Alegre</td> <td>Aug 31</td> <td>14.81</td> <td>Oct 02</td> <td>11.01</td> <td>22.48</td>	87	Southeast	Minas Gerais	Pouso Alegre	Aug 31	14.81	Oct 02	11.01	22.48
89         Northeast         Permambuco         Carnaíba         Aug 28         16.53         Sep 25         12.61         22.3           91         South         Santa Catarina         Sombrio         Aug 11         15.00         Sep 17         13.20         22.2           91         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 21         12.91         22.2           93         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 17         12.66         22.2           94         Southeast         Sia Paulo         Presidente Venceslau         Aug 20         16.58         Sep 15         10.87         22.2           95         Southeast         Sinas Sergipe         Itabianinha         Aug 20         16.57         Sep 30         9.18         21.7           96         Southeast         Sinas         Bahia         Gongogi         Aug 20         16.77         Sep 12         12.84         21.7           100         Northeast         Bahia         Gongogi         Aug 20         16.77         Sep 12         12.79         21.5           101         Northeast         Sio Paulo         Vargem Grande Paulista	88	Northeast	Pernambuco	Belo Jardim	Aug 31	17.17	Sep 26	13.21	22.41
90         Southeast         São Paulo         Monte Alto         Aug 21         17.17         Sep 17         13.20         222.2           91         Southeast         São Paulo         Cravinhos         Aug 24         16.85         Sep 21         12.91         22.2           93         Southeast         Minas Gerais         Uberaba         Aug 25         16.58         Sep 11         12.66         22.2           94         Southeast         São Paulo         Presidente Venceslau         Aug 20         16.58         Sep 17         12.66         22.0           95         Southeast         São Paulo         Presidente Venceslau         Aug 20         16.58         Sep 17         12.66         22.0           97         Northeast         São Paulo         Vinhedo         Aug 23         15.77         Sep 30         9.18         21.7           98         Southeast         São Paulo         Vinhedo         Aug 02         18.52         Aug 23         14.50         21.7           101         Northeast         São Paulo         Vinhedo         Aug 02         16.73         Sep 12         12.8         21.6           102         Southeast         São Paulo         Capáo Banito         Aug 16	89	Northeast	Pernambuco	Carnaíba	Aug 28	16.53	Sep 25	12.61	22.36
91         South         Santa Catarina         Sombrio         Aug 11         15.00         Sep 06         11.19         222.2           92         Southeast         Minas Gerais         Uberaba         Aug 25         16.85         Sep 21         12.66         22.2           94         South         Stanta Catarina         Criciúma         Aug 16         14.66         Sep 17         12.66         22.2           95         Southeast         São Paulo         Presidente Venceslau         Aug 20         16.58         Sep 17         12.66         22.0           96         Southeast         Sina Carais         Ouro Fino         Sep 08         14.71         Sep 30         9.18         21.7           97         Northeast         Saio Paulo         Vinhedo         Aug 29         12.74         Sep 30         9.18         21.7           100         Northeast         Bahia         Gongogi         Aug 20         16.77         Sep 19         12.44         22.0         20.2         31.5         10.6         30.5         21.5         10.4         Southeast         São Paulo         Capio Bonito         Aug 16         17.30         Sep 12         12.79         21.5         10.6         Southeast         Sã	90	Southeast	São Paulo	Monte Alto	Aug 22	17.17	Sep 17	13.20	22.29
92SoutheastSão PauloCravinhosAug 2416.85Sep 2112.20122.293SoutheastMinas GeraisUberabaAug 2516.58Sep 1510.8722.295SoutheastSão PauloPresidente VenceslauAug 2016.58Sep 1712.6622.096SoutheastMinas GeraisOuro FinoSep 0814.71Oct 1310.9321.997NortheastSergipeItabiaininhaAug 3115.77Sep 2911.9021.898SoutheastMinas GeraisBelniro BragaAug 2312.74Sep 309.1821.7100NortheastSão PauloVinhedoAug 0818.61Aug 2314.5021.7101NortheastSão PauloVagerm Grande PaulistaAug 2016.77Sep 1912.8421.6102SoutheastSão PauloCapão BonitoAug 1617.30Sep 1212.3321.5104SoutheastSão PauloCapão BonitoAug 1617.30Sep 1212.3321.5106SouthSanta CatarinaSão LudgeroAug 0215.38Aug 2711.7321.4107MidvestGoiásVajaaraíso de GoiásSep 1314.62Oct 1710.8521.4108SoutheastSão PauloSão LudgeroAug 0616.60Aug 3112.6721.4109SoutheastSão PauloSão LudgeroAug 0616.58	91	South	Santa Catarina	Sombrio	Aug 11	15.00	Sep 06	11.19	22.27
93         Southeast         Minas Cerais         Uberaba         Aug 25         16.58         Sep 21         12.66         22.2           94         South         Santa Catarina         Criciúma         Aug 20         16.58         Sep 17         12.66         22.0           95         Southeast         Minas Gerais         Ouro Fino         Sep 08         14.71         Oct 13         10.93         21.9           96         Southeast         Minas Gerais         Belmiro Braga         Aug 29         12.74         Sep 30         9.18         21.7           99         Southeast         Bahia         Gongogi         Aug 02         18.52         Aug 23         14.50         21.7           100         Northeast         Bahia         Gongogi         Aug 02         18.52         Aug 23         14.50         21.7           101         Northeast         São Paulo         Vargem Grande Paulista         Aug 06         16.77         Sep 19         12.84         21.6           102         Southeast         São Paulo         Capio Bonito         Aug 17         21.3         Sep 05         18.05         21.5           104         Southeast         São Paulo         Capio Bonito         Aug 17	92	Southeast	São Paulo	Cravinhos	Aug 24	16.85	Sep 21	12.91	22.25
94         South         Santa Catarina         Cricima         Aug         16         14.66         Sep         15         10.87         22.2           95         Southeast         Minas Gerais         Ouro Fino         Sep         16.58         Sep         17         12.66         22.0           96         Southeast         Minas Gerais         Delmiro Braga         Aug         21         17.7         Sep         29         11.90         21.8           98         Southeast         Minas Gerais         Belmiro Braga         Aug         29         12.74         Sep         30         91.8         21.7           99         Southeast         São Paulo         Vinhedo         Aug         21.85         Aug         21.7         21.5           101         Northeast         Cará         Aquiraz         Sep         11.44         Aug         21         8.69         21.6           102         Southeast         Minas Gerais         Divinôpolis         Aug         20         16.7.7         Sep         12.84         21.6           103         Southeast         São Paulo         Capião Bonito         Aug         16         17.30         Seu         12         13.33	93	Southeast	Minas Gerais	Uberaba	Aug 25	16.58	Sep 21	12.66	22.24
95         Southeast         São Paulo         Presidente Venceslau         Aug 20         16.88         Sep 17         12.66         22.0           96         Southeast         Minas Gerais         Ouro Fino         Sep 08         14.71         Oct 13         10.93         21.9           97         Northeast         Sergipe         Itabaianinha         Aug 29         12.74         Sep 30         9.18         21.7           99         Southeast         Bahia         Gongogi         Aug 29         18.52         Aug 23         14.50         21.7           100         Northeast         Bahia         Gongogi         Aug 02         18.52         Aug 23         14.50         21.7           101         Northeast         São Paulo         Vargem Grande Pauloista         Aug 02         16.73         Sep 12         12.84         21.6           103         Southeast         São Paulo         Capão Bonito         Aug 16         17.73         Sep 12         13.33         21.5           106         Southast         Santa Catarina         São Ludgero         Aug 02         15.33         Sep 01         11.51         21.4           108         Southeast         Minas Gerais         Extrema         Aug	94	South	Santa Catarina	Criciúma	Aug 16	14.66	Sep 15	10.87	22.22
96         Southeast         Minas Gerais         Ouro Fino         Sep 08         14.71         Oct 13         10.93         21.9           97         Northeast         Sergipe         Itabaianinha         Aug 31         15.77         Sep 29         11.90         21.8           98         Southeast         Kinas Gerais         Belmiro Braga         Aug 23         14.50         21.7           99         Southeast         Sab Paulo         Vinhedo         Aug 08         18.61         Aug 23         14.50         21.7           100         Northeast         Bahia         Gongogi         Aug 02         16.77         Sep 19         12.84         21.6           102         Southeast         Minas Gerais         Divinópolis         Aug 16         16.73         Sep 12         12.79         21.5           104         Southeast         São Paulo         Capão Bonito         Aug 16         17.30         Sep 12         12.79         21.5           105         Southeast         Minas Gerais         Extrema         Aug 06         15.35         Aug 27         11.73         21.4           107         Midwest         Goiás         Valparaíso de Goiás         Sep 13         14.62         Oct 17	95	Southeast	São Paulo	Presidente Venceslau	Aug 20	16.58	Sep 17	12.66	22.06
97         Northeast         Sergipe         Itabaianinha         Aug 31         15.77         Sep 29         11.90         21.8           98         Southeast         Minas Gerais         Belmiro Braga         Aug 29         12.74         Sep 30         9.18         21.7           99         Southeast         São Paulo         Vinhedo         Aug 02         18.52         Aug 23         14.58         21.7           100         Northeast         Bahia         Gongogi         Aug 02         18.52         Aug 23         14.50         21.7           101         Northeast         Caraí         Aquiraz         Sep 19         11.44         Aug 17         8.69         21.6           102         Southeast         São Paulo         Vargem Grande Paulista         Aug 20         16.77         Sep 19         12.84         21.6           103         Southeast         São Paulo         Capão Bonito         Aug 16         17.73         Sep 12         13.33         21.5           106         Southast         Sana Catarina         São Ludgero         Aug 09         15.33         Sep 01         11.51         21.4           108         Southeast         São Paulo         São Caetano do Sul         Jul 26	96	Southeast	Minas Gerais	Ouro Fino	Sep 08	14.71	Oct 13	10.93	21.98
98         Southeast         Minas Gerais         Belmiro Braga         Aug 29         12.74         Sep 30         9.18         21.7           99         Southeast         São Paulo         Vinhedo         Aug 20         18.52         Aug 23         14.58         21.7           100         Northeast         Bahia         Gongogi         Aug 20         18.52         Aug 23         14.50         21.7           101         Northeast         Sao Paulo         Vargem Grande Paulista         Aug 20         16.77         Sep 12         12.33         21.5           104         Southeast         São Paulo         Jaboticabal         Aug 16         17.30         Sep 12         13.33         21.5           105         Southeast         São Paulo         Capão Bonito         Aug 20         15.58         Aug 27         11.73         21.4           107         Micwest         Goiás         Valparaíso de Goiás         Sep 13         14.62         Oct 17         10.85         21.4           108         Southeast         São Paulo         Caierias         Aug 06         16.60         Aug 31         12.67         21.3           110         Southeast         São Paulo         Raierão         Aug 04 <td>97</td> <td>Northeast</td> <td>Sergine</td> <td>Itabaianinha</td> <td>Aug 31</td> <td>15.77</td> <td>Sep 29</td> <td>11.90</td> <td>21.83</td>	97	Northeast	Sergine	Itabaianinha	Aug 31	15.77	Sep 29	11.90	21.83
99         Southeast         São Paulo         Vinhedo         Aug 08         18,61         Aug 28         14,58         21,7           100         Northeast         Bahia         Gongogi         Aug 02         18,52         Aug 23         14,50         21,7           101         Northeast         Cará         Aquiraz         Sep 19         11,44         Aug 17         Sep 19         12,44         21,6           102         Southeast         São Paulo         Vargem Grande Paulista         Aug 20         16,77         Sep 12         12,79         21,5           104         Southeast         São Paulo         Capão Bonito         Aug 16         17,30         Sep 12         13,33         21,5           105         Southeast         São Paulo         Capão Bonito         Aug 17         22,13         Sep 05         18,05         21,5           106         Southast         Santa Catarina         São Ludgero         Aug 02         15,58         Aug 27         11,73         21,4           108         Southeast         São Paulo         Caieiras         Aug 06         16,60         Aug 11         12,66         21,1           111         Southeast         São Paulo         Ribeirão Pires	98	Southeast	Minas Gerais	Belmiro Braga	Aug 29	12.74	Sep 30	9.18	21.79
100         Northeast         Bahia         Gongeji         Aug 20         18.22         Aug 23         14.50         21.77           101         Northeast         Sao Paulo         Vargem Grande Paulista         Aug 20         16.77         Sep 19         12.84         21.6           102         Southeast         São Paulo         Jaboticabal         Aug 16         16.73         Sep 12         13.33         21.5           104         Southeast         São Paulo         Capão Bonito         Aug 17         22.13         Sep 12         13.33         21.5           106         South         Santa Catarina         São Ludgero         Aug 02         15.58         Aug 27         11.73         21.4           107         Midwest         Goiás         Valparaíso de Goiás         Sep 13         14.62         Oct 17         10.85         21.4           108         Southeast         São Paulo         Cateiras         Aug 06         16.60         Aug 11         12.67         21.3           110         Southeast         São Paulo         Ribeirão Pires         Aug 04         17.85         Aug 24         1.85         21.0           111         Southeast         São Paulo         Tatuí         Sep 03	99	Southeast	São Paulo	Vinhedo	Aug 08	18.61	Aug 28	14 58	21.79
100         Northeast         Cará         Aquiraz         Sep 19         11.44         Aug 20         10.22         Aug 21         11.24         Aug 12         11.24         Aug 12         11.24         Aug 12         11.24         Aug 12         11.27         Sep 19         12.84         21.6           101         Southeast         São Paulo         Laboticabal         Aug 16         17.30         Sep 12         12.79         21.5           104         Southeast         São Paulo         Capão Bonito         Aug 16         17.30         Sep 12         13.33         21.5           105         Southeast         São Paulo         Capão Bonito         Aug 16         17.30         Sep 12         13.33         21.5           106         Southast         Santa Catarina         São Ludgero         Aug 02         15.58         Aug 27         11.73         21.4           108         Southeast         São Paulo         Caiciras         Aug 06         16.60         Aug 31         12.66         21.1           111         Southeast         São Paulo         Riberão Pires         Aug 03         16.94         Aug 24         13.85         21.0           112         Northeast         São Paulo         <	100	Northeast	Bahia	Gongogi	Aug 02	18.52	Δ11σ 23	14.50	21.74
Information         Formation	101	Northeast	Ceará	Aquiraz	Sen 10	11.74	Δυσ 17	8 69	21.74
102         Southeast         Bio Fail         Faigen France         Fail	102	Southeast	São Paulo	Vargem Grande Paulista	Δυσ 20	16.77	Sen 10	12.84	21.60
103         Southeast         São Paulo         Jaboticabal         Aug 16         17.30         Sep 12         13.33         21.5           105         Southeast         São Paulo         Capão Bonito         Aug 17         22.13         Sep 05         18.05         21.5           106         South         Santa Catarina         São Ludgero         Aug 02         15.58         Aug 27         11.73         21.4           107         Midwest         Goiás         Valparáso de Goiás         Sep 13         14.62         Oct 17         10.85         21.4           108         Southeast         Mias Gerais         Extrema         Aug 09         15.33         Sep 01         11.51         21.4           109         Southeast         São Paulo         Caeirano do Sul         Jul 26         16.58         Aug 14         13.85         21.0           111         Southeast         São Paulo         Ribeirão Pires         Aug 04         17.85         Aug 24         13.85         21.0           112         Northeast         Pernambuco         Machados         Aug 12         17.94         Sep 04         13.94         21.0           113         Southeast         São Paulo         Tatuí         Sep 03<	102	Southeast	Minas Gerais	Divinópolis	Aug 16	16.73	Sep 12	12.04	21.50
104         Southeast         Sab Faulo         Jaboucadat         Aug 10         17.30         Sep 12         15.33         21.5           105         Southeast         São Paulo         Capão Bonito         Aug 02         15.58         Aug 27         11.73         21.4           107         Midwest         Goiás         Valparaíso de Goiás         Sep 13         14.62         Oct 17         10.85         21.4           108         Southeast         Minas Gerais         Extrema         Aug 09         15.33         Sep 01         11.51         21.4           109         Southeast         São Paulo         Caeiras         Aug 06         16.60         Aug 11         12.67         21.3           110         Southeast         São Paulo         Rieirão Pires         Aug 04         17.85         Aug 24         13.85         21.0           112         Northeast         Pernambuco         Machados         Aug 03         16.94         Aug 31         12.99         20.9           114         Southeast         São Paulo         Tatuí         Sep 03         16.11         Sep 23         14.77         20.8           115         Southeast         Rão Paulo         Assis         Sep 02 <t< td=""><td>103</td><td>Southeast</td><td>São Doulo</td><td>Isbotiosbal</td><td>Aug 16</td><td>17.20</td><td>Sep 12 Sep 12</td><td>12.79</td><td>21.56</td></t<>	103	Southeast	São Doulo	Isbotiosbal	Aug 16	17.20	Sep 12 Sep 12	12.79	21.56
106SoutheastSate PathCapad BolinoAug 17 $22.13$ Sep 03 $10.03$ $21.3$ 106SouthSanta CatarinaSão LudgeroAug 02 $15.58$ Aug 27 $11.73$ $21.4$ 107MidwestGoiásValparaíso de GoiásSep 13 $14.62$ Oct 17 $10.85$ $21.4$ 108SoutheastMinas GeraisExtremaAug 09 $15.33$ Sep 01 $11.51$ $21.4$ 109SoutheastSão PauloCaieirasAug 09 $15.33$ Sep 01 $11.51$ $21.4$ 110SoutheastSão PauloRibeirão PiresAug 04 $17.85$ Aug 24 $13.85$ $21.0$ 112NortheastPernambucoMachadosAug 12 $17.94$ Sep 04 $13.94$ $21.0$ 113SoutheastRio PanloTatuíSep 03 $16.11$ Sep 28 $12.44$ $20.8$ 114SoutheastSão PauloTatuíSep 02 $16.11$ Sep 28 $12.44$ $20.8$ 115SoutheastSão PauloAssisSep 02 $16.11$ Oct 03 $12.23$ $20.7$ 117NortheastPernambucoSalgueiroAug 20 $17.41$ Sep 10 $13.65$ $20.6$ 118SoutheastSão PauloAssisSep 02 $16.11$ Oct 03 $12.23$ $20.7$ 117NortheastPernambucoChã de AlegriaJul 26 $20.66$ Aug 10 $16.59$ $20.6$ 118SoutheastNio de Janeiro <td>104</td> <td>Southeast</td> <td>São Paulo</td> <td>Ganão Banito</td> <td>Aug 10</td> <td>22.12</td> <td>Sep 12</td> <td>13.33</td> <td>21.50</td>	104	Southeast	São Paulo	Ganão Banito	Aug 10	22.12	Sep 12	13.33	21.50
100SouthSan LudgeroAugAug2111.7321.4107MidwestGoiásValparaíso de GoiásSep1314.62Oct 1710.8521.4108SoutheastMians GeraisExtremaAug0915.33Sep0111.5121.4109SoutheastSão PauloCaieirasAug0616.60Aug12.6721.3110SoutheastSão PauloSão Caetano do SulJul2616.58Aug1912.6621.1111SoutheastSão PauloRibeirão PiresAug0417.85Aug2413.8521.0112NortheastPernambucoMachadosAug1217.94Sep0413.9421.0113SoutheastRão de JaneiroMiguel PereiraAug0316.94Aug3112.9920.9114SoutheastSão PauloTatuíSep0316.11Sep2812.4420.8115SoutheastSão PauloAssisSep0216.11Oct 0312.2320.7117NortheastRio de JaneiroAraruamaAug1118.87Sep0314.8320.66116SoutheastRão de JaneiroAraruamaAug1118.87Sep0314.8320.66117NortheastPernambucoChã de AlegriaJul20.66Aug1016.59<	105	Southeast	Sao Paulo		Aug 17	22.13	Sep 05	18.05	21.30
107MidwestGotasValparatiso de CotasSep 1514.62Oct 1710.8521.4108SoutheastMian GeraisExtremaAug 0915.33Sep 0111.5121.4109SoutheastSão PauloSão Caetano do SulJul 2616.60Aug 3112.6721.3110SoutheastSão PauloRibeirão PiresAug 0417.85Aug 2413.8521.0111SoutheastPernambucoMachadosAug 1217.94Sep 0413.9421.0113SoutheastRio de JaneiroMiguel PereiraAug 0316.94Aug 3112.9920.9114SoutheastSão PauloTatuíSep 0316.11Sep 2812.4420.8115SoutheastSão PauloRio ClaroAug 2017.41Sep 1013.6520.6118SoutheastRio de JaneiroAraruamaAug 2111.887Sep 0314.8320.6119NortheastPernambucoChã de AlegriaJul 2620.66Aug 1016.5920.6120SoutheastMinas GeraisPoços de CaldasAug 3016.90Sep 2712.9620.4121NortheastMaranhãoRaposaAug 1118.82Sep 1014.3020.2120SoutheastRio de JaneiroBorn Jesus do ItabapoanaAug 1017.86Sep 0313.8620.3121NortheastRio de JaneiroResendeA	100	South		Sao Ludgero	Aug 02	15.58	Aug 27	11.75	21.48
108SoutheastMinas GeraisExtremaAug 0915.35Sep 0111.5121.4109SoutheastSão PauloCaieirasAug 0616.60Aug 3112.6721.3110SoutheastSão PauloRibeirão PiresAug 0417.85Aug 2413.8521.0111SoutheastSão PauloRibeirão PiresAug 0417.85Aug 2413.8521.0112NortheastPernambucoMachadosAug 1217.94Sep 0413.9421.0113SoutheastRio de JaneiroMiguel PereiraAug 0316.94Aug 3112.9920.9114SoutheastSão PauloTatuíSep 0316.11Sep 2812.4420.8115SoutheastSão PauloRiso ClaroAug 2618.81Sep 2314.7720.8116SoutheastSão PauloAssisSep 0216.11Oct 0312.2320.7117NortheastPernambucoSalgueiroAug 3016.90Sep 2712.9620.6120SoutheastRio de JaneiroAraruamaAug 1118.87Sep 0314.8320.6120SoutheastMinas GeraisPoços de CaldasAug 3016.90Sep 2712.9620.4121NortheastMaranhãoRaposaAug 1417.14Sep 0313.8620.3122SoutheastRio de JaneiroBom Jesus do ItabapoanaAug 1017.86 <td>107</td> <td>Midwest</td> <td>Goias</td> <td>Valparaiso de Goias</td> <td>Sep 13</td> <td>14.62</td> <td></td> <td>10.85</td> <td>21.41</td>	107	Midwest	Goias	Valparaiso de Goias	Sep 13	14.62		10.85	21.41
109         Southeast         São Paulo         São Caetano do Sul         Jul 26         16.60         Aug 31         12.67         21.3           110         Southeast         São Paulo         São Caetano do Sul         Jul 26         16.58         Aug 19         12.66         21.1           111         Southeast         São Paulo         Ribeirão Pires         Aug 04         17.85         Aug 24         13.85         21.0           112         Northeast         Pernambuco         Machados         Aug 12         17.94         Sep 04         13.94         21.0           113         Southeast         Rio de Janeiro         Miguel Pereira         Aug 03         16.94         Aug 31         12.99         20.9           114         Southeast         São Paulo         Tatuí         Sep 03         16.11         Oct 03         12.23         20.7           117         Northeast         Pernambuco         Salgueiro         Aug 20         17.41         Sep 10         13.65         20.6           118         Southeast         Rio de Janeiro         Araruama         Aug 11         18.87         Sep 03         14.83         20.6           120         Southeast         Minas Gerais         Poços de Caldas	108	Southeast	Minas Gerais	Extrema	Aug 09	15.33	Sep 01	11.51	21.40
110       Southeast       São Paulo       São Caetano do Sul       Jul 26       16.58       Aug 19       12.66       21.1         111       Southeast       São Paulo       Ribeirão Pires       Aug 04       17.85       Aug 24       13.85       21.0         112       Northeast       Pernambuco       Machados       Aug 12       17.94       Sep 04       13.94       21.0         113       Southeast       Rio de Janeiro       Miguel Pereira       Aug 03       16.94       Aug 31       12.99       20.9         114       Southeast       São Paulo       Tatuí       Sep 03       16.11       Sep 23       14.77       20.8         115       Southeast       São Paulo       Assis       Sep 02       16.11       Sep 10       13.65       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 10       13.65       20.6         118       Southeast       Rio de Janeiro       Araruama       Aug 11       18.87       Sep 03       14.83       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121	109	Southeast	São Paulo	Caleiras	Aug 06	16.60	Aug 31	12.67	21.35
111       Southeast       São Paulo       Ribeirão Pires       Aug 04       17.85       Aug 24       13.85       21.0         112       Northeast       Pernambuco       Machados       Aug 12       17.94       Sep 04       13.94       21.0         113       Southeast       Rio de Janeiro       Miguel Pereira       Aug 03       16.94       Aug 31       12.99       20.9         114       Southeast       São Paulo       Tatuí       Sep 03       16.11       Sep 23       14.77       20.8         115       Southeast       São Paulo       Assis       Sep 02       16.11       Oct 03       12.23       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 10       13.65       20.6         119       Northeast       Pernambuco       Chã de Alegria       Jul 26       20.66       Aug 10       16.59       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         12	110	Southeast	São Paulo	São Caetano do Sul	Jul 26	16.58	Aug 19	12.66	21.17
112       Northeast       Pernambuco       Machados       Aug 12       17.94       Sep 04       13.94       21.0         113       Southeast       Rio de Janeiro       Miguel Pereira       Aug 03       16.94       Aug 31       12.99       20.9         114       Southeast       São Paulo       Tatuí       Sep 03       16.11       Sep 28       12.44       20.8         115       Southeast       São Paulo       Assis       Sep 02       16.11       Oct 03       12.23       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 10       13.65       20.6         118       Southeast       Rio de Janeiro       Araruama       Aug 11       18.87       Sep 03       14.83       20.6         119       Northeast       Pernambuco       Chã de Alegria       Jul 26       20.66       Aug 10       16.59       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         122	111	Southeast	São Paulo	Ribeirão Pires	Aug 04	17.85	Aug 24	13.85	21.02
113         Southeast         Rio de Janeiro         Miguel Pereira         Aug 03         16.94         Aug 31         12.99         20.9           114         Southeast         São Paulo         Tatuí         Sep 03         16.11         Sep 28         12.44         20.8           115         Southeast         São Paulo         Rio Claro         Aug 26         18.81         Sep 23         14.77         20.8           116         Southeast         São Paulo         Assis         Sep 02         16.11         Oct 03         12.23         20.7           117         Northeast         Pernambuco         Salgueiro         Aug 20         17.41         Sep 10         13.65         20.6           119         Northeast         Pernambuco         Chã de Alegria         Jul 26         20.66         Aug 10         16.59         20.6           120         Southeast         Miana Gerais         Poços de Caldas         Aug 10         17.14         Sep 06         13.19         20.4           121         Northeast         Rio de Janeiro         Resende         Aug 17         18.32         Sep 10         14.30         20.2           123         Southeast         Rio de Sul         Serafina Corrêa         <	112	Northeast	Pernambuco	Machados	Aug 12	17.94	Sep 04	13.94	21.00
114       Southeast       São Paulo       Tatuí       Sep 03       16.11       Sep 28       12.44       20.8         115       Southeast       São Paulo       Rio Claro       Aug 26       18.81       Sep 23       14.77       20.8         116       Southeast       São Paulo       Assis       Sep 02       16.11       Oct 03       12.23       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 03       14.83       20.6         118       Southeast       Rio de Janeiro       Araruama       Aug 11       18.87       Sep 03       14.83       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Maranhão       Raposa       Aug 10       17.86       Sep 03       13.86       20.3         123       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South	113	Southeast	Rio de Janeiro	Miguel Pereira	Aug 03	16.94	Aug 31	12.99	20.94
115       Southeast       São Paulo       Rio Claro       Aug 26       18.81       Sep 23       14.77       20.8         116       Southeast       São Paulo       Assis       Sep 02       16.11       Oct 03       12.23       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 10       13.65       20.6         118       Southeast       Rio de Janeiro       Araruama       Aug 11       18.87       Sep 03       14.83       20.6         119       Northeast       Pernambuco       Chã de Alegria       Jul 26       20.66       Aug 10       16.59       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Maranhão       Raposa       Aug 10       17.86       Sep 03       13.86       20.3         123       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125	114	Southeast	São Paulo	Tatuí	Sep 03	16.11	Sep 28	12.44	20.86
116       Southeast       São Paulo       Assis       Sep 02       16.11       Oct 03       12.23       20.7         117       Northeast       Pernambuco       Salgueiro       Aug 20       17.41       Sep 10       13.65       20.6         118       Southeast       Rio de Janeiro       Araruama       Aug 11       18.87       Sep 03       14.83       20.6         119       Northeast       Pernambuco       Chã de Alegria       Jul 26       20.66       Aug 10       16.59       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Maranhão       Raposa       Aug 10       17.86       Sep 03       13.86       20.3         122       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         123       Southeast       Rio de Saul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         125       South       Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126	115	Southeast	São Paulo	Rio Claro	Aug 26	18.81	Sep 23	14.77	20.84
117         Northeast         Pernambuco         Salgueiro         Aug 20         17.41         Sep 10         13.65         20.6           118         Southeast         Rio de Janeiro         Araruama         Aug 11         18.87         Sep 03         14.83         20.6           119         Northeast         Pernambuco         Chã de Alegria         Jul 26         20.66         Aug 10         16.59         20.6           120         Southeast         Minas Gerais         Poços de Caldas         Aug 30         16.90         Sep 27         12.96         20.4           121         Northeast         Maranhão         Raposa         Aug 14         17.14         Sep 06         13.19         20.4           122         Southeast         Rio de Janeiro         Bom Jesus do Itabapoana         Aug 10         17.86         Sep 03         13.86         20.3           123         Southeast         Rio de Janeiro         Resende         Aug 17         18.32         Sep 10         14.30         20.2           124         North         Acre         Plácido de Castro         Jul 29         16.18         Aug 19         12.30         20.2           125         South         Santa Catarina         Coctal do Sul<	116	Southeast	São Paulo	Assis	Sep 02	16.11	Oct 03	12.23	20.75
118         Southeast         Rio de Janeiro         Araruama         Aug 11         18.87         Sep 03         14.83         20.6           119         Northeast         Pernambuco         Chã de Alegria         Jul 26         20.66         Aug 10         16.59         20.6           120         Southeast         Minas Gerais         Poços de Caldas         Aug 30         16.90         Sep 27         12.96         20.4           121         Northeast         Maranhão         Raposa         Aug 14         17.14         Sep 06         13.19         20.4           122         Southeast         Rio de Janeiro         Bom Jesus do Itabapoana         Aug 10         17.86         Sep 03         13.86         20.3           123         Southeast         Rio de Janeiro         Resende         Aug 17         18.32         Sep 10         14.30         20.2           124         North         Acre         Plácido de Castro         Jul 29         16.18         Aug 19         12.30         20.2           125         South         Rio Grande do Sul         Serafina Corrêa         Aug 13         14.84         Sep 09         11.07         20.1           126         Southeast         São Paulo         Cocia<	117	Northeast	Pernambuco	Salgueiro	Aug 20	17.41	Sep 10	13.65	20.69
119       Northeast       Pernambuco       Chã de Alegria       Jul 26       20.66       Aug 10       16.59       20.6         120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Maranhão       Raposa       Aug 14       17.14       Sep 06       13.19       20.4         122       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         123       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128 <t< td=""><td>118</td><td>Southeast</td><td>Rio de Janeiro</td><td>Araruama</td><td>Aug 11</td><td>18.87</td><td>Sep 03</td><td>14.83</td><td>20.65</td></t<>	118	Southeast	Rio de Janeiro	Araruama	Aug 11	18.87	Sep 03	14.83	20.65
120       Southeast       Minas Gerais       Poços de Caldas       Aug 30       16.90       Sep 27       12.96       20.4         121       Northeast       Maranhão       Raposa       Aug 14       17.14       Sep 06       13.19       20.4         122       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         123       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South       Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         130	119	Northeast	Pernambuco	Chã de Alegria	Jul 26	20.66	Aug 10	16.59	20.60
121       Northeast       Maranhão       Raposa       Aug 14       17.14       Sep 06       13.19       20.4         122       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Sep 03       13.86       20.3         123       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South       Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         130       South       Santa Catarina       Balneário Gaiotaa       Aug 06       17.14       Aug 31       13.19       19.8         131	120	Southeast	Minas Gerais	Pocos de Caldas	Aug 30	16.90	Sep 27	12.96	20.49
122       Southeast       Rio de Janeiro       Bom Jesus do Itabapoana       Aug 10       17.86       Se 03       13.86       20.3         123       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         129       South       Santa Catarina       Balneário Gaivota       Aug 06       17.14       Aug 31       13.19       19.8         130       South       Santa Catarina       Urussanga       Aug 13       16.24       Sep 08       12.36       19.7         131       Northea	121	Northeast	Maranhão	Raposa	Aug 14	17.14	Sep 06	13.19	20.40
123       Southeast       Rio de Janeiro       Resende       Aug 17       18.32       Sep 10       14.30       20.2         124       North       Acre       Plácido de Castro       Jul 29       16.18       Aug 19       12.30       20.2         125       South Rio Grande do Sul       Serafina Corrêa       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast       Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         129       South       Santa Catarina       Balneário Gaivota       Aug 06       17.14       Aug 31       13.19       19.8         130       South       Santa Catarina       Urussanga       Aug 13       16.24       Sep 08       12.36       19.7         131       Northeast       Pernambuco       Frei Miguelinho       Sep 07       12.72       Oct 10       9.18       19.7         132       Sout	122	Southeast	Rio de Janeiro	Bom Jesus do Itabapoana	Aug 10	17.86	Sep 03	13.86	20.39
125       Bodinasti into organization       Reserve integration       Reserve integratinteting integration       Reserve int	123	Southeast	Rio de Janeiro	Resende	Aug 17	18 32	Sep 10	14 30	20.22
124       North       Acte       Flaction action action       Jul 29       10.18       Aug 19       12.30       20.2         125       South       Rio Grande do Sul       Serafina Coará       Aug 13       14.84       Sep 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         129       South       Santa Catarina       Balneário Gaivota       Aug 06       17.14       Aug 31       13.19       19.8         130       South       Santa Catarina       Urussanga       Aug 13       16.24       Sep 08       12.36       19.7         131       Northeast       Pernambuco       Frei Miguelinho       Sep 07       12.72       Oct 10       9.18       19.7         132       Southeast       Minas Gerais       Novo Cruzeiro       Aug 15       22.42       Sep 03       18.26       19.6         133	123	North	A cre	Plácido de Castro	Jul 20	16.18	Aug 10	12.30	20.24
125       South Rib Grande do Sul       Schande Corea       Aug 15       14.84       Scp 09       11.07       20.1         126       Southeast       São Paulo       Cotia       Jul 29       18.26       Aug 22       14.24       19.9         127       South       Santa Catarina       Cocal do Sul       Aug 18       19.55       Sep 09       15.48       19.8         128       Northeast Rio Grande do Norte       Mossoró       Aug 01       18.03       Aug 26       14.03       19.8         129       South       Santa Catarina       Balneário Gaivota       Aug 06       17.14       Aug 31       13.19       19.8         130       South       Santa Catarina       Urussanga       Aug 13       16.24       Sep 08       12.36       19.7         131       Northeast       Pernambuco       Frei Miguelinho       Sep 07       12.72       Oct 10       9.18       19.7         132       Southeast       Minas Gerais       Novo Cruzeiro       Aug 15       22.42       Sep 03       18.26       19.6         133       Northeast       Sergipe       Simão Dias       Aug 11       19.56       Sep 01       15.48       19.6         134       Southeast	124	South	Pio Grande do Sul	Serafina Corrâa	$\Delta u \alpha 13$	14.84	San 00	11.07	20.22
120         Southeast         Santa Catarina         Cocal do Sul         Aug 12         16.20         Aug 22         14.24         19.9           127         South         Santa Catarina         Cocal do Sul         Aug 18         19.55         Sep 09         15.48         19.8           128         Northeast Rio Grande do Norte         Mossoró         Aug 01         18.03         Aug 26         14.03         19.8           129         South         Santa Catarina         Balneário Gaivota         Aug 06         17.14         Aug 31         13.19         19.8           130         South         Santa Catarina         Urussanga         Aug 13         16.24         Sep 08         12.36         19.7           131         Northeast         Pernambuco         Frei Miguelinho         Sep 07         12.72         Oct 10         9.18         19.7           132         Southeast         Minas Gerais         Novo Cruzeiro         Aug 15         22.42         Sep 03         18.26         19.6           133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         A	125	Southeast	São Paulo	Cotia	In1 20	18.04	Δμα 22	14 24	10 01
127SouthSanta CatarinaCocar do surAug 1819.55Sep 0913.4819.8128Northeast Rio Grande do NorteMossoróAug 0118.03Aug 2614.0319.8129SouthSanta CatarinaBalneário GaivotaAug 0617.14Aug 3113.1919.8130SouthSanta CatarinaUrussangaAug 1316.24Sep 0812.3619.7131NortheastPernambucoFrei MiguelinhoSep 0712.72Oct 109.1819.7132SoutheastMinas GeraisNovo CruzeiroAug 1522.42Sep 0318.2619.6133NortheastSergipeSimão DiasAug 1119.56Sep 0115.4819.6134SoutheastSão PauloMiracatuAug 1318.82Sep 0314.7819.5	120	South	Santa Catarina	Cocal do Sul	Jui 29 Δμα 10	10.20	Sen 00	14.24	19.91
126NortneastRio Grande do NorteMossoroAug 0118.03Aug 2614.0319.8129SouthSanta CatarinaBalneário GaivotaAug 0617.14Aug 3113.1919.8130SouthSanta CatarinaUrussangaAug 1316.24Sep 0812.3619.7131NortheastPernambucoFrei MiguelinhoSep 0712.72Oct 109.1819.7132SoutheastMinas GeraisNovo CruzeiroAug 1522.42Sep 0318.2619.6133NortheastSergipeSimão DiasAug 1119.56Sep 0115.4819.6134SoutheastSão PauloMiracatuAug 1318.82Sep 0314.7819.5	127	North	Dio Crossile di N		Aug 18	19.33	Sep 09	13.48	19.09
129         South         Santa Catarina         Balneario Gaivota         Aug 06         17.14         Aug 31         13.19         19.8           130         South         Santa Catarina         Urussanga         Aug 13         16.24         Sep 08         12.36         19.7           131         Northeast         Pernambuco         Frei Miguelinho         Sep 07         12.72         Oct 10         9.18         19.7           132         Southeast         Minas Gerais         Novo Cruzeiro         Aug 15         22.42         Sep 03         18.26         19.6           133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	128	Northeast	KIO Grande do Norte	Mossoro	Aug 01	18.03	Aug 26	14.03	19.8/
130         South         Santa Catarina         Urussanga         Aug 13         16.24         Sep 08         12.36         19.7           131         Northeast         Pernambuco         Frei Miguelinho         Sep 07         12.72         Oct 10         9.18         19.7           132         Southeast         Minas Gerais         Novo Cruzeiro         Aug 15         22.42         Sep 03         18.26         19.6           133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	129	South	Santa Catarina	Balneario Gaivota	Aug 06	17.14	Aug 31	13.19	19.84
131         Northeast         Pernambuco         Frei Miguelinho         Sep 07         12.72         Oct 10         9.18         19.7           132         Southeast         Minas Gerais         Novo Cruzeiro         Aug 15         22.42         Sep 03         18.26         19.6           133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	130	South	Santa Catarina	Urussanga	Aug 13	16.24	Sep 08	12.36	19.79
132         Southeast         Minas Gerais         Novo Cruzeiro         Aug 15         22.42         Sep 03         18.26         19.6           133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	131	Northeast	Pernambuco	Frei Miguelinho	Sep 07	12.72	Oct 10	9.18	19.72
133         Northeast         Sergipe         Simão Dias         Aug 11         19.56         Sep 01         15.48         19.6           134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	132	Southeast	Minas Gerais	Novo Cruzeiro	Aug 15	22.42	Sep 03	18.26	19.69
134         Southeast         São Paulo         Miracatu         Aug 13         18.82         Sep 03         14.78         19.5	133	Northeast	Sergipe	Simão Dias	Aug 11	19.56	Sep 01	15.48	19.60
	134	Southeast	São Paulo	Miracatu	Aug 13	18.82	Sep 03	14.78	19.56
135SoutheastRio de JaneiroBarra MansaAug 1817.47Sep 1213.5119.5	135	Southeast	Rio de Janeiro	Barra Mansa	Aug 18	17.47	Sep 12	13.51	19.55
136NortheastMaranhãoSão José de RibamarJul 2518.87Aug 1314.8319.5	136	Northeast	Maranhão	São José de Ribamar	Jul 25	18.87	Aug 13	14.83	19.55

Table A1 – continued from previous page

				No Pol	icy (Peak)	With P	olicy (Peak)	_
Row Number	Region	State	Name	Date In	nfectious (%)	Date	Infectious (%)	Reduction (%)
137	Northeast	Bahia	Ipiaú	Sep 17	11.60	Nov 04	8.27	19.54
138	Midwest	Goiás	Paraúna	Jul 30	20.78	Aug 18	16.67	19.45
130	Southeast	São Paulo	Cruzeiro	Sen 01	16.77	Oct 01	12.85	19.44
140	Northeast	Dornombuco	Itopatim	Sep 01	14.06	Son 06	11.56	10.42
140	Northeast	Permanibuco		Sep 20	14.90	Sep 00	11.50	19.45
141	Southeast	Minas Gerais	Sao Romao	Aug 01	22.90	Aug 16	18.97	19.36
142	Northeast	Paraíba	Marizópolis	Jul 16	28.95	Jul 28	24.77	19.34
143	South	Santa Catarina	Palhoça	Aug 14	20.13	Sep 08	16.03	19.34
144	Northeast	Pernambuco	Lagoa de Itaenga	Aug 14	19.96	Sep 04	15.88	19.30
145	Southeast	São Paulo	São Manuel	Aug 10	17.89	Sen 03	13.91	19.27
146	South	Santa Catarina	Gaspar	Aug 06	18 11	Aug 30	14.11	10.25
140	South	Santa Catarina	Gaspai	Aug 00	10.11	Aug 50	14.11	19.23
147	Southeast	São Paulo	Aguas de Lindóia	Aug 05	19.40	Aug 28	15.33	19.21
148	Midwest	Goiás	Goiânia	Aug 06	19.51	Aug 29	15.43	19.09
149	Southeast	Minas Gerais	Itabira	Aug 15	21.14	Sep 07	17.00	19.00
150	North	Pará	Vigia	Aug 13	16.46	Sep 06	12.59	18.84
151	Northeast	Ceará	Russas	Aug 22	16.07	Sep 17	12.23	18.83
152	Southeast	São Paulo	Botucatu	Aug 04	10.07	Aug 26	15.31	18.81
152	Midane	Sao Faulo	Lucas de Die Mande	Aug 04	19.37	Aug 20	10.01	10.01
155	Midwest	Mato Grosso	Lucas do Rio Verde	Sep 06	10.18	Oct II	12.34	18.81
154	Southeast	Minas Gerais	Mariana	Jul 31	20.33	Aug 22	16.23	18.66
155	Northeast	Ceará	Tianguá	Aug 24	17.94	Sep 22	13.95	18.62
156	Southeast	Espírito Santo	Linhares	Aug 01	20.61	Aug 22	16.50	18.61
157	Northeast	Ceará	Ipueiras	Aug 13	19.66	Sep 05	15.58	18.59
158	Midwest	Goiás	Luziânia	Aug 13	20.85	Sep 00	16.72	18 58
150	Carrelle a safe	Espírita Canta		Aug 10	10.00	Sep 01	14.04	10.50
159	Southeast	Espírito Santo	Sao Mateus	Aug 10	18.98	Sep 04	14.94	18.55
160	Northeast	Ceará	Sobral	Jul 27	19.92	Aug 13	15.84	18.44
161	Northeast	Ceará	Jaguaribe	Jul 31	21.01	Aug 22	16.88	18.43
162	Southeast	São Paulo	Mairiporã	Aug 05	19.35	Aug 29	15.29	18.41
163	Southeast	São Paulo	Santo André	Jul 23	20.00	Aug 13	15.91	18.33
164	Midwest	Mato Grosso	Cáceres	Aug 15	19.85	Sep 08	15.77	18.23
165	Southoost	São Doulo	Cactors	Aug 15	20.55	Sep 00	16.44	10.25
105	Southeast	Sao Paulo	Santos	Jul 15	20.55	Aug 03	16.44	18.23
166	Northeast	Alagoas	Murici	Jul 27	19.40	Aug 10	16.02	18.21
167	South	Paraná	Guaíra	Jul 21	23.31	Aug 07	19.11	18.09
168	Southeast	São Paulo	Monte Mor	Nov 04	10.63	Aug 13	8.54	18.07
169	Northeast	Ceará	Santa Ouitéria	Aug 04	20.02	Aug 28	15.93	18.05
170	Southeast	Espírito Santo	Presidente Kennedy	Inl 19	22.25	Aug 03	18.08	18.03
170	Southeast	São Doulo	Minordánalia	Jun 17	16 14	Fan 20	10.00	17.06
1/1	Southeast	Sao Paulo	Mirandopons	Aug 24	10.44	Sep 20	12.01	17.90
172	Northeast	Rio Grande do Norte	Natal	Jul 23	20.83	Aug 12	16.70	17.89
173	Southeast	Rio de Janeiro	Arraial do Cabo	Jul 28	20.80	Aug 19	16.68	17.88
174	Northeast	Pernambuco	Palmares	Aug 14	19.91	Sep 08	15.83	17.85
175	Southeast	São Paulo	Itaquaquecetuba	Jul 25	23.11	Aug 10	18.93	17.80
176	Southeast	São Paulo	Mauá	Jul 26	21.31	Δυσ 13	17 17	17.78
170	North	Doré	São João do Aroqueio	Nov 12	10.15	Jul 20	0.20	17.70
177	Carath an at	I ala Dia da Lanaina	Sao Joao do Alaguaia	NOV 15	21.75	Jul 20	17.00	17.50
1/8	Southeast	Rio de Janeiro	Teresopolis	Jul 30	21.75	Aug 17	17.60	17.58
179	Northeast	Alagoas	Matriz de Camaragibe	Nov 28	8.86	Jul 13	7.24	17.57
180	Southeast	Rio de Janeiro	Iguaba Grande	Jul 17	21.89	Aug 04	17.73	17.54
181	Southeast	São Paulo	Indaiatuba	Aug 03	23.92	Aug 20	19.72	17.52
182	Southeast	São Paulo	Paulínia	Aug 06	21.31	Aug 24	17.17	17.51
183	Southeast	Espírito Santo	Fundão	Iul 17	21.28	Inl 28	17.84	17.48
103	Southeast	Dio do Janoiro	Tanguá	Jul 17	21.20	Jun 20	19.44	17.40
104	Southeast			Jul 24	22.02	Aug 11	10.44	17.43
185	Southeast	Rio de Janeiro	Rio de Janeiro	Jul 17	21.50	Aug 0/	17.35	17.44
186	Northeast	Ceará	São Luís do Curu	Aug 15	16.19	Sep 10	12.41	17.41
187	Northeast	Rio Grande do Norte	Canguaretama	Jul 26	21.25	Aug 13	17.12	17.40
188	Northeast	Piauí	Pedro II	Aug 09	22.84	Aug 29	18.66	17.39
189	Southeast	São Paulo	Santana de Parnaíba	Jul 17	21.57	Aug 01	17.43	17.39
190	South	Santa Catarina	Concórdia	Jul 20	20.82	Jul 31	17 30	17.37
101	Carath an at		V-linh	Jul 20	20.02	Jul 51	17.00	17.57
191	Southeast	Sao Paulo	vanninos	Aug 01	22.04	Aug 21	17.00	17.57
192	Northeast	Pernambuco	Caruaru	Aug 12	21.24	Sep 04	17.10	17.33
193	Southeast	Rio de Janeiro	Maricá	Jul 24	21.85	Aug 12	17.70	17.32
194	Southeast	São Paulo	Mogi Guaçu	Aug 08	22.24	Aug 30	18.07	17.32
195	Southeast	São Paulo	Avaré	Aug 06	21.66	Aug 27	17.51	17.29
196	Northeast	Maranhão	Zé Doca	Aug 15	18.99	Sen 06	14 97	17.23
107	Northeast	Cooré	Crotoús	Aug 12	10.09	Sep 00	15.06	17.23
197	Normeast	Ceala		Aug 12	19.08	Sep 02	10.00	17.23
198	South	Santa Catarina	Joinville	Jul 24	22.19	Aug 13	18.03	17.22
199	Southeast	São Paulo	Embu das Artes	Aug 02	21.86	Aug 25	17.70	17.17
200	Southeast	Rio de Janeiro	Niterói	Jul 18	22.20	Aug 09	18.03	17.07
201	Northeast	Ceará	Ocara	Aug 17	16.51	Sep 11	12.71	17.07
202	Southeast	São Paulo	Araraquara	Jul 28	23 39	Aug 15	19 19	16.99
202	Southeast	Rio de Ianairo	Nilónolia	Int 20	22.22	Δμα 05	18 54	16.04
205	Southered	São Doul-	São Domondo de Cerre	Jul 21	22.12	Aug 05	10.04	16.74
204	Southeast	Sao Paulo	Sao Demaruo do Campo	Jul 1/	22.39	Aug 00	10.22	10.91
205	Southeast	Sao Paulo	votorantim	Aug 06	22.26	Aug 26	18.09	16.91
206	Northeast	Pernambuco	Abreu e Lima	Jul 13	24.35	Jul 27	20.14	16.89
207	Southeast	São Paulo	Catanduva	Aug 13	22.05	Sep 06	17.89	16.85
208	Midwest	Mato Grosso do Sul	Três Lagoas	Jul 20	24.26	Aug 04	20.04	16.78
209	South	Santa Catarina	Braco do Norte	Jul 01	22.61	Jul 14	18.43	16.64
						•	Continu	1 4

Table A1 – continued from previous page

				No Pol	icy (Peak)	With F	Policy (Peak)	_
Row Number	Region	State	Name	Date II	nfectious (%)	Date	Infectious (%)	Reduction (%)
210	Northeast	Pernambuco	Araçoiaba	Jul 18	25.23	Jul 31	21.02	16.54
211	Southeast	Rio de Janeiro	Cabo Frio	Jul 22	25.16	Aug 06	20.93	16.47
212	Southeast	Rio de Ianeiro	Volta Redonda	Inl 12	23 30	Inf 31	19 11	16.45
212	Southeast	São Paulo	Itanhaém	Jul 23	25.53	Δμα 08	21.20	16.43
215	Southeast	Sao Faulo	Carananani	Jul 23	25.55	Aug 00	21.27	16.40
214	Southeast	Espírito Santo	Guarapari	Jul 21	25.70	Aug 03	21.71	16.42
215	Southeast	Rio de Janeiro	Magé	Jul 21	23.12	Aug 07	18.92	16.40
216	Northeast	Pernambuco	Macaparana	Jul 19	24.02	Aug 06	19.81	16.28
217	Northeast	Pernambuco	Arcoverde	Jul 26	22.97	Aug 14	18.78	16.27
218	North	Pará	Óbidos	Aug 03	24 36	Aug 21	20.14	16.22
210	Southoost	Dio da Ispairo	Quaimadas	Jul 19	24.50	Aug 02	10.80	16.22
219	Southeast		Queimados	Jul 10	24.11	Aug 03	19.69	16.20
220	Southeast	Espírito Santo	Aracruz	Jul 22	25.14	Aug 06	20.91	16.20
221	North	Pará	Igarapé-Açu	Jul 18	25.25	Jul 28	21.73	16.18
222	Northeast	Pernambuco	Ribeirão	Jul 25	26.77	Aug 08	22.56	16.16
223	Northeast	Bahia	Salvador	Jul 13	23.39	Aug 01	19.19	16.13
224	Southeast	São Paulo	Nova Odessa	Jul 31	22.32	Aug 22	18.16	16.10
225	Northeast	Rio Grande do Norte	Encanto	Inl 04	25 53	Iul 16	21.29	15.99
225	Southeast	Espírito Santo	Vitória	Jul 05	24.08	Jul 20	10.87	15.00
220	Southeast			Jul 03	24.08	Jul 20	19.07	15.99
227	Southeast	Sao Paulo	Diadema	Jul 13	23.97	Jul 31	19.75	15.95
228	Southeast	Minas Gerais	Governador Valadares	Aug 01	24.07	Aug 21	19.85	15.94
229	Northeast	Maranhão	Davinópolis	Aug 08	20.75	Aug 29	16.72	15.94
230	Northeast	Ceará	Fortaleza	Jun 30	23.92	Jul 16	19.71	15.89
231	Northeast	Ceará	Iguatu	Jul 23	24.35	Aug 10	20.13	15.86
232	Southeast	São Paulo	Itanetininga	Aug 02	23.22	Δμα 22	19.03	15.85
232	Northeast	Alegoog	São Miguel des Milegros	Aug 02	10 70	Aug 22	14.70	15.05
255	Northeast	Alagoas	Sao Miguel dos Milagres	Aug 08	10.70	Aug 51	14.79	15.64
234	Southeast	Rio de Janeiro	Rio Bonito	Jul 12	24.15	Jul 30	19.94	15.83
235	Northeast	Pernambuco	Ipojuca	Jul 19	24.52	Aug 04	20.30	15.80
236	Southeast	São Paulo	Franca	Aug 09	24.26	Aug 29	20.04	15.74
237	Southeast	São Paulo	Aruiá	Jul 12	24.18	Jul 29	19.96	15.74
238	Southeast	São Paulo	Itapecerica da Serra	Jul 15	24 50	Aug 01	20.27	15.72
230	Northeast	Demembulas	Demalas	Jun 15	24.50	Aug 17	21.40	15.72
259	Northeast	Pernambuco	Pallelas	Aug 01	25.05	Aug 17	21.40	15.05
240	Southeast	Rio de Janeiro	Macae	Jul 19	26.10	Aug 04	21.85	15.63
241	Southeast	Rio de Janeiro	Nova Iguaçu	Jul 16	25.32	Aug 03	21.09	15.61
242	Southeast	São Paulo	Campinas	Jul 20	24.86	Aug 08	20.63	15.58
243	North	Pará	Santa Cruz do Arari	Jul 21	21.63	Aug 05	17.52	15.56
244	South	Santa Catarina	Indaial	Inl 22	24 37	Aug 08	20.15	15.56
245	Northeast	Bahia	Ilbéus	Jul 04	25.29	Jul 18	21.05	15.55
245	Southoost	São Doulo	Dreasne	Jul 04	23.27	Jul 10	10.54	15.55
240	Southeast	Sao Paulo	Dracena	Jul 23	23.75	Aug 11	19.54	15.55
247	Northeast	Pernambuco	Limoeiro	Jul 20	25.51	Aug 05	21.27	15.52
248	Southeast	São Paulo	Poá	Jul 12	25.12	Jul 29	20.89	15.51
249	North	Amazonas	Manaus	Jul 03	24.79	Jul 20	20.56	15.50
250	Northeast	Ceará	Amontada	Sep 18	16.62	Sep 04	13.32	15.50
251	Southeast	São Paulo	Mogi das Cruzes	Inl 13	24.83	Jul 30	20.60	15 50
251	Southeast	Mines Carois	A nové	Nev 04	12.40	Jul 30	10.28	15.30
232	Southeast	Millas Gerais	Araxa	NOV 04	12.40	Jul 28	10.28	15.48
253	Southeast	São Paulo	Francisco Morato	Jul 20	24.64	Aug 07	20.41	15.47
254	Southeast	São Paulo	Várzea Paulista	Jul 28	25.13	Aug 13	20.89	15.46
255	Southeast	São Paulo	Ribeirão Preto	Aug 03	25.12	Aug 26	20.89	15.43
256	North	Amazonas	Itapiranga	Jul 01	27.65	Jul 09	24.12	15.41
257	Southeast	São Paulo	Sumaré	Sep 29	15.18	Aug 17	12.65	15.40
258	Southeast	São Paulo	Itu	Jul 20	28 21	Δυσ 03	23.05	15 30
250	Southeast			Jul 20	25.21	Hug 05	25.55	15.37
259	Southeast	Rio de Janeiro	Petropolis	Jul 10	25.49	Jul 28	21.25	15.39
260	Northeast	Ceará	Limoeiro do Norte	Jul 19	24.45	Aug 05	20.24	15.38
261	North	Tocantins	Palmas	Jul 26	23.06	Aug 13	18.88	15.34
262	Southeast	São Paulo	Barueri	Jul 03	24.90	Jul 18	20.67	15.33
263	North	Pará	Marituba	Jul 14	26.54	Jul 28	22.28	15.32
264	Northeast	Pernambuco	Bom Jardim	Jul 17	25.93	Aug 03	21.68	15.28
265	Northeast	Pernambuco	Bonito	Jul 23	27.46	Aug 06	23.19	15.28
205	Northeast	Demembulas	Coronhung	Jul 20	27.40	Aug 10	23.17	15.20
200	Northeast	Fernanibuco		Jul 30	23.63	Aug 10	21.36	15.20
267	Northeast	Pernambuco	Sao Lourenço da Mata	Jul 07	26.14	Jul 22	21.89	15.17
268	South	Paraná	Paranavaí	Jul 18	24.02	Aug 03	19.81	15.12
269	Southeast	Espírito Santo	Vila Velha	Jun 30	25.87	Jul 15	21.62	15.06
270	North	Roraima	Alto Alegre	Jul 17	24.05	Aug 03	19.84	15.04
271	North	Amazonas	Manicoré	Jul 28	24.17	Aug 16	19.96	15.04
272	North	Pará	Curionónolis	Sep 13	16.94	Δμσ 20	13 40	15.03
272	Northcost	Dianí	Buriti dos Loros	Sep 13	20.19	Aug 27	16.61	15.05
213	Normeast	riaui	Burn dos Lopes	Sep 04	20.10	Aug 1/	10.01	15.02
2/4	INORTH	Para	Santarem	JUI 31	25.23	Aug 22	20.99	15.00
275	Southeast	São Paulo	São Paulo	Jul 02	25.84	Jul 20	21.60	15.00
276	Southeast	São Paulo	Santa Bárbara d'Oeste	Aug 07	25.38	Aug 25	21.14	14.96
277	North	Amazonas	Novo Airão	Jul 27	21.65	Aug 17	17.54	14.88
278	Northeast	Pernambuco	Paudalho	Jul 11	26.22	Jul 27	21.97	14.78
279	Northeast	Pernambuco	Lagoa do Carro	Inl 17	23 35	Aug 05	19 17	14 76
280	Northcost	Rio Granda do Norta	Anodi	Jul 1/	20.00	In1 20	20.25	14 75
200	Contineast	Minos Correit	Santas Director	Jul 14	21.40	Jul 30	20.23	14.73
201	Southeast	minas Gerais	Samos Dumont	Aug 09	21.85	Aug 29	17.72	14./4
282	Northeast	Ceará	Pacatuba	Jul 19	23.00	Aug 03	18.83	14.71
							Continu	ed on next page

				No Po	olicy (Peak)	With I	Policy (Peak)	
Row Number	Region	State	Name	Date	Infectious (%)	Date	Infectious (%)	Reduction (%)
283	Southeast	São Paulo	Presidente Prudente	Jul 24	25.90	Aug 11	21.65	14.65
284	Southeast	São Paulo	Mongaguá	Jul 15	28.05	Jul 29	23.78	14.64
285	Northeast	Ceará	Horizonte	Jul 08	25.44	Jul 22	21.20	14.64
286	Southeast	São Paulo	Guarujá	Jul 09	28.02	Jul 22	23.75	14.60
287	North	Roraima	Boa Vista	Jun 30	26.40	Jul 15	22.14	14.58
288	Southeast	São Paulo	Taboão da Serra	Jul 16	27.36	Aug 03	23.09	14.55
289	Northeast	Ceará	Capistrano	Jul 19	24.87	Aug 05	20.64	14.54
290	Southeast	Rio de Janeiro	Rio das Ostras	Jul 09	26.91	Jul 25	22.65	14.52
291	Southeast	São Paulo	Araras	Jul 30	24.63	Aug 14	20.65	14 46
292	Southeast	São Paulo	Itanevi	Jul 00	26.83	Inl 24	22.55	14.46
202	Northeast	Bahia	Itabuna	Jul 03	28.64	Jul 15	24.36	14.40
293	Northeast	Maranhão	Paco do Lumiar	Jul 03	27.30	Jul 15 Jul 17	23.03	14.40
294	Northoast	Dornombuoo	Paulista	Jun 20	27.30	Jul 17	23.05	14.30
293	Northeast	Caará	Faulista	Juli 29	27.43	Jul 11 Jul 17	23.10	14.34
290	Northeast	Ceará	Maracanau	Jul 05	27.03	Jul 17 Son 14	22.70	14.54
297	Northeast	Ceara	Massape	Aug 19	17.90	Sep 14	14.11	14.32
298	Northeast	Plaul		Aug 15	22.75	Sep 06	18.93	14.29
299	Southeast	São Paulo	Praia Grande	Jul 08	27.67	Jul 23	23.40	14.26
300	Southeast	São Paulo	Limeira	Jul 20	27.26	Aug 05	23.00	14.24
301	Southeast	São Paulo	Franco da Rocha	Jul 02	27.80	Jul 17	23.53	14.22
302	Southeast	São Paulo	Campo Limpo Paulista	Jul 11	28.92	Jul 25	24.65	14.18
303	Southeast	São Paulo	Embu-Guaçu	Jul 07	29.87	Jul 18	25.59	14.15
304	South	Rio Grande do Sul	Marau	Jun 25	27.43	Jul 07	23.16	14.15
305	Southeast	Rio de Janeiro	Belford Roxo	Jul 16	28.10	Aug 02	23.83	14.15
306	Southeast	Rio de Janeiro	Guapimirim	Jul 17	28.81	Jul 29	24.79	14.14
307	Southeast	São Paulo	São Lourenço da Serra	Jul 07	30.04	Jul 19	25.77	14.13
308	North	Acre	Rio Branco	Jul 02	26.11	Jul 17	21.86	14.10
309	Southeast	São Paulo	Agudos	Jul 07	28.88	Jul 21	24.60	14.10
310	Northeast	Alagoas	Maragogi	Jul 15	28.37	Jul 25	24.82	14.10
311	Southeast	Espírito Santo	Cariacica	Jul 05	27.50	Jul 19	23.23	14.09
312	Southeast	Rio de Janeiro	Duque de Caxias	Jul 10	28.26	Jul 26	23.98	14.03
313	South	Rio Grande do Sul	Garibaldi	Jul 04	29.01	Jul 14	24.74	14.03
314	South	Santa Catarina	Penha	Jul 19	27.59	Aug 03	23.32	14.01
315	Southeast	Rio de Janeiro	Itaboraí	Jul 03	27.09	Inl 17	22.83	13.98
316	Southeast	Rio de Janeiro	Paracambi	Jul 10	27.09	Jul 22	22.05	13.95
317	Northeast	Sergine	Aracaiu	Jul 10	25.35	Jul 22	21.12	13.05
318	Southeast	São Paulo	Suzano	Jul 12	23.35	Jul 23	21.12	13.95
210	Southeast	Die de Ieneiro	Suzano São Concolo	Jul 00	28.55	Jul 23	24.07	12.95
319	Southeast	Kio de Jaliello	Sao Goliçaio	Jul 11	28.09	Jul 27	23.62	13.94
320	Southeast Nextheast	Sao Paulo Die Crea de de Neste	Pindamonnangaba	Jul 20	28.03	Aug 04	24.55	13.89
321	Northeast	Rio Grande do Norte	Ipanguaçu	JULOI	32.44	JULII	28.18	13.85
322	North	Para	Castannal	Jul 07	28.51	Jul 18	24.23	13.83
323	North	Pará	Marapanim	Jul 15	26.37	Jul 25	22.83	13.82
324	Southeast	São Paulo	Piracicaba	Jul 14	27.43	Jul 29	23.16	13.82
325	Southeast	Espírito Santo	Serra	Jun 28	28.66	Jul 11	24.38	13.82
326	Northeast	Pernambuco	Tabira	Jul 31	25.28	Aug 17	21.07	13.80
327	Northeast	Pernambuco	Moreno	Jul 03	29.51	Jul 15	25.22	13.77
328	Southeast	Rio de Janeiro	Cachoeiras de Macacu	Jul 11	28.30	Jul 25	24.02	13.75
329	Southeast	São Paulo	Piracaia	Jul 13	30.11	Jul 25	25.83	13.69
330	Southeast	São Paulo	Carapicuíba	Jul 02	28.38	Jul 17	24.10	13.69
331	Southeast	São Paulo	Itatiba	Jul 18	28.04	Aug 04	23.77	13.69
332	North	Pará	Parauapebas	Jul 06	29.87	Jul 18	25.59	13.61
333	Northeast	Pernambuco	Glória do Goitá	Jul 04	31.22	Jul 15	26.94	13.60
334	Northeast	Paraíba	Cabedelo	Jul 10	27.49	Jul 26	23.22	13.59
335	Northeast	Paraíba	Patos	Jul 12	27.61	Jul 29	23.34	13.59
336	Southeast	São Paulo	Jandira	Jul 08	28.37	Jul 22	24.09	13.57
337	North	Pará	Canaã dos Carajás	Jul 15	28.22	Jul 30	23.94	13.56
338	South	Rio Grande do Sul	Passo Fundo	Jun 29	28.71	Jul 12	24 44	13.50
330	Southeast	São Paulo	Sorocaba	Jul 13	28.01	Jul 20	24.62	13.57
340	Southeast	São Paulo	Begistro	Jul 15	20.71	$\Delta u \alpha 10$	27.02	13.52
241	Southoast	São Paulo	Osassa	Jul 25	27.10	Aug 10	22.92	13.51
242	Southeast	Sao Faulo Minos Comis	Nava Samana	Jui Uo	20.00	Jul 25	24.00	12.50
342	Next	Millas Gerais	Nova Serrana	Aug 00	23.82	Aug 25	21.59	13.50
343	North	Amapa	Macapa	Jun 27	28.81	Jul II	24.52	13.50
344	Northeast	Pernambuco	Cabo de Santo Agostinho	Jul 12	28.30	Jul 28	24.03	13.49
345	North	Pará	Santo Antônio do Tauá	Jun 28	29.17	Jul 07	24.89	13.45
346	Northeast	Pernambuco	Carpina	Jul 08	33.15	Jul 18	28.89	13.43
347	Northeast	Rio Grande do Norte	São José de Mipibu	Jul 02	32.22	Jul 11	27.95	13.32
348	Northeast	Pernambuco	Nazaré da Mata	Jul 08	31.08	Jul 18	27.05	13.30
349	Southeast	Rio de Janeiro	São João de Meriti	Jul 10	30.06	Jul 25	25.77	13.25
350	North	Amazonas	Manacapuru	Jun 19	29.70	Jul 01	25.42	13.21
351	Northeast	Piauí	Teresina	Jun 30	28.95	Jul 15	24.68	13.16
352	Southeast	São Paulo	Guarulhos	Jul 06	29.89	Jul 22	25.60	13.13
353	Southeast	São Paulo	Jundiaí	Jul 04	29.90	Jul 18	25.61	13.12
354	Southeast	São Paulo	Americana	Jul 04	30.70	Jul 18	26.41	13.12
355	Northeast	Paraíba	João Pessoa	Jun 30	29.48	Jul 13	25.20	13.10

Table A1 – continued from previous page

				No P	olicy (Peak)	With I	Policy (Peak)	
Row Number	Region	State	Name	Date	Infectious (%)	Date	Infectious (%)	Reduction (%)
356	Northeast	Pernambuco	Timbaúba	Jul 11	30.69	Jul 24	26.41	13.10
357	North	Rondônia	li-Paraná	Jul 03	31.99	Inl 14	27.70	13.07
358	Northeast	Pernambuco	Camaragibe	Jun 26	30.48	Jul 00	26.19	13.07
350	Southoast	São Doulo	Pouru	Jul 20	20.51	Jul 02	26.17	12.06
359	Neutle	Dawi	Dauru Canta Izahal da Daut	Jul 09	22.04	Jul 23	20.22	12.00
300	North	Para	Santa Izabel do Para	Jun 25	32.94	Jul 04	28.07	13.03
361	Southeast	São Paulo	São Sebastião	Jun 30	28.18	Jul 15	23.91	13.03
362	Northeast	Paraíba	Campina Grande	Jul 11	31.34	Jul 23	27.06	12.99
363	Southeast	Espírito Santo	Santa Maria de Jetibá	Jul 10	30.19	Jul 22	25.91	12.99
364	Southeast	Rio de Janeiro	Japeri	Jul 04	31.67	Jul 16	27.39	12.99
365	Northeast	Pernambuco	Goiana	Jul 03	29.37	Jul 17	25.09	12.94
366	Southeast	São Paulo	Barretos	Jul 03	31.74	Inl 14	27.46	12.93
367	North	Amaná	Oiapoque	Jun 30	30.19	Jul 10	25.03	12.98
269	Southoost	Dio do Ionoiro	Magguita	Juli 50	21.20	Jul 10	25.75	12.01
308	Southeast	Rio de Janeiro	Mesquita	Jul 08	31.20	Jul 23	26.91	12.90
369	North	Amazonas	Itacoatiara	Jun 24	32.06	Jul 04	27.78	12.89
370	South	Rio Grande do Sul	Lajeado	Jun 24	31.45	Jul 03	27.16	12.84
371	Southeast	Rio de Janeiro	Itaguaí	Jul 03	30.80	Jul 15	26.51	12.83
372	Southeast	Minas Gerais	Montes Claros	Jul 18	30.59	Aug 03	26.30	12.78
373	Northeast	Rio Grande do Norte	Alexandria	Jun 26	37.70	Jul 04	33.51	12.73
374	Southeast	Rio de Janeiro	Sapucaia	Jun 26	30.32	Jul 07	26.03	12.73
375	Northeast	Ceará	Quixeramobim	Jul 03	29.12	Jul 17	24.84	12 72
375	Northeast	Doroího	Tanaraé	Aug 01	22.12	Aug 22	19 16	12.72
370	Normeast	raiaiba Daud		Aug 01	22.21	Aug 25	16.10	12.72
377	North	Para	Ananindeua	Jun 29	30.87	Jul 10	26.58	12.70
378	Southeast	São Paulo	Hortolândia	Jul 20	27.43	Aug 03	23.20	12.70
379	Northeast	Sergipe	Itaporanga d'Ajuda	Jul 21	27.16	Aug 05	22.91	12.69
380	Northeast	Pernambuco	Sertânia	Jul 06	30.20	Jul 19	25.91	12.69
381	Midwest	Goiás	Aparecida de Goiânia	Jul 13	31.02	Jul 27	26.73	12.61
382	Southeast	São Paulo	Cajamar	Jun 29	30.01	Jul 11	25.72	12.60
383	North	Pará	Belém	Jun 24	31.08	Iul 06	26.80	12 55
384	Northeast	Ceará	Belo Cruz	Jul 14	26.71	Jul 25	20.00	12.55
205	Northeast	Dorocho	Sonto Dito	Jul 14	20.71	Jul 23	22.71	12.52
363	Normeast	Paraloa		Juli 50	30.23	Jul 12	25.94	12.51
386	South	Rio Grande do Sul	Venancio Aires	Jul 03	35.03	Jul 13	30.78	12.50
387	North	Pará	Paragominas	Jul 01	35.46	Jul 10	31.23	12.49
388	Northeast	Pernambuco	Amaraji	Jul 04	31.59	Jul 15	27.30	12.49
389	Northeast	Maranhão	Bacabal	Jul 01	34.43	Jul 11	30.18	12.48
390	North	Amapá	Santana	Jun 30	30.79	Jul 13	26.50	12.47
391	Southeast	São Paulo	São Vicente	Jun 30	32.44	Jul 13	28.16	12.41
392	Southeast	Rio de Janeiro	São Francisco de Itabanoana	Jul 04	31.61	Jul 16	27.32	12.32
202	Southeast	São Doulo	Ling	Jul 04	24.21	Jul 16	20.05	12.32
393	Southeast	Sao Faulo	Lills La sucitiba	Jul 04	22.26	Jul 10	29.93	12.51
394	Southeast	Sao Paulo	Juquitiba	Jul 05	32.36	Jul 17	28.07	12.27
395	North	Amazonas	São Paulo de Olivença	Jun 25	30.06	Jul 07	25.77	12.23
396	Northeast	Pernambuco	Jaboatão dos Guararapes	Jun 27	32.38	Jul 09	28.10	12.21
397	Northeast	Maranhão	São Luís	Jun 19	32.59	Jul 01	28.31	12.09
398	Northeast	Rio Grande do Norte	São Rafael	Jun 23	33.99	Jul 02	29.70	12.09
399	Southeast	São Paulo	Salesópolis	Jul 16	28.92	Jul 29	24.65	12.07
400	Northeast	Paraíba	Cajazeiras	Iul 07	33.28	Iul 18	29.00	11.92
400	Northeast	Ceará	Caucaia	Jun 23	32.60	Jul 10	29.00	11.00
401	Countle and	Ceala Cão Doulo	Caucala	Juli 23	22.09	Jul 04	20.41	11.90
402	Southeast	Sao Paulo	Santa Isabel		55.08	Jul 10	28.80	11.69
403	Northeast	Alagoas	Paripueira	Sep 21	18.12	Jul 24	15.24	11.84
404	Southeast	Espírito Santo	Viana	Jun 25	32.14	Jul 06	27.86	11.83
405	Southeast	São Paulo	Caraguatatuba	Jun 27	33.21	Jul 10	28.93	11.82
406	Northeast	Pernambuco	Itapissuma	Jul 16	26.95	Jul 29	22.96	11.78
407	Southeast	São Paulo	Lucélia	Jul 08	30.50	Jul 19	26.21	11.75
408	Northeast	Pernambuco	Vitória de Santo Antão	Jun 24	34.38	Jul 05	30.12	11.73
409	Southeast	Minas Gerais	Três Pontas	Jul 02	35.96	Jul 12	31.71	11.75
410	North	Dará	Copoperna	Jun 27	33.98	Jul 12	20.63	11.71
410	North	Fala	Capanenia Luca decha	Juli 27	24.15	Jul 05	29.03	11.70
411	North	Amazonas	Iranduba	Jun 13	34.15	Jun 21	29.88	11.65
412	North	Amazonas	Parintins	Jun 16	32.17	Jun 28	27.88	11.63
413	North	Pará	São Miguel do Guamá	Jun 28	33.16	Jul 07	28.87	11.58
414	Northeast	Piauí	Parnaíba	Jun 27	32.56	Jul 11	28.28	11.55
415	Northeast	Pernambuco	Recife	Jun 12	33.78	Jun 24	29.50	11.54
416	Northeast	Maranhão	Cururupu	Jul 03	34.12	Jul 14	29.85	11.49
417	Northeast	Ceará	Itaitinga	Jun 21	33.03	Jul 03	29.65	11.48
417	Northeast	Alagons	Maraahal Daadara	Jun 25	24.17	Jul 05	20.80	11.40
410	No.41	Amore		Juli 23	20.22	Jul UJ	27.07 25.17	11.40
419	inorth	Amazonas	Autazes	Jun 13	39.32	Jun 19	35.17	11.45
420	Northeast	Ceará	Pedra Branca	Jun 30	33.41	Jul 11	29.13	11.45
421	North	Amazonas	Borba	Jul 07	33.62	Jul 14	30.07	11.42
422	Northeast	Ceará	Maranguape	Jun 23	35.27	Jul 03	31.00	11.38
423	Northeast	Paraíba	Bayeux	Jul 02	34.23	Jul 14	29.96	11.36
424	North	Amazonas	Maués	Jun 24	35.68	Jul 04	31.42	11.35
425	Northeast	Maranhão	Imperatriz	Jun 23	34 44	Jul 03	30.17	11.22
425	North	Dará	Benevides	$J_{\rm up} 21$	37 72	Jun 20	33 51	11.22
420	North	rara	Denevides	Juli 21	51.15	Jun 28	33.31	11.19
427	North	Kondonia	Porto Velho	Jun 19	34.43	Jul 01	30.16	11.18
428	North	Pará	Cametá	Jul 04	32.31	Jul 18	28.02	11.18
							Continu	ied on next page

Table A1 – continued from previous page

				No P	olicy (Peak)	With	Policy (Peak)	
Row Number	Region	State	Name	Date	Infectious (%)	Date	Infectious (%)	Reduction (%)
429	Northeast	Pernambuco	Pombos	Jun 18	35.87	Jun 27	31.62	11.14
430	Northeast	Ceará	Cascavel	Jun 27	34.50	Jul 07	30.23	11.14
431	South	Paraná	São João do Caiuá	Jun 08	38.46	Jun 13	34.24	11.06
432	South	Rio Grande do Sul	Tunas	Jun 21	39.07	Jun 28	35.13	11.05
433	Northeast	Ceará	Pindoretama	Jun 25	36.54	Jul 04	32.31	11.00
434	Northeast	Paraíba	Conde	Jun 18	39.68	Jun 25	35.50	10.97
435	Northeast	Pernambuco	Itaquitinga	Jun 28	37.43	Jul 07	33.20	10.79
436	North	Amazonas	Beruri	Jun 22	39.10	Jun 30	34.91	10.76
437	North	Pará	Barcarena	Jun 26	38.44	Jul 05	34.22	10.75
438	Northeast	Pernambuco	Igarassu	Jun 21	36.99	Jul 01	32.74	10.75
439	North	Pará	Marabá	Jun 28	37.72	Jul 07	33.50	10.67
440	Southeast	São Paulo	Guararema	Jul 26	25.91	Aug 12	22.02	10.66
441	Northeast	Alagoas	Maceió	Jun 15	36.01	Jun 26	31.75	10.60
442	North	Tocantins	Paraíso do Tocantins	Jul 10	33.05	Jul 23	28.76	10.50
443	Northeast	Ceará	Eusébio	Jun 11	37.05	Jun 21	32.80	10.47
444	North	Amazonas	Barcelos	Jul 07	33.37	Jul 18	29.08	10.46
445	North	Amapá	Laranjal do Jari	Jun 17	37.99	Jun 24	33.79	10.45
446	Northeast	Pernambuco	Olinda	Jun 13	37.55	Jun 23	33.31	10.41
447	Northeast	Sergipe	Rosário do Catete	Jun 27	37.67	Jul 05	33.46	10.40
448	North	Pará	Viseu	Sep 20	21.82	Jul 22	18.90	10.38
449	Northeast	Pernambuco	Água Preta	Jun 26	38.68	Jul 04	34.50	10.37
450	North	Amazonas	Manaquiri	Jun 19	42.75	Jun 26	38.65	10.27
451	Southeast	Espírito Santo	Afonso Cláudio	Jun 18	40.63	Jun 26	36.47	10.20
452	Northeast	Pernambuco	São José da Coroa Grande	Jun 15	38.38	Jun 24	34.15	10.13
453	Northeast	Maranhão	Mirinzal	Jun 18	42.98	Jun 25	38.88	10.13
454	North	Amazonas	Coari	Jun 10	41.64	Jun 16	37.49	10.08
455	North	Pará	Bragança	Jun 22	38.53	Jun 29	34.31	10.06
456	Northeast	Maranhão	Anajatuba	Jun 23	38.13	Jul 02	33.89	9.95
457	Northeast	Pernambuco	Trindade	Jun 24	41.12	Jul 02	36.95	9.92
458	Northeast	Maranhão	Santa Rita	Jun 18	36.87	Jun 24	33.34	9.76
459	Southeast	São Paulo	Pariquera-Açu	Jun 11	41.34	Jun 17	37.17	9.74
460	North	Amazonas	Presidente Figueiredo	Jun 11	38.84	Jun 19	34.62	9.74
461	Midwest	Goiás	Planaltina	Jun 26	41.66	Jul 05	37.49	9.54
462	Northeast	Ceará	Pacajus	Jun 22	38.11	Jun 28	34.59	9.48
463	Northeast	Ceará	Trairi	Jun 26	38.38	Jul 05	34.15	9.36
464	Northeast	Ceará	Umirim	Jul 02	35.27	Jul 13	31.00	9.29
465	North	Pará	Limoeiro do Ajuru	Jun 24	38.19	Jul 03	33.96	9.29
466	Southeast	Rio de Janeiro	Campos dos Goytacazes	Jun 20	42.22	Jun 28	38.07	9.27
467	South	Paraná	Santo Antônio do Caiuá	Jun 02	44.72	Jun 06	40.64	9.16
468	Northeast	Maranhão	Arari	Jun 12	43.74	Jun 19	39.62	9.14
469	Northeast	Ceará	São Gonçalo do Amarante	Jun 11	43.73	Jun 18	39.61	8.68
470	Southeast	São Paulo	Serrana	Jun 25	39.36	Jul 04	35.13	8.67
471	North	Amazonas	Tabatinga	Jun 05	42.88	Jun 12	38.75	8.65
472	North	Pará	Ponta de Pedras	Jun 13	44.19	Jun 19	40.09	8.61
473	North	Amazonas	Careiro	Jun 06	44.39	Jun 13	40.27	8.57
474	Northeast	Pernambuco	Custódia	Jun 15	46.14	Jun 22	42.08	8.53
475	South	Rio Grande do Sul	Bento Gonçalves	Jun 11	47.34	Jun 16	43.59	8.47
476	Northeast	Ceará	Solonópole	Jun 08	49.18	Jun 13	45.26	8.30
477	Northeast	Maranhão	Lago da Pedra	Jun 18	45.01	Jun 25	40.92	8.29
478	Northeast	Paraíba	Sapé	Jun 09	45.89	Jun 16	41.84	8.25
479	Southeast	Minas Gerais	São Francisco	Jun 12	48.72	Jun 18	44.75	8.23
480	Southeast	Minas Gerais	Mário Campos	Aug 07	31.06	Jun 25	28.08	8.20
481	Northeast	Maranhão	Morros	Jun 19	42.01	Jun 24	38.55	8.18
482	Northeast	Piauí	Picos	Jun 09	46.83	Jun 15	42.82	8.17
483	North	Amazonas	Tefé	Jun 08	44.59	Jun 15	40.49	8.11
484	North	Amazonas	Urucará	Jun 07	45.59	Jun 12	41.53	7.93
485	North	Amazonas	Rio Preto da Eva	May 29	50.58	Jun 02	46.70	7.74
486	North	Pará	Breves	Jun 08	48.58	Jun 13	44.60	7.65
487	North	Pará	São Caetano de Odivelas	Jun 10	46.87	Jun 16	42.81	7.60
488	Northeast	Ceará	Acaraú	Jun 02	52.90	Jun 08	49.04	7.04
489	North	Amazonas	Carauari	May 20	56.60	May 24	52.91	6.40
490	Northeast	Ceará	Viçosa do Ceará	Jun 01	58.12	Jun 05	54.51	5.91
491	Northeast	Paraíba	Mari	May 29	62.13	Jun 01	58.73	5.57