
Mitigation of COVID-19 using social distancing of the elderly: The vertical quarantine effects in hospitalizations and deaths

Vito Ribeiro Venturieri¹ , Matheus Silva Gonçalves, Vinícius Rios Fuck

Supplementary Material

Results for Brazilian state capitals

Results for São Paulo are in the main text.

¹Corresponding author: vitoventurieri@yahoo.com.br

S1. Results for Aracaju




Figure S1: Predicted number of death at day 250 for Aracaju




Figure S2: Predicted number of removed individuals at day 250 for Aracaju

ICU hospitalized people by different isolation degrees

Aracaju/SE, 1000 runs




Figure S3: Predicted number of needed ICU beds for Aracaju

Ward hospitalized people by different isolation degrees

Aracaju/SE, 1000 runs




Figure S4: Predicted number of needed ward beds for Aracaju

ICU bed demand by age group for different isolation degrees

Aracaju/SE, 1000 runs




Figure S5: Predicted number of needed ICU beds, by age group for Aracaju

Ward bed demand by age group for different isolation degrees

Aracaju/SE, 1000 runs




Figure S6: Predicted number of needed ward beds, by age group for Aracaju




Figure S7: Predicted number of death at day 250 for Belo Horizonte




Figure S8: Predicted number of removed individuals at day 250 for Belo Horizonte

ICU hospitalized people by different isolation degrees

Belo Horizonte/MG, 1000 runs




Figure S9: Predicted number of needed ICU beds for Belo Horizonte

Ward hospitalized people by different isolation degrees

Belo Horizonte/MG, 1000 runs




Figure S10: Predicted number of needed ward beds for Belo Horizonte

ICU bed demand by age group for different isolation degrees

Belo Horizonte/MG, 1000 runs




Figure S11: Predicted number of needed ICU beds, by age group for Belo Horizonte

Ward bed demand by age group for different isolation degrees

Belo Horizonte/MG, 1000 runs




Figure S12: Predicted number of needed ward beds, by age group for Belo Horizonte

S3. Results for Belém




Figure S13: Predicted number of death at day 250 for Belém




Figure S14: Predicted number of removed individuals at day 250 for Belém

ICU hospitalized people by different isolation degrees

Belém/PA, 1000 runs




Figure S15: Predicted number of needed ICU beds for Belém

Ward hospitalized people by different isolation degrees

Belém/PA, 1000 runs




Figure S16: Predicted number of needed ward beds for Belém

ICU bed demand by age group for different isolation degrees




Figure S17: Predicted number of needed ICU beds, by age group for Belém

Ward bed demand by age group for different isolation degrees




Figure S18: Predicted number of needed ward beds, by age group for Belém




Figure S19: Predicted number of death at day 250 for Boa Vista




Figure S20: Predicted number of removed individuals at day 250 for Boa Vista

ICU hospitalized people by different isolation degrees

Boa Vista/RR, 1000 runs




Figure S21: Predicted number of needed ICU beds for Boa Vista

Ward hospitalized people by different isolation degrees

Boa Vista/RR, 1000 runs




Figure S22: Predicted number of needed ward beds for Boa Vista

ICU bed demand by age group for different isolation degrees

Boa Vista/RR, 1000 runs




Figure S23: Predicted number of needed ICU beds, by age group for Boa Vista

Ward bed demand by age group for different isolation degrees

Boa Vista/RR, 1000 runs




Figure S24: Predicted number of needed ward beds, by age group for Boa Vista




Figure S25: Predicted number of death at day 250 for Brasília




Figure S26: Predicted number of removed individuals at day 250 for Brasília

ICU hospitalized people by different isolation degrees

Brasília/DF, 1000 runs




Figure S27: Predicted number of needed ICU beds for Brasília

Ward hospitalized people by different isolation degrees

Brasília/DF, 1000 runs




Figure S28: Predicted number of needed ward beds for Brasília

ICU bed demand by age group for different isolation degrees




Figure S29: Predicted number of needed ICU beds, by age group for Brasília

Ward bed demand by age group for different isolation degrees




Figure S30: Predicted number of needed ward beds, by age group for Brasília

S6. Results for Campo Grande




Figure S31: Predicted number of death at day 250 for Campo Grande




Figure S32: Predicted number of removed individuals at day 250 for Campo Grande

ICU hospitalized people by different isolation degrees

Campo Grande/MS , 1000 runs




Figure S33: Predicted number of needed ICU beds for Campo Grande

Ward hospitalized people by different isolation degrees

Campo Grande/MS , 1000 runs




Figure S34: Predicted number of needed ward beds for Campo Grande

ICU bed demand by age group for different isolation degrees

Campo Grande/MS , 1000 runs




Figure S35: Predicted number of needed ICU beds, by age group for Campo Grande

Ward bed demand by age group for different isolation degrees

Campo Grande/MS , 1000 runs




Figure S36: Predicted number of needed ward beds, by age group for Campo Grande

S7. Results for Cuiabá




Figure S37: Predicted number of death at day 250 for Cuiabá




Figure S38: Predicted number of removed individuals at day 250 for Cuiabá

ICU hospitalized people by different isolation degrees

Cuiabá/MT, 1000 runs




Figure S39: Predicted number of needed ICU beds for Cuiabá

Ward hospitalized people by different isolation degrees

Cuiabá/MT, 1000 runs




Figure S40: Predicted number of needed ward beds for Cuiabá

ICU bed demand by age group for different isolation degrees

Cuiabá/MT, 1000 runs




Figure S41: Predicted number of needed ICU beds, by age group for Cuiabá

Ward bed demand by age group for different isolation degrees

Cuiabá/MT, 1000 runs




Figure S42: Predicted number of needed ward beds, by age group for Cuiabá




Figure S43: Predicted number of death at day 250 for Curitiba




Figure S44: Predicted number of removed individuals at day 250 for Curitiba

ICU hospitalized people by different isolation degrees

Curitiba/PR, 1000 runs




Figure S45: Predicted number of needed ICU beds for Curitiba

Ward hospitalized people by different isolation degrees

Curitiba/PR, 1000 runs




Figure S46: Predicted number of needed ward beds for Curitiba

ICU bed demand by age group for different isolation degrees

Curitiba/PR, 1000 runs




Figure S47: Predicted number of needed ICU beds, by age group for Curitiba

Ward bed demand by age group for different isolation degrees

Curitiba/PR, 1000 runs




Figure S48: Predicted number of needed ward beds, by age group for Curitiba




Figure S49: Predicted number of death at day 250 for Florianópolis




Figure S50: Predicted number of removed individuals at day 250 for Florianópolis

ICU hospitalized people by different isolation degrees

Florianópolis/SC, 1000 runs




Figure S51: Predicted number of needed ICU beds for Florianópolis

Ward hospitalized people by different isolation degrees

Florianópolis/SC, 1000 runs




Figure S52: Predicted number of needed ward beds for Florianópolis

ICU bed demand by age group for different isolation degrees

Florianópolis/SC, 1000 runs




Figure S53: Predicted number of needed ICU beds, by age group for Florianópolis

Ward bed demand by age group for different isolation degrees

Florianópolis/SC, 1000 runs




Figure S54: Predicted number of needed ward beds, by age group for Florianópolis




Figure S55: Predicted number of death at day 250 for Fortaleza




Figure S56: Predicted number of removed individuals at day 250 for Fortaleza

ICU hospitalized people by different isolation degrees

Fortaleza/CE, 1000 runs




Figure S57: Predicted number of needed ICU beds for Fortaleza

Ward hospitalized people by different isolation degrees

Fortaleza/CE, 1000 runs




Figure S58: Predicted number of needed ward beds for Fortaleza

ICU bed demand by age group for different isolation degrees

Fortaleza/CE, 1000 runs




Figure S59: Predicted number of needed ICU beds, by age group for Fortaleza

Ward bed demand by age group for different isolation degrees

Fortaleza/CE, 1000 runs




Figure S60: Predicted number of needed ward beds, by age group for Fortaleza




Figure S61: Predicted number of death at day 250 for Goiânia




Figure S62: Predicted number of removed individuals at day 250 for Goiânia

ICU hospitalized people by different isolation degrees

Goiânia/GO, 1000 runs




Figure S63: Predicted number of needed ICU beds for Goiânia

Ward hospitalized people by different isolation degrees

Goiânia/GO, 1000 runs




Figure S64: Predicted number of needed ward beds for Goiânia

ICU bed demand by age group for different isolation degrees

Goiânia/GO, 1000 runs




Figure S65: Predicted number of needed ICU beds, by age group for Goiânia

Ward bed demand by age group for different isolation degrees

Goiânia/GO, 1000 runs




Figure S66: Predicted number of needed ward beds, by age group for Goiânia




Figure S67: Predicted number of death at day 250 for João Pessoa




Figure S68: Predicted number of removed individuals at day 250 for João Pessoa

ICU hospitalized people by different isolation degrees

João Pessoa/PB, 1000 runs




Figure S69: Predicted number of needed ICU beds for João Pessoa

Ward hospitalized people by different isolation degrees

João Pessoa/PB, 1000 runs




Figure S70: Predicted number of needed ward beds for João Pessoa

ICU bed demand by age group for different isolation degrees

João Pessoa/PB, 1000 runs




Figure S71: Predicted number of needed ICU beds, by age group for João Pessoa

Ward bed demand by age group for different isolation degrees

João Pessoa/PB, 1000 runs




Figure S72: Predicted number of needed ward beds, by age group for João Pessoa




Figure S73: Predicted number of death at day 250 for Macapá




Figure S74: Predicted number of removed individuals at day 250 for Macapá

ICU hospitalized people by different isolation degrees

Macapá/AP, 1000 runs




Figure S75: Predicted number of needed ICU beds for Macapá

Ward hospitalized people by different isolation degrees

Macapá/AP, 1000 runs




Figure S76: Predicted number of needed ward beds for Macapá

ICU bed demand by age group for different isolation degrees

Macapá/AP, 1000 runs




Figure S77: Predicted number of needed ICU beds, by age group for Macapá

Ward bed demand by age group for different isolation degrees

Macapá/AP, 1000 runs




Figure S78: Predicted number of needed ward beds, by age group for Macapá




Figure S79: Predicted number of death at day 250 for Maceió




Figure S80: Predicted number of removed individuals at day 250 for Maceió

ICU hospitalized people by different isolation degrees

Maceió/AL, 1000 runs




Figure S81: Predicted number of needed ICU beds for Maceió

Ward hospitalized people by different isolation degrees

Maceió/AL, 1000 runs




Figure S82: Predicted number of needed ward beds for Maceió

ICU bed demand by age group for different isolation degrees

Maceió/AL, 1000 runs




Figure S83: Predicted number of needed ICU beds, by age group for Maceió

Ward bed demand by age group for different isolation degrees

Maceió/AL, 1000 runs




Figure S84: Predicted number of needed ward beds, by age group for Maceió




Figure S85: Predicted number of death at day 250 for Manaus




Figure S86: Predicted number of removed individuals at day 250 for Manaus

ICU hospitalized people by different isolation degrees

Manaus/AM, 1000 runs




Figure S87: Predicted number of needed ICU beds for Manaus

Ward hospitalized people by different isolation degrees

Manaus/AM, 1000 runs




Figure S88: Predicted number of needed ward beds for Manaus

ICU bed demand by age group for different isolation degrees

Manaus/AM, 1000 runs




Figure S89: Predicted number of needed ICU beds, by age group for Manaus

Ward bed demand by age group for different isolation degrees

Manaus/AM, 1000 runs




Figure S90: Predicted number of needed ward beds, by age group for Manaus




Figure S91: Predicted number of death at day 250 for Natal




Figure S92: Predicted number of removed individuals at day 250 for Natal

ICU hospitalized people by different isolation degrees

Natal/RN, 1000 runs




Figure S93: Predicted number of needed ICU beds for Natal

Ward hospitalized people by different isolation degrees

Natal/RN, 1000 runs




Figure S94: Predicted number of needed ward beds for Natal




Figure S95: Predicted number of needed ICU beds, by age group for Natal




Figure S96: Predicted number of needed ward beds, by age group for Natal




Figure S97: Predicted number of death at day 250 for Palmas




Figure S98: Predicted number of removed individuals at day 250 for Palmas

ICU hospitalized people by different isolation degrees

Palmas/TO, 1000 runs




Figure S99: Predicted number of needed ICU beds for Palmas

Ward hospitalized people by different isolation degrees

Palmas/TO, 1000 runs




Figure S100: Predicted number of needed ward beds for Palmas

ICU bed demand by age group for different isolation degrees

Palmas/TO, 1000 runs




Figure S101: Predicted number of needed ICU beds, by age group for Palmas

Ward bed demand by age group for different isolation degrees

Palmas/TO, 1000 runs




Figure S102: Predicted number of needed ward beds, by age group for Palmas




Figure S103: Predicted number of death at day 250 for Porto Alegre




Figure S104: Predicted number of removed individuals at day 250 for Porto Alegre

ICU hospitalized people by different isolation degrees

Porto Alegre/RS , 1000 runs




Figure S105: Predicted number of needed ICU beds for Porto Alegre

Ward hospitalized people by different isolation degrees

Porto Alegre/RS , 1000 runs




Figure S106: Predicted number of needed ward beds for Porto Alegre

ICU bed demand by age group for different isolation degrees

Porto Alegre/RS , 1000 runs




Figure S107: Predicted number of needed ICU beds, by age group for Porto Alegre

Ward bed demand by age group for different isolation degrees

Porto Alegre/RS , 1000 runs




Figure S108: Predicted number of needed ward beds, by age group for Porto Alegre




Figure S109: Predicted number of death at day 250 for Porto Velho




Figure S110: Predicted number of removed individuals at day 250 for Porto Velho

ICU hospitalized people by different isolation degrees

Porto Velho/RO, 1000 runs




Figure S111: Predicted number of needed ICU beds for Porto Velho

Ward hospitalized people by different isolation degrees

Porto Velho/RO, 1000 runs




Figure S112: Predicted number of needed ward beds for Porto Velho

ICU bed demand by age group for different isolation degrees

Porto Velho/RO, 1000 runs




Figure S113: Predicted number of needed ICU beds, by age group for Porto Velho

Ward bed demand by age group for different isolation degrees

Porto Velho/RO, 1000 runs




Figure S114: Predicted number of needed ward beds, by age group for Porto Velho




Figure S115: Predicted number of death at day 250 for Recife




Figure S116: Predicted number of removed individuals at day 250 for Recife

ICU hospitalized people by different isolation degrees

Recife/PE, 1000 runs




Figure S117: Predicted number of needed ICU beds for Recife

Ward hospitalized people by different isolation degrees

Recife/PE, 1000 runs




Figure S118: Predicted number of needed ward beds for Recife

ICU bed demand by age group for different isolation degrees




Figure S119: Predicted number of needed ICU beds, by age group for Recife

Ward bed demand by age group for different isolation degrees




Figure S120: Predicted number of needed ward beds, by age group for Recife




Figure S121: Predicted number of death at day 250 for Rio Branco




Figure S122: Predicted number of removed individuals at day 250 for Rio Branco

ICU hospitalized people by different isolation degrees

Rio Branco/AC, 1000 runs




Figure S123: Predicted number of needed ICU beds for Rio Branco

Ward hospitalized people by different isolation degrees

Rio Branco/AC, 1000 runs




Figure S124: Predicted number of needed ward beds for Rio Branco

ICU bed demand by age group for different isolation degrees

Rio Branco/AC, 1000 runs




Figure S125: Predicted number of needed ICU beds, by age group for Rio Branco

Ward bed demand by age group for different isolation degrees

Rio Branco/AC, 1000 runs




Figure S126: Predicted number of needed ward beds, by age group for Rio Branco




Figure S127: Predicted number of death at day 250 for Rio de Janeiro




Figure S128: Predicted number of removed individuals at day 250 for Rio de Janeiro

ICU hospitalized people by different isolation degrees

Rio de Janeiro/RJ, 1000 runs




Figure S129: Predicted number of needed ICU beds for Rio de Janeiro

Ward hospitalized people by different isolation degrees

Rio de Janeiro/RJ, 1000 runs




Figure S130: Predicted number of needed ward beds for Rio de Janeiro

ICU bed demand by age group for different isolation degrees

Rio de Janeiro/RJ, 1000 runs




Figure S131: Predicted number of needed ICU beds, by age group for Rio de Janeiro

Ward bed demand by age group for different isolation degrees

Rio de Janeiro/RJ, 1000 runs




Figure S132: Predicted number of needed ward beds, by age group for Rio de Janeiro




Figure S133: Predicted number of death at day 250 for Salvador




Figure S134: Predicted number of removed individuals at day 250 for Salvador

ICU hospitalized people by different isolation degrees

Salvador/BA, 1000 runs




Figure S135: Predicted number of needed ICU beds for Salvador

Ward hospitalized people by different isolation degrees

Salvador/BA, 1000 runs




Figure S136: Predicted number of needed ward beds for Salvador

ICU bed demand by age group for different isolation degrees

Salvador/BA, 1000 runs




Figure S137: Predicted number of needed ICU beds, by age group for Salvador

Ward bed demand by age group for different isolation degrees

Salvador/BA, 1000 runs




Figure S138: Predicted number of needed ward beds, by age group for Salvador




Figure S139: Predicted number of death at day 250 for São Luís




Figure S140: Predicted number of removed individuals at day 250 for São Luís

ICU hospitalized people by different isolation degrees

São Luís/MA, 1000 runs




Figure S141: Predicted number of needed ICU beds for São Luís

Ward hospitalized people by different isolation degrees

São Luís/MA, 1000 runs




Figure S142: Predicted number of needed ward beds for São Luís

ICU bed demand by age group for different isolation degrees

São Luís/MA, 1000 runs




Figure S143: Predicted number of needed ICU beds, by age group for São Luís

Ward bed demand by age group for different isolation degrees

São Luís/MA, 1000 runs




Figure S144: Predicted number of needed ward beds, by age group for São Luís




Figure S145: Predicted number of death at day 250 for Teresina




Figure S146: Predicted number of removed individuals at day 250 for Teresina

ICU hospitalized people by different isolation degrees

Teresina/PI, 1000 runs




Figure S147: Predicted number of needed ICU beds for Teresina

Ward hospitalized people by different isolation degrees

Teresina/PI, 1000 runs




Figure S148: Predicted number of needed ward beds for Teresina

ICU bed demand by age group for different isolation degrees

Teresina/PI, 1000 runs




Figure S149: Predicted number of needed ICU beds, by age group for Teresina

Ward bed demand by age group for different isolation degrees

Teresina/PI, 1000 runs




Figure S150: Predicted number of needed ward beds, by age group for Teresina




Figure S151: Predicted number of death at day 250 for Vitória




Figure S152: Predicted number of removed individuals at day 250 for Vitória

ICU hospitalized people by different isolation degrees

Vitória/ES, 1000 runs




Figure S153: Predicted number of needed ICU beds for Vitória

Ward hospitalized people by different isolation degrees

Vitória/ES, 1000 runs




Figure S154: Predicted number of needed ward beds for Vitória

ICU bed demand by age group for different isolation degrees

Vitória/ES, 1000 runs




Figure S155: Predicted number of needed ICU beds, by age group for Vitória

Ward bed demand by age group for different isolation degrees

Vitória/ES, 1000 runs




Figure S156: Predicted number of needed ward beds, by age group for Vitória