Table of Contents

Supplementary Text

Supplemental Methods
Supplemental Results

Supplementary Tables

eTable 1. Inclusion and exclusion participant criteria per site
eTable 2. Scanner and acquisition parameters by site
eTable 3. Age and sex of HC vs. CHR vs. CHR-PS+ vs. CHR-PS- in 12-25 year old age range (Age-associated analyses)
eTable 4. Intelligence quotient comparisons of HC vs. CHR by site
eTable 5. Intelligence quotient comparisons of CHR-PS+ vs. CHR-PS- vs. CHR-UNK by site
eTable 6. Symptom differences between CHR groups (CHR-PS+, CHR-PS-, CHR-UNK) as measured by the SIPS or CAARMS
eTable 7. CHR current medication information reported by site
eTable 8. CHR vs. HC effect size overview (post-ComBat mega analysis)
eTable 9. CHR vs. HC antipsychotic medication effects
eTable 10. CHR vs. HC equivalence testing results
eTable 11. CHR vs. HC effect size overview (pre-ComBat mega and meta analysis)
eTable 12A. CHR subgroup (APS vs. BIPS vs. GRD vs. HC) effect size overview
eTable 12B. CHR subgroup (APS vs. BIPS vs. GRD vs. HC) effect size overview (continued)
eTable 13. APS subgroup (APS vs. no APS assignment vs. HC) effect size overview
eTable 14. BIPS subgroup (BIPS vs. no BIPS assignment vs. HC) effect size overview
eTable 15. GRD subgroup (GRD vs. no GRD assignment vs. HC) effect size overview
eTable 16. CHR-PS+ vs. CHR-PS- vs. HC effect size overview (post-ComBat mega analysis)
eTable 17. CHR-PS+ vs. CHR-PS- vs. HC antipsychotic medication effects
eTable 18. CHR-PS+ vs. CHR-PS- vs. HC equivalence testing results
eTable 19. CHR subgroup-by-psychosis conversion interaction analyses effect size overview
eTable 20. Age effects of CHR vs HC
eTable 21. Age effects on conversion status

Supplementary Figures

eFigure 1. CHR vs. HC effect size overview (post-ComBat mega analysis)
eFigure 2. Jackknife resampling analysis for neuroimaging regions meeting statistical significance (q<.05) in Aim 1
eFigure 3. CHR-PS+ vs. CHR-PS- vs. HC effect size overview (post-ComBat mega analysis)
eFigure 4. CHR-PS+ vs. SZ vs. 22q11DS effect size overview
eFigure 5. Surface Area, Subcortical Volume and global measure correlations between CHR-PS+, SZ, and 22q11DS

Supplementary Citations

Supplemental Methods

CHR Inclusion/Exclusion Criteria: CAARMS

Eight hundred twenty one CHR participants were included in this study based on their responses to the Comprehensive Assessment of At-Risk Mental States (CAARMS[1,2]) The CAARMS is a semi-structured interview administered by trained clinician. The CAARMS consists of seven subscales: positive symptoms, cognitive change, emotional disturbances, negative symptoms, behavioral change, motor change, and general psychopathology. The positive symptom subscale and an assessment of social and occupational functioning are used to determine CHR eligibility and syndrome subgroup (see below).

The positive symptom subscale consists of four positive symptoms (P1=unusual thought content, P2=non-bizarre ideas, P3=perceptual abnormalities, P4=disorganized speech). Each symptom is rated on a scale from 0-6, where a score of “0” means that the symptom is not present and “6” means that the symptom is endorsed at a fully psychotic level. CHR participants met criteria for at least one of three syndromes: 1) Attenuated Psychotic Symptoms, 2) Brief Limited Intermittent Psychotic Symptoms, and/or 3) a trait/vulnerability condition.

A CHR participant meets criteria for Attenuated Psychotic Symptoms when a) any one of the positive symptoms (P1-P4) is rated within a specific subthreshold range (i.e., P1 & P2=3-5, P3=3-4, P4=4-5) and occurs at least once a month or b) the severity of any one of the positive symptoms is rated a “6” on P1, P2, or P4 or at least a “5” on P3, but occurs no more than twice a week for longer than an hour, or occurs no more than six times a week, for less than an hour. The symptoms should have been present in the previous twelve months, and not for longer than five years. A CHR participant meets criteria for Brief Limited Intermittent Psychotic Symptoms when the severity of any one of the positive symptoms is rated a “6” (or at least a “5” on P3), but occurring at a frequency of at least three times a week for greater than an hour or occurring daily for less than an hour. Similar to Attenuated Psychotic Symptoms, the symptoms should have been present in the previous twelve months, and not for longer than five years. A CHR participant meets the trait/vulnerability condition if they have 1) a first degree relative with a psychotic disorder or 2) meets criteria for schizotypal personality disorder. For all risk syndromes, CHR participants must have experienced either 1) at least a 30% drop in functioning (as measured by the SOFAS[3]) within the last year and they have to maintain this level for a minimum of a month or they 2) receive a SOFAS score <50 for the past 12 months or longer.

CHR Inclusion/Exclusion Criteria: SIPS

Nine-hundred seventy one CHR participants were included in this study based on their responses to the Structured Interview for Prodromal Syndromes/Structured Interview for Psychosis-Risk Syndromes (SIPS[4,5]). The SIPS is a semi-structured interview administered by a trained clinician. The SIPS is made up of four subscales: positive, negative, disorganization, and general symptoms. The position symptom subscale is used to determine CHR eligibility. The positive symptom subscale consists of five positive symptoms (P1=unusual thought content/delusional ideas, P2=suspiciousness/persecutory ideas, P3=grandiose ideas, P4=perceptual abnormalities/hallucinations, P5=disorganized communication). Each symptom is rated on a scale from 0-6, where a score of “0” means that the symptom is not present and “6” means that the symptom is endorsed at a fully psychotic level. CHR participants met criteria for at least one of three syndromes : 1) Attenuated Positive Symptom Syndrome, 2) Brief Intermittent Psychotic Symptom Syndrome, and/or 3) Genetic Risk and Deterioration Syndrome. An individual meets Attenuated Positive Symptom Syndrome criteria when any one of the positive symptoms (P1-P5) is rated as “subthreshold”: the participant receives a score of 3 (moderate), 4 (moderately severe), or 5 (severe but not psychotic). Positive subthreshold symptoms must have started or gotten worse in the last year. Positive subthreshold symptoms must occur at a frequency of at least one time per week in the last month. An individual meets Brief Intermittent Psychotic Symptom Syndrome criteria when one of the positive symptoms is rated a 6 (a severe and psychotic level) for a brief period of time (~several minutes at a time). Positive symptoms must have started in the past 3 months and must have occurred at least once in the last month. An individual meets Genetic Risk and Deterioration Syndrome criteria when they have a first-degree relative who has a psychotic disorder and they have experienced a 30% decrease in functioning over the past year (as measured by the Global Assessment of Functioning).

Combining CHR Risk Syndromes from CAARMS and SIPS We combined the CAARMs and SIPS psychosis-risk syndromes when we analyzed the syndrome’s effects. Attenuated Psychotic Symptoms (CAARMS) and Attenuated Positive Symptom Syndrome (SIPS) were combined into the “APS” psychosis-risk syndrome group. We combined Brief Limited Intermittent Psychotic Symptoms (CAARMS) and Brief Intermittent Psychotic Symptom Syndrome (SIPS) into the “BIPS”

psychosis-risk syndrome group. Finally, the trait/vulnerability condition (CAARMS) and Genetic Risk and Deterioration Syndrome (SIPS) were combined into the “GRD” group.

CHR Exclusion Criteria: All Sites Participants were not included in the study if they currently or previously endorsed or presented with positive symptoms at a psychotic level of intensity.

Power calculations

To determine statistical power for Aims 1 and 2, we conducted 1,000 Monte Carlo simulations of the proposed models, based on preliminary data distributions. Sample sizes reported are based on 80% power to achieve the desired effect. In our preliminary data, we observed 0.15-0.19 standard deviation change in group status for every one standard deviation change in structural neuroimaging metrics (N~150 CHR). For **aim 1** (HC vs. CHR), we observed in simulation that we would need a minimum sample size N=750 (40% HC, 60% CHR) to detect a group difference of beta=0.17. For **aim 2** (CHR-PS+ vs. CHR-PS-), we determined that we would require a CHR sample size of N=1200 with an estimated 20% conversion status rate to detect a group difference of beta=0.17.

Pre-ComBat mega analysis and random-effects meta analysis

All 155 GLMs (i.e. for every structural neuroimaging measure; CT in 68 regions, SA in 68 regions, subcortical volume in 16 regions and 6 whole-brain measures) were re-run using data prior to correction for site effects using neuroComBat using a 1) mega analysis framework (“pre-ComBat mega-analysis”), and, 2) meta analysis framework (“pre-ComBat meta-analysis”), to allow comparisons to previous work[6–8] and to ensure robustness of results. For the pre-ComBat mega analysis, scanner was treated as a random effect. To obtain the site-specific effect size of interest for the pre-ComBat meta analysis, each GLM was run separately for every study site, with scanner as an additional covariate. Study site-specific effect sizes were then entered into a random-effects meta analysis to obtain the effect size for group and conversion status differences in structural neuroimaging measures. All meta analyses were conducted using the metafor package (version 2.4.0[9]) in R.

Aim 1: CHR syndrome analyses

Out of the 1792 CHR participants, 142 CHR participants did not have CHR subgroup assignments and were removed from all subsequent analyses. For all structural neuroimaging metrics, we first tested the main effect of CHR subgroup (APS (N=1320) vs. BIPS (N=50) vs. GRD (N=98) vs. HC) in participants with only one subgroup assignment (CHR N=1468; HC N=1377). To include CHR participants with multiple subgroup assignments (CHR N=1650; HC N= 1377), we also ran a series of linear models assessing main effects of the individual subgroup assignment (APS (N=1500) vs. no APS assignment (N=150) vs. HC (N=1377); BIPs (N=91) vs. no BIPS assignment (N=1559) vs. HC (N=1377); GRD (N=249) vs. no GRD assignment (N=1401) vs. HC(N=1377)).

Aim 2: CHR syndrome by conversion status analyses

We also assessed the interaction between psychosis conversion status (CHR-PS+ vs. CHR-PS- vs. HC) and CHR subgroup (APS vs. BIPS vs. GRD vs. HC) in participants with one subgroup assignment and conversion status data. Additional linear models assessing interactions between conversion status (CHR-PS+ vs. CHR-PS- vs. HC) and individual subgroup assignment (APS vs. no APS vs. HC; BIPs vs. no BIPS vs. HC; GRD vs. no GRD vs. HC) were also run.

Similar to the analyses reported in the main text of the manuscript, we included age, age^2, sex, and estimated total ICV as covariates in all models. ICV was not used as a covariate for three whole-brain measures: mean CT , total SA, and estimated ICV.

Equivalence testing bounds

We used equivalence testing[10] to assess whether observed sMRI effect sizes were not meaningfully greater than zero. To these aims, two one-sided t-tests were conducted against the upper and lower equivalence bounds of a predefined smallest effect size of interest. If the observed effect size’s 90% confidence interval falls within the upper and lower equivalence bounds, the presence of a meaningful or “worthwhile” effect can be rejected[11]. We conducted these tests on all regions displaying an overall effect of group or conversion.

For regions displaying a conversion effect, and in which CHR-PS+ differed from CHR-PS- and HC, we conducted minimal

effects testing. The aim of this analyses was to investigate whether any of the observed effects in CHR-PS+ were meaningfully greater than the smallest effect size of interest, which would emphasize their potential for use as e.g. a predictor in risk prediction models in future studies.

All upper and lower equivalence bounds (representing the positive and negative smallest effect size of interest) were set to Cohen's *d* = +/- 0.15. Thus, for all equivalence tests, we investigated whether any of the observed effect sizes fell within the 0.15 - -0.15 range. We based these bounds on our *a priori* power calculations (see above) indicating 80% power to detect an effect of conversion status of Cohen's *d*=~0.17 in a sample of 1200 CHR, assuming a transition rate of 20%. Moreover, this effect size is highly similar to the average effect size for SZ-HC group differences in cortical thickness reported in a recent large-scale meta-analysis[7] (Cohen's *d*=.154). Equivalence tests[12] were conducted using the TOSTER package (version 0.3.4) in R.

GAM Post-Hoc Analyses

When statistically significant group-by-smoothed age interactions were observed (q<0.05), we assessed for pairwise differences in the smoothed effect of age, by taking the difference between the two smooths and considered an age range where 95% confidence intervals did not overlap as a statistically significant effect. This analysis would be akin to comparing the strength of the slopes between two groups in a linear model; however, the GAM extends this approach by identifying more restricted age ranges where smoothed effects of age (age-related slope in GLM) differ. Similar to Aim 1, we re-ran all GAM analyses covarying for antipsychotic and psychotropic medication status. We also employed jackknife analyses to assess the stability of observed age-associated group differences.

We also performed a posterior simulation on the first derivative of the GAM fits in each group separately to identify periods of age-associated changes. Following previous work[13] and established guidelines[14], we used a multivariate normal distribution whose vector of means and covariance were defined by the fitted GAM parameters to simulate 10,000 GAM fits and their first derivatives (generated at 0.1 year age intervals). Significant intervals of age-related change in a structural neuroimaging measure were defined as ages when the confidence intervals (95%) of simulated GAM fits did not include zero ($p < 0.05$).

Correlation Analyses

For all correlations we used Spearman's rank correlations. To investigate whether the difference in correlation coefficients between CHR-PS+-SZ CT effect sizes and CHR-PS+-MDD CT effect sizes was significant (see main text, aim 3), we used Steiger's Test[15] for dependent correlations. Next, we used Monte Carlo permutation testing to generate a null distribution of correlation coefficients, and effect sizes representing the difference in correlations, by randomly shuffling correlation coefficients ($n_{permutations}$=2000, $\alpha_{permutate}$=0.05). All correlation analyses were carried out using the cocor package[16] (v1.1.3) in R.

Supplemental Results

Aim 1 Psychosis-Risk Syndrome Results

When examining differences in structural neuroimaging measures between CHR subgroups in participants with only one subgroup assignment, 13 brain regions passed correction for multiple comparisons (eTable 11 A/B). In all these regions, except for the lateral ventricles, group differences were driven by reductions in the APS group in comparison to HC, and often also by reductions in the APS group compared to BIPS and GRD.

When the main of effect of APS subgroup (vs. no APS assignment vs. HC) was assessed, there were 33 structural neuroimaging measures that passed correction for multiple comparisons (eTable 12). In 32 of these regions, APS-CHR exhibited significantly reduced CT, SA, or subcortical volume in comparison to HC. In a subset of seven structural neuroimaging measures, APS-CHR additionally exhibited reductions compared to CHR participants that did not have an APS assignment: bilateral paracentral (left: *d*=-0.18, CI=-0.35 - -0.01, *p*=0.04, right: *d*=-0.19, CI=-0.36 - -0.02, *p*=0.03), right caudal middle frontal (d=-0.19, CI=-0.36 - -0.02, p=0.03), right superior parietal (*d*=-0.20, CI=-0.36 - -0.03, *p*=0.02), right inferior parietal (*d*=-0.18, CI=-0.35 - -0.01, *p*=0.04) and left precuneus (*d*=-0.22, CI=-0.39 - -0.05, *p*=0.01) CT, as well as right temporal pole SA (*d*=-0.25, CI=-0.42 - -0.08, *p*=0.004). CT and SA reductions in CHR without APS assignment compared to HC were observed in right superior temporal CT (*d*=-0.20, CI=-0.37 - -0.03, *p*=0.02), left supramarginal SA (*d*=-0.18, CI=-0.35 - -0.01, *p*=0.04) and increased SA was observed in right temporal pole (*d*=0.27, CI=0.10 - 0.44, *p*=0.002).

Importantly, all regions identified in APS analyses were also identified in the HC vs. CHR analyses described in the main text, with highly similar effect sizes (for these results, see eTable 7).

Analyses of the main effect of BIPS subgroup assignment revealed 23 structural neuroimaging measures that passed correction for multiple comparisons (eTable 13). These results were primarily driven by CT, SA, or subcortical volume reductions in CHR individuals without BIPS assignment (the majority being CHR-APS) compared to HC, which were significant in all 23 regions. Group differences between all three groups were not observed in any structural neuroimaging measure. In comparison to BIPS-CHR, CHR individuals without BIPS assignment did not exhibit statistically significant differences in any of these 23 regions (all *p*>0.09). CT and SA reductions in CHR-BIPS compared to HC were observed in a subset of structural neuroimaging measures; right insula CT (d=-0.25, CI=-0.47 - -0.04, p=0.02), left inferior parietal CT (*d*=-0.25, CI=-0.46 - -0.04, *p*=0.02) and right pericalcarine SA (*d*=-0.26, CI=-0.48 - -0.04, *p*=0.02).

For the main effect of GRD subgroup assignment, 22 brain regions passed correction for multiple comparisons (eTable 14). Similar to the BIPS main effect analyses, CHR individuals without GRD assignment (again, the majority being CHR-APS) showed significant CT, SA, or subcortical volume reductions compared to HC in 21 of these regions. Group differences between all three subgroups were not observed in any structural neuroimaging measure. In comparison to CHR individuals without GRD assignment, CHR-GRD only exhibited significantly lower right inferior parietal SA (*d*=-0.18, CI=-0.32 - -0.05, *p*=0.009). In 12/22 of these regions, GRD-CHR exhibited significant reductions in CT, SA, or subcortical volume in comparison to HC (*d* range=-0.25 - -0.14).

In summary, the CHR subgroup main effect analyses reported above reveal a pattern of results in CHR-APS that is similar to the widespread pattern of structural neuroimaging changes in CHR vs. HC. Given that the great majority of CHR (91%) met criteria for APS syndrome, we speculate that the CHR subgroup results reconfirm the HC vs. CHR analyses, rather than supporting the existence of structural neuroimaging changes that are unique to APS, compared to BIPS or GRD. This interpretation is moreover confirmed by the observation that CHR subgroup main effect analyses only revealed changes in structural neuroimaging measures in APS that were also observed in the psychosis risk (CHR vs. HC) analyses; no regions uniquely associated with APS (and not psychosis risk) were observed.

Aim 2 Psychosis-Risk Syndrome by Conversion Status Results

After correcting for multiple comparisons, there were no significant interactions between CHR subgroup and psychosis conversion status; not when running the interaction analysis in CHR with only one subgroup assignment (eTable 18 “all-by-conversion) or when each subgroup status was examined individually (eTable 18 “APS/BIPS/GRD-by-conversion”).

Aim 3 CHR-PS- correlations

CHR-PS- (vs. HC) effect sizes for CT were significantly correlated with those observed in SZ (ρ=0.35, p=0.003) and individuals with 22q.11DS and psychosis (ρ=0.31, p=0.009). No CHR-PS- - SZ correlations were observed for SA (ρ=0.17), although a correlation was observed with 22q11DS with psychosis (ρ=0.35, p<0.001). Subcortical volume reductions in CHR-PS- correlated with those observed in SZ (ρ=0.71, p<0.001) and individuals with 22q11Ds and psychosis (ρ=0.64, p=0.007).

eTable 1. Inclusion and exclusion participant criteria per site

Full Site Name	Abbreviated Site Name	All Subjects Major Inclusion Criteria	CHR Inclusion Criteria	HC Inclusion Criteria	Previous publications
Vrije Universiteit Amsterdam, The Netherlands	Amsterdam	• 16-31 years old • No spasticity • Sufficient command of the Dutch language • IQ ≥80	• Met CHR inclusion criteria via CAARMS • Within 1 year of CHR assessment	• CAARMS and SOFAS score <55 • No family history of psychiatric disorders	17, 18, 19
Hospital Sant Joan de Déu Barcelona, Barcelona, Spain	Barcelona-HSJD	• 10-17 years old • No lifetime neurological disorder or traumatic brain injury diagnosis • Fluent in Spanish or Catalan • IQ >70	• Met CHR inclusion criteria via SIPS • Some participants were also considered "Genetic Risk and Deterioration Syndrome" if they had an affected second-degree relative (82) • Some participants also met criteria for Attentuated Negative Symptom Psychosis-Risk Syndrome (83) • No autism spectrum disorder	• No current psychiatric disorder diagnosis • No current psychotropic medication use • No lifetime psychotic disorder diagnosis • No first- or second-degree relative with psychotic disorder diagnosis	None
University Hospital of Child and Adolescent Psychiatry and Psychotherapy, University of Bern, Switzerland	Bern	• 8-40 years old • No current neurological disorder diagnosis • Fluent in German, French or English • IQ >70 (via clinical impression)	• Met CHR inclusion criteria via SIPS • Some participants also met criteria for basic symptom CHR via the SPI-A (81)	• No lifetime psychotic disorder diagnosis	20
New York State Psychiatric Institute, Columbia University, USA	Columbia1	• 15-35 years old • No major medical or neurological disorder diagnosis • IQ >70 • No lifetime substance use disorder • No lifetime history of traumatic head injury • No imminent risk of harm to self or others	• Met CHR inclusion criteria via SIPS	• No SCID Axis I and/or Axis II Cluster C disorder diagnosis • Not adopted	21
New York State Psychiatric Institute, Columbia University, USA	Columbia2	• 18-30 years old • No lifetime major medical or neurological disorders • IQ >70	• Met CHR inclusion criteria via SIPS	• No lifetime DSM-IV psychiatric disorder diagnosis	None
New York State Psychiatric Institute, Columbia University, USA	Columbia3	• 14-30 years old • No lifetime major medical or neurological disorders • IQ >70	• Met CHR inclusion criteria via SIPS • CHR symptoms do NOT occur solely in the context of substance use	• No lifetime psychiatric disorder diagnosis • No lifetime history of meeting criteria for psychosis-risk syndrome via the SIPS • No current substance abuse	22
Mental Health Center Copenhagen and CINS, Mental Health Center Glostrup, University of Copenhagen, Denmark	Copenhagen_1	• 18-40 years old • No organic brain disorder diagnosis (e.g., epilepsy, inflammatory brain disease) • Fluent in Danish • IQ >70 • Not currently pregnant	• Met CHR inclusion criteria via CAARMS • No psychiatric symptoms that could be explained by a physical illness with psychotropic effect (e.g. delirium) or acute intoxication (e.g. cannabis use) • No diagnosis of a serious developmental disorder (e.g. Asperger's syndrome) • Lifetime neuroleptic exposure equivalent is less than total lifetime haloperidol dose of >50 mg • No current mood stabiliser use or recreational use of ketamine	• No lifetime DSM-IV psychiatric disorder diagnosis	23, 24
Mental Health Center Copenhagen		• 18-40 years old • No organic brain disorder	• Met CHR inclusion criteria via CAARMS • No psychiatric symptoms that could be explained by a physical illness with psychotropic effect		

and CINS, Mental Health Center Glostrup, University of Copenhagen, Denmark	Copenhagen_2	diagnosis (e.g., epilepsy, inflammatory brain disease) • Fluent in Danish • IQ >70 • Not currently pregnant	(e.g. delirium) or acute intoxication (e.g. cannabis use) • No diagnosis of a serious developmental disorder (e.g. Asperger's syndrome) • Not currently receiving methylphenidate	• No lifetime DSM-IV psychiatric disorder diagnosis	None
Central South University, China	CSU	• 13-30 years old • No lifetime neurological disease or organic brain abnormalities (examined by neuroradiologist blinded to group allocation) • Fluent in Chinese • IQ >70 • Not currently pregnant • No lifetime drug or alcohol dependence	• Met CHR inclusion criteria via SIPS • No lifetime psychotropic medication use		None
Institute of Neuroscience and Psychology, University of Glasgow, Scotland	Glasgow	• 16-35 years old • No organic cause for presentation • Fluent in English • IQ >70	• Met CHR inclusion criteria via CAARMS • Some participants also met criteria for basic symptom CHR via the SPI-A (81)	• No current psychiatric disorder diagnosis • No current substance abuse • No first-degree relative with a psychotic disorder diagnosis	25
Heidelberg University Hospital, Germany	Heidelberg	• 14-18 years old • No lifetime neurological disorder diagnosis • Fluent in German • IQ >85 • No illegal drug use in past 12 months	• Met APS CHR inclusion criteria via SIPS • No lifetime DSM-IV Axis I diagnosis • No psychotropic medication exposure	• No lifetime DSM-IV Axis-I disorder diagnosis • No psychotropic medication prescription • Does not meet APS psychosis risk syndrome via SIPS	None
August Pi i Sunyer Biomedical Research Institute, Barcelona, Spain	IDIBAPS	• 10-17 years old • No lifetime neurological disorder or traumatic brain injury diagnosis • Fluent in Spanish or Catalan • IQ >70	• Met CHR inclusion criteria via SIPS • Some participants were also considered "Genetic Risk and Deterioration Syndrome" if they had an affected second-degree relative (82) • Some participants also met criteria for Attentuated Negative Symptom Psychosis-Risk Syndrome (83) • No autism spectrum disorder	• No current psychiatric disorder diagnosis • No current psychotropic medication use • No lifetime psychotic disorder diagnosis • No first- or second-degree relative with psychotic disorder diagnosis	26
Icahn School of Medicine at Mount Sinai, USA	ISMMS	15-35 years old • No major medical or neurological disorder diagnosis • No lifetime traumatic head injury • Fluent in English • IQ >70 • No MRI contraindications • No lifetime substance use disorder • No imminent risk of harm to self or others	• Met CHR inclusion criteria via SIPS	• No SCID Axis I diagnosis, Axis II Cluster C disorder • Not adopted	21, 27
Institute of Psychiatry, Psychology & Neuroscience, King's College London, UK	London_1	• 18-35 years old • Male • No lifetime neurological disorder diagnosis • IQ >70 • No contraindications to intranasal oxytocin or placebo • No acute intoxication on day of scanning • No exposure to antipsychotics	• Met CHR inclusion criteria via CAARMS • No current substance use disorder	• Not Applicable: No Healthy Controls recruited as part of this study	28, 29
		• 18-35 years old			

Institute of Psychiatry, Psychology & Neuroscience, King's College London, UK	London_2	• No lifetime neurological disorder diagnosis • Fluent in English • IQ within normal range • No drug or alcohol dependence, as specified in DSM-IV • No recreational drug use in past two weeks	• Met CHR inclusion criteria via CAARMS	• No lifetime psychiatric disorder diagnosis • No current psychotropic medication use	30, 31
Maastricht University, The Netherlands	Maastricht	• 12-55 years old • No lifetime neurological disorder diagnosis • Fluent in Dutch • IQ >70	• Met CHR inclusion criteria via SIPS • No lifetime psychotic disorder for more than one week, based on DSM-IV criteria • Clear evidence that the psychosis-risk syndrome is NOT due to a (non-schizophrenia-spectrum) psychiatric disorder	• No DSM-IV psychiatric disorder diagnosis (lifetime) • No psychotropic medication prescription (lifetime) • No first- or second-degree relative with a psychotic disorder diagnosis	32-34
University of Melbourne, Australia	Melbourne	• 14-30 years old • No history of substantial head injury, seizures, neurologic diseases, impaired thyroid function, corticosteroid use • Fluent in English • No alcohol or substance abuse or dependence	• Met CHR inclusion criteria via CAARMS • Absence of known organic cause for presentation • Lifetime neuroleptic exposure is less than total lifetime haloperidol use of >15mg	• No lifetime psychiatric disorder diagnosis • No family history of psychotic illness	35-38
Instituto Nacional de Neurología y Neurocirugía, Mexico City, Mexico	Mexico City	• 13-34 years old • No lifetime neurological disorder or traumatic brain injury diagnosis	• Met CHR inclusion criteria via SIPS • No other major psychiatric disorder diagnosis	• No lifetime psychotic disorder diagnosis • No lifetime psychiatric disorder diagnosis • No first- or second-degree relative with psychotic disorder diagnosis	39-42
Mental Health Research Center Moscow, Russia	MHRC	• 16-28 years old • Male • Right-handed • No lifetime neurological disorder diagnosis • No lifetime drug or alcohol dependence	• Met APS or BIPS CHR inclusion criteria via SIPS • No lifetime mental or behavioural disorders due to psychoactive substance use (ICD-10 F10-F19)	• No lifetime psychiatric disorder diagnosis • No lifetime psychotropic medication prescription • No family history of psychiatric or neurological disorders	43,44
Maryland Psychiatric Research Center, University of Maryland School of Medicine, USA	MPRC	• 15-35 years old • No major medical or neurological disorder diagnosis • No lifetime traumatic head injury • Fluent in English • IQ >70 • No MRI contraindications • No lifetime substance use disorder • No imminent risk of harm to self or others	• Met CHR inclusion criteria via SIPS	• No lifetime psychiatric disorder diagnosis	45,46
University of Newcastle, Australia	Newcastle	• 13-25 years old • No antipsychotic pharmacotherapy • IQ ≥70 • No lifetime drug abuse or dependence diagnosis • No head injury with loss of consciousness (>15 mins) • No organic brain impairment • No hearing impairment (>20dB SPL) • No history of nasal trauma.	• Met CHR inclusion criteria via CAARMS • Drop of 30% in Global Assessment of Functioning (GAF; past 12 months)	• No DSM-IV psychiatric disorder diagnosis • No lifetime treatment for depression or anxiety • Does not meet criteria for the CAARMS psychosis risk syndrome • No first-degree family member with schizophrenia	None
			• Met CHR inclusion criteria via SIPS	• No lifetime psychiatric	

NORMENT, University of Oslo and Oslo University Hospital, Norway	Oslo Region	• 15-30 years old • No organic cause for presentation • Fluent in Norwegian • IQ >70	• Some participants also met basic symptoms cognitive high-risk criteria via SPI-A (81) • No antipsychotic medication equivalent to a dose of ≥5 mg Olanzapin per day (current or ≥4 weeks lifetime) • Clear evidence that CHR symptoms are not substance-induced	disorder diagnosis • No lifetime psychotropic medication use • No lifetime psychotic disorder diagnosis • No first-degree relative with psychotic disorder diagnosis • No lifetime substance abuse disorder diagnosis	None
University of Pittsburgh, USA	Pitt	• 12-40 years old • No lifetime neurological disorder diagnosis • Fluent in English • IQ >80	• Met CHR inclusion criteria via SIPS • Clear evidence that the psychosis-risk syndrome is NOT due to a (non-schizophrenia-spectrum) psychiatric disorder	• No lifetime DSM-IV disorder diagnosis • No lifetime psychotropic medication exposure • No lifetime psychosis risk syndrome (SIPS criteria) • No first-degree relative with a psychotic disorder diagnosis	None
Rush University Medical Center, Chicago, IL USA	RUMC	• 12-35 years old • No lifetime major medical illness or neurological disorder diagnosis that could confound behavioral or neural measurements, incl. diabetes, epilepsy, multiple sclerosis, or traumatic brain injury with severity 7+ on TBI scale • IQ >70	• Met CHR inclusion criteria via SIPS • Clear evidence that the psychosis-risk syndrome is NOT due to a (non-schizophrenia-spectrum) psychiatric disorder	• No current Axis I/II disorders • Positive symptoms rated 1 or lower on the SIPS	47
Institute of Mental Health, Singapore and National University of Singapore, Singapore	Singapore	• 14-29 years old • No lifetime neurological disorder diagnosis • Fluent in English • No history of intellectual disability • No lifetime history of illicit substance use	• Met CHR inclusion Criteria via CAARMS • No current antipsychotic or mood stabilizer use • No medical cause associated with psychotic symptoms	• No lifetime psychiatric disorder diagnosis • No first-degree relative with a psychotic disorder diagnosis	48-50
Seoul National University, South Korea	SNUH	• 15-34 years old • Female or male • No lifetime neurological disorder diagnosis or traumatic brain injury • Fluent in Korean • IQ >70 • No MRI contraindications	• Met CHR inclusion criteria via SIPS	• No lifetime psychiatric disorder diagnosis, inclusing psychotic disorder diagnosis • No current psychotropic medication prescription • No first- or second-degree relative with a psychotic disorder diagnosis • No lifetime neurological disorder diagnosis	51
Stavanger University Hospital, Norway	Stavanger	• 13-65 years old • Female, male • No known neurological or endocrine disorders related to CHR symptoms • Able to speak Scandinavian language • IQ >70 • No MRI contraindications	• Met CHR inclusion criteria via CAARMS • Symptoms not better accounted for by major Axis I, Axis II ,or substance use disorder • No current antipsychotic medication use • Not more than 4 weeks lifetime antipsychotic medication use	• No lifetime psychiatric disorder diagnosis • No lifetime psychotropic medication exposure • No lifetime psychosis risk syndrome (CAARMS criteria) • No first-degree relatives with a psychotic disorder diagnosis • No current substance use disorder	None
Department of Neuropsychiatry, Toho University School of Medicine, Japan	Toho	• 16-35 years old • No lifetime neurological disorder diagnosis • Fluent in Japanese • IQ >70 • No MRI contraindications	• Met CHR inclusion criteria via SIPS	• No lifetime psychiatric disorder diagnosis • No psychotropic medication exposure	52-54
Department of Neuropsychiatry,		• 15-30 years old • No neurological disorder diagnosis or traumatic brain injury with known cognitive consequences and/or loss of consciousness >5 mins	• Met CHR inclusion criteria via	• No psychiatric condition (SCID-NP criteria) • No psychotropic medication	

Graduate School of Medicine, The University of Tokyo	Tokyo	• Fluent in Japanese • IQ ≥70 • No substance use disorder or substance abuse • No history of electroconvulsive therapy	SIPS	use • No first-degree relatives with a psychotic disorder diagnosis	56-64
Centre for Addiction and Mental Health, University of Toronto, Canada	Toronto	• 18-40 years old • No current neurological disorder diagnosis • Fluent in English or French • IQ >70 (via clinical impression) • Not currently pregnant • No current drug or alcohol abuse • No lifetime history of severe head trauma	• Met CHR inclusion criteria via SIPS	• No lifetime psychiatric disorder diagnosis • No psychotropic medication prescription • No relatives with a psychiatric disorder diagnosis	65, 66
University of Toyama Graduate School of Medicine and Pharmaceutical Sciences, Japan	Toyama	• 12-42 years old • No lifetime neurological disorder diagnosis • Fluent in Japanese • No MRI contraindications	• Met CHR inclusion criteria via CAARMS	• No lifetime psychiatric disorder diagnosis • No lifetime psychotropic medication exposure • No first-degree relative with a psychiatric disorder diagnosis • Physically healthy at time of MRI scanning • No history of severe obstetric complications, serious head trauma, serious medical disease (e.g. neurological illness, thyroid dysfunction, diabetes, and hypertension), steroid use, or substance abuse.	55, 57, 58, 67-75
University of California, San Francisco, USA	UCSF	• 11-30 years old • No lifetime neurological disorder diagnosis • Fluent in English • No MRI contraindications • No substance dependence (past 12 monhts, excluding nicotine) • No head injury • Good physical health	• Met CHR inclusion criteria via SIPS	• No lifetime DSM-IV Axis I disorder diagnosis • No first-degree relatives with a psychotic disorder diagnosis	76
Psychiatric Hospital, University of Zurich, Switzerland	Zurich	• 13-36 years old • No neurological disorder diagnosis, no organic brain abnormalities (confirmed by neuroradiologist blinded to group allocation) • Fluent in German • IQ ≥80 • No pregnancy • No drug or alcohol dependence	• Met CHR inclusion criteria via SIPS • No other psychiatric disorder diagnosis	• No lifetime psychiatric diagnosis via DSM-IV • No psychotropic medication use • No first-degree relatives with a psychotic disorder diagnosis	77-80

See bibliography for citations

eTable 2. Scanner and acquisition parameters by site

Site	Scanner Manufacturer	Scanner Model	Tesla Strength	Repetition Time (ms)	Echo Time (ms)	Flip Angle	Voxel Size (mm)	Freesurfer version	N HC	N CHR
Amsterdam	Phillips	Image MR Series	3	8280	3.8	•	•	6.0.0	23	16
Barcelona-HSJD	GE	Signa HD	1.5	9.5	3.9	8°	0.94x0.94x1.2	6.0.0	6	22
	GE	SIGNA HDxt OPTIMA EDITION	1.5	9.5	3.9	8°	0.94x0.94x1.2	6.0.0	38	33
Bern	Siemens	Magnetom Verio	3	7920	2.48	16°	1.0x1.0x1.0	6.0.0	17	43
Columbia1	GE	Discovery MR750	3	7840	3.1	12°	0.8x0.8x0.8	6.0.0	9	17
Columbia2	GE	Discovery MR750	3	7900	3.1	12°	0.8x0.8x0.8	6.0.0	15	19
Columbia3	GE	Signa	3	•	•	11°	0.9766 x 0.9766 x 1.0000	5.3	37	58
Copenhagen	Philips	Achieva	3	10.028	4.6	8°	0.75x0.75x0.80	6.0.0	•	•
	Philips	Achieva	3	10.01	4.6	8°	0.75x0.75x0.80	6.0.0	•	52
CSU	Siemens	Skyra	3	2530	2.33	7°	1.0x1.0x1.0	6.0.0	59	52
Glasgow	Siemens	Trio	3	2250	2.6	9°	1x1x1	6.0.0	46	80
Heidelberg	Siemens	PET/MR	3	2300	2.98	9°	1x1x1	6.0.0	24	8
	Siemens	Tim Trio	3	2300	2.98	9°	1x1x1	6.0.0	9	14
IDIBAPS	Siemens	Tim Trio	3	2300	3.01	9°	0.94x0.94x1	6.0.0	39	51
	Siemens	Prisma fit	3	2300	3.01	9°	0.94x0.94x1	6.0.0	15	15
	Siemens	Prisma fit	3	2300	2.98	9°	1x1x1.2	6.0.0	•	8
ISMMS	Siemens	Skyra	3	2400	2.07	8°	0.8x0.8x0.8	6.0.0	12	25
London	GE	Electric Discovery MR750	3	7.31	3.016	11°	1.1 x 1.1. x 1.2	6.0.0	29	81
	GE	Signa HDx	3	7.144	2.848 ms	20°	1.1 x 1.1. x 1.1	6.0.0	29	81
Maastricht	Philips	Intera	3	2250	4.6	8°	1.17×1.17×1.20	6.0.0	33	48
	Philips	Achieva	3	2250	4.6	8°	1.2x.8x.8	6.0.0	5	•
Melbourne	Siemens	Trio	3	1900	2.15	90°	0.5x0.5x1.0	6.0.0	11	18
	Siemens	Trio	3	2300	2.98	9°	1.0x1.0x1.2	6.0.0	20	•
	GE	Signa	1.5	14.3	3.3	30°	0.938x0.938x1.5	6.0.0	61	54
	GE	LX Horizon	3	36	9	30°	0.4883x0.4883x2	6.0.0	•	90
	GE	LX Horizon	3	36	9	30°	0.4883x0.4883x2	6.0.0	•	83
	GE	LX Horizon	3	36	9	30°	0.4883x0.4883x2	6.0.0	•	4
Mexico City	GE	Signa_HDx	3	1340	5.7	20°	1.2x1.2x1.2	6.0.0	38	33
MHRC	Philips	Achieva	3	8.2	3.7	8°	0.83×0.83x1.0	6.0.0	51	38
MPRC	Siemens	Trio	3	2400	2.2	8°	0.8x0.8x0.8	6.0.0	19	11
	Siemens	Prisma	3	2400	2.2	8°	0.8x0.8x0.8	6.0.0	1	20
Newcastle	Siemens	Avanto	1.5	1980	4.3	15°	.9765625 x 0.9765625 x 1	6.0.0	13	45
	Siemens	Avanto	1.5	1980	4.3	15°	.9765625 x 0.9765625 x 1	6.0.0	4	•
Oslo Region	GE	Signa HDxt	3	7800	2956	12°	1.0×1.0×1.2	5.3	39	13
	GE	Discovery MR750	3	8,16	3,18	12°	1.0×1.0×1.0	5.3	24	8
Pitt	Siemens	Prisma	3	2400	2.2	8°	0.8x0.8x0.8	6.0.0	65	26
RUMC	Siemens	Verio	3	2530	2.27	7°	1.0x1.0x1.0	6.0.0	•	7
	Siemens	Verio	3	2530	2.27	7°	1.0x1.0x1.0	6.0.0	•	18
	Siemens	Verio	3	2530	2.27	7°	1.0x1.0x1.0	6.0.0	19	26
	Siemens	Verio	3	2530	2.27	7°	1.0x1.0x1.0	6.0.0	10	16
Singapore	Siemens	Tim Trio	3	2300	3	9°	1.0x1.0x1.0	6.0.0	53	100
SNUH	Siemens	Magnetom TrioTim	3	1670	1.89	9°	1 x 0.98 x 0.98	6.0.0	74	74
Stavanger	GE Medical	450 DISCOVERY	1,5	7,9	3,1	12°	•	5.3	33	37

	systems									
Toho	Toshiba Medical Systems	EXCELART Vantage	1.5	•	•	35°	0.98 × 0.98 × 1.0 mm	5.2	16	40
Tokyo	GE	SIGNA HDx	3	6.8	1.94	20°	1.0x1.0x1.0	6.0.0	21	29
	GE	DISCOVERY MR750W	3	8.46	3.25	20°	1.0x1.0x1.0	6.0.0	4	10
Toronto	GE	Discovery MR750	3	6736	2.99	8°	0.9x0.9x0.9	6.0.0	39	27
Toyama	Siemens	Magnetom Vision	1.5	2400	5	40°	1.0x1.0x1.0	6.0.0	52	22
	Siemens	Magnetom Verio	3	2300	2.9	9°	1.0x1.0x1.2	6.0.0	89	57
UCSF	Siemens	Magnetom TrioTim	3	2300	2.95	9°	1.0x1.0x1.2	5.1	103	71
Zurich	Phillips	Philips Achieva TX	3	8.3	3.8	8°	1.0x1.0x1.0	6.0.0	5	26
	Phillips	Philips Achieva TX	3	8.3	3.8	8°	1.0x1.0x1.0	6.0.0	38	36

Unavailable information left blank

eTable 3. Age and sex of HC vs. CHR vs. CHR-PS+ vs. CHR-PS- in 12-25 year old age range (Age-associated analyses)

Metric	HC	CHR	CHR-PS+	CHR-PS-
N	1009	1472	217	1014
Age Mean (SD)	19.8 (3.1)	18.9 (2.9)	18.5 (3)	18.9 (2.9)
Age Range	12.6-25	12.5-24.9	12.6-24.6	12.5-24.9
% Female	45	47	41	49

Because no follow-up data is available for some participants, CHR-PS+ N and CHR-PS- N will not sum to the total CHR N

eTable 4. Intelligence quotient comparisons of HC vs. CHR by site

Site	IQ Method	HC		CHR		F	p
		N	Mean IQ (SD)	N	Mean IQ (SD)		
Barcelona-HSJD	WAIS-III	11	111.8 (7)	9	92.3 (13.3)	17.77	5.20e-04
	WASI-II	31	110.7 (13.8)	37	96.3 (12.9)	19.59	3.69e-05
Copenhagen	WAIS-III	59	113 (13.6)	163	103 (13.1)	24.31	1.63e-06
CSU	WISC-I+PC	59	145.8 (19.7)	52	125.6 (26)	21.58	9.55e-06
Glasgow	NART	46	115.1 (6.1)	80	114.2 (5.9)	0.55	0.46
Heidelberg	WISC-IV	33	117.8 (9.7)	22	103.8 (11.9)	22.87	1.42e-05
IDIBAPS	WAIS-III	16	104.2 (9.8)	13	106.4 (12.4)	0.27	0.61
	WAIS-IV	1	119 (NA)	8	100.2 (18.6)	0.9	0.37
	WISC-IV	24	106.7 (11.9)	42	96.7 (14.5)	8.17	5.75e-03
	WISC-V	1	116 (NA)	3	86.7 (6.8)	13.93	0.06
Maastricht	DART	38	107.1 (15.8)	48	102.6 (9.9)	2.31	0.13
Melbourne	NART	61	119.7 (32.3)	0	•	•	•
	WASI	0	•	56	100.3 (14)	•	•
	WASI-II	31	117 (10.5)	18	105.9 (11.3)	11.9	1.20e-03
MPRC	WASI	1	96 (NA)	3	108.7 (20.7)	0.28	0.65
	WASI-II	0	•	10	110.9 (9.9)	•	•
Newcastle	WASI-II	17	120.2 (10.1)	44	107.9 (15.3)	9.3	3.43e-03
Oslo Region	WASI	48	111 (10.4)	20	105.2 (12.6)	3.84	0.05
Pitt	WASI	65	109.9 (8.4)	26	101.6 (10.6)	15.35	1.78e-04
RUMC	WASI	10	113.8 (8.7)	16	108.5 (13.7)	0.97	0.34
	WRAT	19	105.9 (13.6)	51	110.3 (17.9)	0.94	0.34
SNUH	K-WAIS	74	110.2 (12)	74	108.9 (11.6)	0.47	0.49
Stavanger	WAIS-IV	33	99.5 (7.6)	37	96.7 (11.8)	1.34	0.25
Toho	WAIS-III	0	•	10	93.8 (17.8)	•	•
Tokyo	JART25	25	106.4 (10.3)	39	105.8 (9.7)	0.06	0.81
Toronto	RBANS	39	88.8 (14.2)	27	90.1 (12.2)	0.15	0.70
Toyama	JART50	85	110.1 (6.8)	72	97.1 (9.1)	104.28	4.82e-19
UCSF	WASI-II	43	114.5 (11.8)	71	110.6 (14.7)	1.72	0.19
Zurich	MWT-B	23	108.2 (13.3)	25	100.2 (13.1)	4.31	0.04
	WISC	13	114.8 (18.7)	33	106 (14.3)	2.95	0.09

These sites did not have intelligence quotient data available and were omitted from the table: Amsterdam, Columbia, Bern, ISMMS, London, Mexico City, MHRC, and Singapore. Table reports results from two-way ANOVA group comparisons. F and p marked as "•" if intelligence quotient data were not available for at least one group.

eTable 5. Intelligence quotient comparisons of CHR-PS+ vs. CHR-PS- vs. CHR-UNK by site

Site	IQ Method	CHR-PS+		CHR-PS-		CHR-UNK		F	p
		N	Mean IQ (SD)	N	Mean IQ (SD)	N	Mean IQ (SD)		
Barcelona-HSJD	WAIS-III	2	77.5 (9.2)	7	96.6 (11.3)	0	•	4.68	0.07
	WASI-II	4	102.5 (14.7)	24	92.5 (12.3)	9	103.9 (10.5)	3.49	0.04
Copenhagen	WAIS-III	13	101 (17.2)	95	103.7 (12.7)	55	102.3 (12.8)	0.37	0.69
CSU	WISC-I+PC	21	120.3 (26.7)	31	129.2 (25.3)	0	•	1.48	0.23
Glasgow	NART	6	114 (6.1)	74	114.3 (5.9)	0	•	0.01	0.92
Heidelberg	WISC-IV	0	•	18	99.2 (11.2)	4	99.2 (11.2]	0.71	0.41
IDIBAPS	WAIS-III	3	109.3 (4.2)	10	105.5 (14)	0	•	0.21	0.66
	WAIS-IV	1	116 (NA)	5	96.8 (19.1)	2	101 (25.5)	0.37	0.71
	WISC-IV	10	103.4 (13.4)	23	93.7 (12.3)	9	97.2 (19.4)	1.63	0.21
	WISC-V	1	79 (NA)	1	89 (NA)	1	92 (NA)	•	•
Maastricht	DART	6	105.8 (6.8)	25	100 (9.2)	17	105.3 (11.1)	1.88	0.16
Melbourne	WASI	8	95.1 (16.4)	48	101.1 (13.5)	0	•	1.28	0.26
	WASI-II	1	125 (NA)	6	101.5 (6.8)	11	106.5 (12.1)	2.14	0.15
MPRC	WASI	1	131 (NA)	1	90 (NA)	1	105 (NA)	•	•
	WASI-II	0	•	3	111.2 (12.2)	7	111.2 (12.2]	0.01	0.91
Newcastle	WASI-II	1	75 (NA)	40	108.8 (14.9)	3	107.3 (10.8)	2.57	0.09
Oslo Region	WASI	2	118.5 (10.6)	18	103.7 (12.1)	0	•	2.7	0.12
Pitt	WASI	2	104 (5.7)	11	103.1 (7.8)	13	99.9 (13.3)	0.3	0.74
RUMC	WASI	1	90 (NA)	12	114.2 (10.3)	3	91.7 (4.5)	8.47	4.41e-03
	WRAT	3	108 (10.4)	48	110.5 (18.3)	0	•	0.05	0.82
SNUH	K-WAIS	9	108.3 (9.1)	46	109.6 (12)	19	107.4 (12)	0.26	0.77
Stavanger	WAIS-IV	5	98 (13)	31	96.4 (11.9)	1	•	0.07	0.79
Toho	WAIS-III	1	81 (NA)	9	95.2 (18.2)	0	•	0.55	0.48
Tokyo	JART25	3	108.3 (10)	25	106.1 (10)	11	104.4 (9.9)	0.22	0.80
Toronto	RBANS	0	•	4	89.2 (12.6)	23	89.2 (12.6]	0.83	0.37
Toyama	JART50	9	96.8 (9.9)	63	97.2 (9.1)	0	•	0.01	0.90
UCSF	WASI-II	13	113.2 (14.4)	47	110.2 (15.1)	11	108.5 (13.5)	0.27	0.76
Zurich	MWT-B	5	86.6 (7.7)	11	108.2 (13.3)	9	98.1 (7.8)	7.39	3.52e-03
	WISC	5	90.8 (7.5)	23	108.7 (13.7)	5	108.8 (13.8)	3.97	0.03

These sites did not have intelligence quotient data available and were omitted from the table: Amsterdam, Columbia, Bern, ISMMS, London, Mexico City, MHRC, and Singapore. Table reports results from three-way ANOVA group comparisons. F and p marked as "•" if intelligence quotient data were not available for at least one group.

eTable 6. Symptom differences between CHR groups (CHR-PS+, CHR-PS-, CHR-UNK) as measured by the SIPS or CAARMS

Test	Subtest	CHR-PS+		CHR-PS-		CHR-UNK		F	p	Pairwise Comparisons
		N	Mean Score (SD)	N	Mean Score (SD)	N	Mean Score (SD)			
A. SIPS	Positive Symptoms	133	12.1 (5.3)	599	10.6 (4.7)	207	11 (4.2)	7.67	4.97e-04	CHR-PS+ > CHR-PS-; CHR-PS+ > CHR-UNK
	Negative Symptoms	130	14.1 (6.8)	561	12.5 (6.6)	193	12.1 (6.1)	3.26	0.04	CHR-PS+ > CHR-PS-; CHR-PS+ > CHR-UNK
	Disorganized Symptoms	129	6.3 (4.1)	561	5.7 (3.6)	193	4.8 (3.2)	7.81	4.35e-04	CHR-PS+ > CHR-UNK; CHR-PS- > CHR-UNK
	General Symptoms	129	8.5 (4.4)	564	8.1 (4.4)	193	8.2 (4.4)	1.40	0.25	•
B. CAARMS	Positive Symptoms	48	10.7 (4)	457	10 (4.1)	84	11.4 (3.5)	0.49	0.61	•
	Negative Symptoms	12	7.2 (4.6)	135	6.5 (3.6)	24	6.6 (3.8)	0.04	0.96	•
	Cognitive Changes	10	4 (1.8)	92	3.5 (1.9)	21	2.2 (1.8)	3.46	0.04	CHR-PS+ > CHR-UNK; CHR-PS- > CHR-UNK
	Emotional Disturbances	10	4.1 (2)	92	4 (2.5)	21	3 (2.5)	0.63	0.53	•
	Behavioral Changes	11	9.4 (5.5)	136	8.8 (4.2)	24	7.2 (4.3)	0.92	0.40	•
	Motor/Physical Changes	9	2.9 (2.7)	86	2.9 (2.3)	21	2 (1.9)	4.47	0.01	No pairwise comparisons were significant
	General Psychopathology	8	13.1 (7.6)	131	13.2 (6.4)	24	11.7 (6.2)	1.15	0.32	•

Table reports results of linear mixed model analyses examining effect of group (HC vs. CHR-PS+ vs. CHR-PS-) on each respective symptom measure. Site was included in the model as a random effect. Any statistically significant effects of group (p<.05) in the overall model were followed-up with pairwise comparisons. "•" indicates that the pairwise comparisons were not conducted, due to lack of statistical significance in overall model. Significant [p<0.05] pairwise results reported.

eTable 7. CHR current medication information reported by site

Site	N CHR	Typical Antipsychotics		Atypical Antipsychotics		Lithium		Anticonvulsants		Stimulants		Other Psychotropic Medications	
		N	%	N	%	N	%	N	%	N	%	N	%
Amsterdam	16	0	0%	0	0%	0	0%	1	6%	1	6%	9	56%
Barcelona-HSJD	54	0	0%	20	37%	0	0%	0	0%	5	9%	27	50%
Bern	29	1	3%	3	10%	1	3%	1	3%	1	3%	4	14%
Columbia1	17	0	0%	7	41%	1	6%	3	18%	0	0%	0	0%
Columbia3	57	0	0%	12	21%	0	0%	3	5%	6	11%	20	35%
Copenhagen	158	0	0%	42	27%	0	0%	7	4%	0	0%	53	34%
CSU	52	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Glasgow	80	1	1%	2	2%	1	1%	1	1%	0	0%	0	0%
Heidelberg	22	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
IDIBAPS	74	1	1%	33	45%	1	1%	5	7%	7	9%	32	43%
ISMMS	25	0	0%	6	24%	0	0%	2	8%	1	4%	0	0%
London	81	0	0%	8	10%	0	0%	0	0%	0	0%	0	0%
Maastricht	31	9	29%	0	0%	1	3%	0	0%	4	13%	11	35%
Melbourne	18	0	0%	0	0%	0	0%	0	0%	0	0%	12	67%
Mexico City	33	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MHRC	36	18	50%	29	81%	0	0%	0	0%	0	0%	0	0%
MPRC	31	0	0%	6	19%	1	3%	1	3%	9	29%	9	29%
Newcastle	41	0	0%	1	2%	0	0%	0	0%	1	2%	0	0%
Oslo Region	21	0	0%	4	19%	0	0%	0	0%	0	0%	5	24%
Pitt	25	0	0%	9	36%	1	4%	0	0%	3	12%	16	64%
RUMC	64	0	0%	1	2%	0	0%	1	2%	1	2%	7	11%
Singapore	100	0	0%	1	1%	0	0%	0	0%	0	0%	16	16%
SNUH	74	0	0%	14	19%	0	0%	0	0%	0	0%	24	32%
Stavanger	37	0	0%	2	5%	0	0%	0	0%	0	0%	0	0%
Tokyo	39	3	8%	18	46%	2	5%	0	0%	0	0%	20	51%
Toronto	26	0	0%	6	23%	0	0%	0	0%	4	15%	10	38%
Toyama	79	1	1%	14	18%	0	0%	2	3%	0	0%	26	33%
UCSF	68	0	0%	13	19%	3	4%	1	1%	3	4%	22	32%
Zurich	62	0	0%	0	0%	1	2%	1	2%	4	6%	2	3%

These sites did not have medication data available and were omitted from the table: Columbia2 and Toho.

eTable 8. CHR vs. HC effect size overview (post-ComBat mega analysis)

		Mega Analysis (post-ComBat)			
Region of Interest	**Hemisphere**	**Cohen's d**	**95% Confidence Interval**	**p**	**q**
Cortical Thickness					
Banks of the Superior Temporal Sulcus	L	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.03**
	R	**-0.13**	**(-0.2 - -0.06)**	**2.33e-04**	**2.17e-03**
Caudal Anterior Cingulate	L	-0.08	(-0.15 - -0.01)	0.02	0.05
	R	-0.07	(-0.14 - 0)	0.06	0.13
Caudal Middle Frontal	L	**-0.12**	**(-0.19 - -0.04)**	**1.45e-03**	**7.50e-03**
	R	**-0.12**	**(-0.2 - -0.05)**	**6.13e-04**	**4.13e-03**
Cuneus	L	0.01	(-0.06 - 0.08)	0.83	0.89
	R	-0.05	(-0.12 - 0.02)	0.18	0.30
Entorhinal	L	-0.02	(-0.09 - 0.05)	0.51	0.65
	R	-0.06	(-0.13 - 0.01)	0.10	0.19
Frontal Pole	L	-0.05	(-0.12 - 0.02)	0.20	0.32
	R	-0.08	(-0.15 - -0.01)	0.03	0.07
Fusiform	L	**-0.17**	**(-0.24 - -0.1)**	**1.55e-06**	**7.07e-05**
	R	**-0.11**	**(-0.18 - -0.04)**	**2.33e-03**	**0.01**
Inferior Parietal	L	**-0.16**	**(-0.24 - -0.09)**	**5.31e-06**	**1.65e-04**
	R	**-0.11**	**(-0.18 - -0.04)**	**2.10e-03**	**0.01**
Inferior Temporal	L	**-0.13**	**(-0.2 - -0.06)**	**4.00e-04**	**2.95e-03**
	R	**-0.15**	**(-0.22 - -0.08)**	**4.36e-05**	**5.63e-04**
Insula	L	**-0.17**	**(-0.24 - -0.1)**	**1.83e-06**	**7.07e-05**
	R	**-0.16**	**(-0.23 - -0.08)**	**1.66e-05**	**3.45e-04**
Isthmus Cingulate	L	-0.03	(-0.1 - 0.04)	0.41	0.56
	R	-0.06	(-0.13 - 0.01)	0.08	0.16
Lateral Occipital	L	**-0.12**	**(-0.19 - -0.05)**	**1.22e-03**	**6.99e-03**
	R	**-0.16**	**(-0.23 - -0.09)**	**1.04e-05**	**2.70e-04**
Lateral Orbitofrontal	L	-0.08	(-0.15 - -0.01)	0.03	0.07
	R	**-0.09**	**(-0.16 - -0.02)**	**0.02**	**0.05**
Lingual	L	-0.04	(-0.11 - 0.04)	0.33	0.46
	R	-0.01	(-0.08 - 0.07)	0.88	0.91
Medial Orbitofrontal	L	**-0.13**	**(-0.2 - -0.06)**	**2.33e-04**	**2.17e-03**
	R	**-0.11**	**(-0.18 - -0.03)**	**3.56e-03**	**0.01**
Middle Temporal	L	**-0.10**	**(-0.17 - -0.03)**	**7.30e-03**	**0.02**
	R	**-0.18**	**(-0.26 - -0.11)**	**3.81e-07**	**5.46e-05**
Paracentral	L	**-0.15**	**(-0.22 - -0.08)**	**3.24e-05**	**5.58e-04**
	R	**-0.11**	**(-0.18 - -0.04)**	**2.97e-03**	**0.01**
Parahippocampal	L	**-0.13**	**(-0.2 - -0.06)**	**4.63e-04**	**3.26e-03**
	R	-0.07	(-0.15 - 0)	0.04	0.09
Pars Opercularis	L	-0.05	(-0.12 - 0.02)	0.19	0.30
	R	-0.07	(-0.14 - 0)	0.04	0.10
Pars Orbitalis	L	-0.06	(-0.13 - 0.02)	0.12	0.23
	R	0.00	(-0.07 - 0.07)	0.94	0.97
Pars Triangularis	L	0.01	(-0.06 - 0.08)	0.70	0.81
	R	-0.05	(-0.12 - 0.02)	0.15	0.27
Pericalcarine	L	0.02	(-0.05 - 0.09)	0.54	0.68
	R	0.05	(-0.02 - 0.12)	0.18	0.30
Postcentral	L	**-0.10**	**(-0.17 - -0.02)**	**8.30e-03**	**0.03**
	R	**-0.12**	**(-0.19 - -0.05)**	**1.14e-03**	**6.77e-03**

Posterior Cingulate	L	**-0.11**	**(-0.18 - -0.03)**	**3.48e-03**	**0.01**
	R	**-0.13**	**(-0.2 - -0.06)**	**2.38e-04**	**2.17e-03**
Precentral	L	**-0.13**	**(-0.2 - -0.06)**	**3.51e-04**	**2.72e-03**
	R	**-0.13**	**(-0.2 - -0.06)**	**2.60e-04**	**2.24e-03**
Precuneus	L	**-0.11**	**(-0.18 - -0.04)**	**1.68e-03**	**8.39e-03**
	R	**-0.15**	**(-0.22 - -0.08)**	**4.02e-05**	**5.63e-04**
Rostral Anterior Cingulate	L	**-0.11**	**(-0.18 - -0.04)**	**2.38e-03**	**0.01**
	R	-0.08	(-0.15 - -0.01)	0.02	0.06
Rostral Middle Frontal	L	**-0.13**	**(-0.2 - -0.06)**	**2.91e-04**	**2.37e-03**
	R	**-0.12**	**(-0.19 - -0.04)**	**1.43e-03**	**7.50e-03**
Superior Frontal	L	**-0.11**	**(-0.18 - -0.04)**	**2.79e-03**	**0.01**
	R	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.04**
Superior Parietal	L	**-0.10**	**(-0.18 - -0.03)**	**3.88e-03**	**0.01**
	R	**-0.12**	**(-0.19 - -0.05)**	**8.12e-04**	**5.24e-03**
Superior Temporal	L	**-0.12**	**(-0.19 - -0.05)**	**1.05e-03**	**6.48e-03**
	R	**-0.15**	**(-0.22 - -0.08)**	**5.31e-05**	**6.33e-04**
Supramarginal	L	**-0.11**	**(-0.18 - -0.04)**	**3.27e-03**	**0.01**
	R	**-0.10**	**(-0.17 - -0.03)**	**7.48e-03**	**0.02**
Temporal Pole	L	-0.06	(-0.13 - 0.02)	0.13	0.23
	R	-0.08	(-0.15 - -0.01)	0.02	0.06
Transverse Temporal	L	-0.07	(-0.14 - 0)	0.05	0.10
	R	**-0.11**	**(-0.18 - -0.04)**	**2.43e-03**	**0.01**
Surface Area					
Banks of the Superior Temporal Sulcus	L	-0.07	(-0.14 - 0)	0.05	0.11
	R	-0.07	(-0.15 - 0)	0.04	0.09
Caudal Anterior Cingulate	L	-0.01	(-0.08 - 0.06)	0.73	0.81
	R	-0.08	(-0.15 - -0.01)	0.04	0.08
Caudal Middle Frontal	L	-0.05	(-0.12 - 0.02)	0.17	0.29
	R	-0.02	(-0.09 - 0.05)	0.57	0.70
Cuneus	L	-0.05	(-0.12 - 0.02)	0.20	0.32
	R	-0.08	(-0.15 - -0.01)	0.03	0.08
Entorhinal	L	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.04**
	R	-0.02	(-0.1 - 0.05)	0.50	0.64
Frontal Pole	L	0.04	(-0.03 - 0.11)	0.25	0.37
	R	0.05	(-0.03 - 0.12)	0.21	0.32
Fusiform	L	-0.05	(-0.12 - 0.03)	0.21	0.32
	R	-0.07	(-0.14 - 0)	0.04	0.09
Inferior Parietal	L	-0.06	(-0.13 - 0.01)	0.10	0.19
	R	**-0.10**	**(-0.17 - -0.03)**	**6.85e-03**	**0.02**
Inferior Temporal	L	-0.03	(-0.1 - 0.04)	0.48	0.62
	R	-0.03	(-0.1 - 0.04)	0.45	0.59
Insula	L	-0.06	(-0.13 - 0.01)	0.11	0.21
	R	-0.04	(-0.11 - 0.03)	0.30	0.43
Isthmus Cingulate	L	0.00	(-0.07 - 0.07)	0.98	0.99
	R	**0.09**	**(0.02 - 0.16)**	**9.49e-03**	**0.03**
Lateral Occipital	L	0.00	(-0.07 - 0.07)	0.99	0.99
	R	-0.01	(-0.08 - 0.06)	0.81	0.87
Lateral Orbitofrontal	L	-0.02	(-0.09 - 0.05)	0.64	0.76
	R	-0.02	(-0.09 - 0.05)	0.57	0.70
Lingual	L	-0.05	(-0.12 - 0.02)	0.16	0.27

	R	-0.02	(-0.09 - 0.05)	0.64	0.76
Medial Orbitofrontal	L	-0.01	(-0.08 - 0.06)	0.73	0.81
	R	-0.08	(-0.15 - -0.01)	0.03	0.07
Middle Temporal	L	0.02	(-0.06 - 0.09)	0.67	0.78
	R	-0.07	(-0.14 - 0)	0.05	0.11
Paracentral	L	0.00	(-0.07 - 0.07)	0.95	0.97
	R	0.02	(-0.05 - 0.09)	0.59	0.72
Parahippocampal	L	-0.04	(-0.12 - 0.03)	0.22	0.33
	R	0.06	(-0.02 - 0.13)	0.13	0.23
Pars Opercularis	L	**-0.09**	**(-0.16 - -0.02)**	**9.85e-03**	**0.03**
	R	-0.01	(-0.08 - 0.06)	0.81	0.87
Pars Orbitalis	L	0.03	(-0.04 - 0.1)	0.47	0.62
	R	0.03	(-0.04 - 0.1)	0.44	0.59
Pars Triangularis	L	-0.05	(-0.12 - 0.02)	0.15	0.27
	R	0.01	(-0.06 - 0.08)	0.71	0.81
Pericalcarine	L	-0.05	(-0.12 - 0.02)	0.20	0.32
	R	**-0.09**	**(-0.17 - -0.02)**	**9.29e-03**	**0.03**
Postcentral	L	0.00	(-0.07 - 0.07)	0.99	0.99
	R	-0.04	(-0.11 - 0.03)	0.26	0.38
Posterior Cingulate	L	-0.04	(-0.11 - 0.03)	0.31	0.44
	R	-0.06	(-0.13 - 0.01)	0.08	0.17
Precentral	L	0.05	(-0.02 - 0.12)	0.14	0.26
	R	0.01	(-0.06 - 0.08)	0.72	0.81
Precuneus	L	-0.03	(-0.1 - 0.04)	0.38	0.53
	R	-0.04	(-0.11 - 0.03)	0.31	0.44
Rostral Anterior Cingulate	L	**-0.12**	**(-0.19 - -0.04)**	**1.43e-03**	**7.50e-03**
	R	-0.06	(-0.13 - 0.01)	0.09	0.17
Rostral Middle Frontal	L	-0.01	(-0.08 - 0.06)	0.75	0.82
	R	-0.02	(-0.09 - 0.05)	0.55	0.69
Superior Frontal	L	-0.03	(-0.1 - 0.05)	0.48	0.62
	R	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.03**
Superior Parietal	L	0.01	(-0.06 - 0.08)	0.81	0.87
	R	0.01	(-0.06 - 0.08)	0.73	0.81
Superior Temporal	L	-0.03	(-0.1 - 0.04)	0.42	0.56
	R	-0.05	(-0.12 - 0.02)	0.18	0.30
Supramarginal	L	**-0.11**	**(-0.18 - -0.04)**	**2.69e-03**	**0.01**
	R	-0.07	(-0.14 - 0)	0.06	0.12
Temporal Pole	L	-0.03	(-0.1 - 0.04)	0.40	0.55
	R	0.05	(-0.02 - 0.12)	0.18	0.30
Transverse Temporal	L	-0.04	(-0.11 - 0.03)	0.23	0.35
	R	-0.02	(-0.09 - 0.06)	0.67	0.78
Subcortical Volume					
Amygdala	L	-0.04	(-0.11 - 0.03)	0.30	0.43
	R	-0.08	(-0.15 - -0.01)	0.03	0.07
Caudate	L	0.02	(-0.05 - 0.09)	0.60	0.72
	R	-0.01	(-0.08 - 0.06)	0.72	0.81
Hippocampus	L	-0.08	(-0.15 - -0.01)	0.02	0.06
	R	**-0.16**	**(-0.23 - -0.08)**	**1.78e-05**	**3.45e-04**
Lateral Ventricles	L	**0.11**	**(0.04 - 0.18)**	**2.18e-03**	**0.01**
	R	**0.10**	**(0.03 - 0.17)**	**5.08e-03**	**0.02**

Nucleus Accumbens	L	-0.04	(-0.11 - 0.03)	0.29	0.42
	R	-0.01	(-0.08 - 0.06)	0.84	0.89
Pallidum	L	-0.02	(-0.09 - 0.05)	0.63	0.75
	R	-0.02	(-0.09 - 0.05)	0.66	0.77
Putamen	L	0.00	(-0.08 - 0.07)	0.89	0.92
	R	-0.01	(-0.08 - 0.06)	0.85	0.89
Thalamus	L	-0.05	(-0.12 - 0.02)	0.19	0.30
	R	-0.09	(-0.16 - -0.01)	0.02	0.05
Global					
Estimated Intracranial Volume	N/A	**-0.13**	**(-0.2 - -0.06)**	**2.08e-04**	**2.17e-03**
Mean Cortical Thickness		**-0.18**	**(-0.25 - -0.11)**	**7.05e-07**	**5.46e-05**
Total Surface Area		**-0.15**	**(-0.22 - -0.08)**	**3.76e-05**	**5.63e-04**

Results marked in bold are significant at q<0.05

eTable 9. CHR vs. HC antipsychotic medication effects

		Original Results			AP-corrected		
Region of Interest	**Hemisphere**	**Cohen's d**	**95% Confidence Interval**	**q**	**Cohen's d**	**95% Confidence Interval**	**q**
Cortical Thickness							
Banks of the Superior Temporal Sulcus	L	-0.09	(-0.16 - -0.02)	0.03	-0.09	(-0.16 - -0.02)	0.02
	R	-0.13	(-0.2 - -0.06)	2.17e-03	-0.12	(-0.19 - -0.05)	2.15e-03
Caudal Middle Frontal	L	-0.12	(-0.19 - -0.04)	7.50e-03	-0.10	(-0.17 - -0.03)	7.72e-03
	R	-0.12	(-0.2 - -0.05)	4.13e-03	-0.11	(-0.19 - -0.04)	3.42e-03
Fusiform	L	-0.17	(-0.24 - -0.1)	7.07e-05	-0.16	(-0.23 - -0.09)	1.84e-04
	R	-0.11	(-0.18 - -0.04)	0.01	-0.09	(-0.16 - -0.02)	0.01
Inferior Parietal	L	-0.16	(-0.24 - -0.09)	1.65e-04	-0.15	(-0.22 - -0.08)	2.63e-04
	R	-0.11	(-0.18 - -0.04)	0.01	-0.09	(-0.17 - -0.02)	0.01
Inferior Temporal	L	-0.13	(-0.2 - -0.06)	2.95e-03	-0.12	(-0.19 - -0.05)	2.92e-03
	R	-0.15	(-0.22 - -0.08)	5.63e-04	-0.12	(-0.19 - -0.05)	2.99e-03
Insula	L	-0.17	(-0.24 - -0.1)	7.07e-05	-0.17	(-0.24 - -0.1)	9.99e-05
	R	-0.16	(-0.23 - -0.08)	3.45e-04	-0.14	(-0.21 - -0.07)	4.67e-04
Lateral Occipital	L	-0.12	(-0.19 - -0.05)	6.99e-03	-0.12	(-0.19 - -0.05)	2.15e-03
	R	-0.16	(-0.23 - -0.09)	2.70e-04	-0.16	(-0.23 - -0.09)	1.03e-04
Lateral Orbitofrontal	R	-0.09	(-0.16 - -0.02)	0.05	-0.08	(-0.15 - -0.01)	0.03
Medial Orbitofrontal	L	-0.13	(-0.2 - -0.06)	2.17e-03	-0.13	(-0.2 - -0.06)	1.75e-03
	R	-0.11	(-0.18 - -0.03)	0.01	-0.11	(-0.18 - -0.04)	6.16e-03
Middle Temporal	L	-0.10	(-0.17 - -0.03)	0.02	-0.08	(-0.15 - -0.01)	0.02
	R	-0.18	(-0.26 - -0.11)	5.46e-05	-0.16	(-0.24 - -0.09)	1.03e-04
Paracentral	L	-0.15	(-0.22 - -0.08)	5.58e-04	-0.14	(-0.21 - -0.07)	4.67e-04
	R	-0.11	(-0.18 - -0.04)	0.01	-0.11	(-0.18 - -0.03)	6.28e-03
Parahippocampal	L	-0.13	(-0.2 - -0.06)	3.26e-03	-0.13	(-0.2 - -0.06)	1.37e-03
Postcentral	L	-0.10	(-0.17 - -0.02)	0.03	-0.09	(-0.16 - -0.02)	0.02
	R	-0.12	(-0.19 - -0.05)	6.77e-03	-0.12	(-0.19 - -0.04)	3.31e-03
Posterior Cingulate	L	-0.11	(-0.18 - -0.03)	0.01	-0.11	(-0.18 - -0.04)	5.01e-03
	R	-0.13	(-0.2 - -0.06)	2.17e-03	-0.12	(-0.19 - -0.05)	2.18e-03
Precentral	L	-0.13	(-0.2 - -0.06)	2.72e-03	-0.12	(-0.19 - -0.05)	2.49e-03
	R	-0.13	(-0.2 - -0.06)	2.24e-03	-0.12	(-0.19 - -0.05)	2.36e-03
Precuneus	L	-0.11	(-0.18 - -0.04)	8.39e-03	-0.11	(-0.18 - -0.03)	6.28e-03
	R	-0.15	(-0.22 - -0.08)	5.63e-04	-0.14	(-0.21 - -0.06)	9.16e-04
Rostral Anterior Cingulate	L	-0.11	(-0.18 - -0.04)	0.01	-0.11	(-0.18 - -0.04)	5.91e-03
Rostral Middle Frontal	L	-0.13	(-0.2 - -0.06)	2.37e-03	-0.12	(-0.19 - -0.05)	2.15e-03
	R	-0.12	(-0.19 - -0.04)	7.50e-03	-0.11	(-0.18 - -0.04)	4.40e-03
Superior Frontal	L	-0.11	(-0.18 - -0.04)	0.01	-0.10	(-0.17 - -0.02)	0.01
	R	-0.09	(-0.16 - -0.02)	0.04	-0.09	(-0.16 - -0.02)	0.01
Superior Parietal	L	-0.10	(-0.18 - -0.03)	0.01	-0.10	(-0.17 - -0.03)	6.92e-03
	R	-0.12	(-0.19 - -0.05)	5.24e-03	-0.12	(-0.19 - -0.05)	2.18e-03
Superior Temporal	L	-0.12	(-0.19 - -0.05)	6.48e-03	-0.10	(-0.17 - -0.03)	0.01
	R	-0.15	(-0.22 - -0.08)	6.33e-04	-0.13	(-0.2 - -0.06)	1.31e-03
Supramarginal	L	-0.11	(-0.18 - -0.04)	0.01	-0.09	(-0.16 - -0.02)	0.01
	R	-0.10	(-0.17 - -0.03)	0.02	-0.09	(-0.16 - -0.02)	0.02
Transverse Temporal	R	-0.11	(-0.18 - -0.04)	0.01	-0.11	(-0.18 - -0.04)	5.91e-03
Surface Area							
Entorhinal	L	-0.09	(-0.16 - -0.02)	0.04	-0.07	(-0.15 - 0)	0.04
Inferior Parietal	R	-0.10	(-0.17 - -0.03)	0.02	-0.09	(-0.16 - -0.01)	0.02

Isthmus Cingulate	R	0.09	(0.02 - 0.16)	0.03	0.08	(0.01 - 0.15)	0.02
Pars Opercularis	L	-0.09	(-0.16 - -0.02)	0.03	-0.07	(-0.14 - 0)	0.05
Pericalcarine	R	-0.09	(-0.17 - -0.02)	0.03	-0.09	(-0.16 - -0.02)	0.02
Rostral Anterior Cingulate	L	-0.12	(-0.19 - -0.04)	7.50e-03	-0.10	(-0.17 - -0.03)	7.77e-03
Superior Frontal	R	-0.09	(-0.16 - -0.02)	0.03	-0.08	(-0.15 - 0)	0.04
Supramarginal	L	-0.11	(-0.18 - -0.04)	0.01	-0.10	(-0.17 - -0.03)	0.01
Subcortical Volume							
Hippocampus	R	-0.16	(-0.23 - -0.08)	3.45e-04	-0.13	(-0.2 - -0.06)	1.21e-03
Lateral Ventricles	L	0.11	(0.04 - 0.18)	0.01	0.09	(0.02 - 0.17)	0.01
	R	0.10	(0.03 - 0.17)	0.02	0.09	(0.02 - 0.16)	0.02
Thalamus	R	-0.09	(-0.16 - -0.01)	0.05	-0.06	(-0.13 - 0.01)	0.08
Global							
Estimated Intracranial Volume	N/A	-0.13	(-0.2 - -0.06)	2.17e-03	-0.15	(-0.22 - -0.07)	4.50e-04
Mean Cortical Thickness	N/A	-0.18	(-0.25 - -0.11)	5.46e-05	-0.17	(-0.24 - -0.1)	9.99e-05
Total Surface Area	N/A	-0.15	(-0.22 - -0.08)	5.63e-04	-0.14	(-0.21 - -0.07)	6.65e-04

Results reported under “Original Results” are from the CHR vs. HC post-ComBat mega analysis (see also eTable 7). All reported regions were significant at q<0.05. “AP-corrected” refers to post-ComBat mega analysis including antipsychotic medication as an additional covariate.

eTable 10. CHR vs. HC equivalence testing results

			Equivalence Testing Results			
Region of Interest	**Hemisphere**	**Cohen's d**	**90% CI**	**p ΔL**	**p ΔU**	**equivalent to SESOI**
Cortical Thickness						
Banks of the Superior Temporal Sulcus	L	-0.09	(-0.15 - -0.03)	0.06	1.07e-11	no
	R	-0.13	(-0.19 - -0.07)	0.32	2.48e-15	no
Caudal Middle Frontal	L	-0.12	(-0.17 - -0.06)	0.17	1.08e-13	no
	R	-0.12	(-0.18 - -0.06)	0.24	1.83e-14	no
Fusiform	L	-0.17	(-0.23 - -0.11)	0.75	1.65e-19	no
	R	-0.11	(-0.17 - -0.05)	0.13	2.97e-13	no
Inferior Parietal	L	-0.16	(-0.22 - -0.11)	0.66	1.57e-18	no
	R	-0.11	(-0.17 - -0.05)	0.14	2.55e-13	no
Inferior Temporal	L	-0.13	(-0.19 - -0.07)	0.27	7.33e-15	no
	R	-0.15	(-0.21 - -0.09)	0.48	8.84e-17	no
Insula	L	-0.17	(-0.23 - -0.11)	0.74	2.24e-19	no
	R	-0.16	(-0.22 - -0.1)	0.56	1.34e-17	no
Lateral Occipital	L	-0.12	(-0.18 - -0.06)	0.18	7.41e-14	no
	R	-0.16	(-0.22 - -0.1)	0.60	5.72e-18	no
Lateral Orbitofrontal	R	-0.09	(-0.15 - -0.03)	0.04	2.86e-11	yes
Medial Orbitofrontal	L	-0.13	(-0.19 - -0.07)	0.32	2.43e-15	no
	R	-0.11	(-0.16 - -0.05)	0.11	7.90e-13	no
Middle Temporal	L	-0.10	(-0.16 - -0.04)	0.07	4.59e-12	no
	R	-0.18	(-0.24 - -0.12)	0.83	1.43e-20	no
Paracentral	L	-0.15	(-0.21 - -0.09)	0.51	4.88e-17	no
	R	-0.11	(-0.17 - -0.05)	0.12	5.15e-13	no
Parahippocampal	L	-0.13	(-0.19 - -0.07)	0.26	9.15e-15	no
Postcentral	L	-0.10	(-0.16 - -0.04)	0.07	7.36e-12	no
	R	-0.12	(-0.18 - -0.06)	0.19	8.09e-14	no
Posterior Cingulate	L	-0.11	(-0.17 - -0.05)	0.11	7.33e-13	no
	R	-0.13	(-0.19 - -0.07)	0.32	2.56e-15	no
Precentral	L	-0.13	(-0.19 - -0.07)	0.29	6.70e-15	no
	R	-0.13	(-0.19 - -0.07)	0.32	3.62e-15	no
Precuneus	L	-0.11	(-0.17 - -0.05)	0.16	1.54e-13	no
	R	-0.15	(-0.21 - -0.09)	0.49	7.52e-17	no
Rostral Anterior Cingulate	L	-0.11	(-0.17 - -0.05)	0.13	3.29e-13	no
Rostral Middle Frontal	L	-0.13	(-0.19 - -0.07)	0.30	3.63e-15	no
	R	-0.12	(-0.17 - -0.06)	0.17	1.03e-13	no
Superior Frontal	L	-0.11	(-0.17 - -0.05)	0.12	4.57e-13	no
	R	-0.09	(-0.15 - -0.03)	0.05	1.75e-11	yes
Superior Parietal	L	-0.10	(-0.16 - -0.05)	0.10	9.70e-13	no
	R	-0.12	(-0.18 - -0.06)	0.21	3.22e-14	no
Superior Temporal	L	-0.12	(-0.18 - -0.06)	0.20	5.98e-14	no
	R	-0.15	(-0.21 - -0.09)	0.46	1.34e-16	no
Supramarginal	L	-0.11	(-0.17 - -0.05)	0.12	7.52e-13	no
	R	-0.10	(-0.16 - -0.04)	0.07	5.01e-12	no
Transverse Temporal	R	-0.11	(-0.17 - -0.05)	0.13	3.33e-13	no
Surface Area						
Entorhinal	L	-0.09	(-0.15 - -0.03)	0.05	1.39e-11	no
Inferior Parietal	R	-0.10	(-0.16 - -0.04)	0.07	3.54e-12	no
Isthmus Cingulate	R	0.09	(0.03 - 0.15)	7.58e-12	0.06	no

Pars Opercularis	L	-0.09	(-0.15 - -0.03)	0.06	8.57e-12	no
Pericalcarine	R	-0.09	(-0.15 - -0.03)	0.07	9.30e-12	no
Rostral Anterior Cingulate	L	-0.12	(-0.17 - -0.06)	0.17	9.81e-14	no
Superior Frontal	R	-0.09	(-0.15 - -0.03)	0.05	1.11e-11	no
Supramarginal	L	-0.11	(-0.17 - -0.05)	0.13	5.03e-13	no
Subcortical Volume						
Hippocampus	R	-0.16	(-0.21 - -0.1)	0.56	1.46e-17	no
Lateral Ventricles	L	0.11	(0.05 - 0.17)	3.20e-13	0.15	no
	R	0.10	(0.04 - 0.16)	2.17e-12	0.09	no
Thalamus	R	-0.09	(-0.14 - -0.03)	0.04	3.80e-11	yes
Global						
Estimated Intracranial Volume	N/A	-0.13	(-0.19 - -0.07)	0.33	1.67e-15	no
Mean Cortical Thickness	N/A	-0.18	(-0.24 - -0.12)	0.79	3.94e-20	no
Total Surface Area	N/A	-0.15	(-0.21 - -0.09)	0.49	5.73e-17	no

ΔU/L refer to upper (+0.15) and lower (-0.15) equivalence bounds. SESOI = smallest effect size of interest. All regions of interest were significant at q<0.05 in the CHR vs. HC post-ComBat mega analysis (see also eTable 7).

eTable 11. CHR vs. HC effect size overview (pre-ComBat mega and meta analysis)

		Mega Analysis (pre-ComBat)				Meta Analysis (pre-ComBat)			
Region of Interest	**Hemisphere**	**Cohen's d**	**95% Confidence Interval**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**q**
Cortical Thickness									
Banks of the Superior Temporal Sulcus	L	**-0.09**	**(-0.16 - -0.02)**	**0.02**	**0.05**	-0.09	(-0.26 - 0.07)	0.27	0.84
	R	**-0.12**	**(-0.2 - -0.05)**	**6.03e-04**	**3.60e-03**	-0.15	(-0.32 - 0.01)	0.07	0.63
Caudal Anterior Cingulate	L	**-0.09**	**(-0.16 - -0.02)**	**0.02**	**0.04**	-0.11	(-0.28 - 0.05)	0.19	0.65
	R	-0.07	(-0.14 - 0)	0.05	0.10	-0.09	(-0.25 - 0.08)	0.31	0.86
Caudal Middle Frontal	L	**-0.12**	**(-0.19 - -0.05)**	**1.11e-03**	**5.42e-03**	-0.12	(-0.28 - 0.05)	0.16	0.65
	R	**-0.12**	**(-0.19 - -0.05)**	**1.12e-03**	**5.42e-03**	-0.15	(-0.31 - 0.02)	0.08	0.63
Cuneus	L	-0.01	(-0.08 - 0.06)	0.81	0.87	-0.02	(-0.18 - 0.15)	0.82	0.97
	R	-0.07	(-0.14 - 0)	0.06	0.11	-0.06	(-0.22 - 0.11)	0.50	0.97
Entorhinal	L	-0.01	(-0.09 - 0.06)	0.69	0.80	-0.02	(-0.18 - 0.15)	0.83	0.97
	R	-0.05	(-0.12 - 0.02)	0.16	0.27	-0.05	(-0.22 - 0.11)	0.52	0.97
Frontal Pole	L	-0.06	(-0.13 - 0.01)	0.11	0.20	-0.06	(-0.23 - 0.1)	0.47	0.97
	R	-0.07	(-0.14 - 0)	0.04	0.10	-0.09	(-0.25 - 0.08)	0.29	0.86
Fusiform	L	**-0.18**	**(-0.25 - -0.11)**	**5.98e-07**	**3.09e-05**	-0.17	(-0.33 - 0)	0.05	0.63
	R	**-0.12**	**(-0.19 - -0.05)**	**1.01e-03**	**5.23e-03**	-0.09	(-0.26 - 0.07)	0.28	0.85
Inferior Parietal	L	**-0.17**	**(-0.24 - -0.1)**	**1.72e-06**	**5.35e-05**	-0.18	(-0.35 - -0.02)	0.03	0.63
	R	**-0.12**	**(-0.19 - -0.05)**	**9.84e-04**	**5.23e-03**	-0.14	(-0.3 - 0.03)	0.10	0.63
Inferior Temporal	L	**-0.13**	**(-0.2 - -0.06)**	**2.67e-04**	**1.97e-03**	-0.14	(-0.3 - 0.03)	0.11	0.63
	R	**-0.15**	**(-0.23 - -0.08)**	**2.02e-05**	**3.06e-04**	-0.15	(-0.31 - 0.02)	0.08	0.63
Insula	L	**-0.17**	**(-0.24 - -0.1)**	**2.26e-06**	**5.83e-05**	-0.18	(-0.34 - -0.01)	0.04	0.63
	R	**-0.16**	**(-0.23 - -0.08)**	**1.76e-05**	**3.03e-04**	-0.15	(-0.31 - 0.02)	0.08	0.63
Isthmus Cingulate	L	-0.05	(-0.12 - 0.02)	0.20	0.33	-0.06	(-0.23 - 0.1)	0.45	0.97
	R	-0.08	(-0.15 - -0.01)	0.03	0.08	-0.07	(-0.24 - 0.09)	0.40	0.93
Lateral Occipital	L	**-0.13**	**(-0.2 - -0.05)**	**5.43e-04**	**3.51e-03**	-0.13	(-0.3 - 0.03)	0.12	0.63
	R	**-0.16**	**(-0.23 - -0.09)**	**9.83e-06**	**1.91e-04**	-0.16	(-0.33 - 0)	0.05	0.63
Lateral Orbitofrontal	L	-0.08	(-0.16 - -0.01)	0.02	0.05	-0.13	(-0.29 - 0.04)	0.13	0.63
	R	**-0.10**	**(-0.17 - -0.03)**	**5.67e-03**	**0.02**	-0.12	(-0.29 - 0.04)	0.14	0.64
Lingual	L	-0.03	(-0.1 - 0.04)	0.36	0.51	-0.04	(-0.21 - 0.13)	0.64	0.97
	R	-0.02	(-0.1 - 0.05)	0.50	0.65	-0.02	(-0.19 - 0.14)	0.77	0.97
Medial Orbitofrontal	L	**-0.15**	**(-0.22 - -0.08)**	**2.52e-05**	**3.06e-04**	-0.19	(-0.36 - -0.03)	0.02	0.63
	R	**-0.13**	**(-0.2 - -0.06)**	**3.41e-04**	**2.40e-03**	-0.14	(-0.3 - 0.03)	0.10	0.63
Middle Temporal	L	**-0.10**	**(-0.17 - -0.03)**	**8.03e-03**	**0.03**	-0.11	(-0.28 - 0.05)	0.17	0.65
	R	**-0.18**	**(-0.26 - -0.11)**	**4.18e-07**	**3.09e-05**	-0.19	(-0.36 - -0.03)	0.02	0.63
Paracentral	L	**-0.15**	**(-0.22 - -0.08)**	**2.56e-05**	**3.06e-04**	-0.17	(-0.34 - -0.01)	0.04	0.63
	R	**-0.12**	**(-0.19 - -0.05)**	**1.16e-03**	**5.47e-03**	-0.10	(-0.27 - 0.06)	0.22	0.73
Parahippocampal	L	**-0.11**	**(-0.18 - -0.04)**	**2.12e-03**	**9.13e-03**	-0.13	(-0.29 - 0.04)	0.13	0.63
	R	-0.07	(-0.14 - 0)	0.05	0.11	-0.08	(-0.25 - 0.08)	0.34	0.87
Pars Opercularis	L	-0.07	(-0.14 - 0)	0.07	0.13	-0.04	(-0.2 - 0.13)	0.68	0.97
	R	-0.08	(-0.15 - -0.01)	0.02	0.05	-0.07	(-0.24 - 0.09)	0.38	0.92
Pars Orbitalis	L	-0.06	(-0.13 - 0.01)	0.09	0.16	-0.09	(-0.26 - 0.07)	0.28	0.85
	R	0.00	(-0.07 - 0.07)	0.99	1.00	-0.02	(-0.19 - 0.14)	0.78	0.97
Pars Triangularis	L	0.00	(-0.07 - 0.07)	0.95	0.97	-0.03	(-0.19 - 0.14)	0.76	0.97
	R	-0.07	(-0.14 - 0)	0.04	0.10	-0.09	(-0.25 - 0.08)	0.30	0.86
Pericalcarine	L	0.02	(-0.05 - 0.1)	0.50	0.65	0.01	(-0.16 - 0.18)	0.90	0.99
	R	0.05	(-0.03 - 0.12)	0.22	0.35	0.03	(-0.14 - 0.19)	0.76	0.97
	L	**-0.10**	**(-0.17 - -0.03)**	**7.87e-03**	**0.03**	-0.08	(-0.25 - 0.08)	0.33	0.87

Postcentral	R	**-0.11**	**(-0.19 - -0.04)**	**1.79e-03**	**7.92e-03**	-0.13	(-0.29 - 0.04)	0.14	0.63
Posterior Cingulate	L	**-0.12**	**(-0.19 - -0.05)**	**6.52e-04**	**3.74e-03**	-0.13	(-0.29 - 0.04)	0.13	0.63
	R	**-0.16**	**(-0.23 - -0.09)**	**9.78e-06**	**1.91e-04**	-0.16	(-0.33 - 0.01)	0.06	0.63
Precentral	L	**-0.13**	**(-0.21 - -0.06)**	**2.42e-04**	**1.87e-03**	-0.12	(-0.29 - 0.04)	0.15	0.65
	R	**-0.13**	**(-0.21 - -0.06)**	**2.27e-04**	**1.86e-03**	-0.14	(-0.31 - 0.03)	0.10	0.63
Precuneus	L	**-0.15**	**(-0.22 - -0.08)**	**2.38e-05**	**3.06e-04**	-0.12	(-0.29 - 0.04)	0.14	0.63
	R	**-0.18**	**(-0.25 - -0.11)**	**9.86e-07**	**3.82e-05**	-0.17	(-0.33 - 0)	0.05	0.63
Rostral Anterior Cingulate	L	**-0.10**	**(-0.17 - -0.03)**	**4.09e-03**	**0.02**	-0.11	(-0.28 - 0.05)	0.17	0.65
	R	-0.08	(-0.15 - -0.01)	0.03	0.07	-0.11	(-0.28 - 0.05)	0.18	0.65
Rostral Middle Frontal	L	**-0.15**	**(-0.22 - -0.08)**	**5.36e-05**	**5.94e-04**	-0.17	(-0.34 - -0.01)	0.04	0.63
	R	**-0.14**	**(-0.21 - -0.07)**	**1.24e-04**	**1.13e-03**	-0.17	(-0.34 - 0)	0.04	0.63
Superior Frontal	L	**-0.12**	**(-0.2 - -0.05)**	**5.70e-04**	**3.53e-03**	-0.14	(-0.3 - 0.03)	0.11	0.63
	R	**-0.11**	**(-0.18 - -0.04)**	**2.53e-03**	**0.01**	-0.13	(-0.29 - 0.04)	0.13	0.63
Superior Parietal	L	**-0.11**	**(-0.18 - -0.04)**	**3.42e-03**	**0.01**	-0.13	(-0.3 - 0.04)	0.12	0.63
	R	**-0.13**	**(-0.2 - -0.06)**	**5.05e-04**	**3.40e-03**	-0.15	(-0.32 - 0.01)	0.07	0.63
Superior Temporal	L	**-0.11**	**(-0.18 - -0.04)**	**1.78e-03**	**7.92e-03**	-0.11	(-0.28 - 0.05)	0.19	0.65
	R	**-0.14**	**(-0.22 - -0.07)**	**6.63e-05**	**6.85e-04**	-0.15	(-0.31 - 0.02)	0.08	0.63
Supramarginal	L	**-0.11**	**(-0.18 - -0.04)**	**2.24e-03**	**9.37e-03**	-0.13	(-0.29 - 0.04)	0.13	0.63
	R	**-0.10**	**(-0.17 - -0.03)**	**5.20e-03**	**0.02**	-0.13	(-0.29 - 0.04)	0.13	0.63
Temporal Pole	L	-0.03	(-0.11 - 0.04)	0.34	0.49	-0.04	(-0.21 - 0.12)	0.61	0.97
	R	-0.06	(-0.13 - 0.01)	0.10	0.19	-0.07	(-0.24 - 0.09)	0.39	0.92
Transverse Temporal	L	-0.07	(-0.14 - 0)	0.04	0.10	-0.05	(-0.22 - 0.11)	0.52	0.97
	R	**-0.10**	**(-0.18 - -0.03)**	**3.97e-03**	**0.02**	-0.09	(-0.25 - 0.08)	0.30	0.86
Surface Area									
Banks of the Superior Temporal Sulcus	L	-0.06	(-0.13 - 0.01)	0.08	0.16	-0.03	(-0.2 - 0.13)	0.68	0.97
	R	-0.08	(-0.15 - -0.01)	0.03	0.08	-0.04	(-0.2 - 0.13)	0.66	0.97
Caudal Anterior Cingulate	L	-0.01	(-0.08 - 0.06)	0.84	0.88	-0.01	(-0.17 - 0.16)	0.92	0.99
	R	-0.07	(-0.14 - 0)	0.05	0.10	-0.05	(-0.22 - 0.11)	0.51	0.97
Caudal Middle Frontal	L	-0.05	(-0.12 - 0.02)	0.16	0.28	-0.03	(-0.19 - 0.14)	0.73	0.97
	R	-0.02	(-0.09 - 0.05)	0.64	0.79	-0.01	(-0.17 - 0.16)	0.93	0.99
Cuneus	L	-0.04	(-0.11 - 0.03)	0.25	0.40	-0.03	(-0.19 - 0.14)	0.73	0.97
	R	-0.07	(-0.14 - 0)	0.05	0.10	-0.04	(-0.2 - 0.13)	0.66	0.97
Entorhinal	L	**-0.09**	**(-0.16 - -0.02)**	**0.02**	**0.05**	-0.08	(-0.25 - 0.08)	0.33	0.87
	R	-0.02	(-0.09 - 0.05)	0.62	0.76	-0.02	(-0.19 - 0.14)	0.79	0.97
Frontal Pole	L	0.04	(-0.03 - 0.11)	0.31	0.47	0.05	(-0.12 - 0.21)	0.56	0.97
	R	0.04	(-0.03 - 0.11)	0.32	0.48	0.03	(-0.13 - 0.2)	0.69	0.97
Fusiform	L	-0.03	(-0.1 - 0.04)	0.36	0.51	0.00	(-0.16 - 0.17)	0.98	1.00
	R	-0.07	(-0.14 - 0)	0.06	0.12	-0.05	(-0.21 - 0.12)	0.59	0.97
Inferior Parietal	L	-0.06	(-0.13 - 0.01)	0.11	0.20	-0.03	(-0.19 - 0.14)	0.75	0.97
	R	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.04**	-0.04	(-0.2 - 0.13)	0.67	0.97
Inferior Temporal	L	-0.02	(-0.09 - 0.05)	0.57	0.72	0.02	(-0.15 - 0.18)	0.82	0.97
	R	-0.02	(-0.1 - 0.05)	0.50	0.65	0.01	(-0.16 - 0.17)	0.92	0.99
Insula	L	-0.06	(-0.13 - 0.01)	0.10	0.19	-0.02	(-0.18 - 0.15)	0.82	0.97
	R	-0.03	(-0.11 - 0.04)	0.34	0.49	-0.02	(-0.18 - 0.14)	0.81	0.97
Isthmus Cingulate	L	0.01	(-0.06 - 0.08)	0.84	0.88	0.01	(-0.15 - 0.18)	0.86	0.97
	R	**0.09**	**(0.02 - 0.16)**	**0.02**	**0.05**	0.11	(-0.05 - 0.28)	0.18	0.65
Lateral Occipital	L	0.01	(-0.06 - 0.08)	0.82	0.88	0.03	(-0.14 - 0.19)	0.75	0.97
	R	-0.01	(-0.08 - 0.06)	0.86	0.90	0.02	(-0.14 - 0.19)	0.78	0.97
Lateral Orbitofrontal	L	-0.02	(-0.09 - 0.05)	0.55	0.69	0.00	(-0.16 - 0.17)	0.95	0.99
	R	-0.01	(-0.09 - 0.06)	0.68	0.80	-0.01	(-0.17 - 0.16)	0.94	0.99

Lingual	L	-0.05	(-0.12 - 0.02)	0.18	0.30	-0.03	(-0.19 - 0.14)	0.74	0.97
	R	-0.01	(-0.08 - 0.06)	0.79	0.86	0.02	(-0.15 - 0.18)	0.86	0.97
Medial Orbitofrontal	L	-0.01	(-0.08 - 0.06)	0.74	0.82	0.02	(-0.14 - 0.19)	0.79	0.97
	R	-0.07	(-0.14 - 0)	0.05	0.10	-0.04	(-0.21 - 0.12)	0.60	0.97
Middle Temporal	L	0.02	(-0.06 - 0.09)	0.66	0.80	0.05	(-0.11 - 0.22)	0.53	0.97
	R	-0.07	(-0.14 - 0)	0.05	0.10	0.00	(-0.17 - 0.16)	1.00	1.00
Paracentral	L	0.00	(-0.07 - 0.07)	1.00	1.00	0.00	(-0.17 - 0.16)	0.99	1.00
	R	0.01	(-0.06 - 0.08)	0.73	0.82	0.00	(-0.16 - 0.17)	0.96	0.99
Parahippocampal	L	-0.04	(-0.11 - 0.03)	0.27	0.42	-0.02	(-0.18 - 0.15)	0.84	0.97
	R	0.06	(-0.01 - 0.13)	0.11	0.20	0.10	(-0.06 - 0.27)	0.23	0.73
Pars Opercularis	L	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.03**	-0.07	(-0.24 - 0.09)	0.38	0.92
	R	-0.01	(-0.08 - 0.06)	0.72	0.82	0.01	(-0.16 - 0.17)	0.94	0.99
Pars Orbitalis	L	0.02	(-0.05 - 0.09)	0.51	0.65	0.04	(-0.13 - 0.2)	0.66	0.97
	R	0.03	(-0.04 - 0.1)	0.35	0.51	0.03	(-0.14 - 0.19)	0.76	0.97
Pars Triangularis	L	-0.06	(-0.13 - 0.01)	0.12	0.21	-0.04	(-0.21 - 0.12)	0.62	0.97
	R	0.01	(-0.06 - 0.08)	0.71	0.82	0.00	(-0.16 - 0.17)	0.99	1.00
Pericalcarine	L	-0.05	(-0.12 - 0.02)	0.18	0.31	-0.04	(-0.21 - 0.12)	0.61	0.97
	R	**-0.09**	**(-0.16 - -0.02)**	**0.02**	**0.05**	-0.08	(-0.25 - 0.08)	0.32	0.86
Postcentral	L	-0.01	(-0.08 - 0.06)	0.84	0.88	0.03	(-0.14 - 0.2)	0.72	0.97
	R	-0.04	(-0.11 - 0.03)	0.32	0.48	-0.05	(-0.22 - 0.11)	0.52	0.97
Posterior Cingulate	L	-0.03	(-0.1 - 0.04)	0.42	0.57	-0.02	(-0.19 - 0.14)	0.80	0.97
	R	-0.06	(-0.13 - 0.01)	0.10	0.18	-0.04	(-0.21 - 0.12)	0.60	0.97
Precentral	L	0.05	(-0.02 - 0.12)	0.18	0.31	0.06	(-0.11 - 0.22)	0.49	0.97
	R	0.01	(-0.06 - 0.08)	0.72	0.82	0.01	(-0.16 - 0.17)	0.94	0.99
Precuneus	L	-0.03	(-0.1 - 0.04)	0.41	0.57	-0.02	(-0.19 - 0.14)	0.80	0.97
	R	-0.03	(-0.1 - 0.04)	0.39	0.54	-0.03	(-0.19 - 0.14)	0.73	0.97
Rostral Anterior Cingulate	L	**-0.10**	**(-0.17 - -0.03)**	**5.11e-03**	**0.02**	-0.07	(-0.24 - 0.09)	0.39	0.92
	R	-0.05	(-0.12 - 0.02)	0.14	0.24	-0.02	(-0.19 - 0.14)	0.80	0.97
Rostral Middle Frontal	L	-0.01	(-0.09 - 0.06)	0.69	0.80	-0.01	(-0.17 - 0.16)	0.94	0.99
	R	-0.03	(-0.1 - 0.04)	0.40	0.55	-0.02	(-0.18 - 0.15)	0.83	0.97
Superior Frontal	L	-0.03	(-0.1 - 0.04)	0.43	0.57	-0.04	(-0.2 - 0.13)	0.68	0.97
	R	**-0.09**	**(-0.16 - -0.02)**	**0.01**	**0.04**	-0.07	(-0.23 - 0.1)	0.42	0.94
Superior Parietal	L	0.00	(-0.07 - 0.07)	0.93	0.96	0.02	(-0.15 - 0.18)	0.84	0.97
	R	0.01	(-0.06 - 0.08)	0.87	0.90	0.03	(-0.13 - 0.2)	0.71	0.97
Superior Temporal	L	-0.02	(-0.09 - 0.05)	0.52	0.66	0.02	(-0.15 - 0.18)	0.86	0.97
	R	-0.05	(-0.12 - 0.02)	0.19	0.31	-0.01	(-0.17 - 0.16)	0.94	0.99
Supramarginal	L	**-0.11**	**(-0.18 - -0.04)**	**3.24e-03**	**0.01**	-0.07	(-0.24 - 0.09)	0.38	0.92
	R	-0.07	(-0.14 - 0)	0.06	0.12	-0.07	(-0.24 - 0.09)	0.38	0.92
Temporal Pole	L	-0.02	(-0.1 - 0.05)	0.50	0.65	-0.03	(-0.19 - 0.14)	0.75	0.97
	R	0.04	(-0.03 - 0.11)	0.23	0.36	0.06	(-0.1 - 0.23)	0.45	0.97
Transverse Temporal	L	-0.04	(-0.11 - 0.03)	0.31	0.47	-0.01	(-0.17 - 0.16)	0.93	0.99
	R	-0.01	(-0.08 - 0.06)	0.73	0.82	-0.02	(-0.18 - 0.15)	0.84	0.97
Subcortical Volume									
Amygdala	L	-0.03	(-0.1 - 0.04)	0.45	0.60	0.02	(-0.15 - 0.18)	0.84	0.97
	R	-0.07	(-0.14 - 0)	0.04	0.10	-0.04	(-0.2 - 0.13)	0.67	0.97
Caudate	L	0.01	(-0.06 - 0.09)	0.69	0.80	0.03	(-0.13 - 0.2)	0.68	0.97
	R	-0.01	(-0.08 - 0.06)	0.81	0.87	0.00	(-0.17 - 0.16)	0.98	1.00
Hippocampus	L	-0.08	(-0.15 - 0)	0.04	0.09	-0.07	(-0.23 - 0.1)	0.42	0.94
	R	**-0.14**	**(-0.21 - -0.07)**	**8.64e-05**	**8.37e-04**	-0.14	(-0.3 - 0.03)	0.10	0.63
	L	**0.10**	**(0.03 - 0.17)**	**6.90e-03**	**0.02**	0.10	(-0.06 - 0.27)	0.23	0.73

Lateral Ventricles	R	**0.09**	**(0.02 - 0.16)**	**0.01**	**0.04**	0.09	(-0.08 - 0.25)	0.31	0.86
Nucleus Accumbens	L	-0.04	(-0.11 - 0.03)	0.32	0.48	-0.02	(-0.19 - 0.14)	0.79	0.97
	R	0.00	(-0.07 - 0.07)	0.97	0.98	0.02	(-0.15 - 0.18)	0.85	0.97
Pallidum	L	-0.02	(-0.09 - 0.05)	0.58	0.72	0.05	(-0.11 - 0.22)	0.54	0.97
	R	-0.01	(-0.08 - 0.06)	0.74	0.82	0.04	(-0.12 - 0.21)	0.63	0.97
Putamen	L	-0.02	(-0.09 - 0.05)	0.65	0.79	0.04	(-0.13 - 0.2)	0.67	0.97
	R	-0.01	(-0.08 - 0.06)	0.74	0.82	0.03	(-0.14 - 0.19)	0.74	0.97
Thalamus	L	-0.03	(-0.1 - 0.04)	0.36	0.51	-0.01	(-0.18 - 0.15)	0.88	0.98
	R	-0.07	(-0.14 - 0)	0.04	0.10	-0.03	(-0.19 - 0.14)	0.73	0.97
Global									
Estimated Intracranial Volume	N/A	**-0.12**	**(-0.19 - -0.05)**	**9.11e-04**	**5.04e-03**	-0.12	(-0.28 - 0.05)	0.16	0.65
Mean Cortical Thickness		**-0.20**	**(-0.27 - -0.13)**	**2.59e-08**	**4.02e-06**	-0.20	(-0.36 - -0.03)	0.02	0.63
Total Surface Area		**-0.14**	**(-0.21 - -0.07)**	**1.49e-04**	**1.28e-03**	-0.12	(-0.28 - 0.05)	0.17	0.65

Results marked in bold are significant at q<0.05

eTable 12A. CHR subgroup (APS vs. BIPS vs. GRD vs. HC) effect size overview

		Overall Test Statistics			APS < HC			BIPS < HC			GRD < HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	2.41	0.07	0.19	**-0.09**	**(-0.17 - -0.02)**	**0.02**	0.05	(-0.24 - 0.33)	0.75	0.06	(-0.15 - 0.27)	0.56
	R	4.18	5.84e-03	0.06	**-0.13**	**(-0.21 - -0.06)**	**6.47e-04**	0.06	(-0.22 - 0.34)	0.68	-0.10	(-0.31 - 0.11)	0.36
Caudal Anterior Cingulate	L	1.81	0.14	0.30	-0.07	(-0.14 - 0.01)	0.09	-0.26	(-0.55 - 0.02)	0.07	-0.01	(-0.22 - 0.2)	0.94
	R	3.94	8.08e-03	0.06	**-0.08**	**(-0.16 - -0.01)**	**0.04**	-0.22	(-0.5 - 0.06)	0.13	0.21	(0 - 0.42)	0.05
Caudal Middle Frontal	L	2.36	0.07	0.20	**-0.09**	**(-0.16 - -0.01)**	**0.02**	-0.22	(-0.51 - 0.07)	0.14	0.02	(-0.18 - 0.23)	0.82
	R	3.98	7.73e-03	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.33e-03**	0.06	(-0.23 - 0.34)	0.69	0.08	(-0.12 - 0.29)	0.42
Cuneus	L	1.44	0.23	0.41	0.00	(-0.08 - 0.08)	0.97	0.28	(-0.01 - 0.57)	0.06	0.09	(-0.12 - 0.29)	0.41
	R	2.55	0.05	0.17	-0.04	(-0.12 - 0.03)	0.26	**0.34**	**(0.06 - 0.62)**	**0.02**	-0.02	(-0.23 - 0.18)	0.83
Entorhinal	L	0.29	0.83	0.91	0.01	(-0.07 - 0.08)	0.83	-0.09	(-0.38 - 0.19)	0.52	-0.06	(-0.26 - 0.15)	0.58
	R	0.75	0.52	0.70	-0.03	(-0.1 - 0.05)	0.51	-0.15	(-0.43 - 0.13)	0.30	-0.12	(-0.32 - 0.09)	0.27
Frontal Pole	L	1.21	0.30	0.49	-0.05	(-0.13 - 0.02)	0.19	0.17	(-0.12 - 0.45)	0.25	0.01	(-0.2 - 0.21)	0.95
	R	1.47	0.22	0.40	-0.07	(-0.14 - 0.01)	0.09	-0.19	(-0.48 - 0.1)	0.20	0.03	(-0.18 - 0.24)	0.77
Fusiform	L	**5.81**	**5.92e-04**	**0.02**	**-0.16**	**(-0.24 - -0.08)**	**4.41e-05**	-0.08	(-0.36 - 0.2)	0.57	0.00	(-0.2 - 0.21)	0.98
	R	1.86	0.13	0.29	**-0.09**	**(-0.17 - -0.01)**	**0.02**	0.00	(-0.28 - 0.29)	0.98	-0.07	(-0.28 - 0.13)	0.48
Inferior Parietal	L	**6.35**	**2.75e-04**	**0.02**	**-0.16**	**(-0.23 - -0.08)**	**5.57e-05**	-0.22	(-0.51 - 0.06)	0.13	0.05	(-0.15 - 0.26)	0.61
	R	3.93	8.24e-03	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.87e-03**	-0.07	(-0.35 - 0.22)	0.64	0.11	(-0.09 - 0.32)	0.28
Inferior Temporal	L	2.94	0.03	0.12	**-0.10**	**(-0.18 - -0.03)**	**7.65e-03**	-0.10	(-0.39 - 0.18)	0.49	-0.19	(-0.39 - 0.02)	0.08
	R	3.83	9.51e-03	0.06	**-0.13**	**(-0.2 - -0.05)**	**1.10e-03**	-0.16	(-0.45 - 0.12)	0.27	-0.13	(-0.34 - 0.08)	0.22
Insula	L	**5.56**	**8.41e-04**	**0.02**	**-0.15**	**(-0.23 - -0.07)**	**1.14e-04**	-0.06	(-0.34 - 0.22)	0.68	**-0.21**	**(-0.42 - -0.01)**	**0.04**
	R	**4.80**	**2.46e-03**	**0.04**	**-0.14**	**(-0.21 - -0.06)**	**3.83e-04**	-0.25	(-0.54 - 0.03)	0.08	-0.11	(-0.31 - 0.1)	0.31
Isthmus Cingulate	L	0.58	0.63	0.77	0.00	(-0.08 - 0.07)	0.91	-0.18	(-0.47 - 0.1)	0.22	0.04	(-0.16 - 0.25)	0.69
	R	0.46	0.71	0.84	-0.05	(-0.12 - 0.03)	0.24	-0.04	(-0.32 - 0.25)	0.81	-0.02	(-0.22 - 0.19)	0.88
Lateral Occipital	L	3.72	0.01	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.47e-03**	-0.13	(-0.41 - 0.16)	0.39	0.08	(-0.13 - 0.28)	0.48
	R	**4.58**	**3.31e-03**	**0.05**	**-0.14**	**(-0.22 - -0.06)**	**3.37e-04**	-0.21	(-0.49 - 0.08)	0.16	-0.07	(-0.28 - 0.14)	0.49
						(-0.16 -			(-0.34 -			(-0.14 -	

Lateral Orbitofrontal	L	2.03	0.11	0.27	**-0.09**	**-0.01)**	**0.03**	-0.06	0.23)	0.69	0.07	0.27)	0.52
	R	1.71	0.16	0.32	**-0.08**	**(-0.16 - -0.01)**	**0.04**	0.00	(-0.29 - 0.29)	0.98	0.04	(-0.17 - 0.25)	0.70
Lingual	L	1.87	0.13	0.29	-0.04	(-0.11 - 0.04)	0.35	0.27	(-0.01 - 0.56)	0.06	0.07	(-0.14 - 0.28)	0.51
	R	0.23	0.88	0.94	0.00	(-0.07 - 0.08)	0.95	0.10	(-0.19 - 0.38)	0.51	0.06	(-0.15 - 0.26)	0.61
Medial Orbitofrontal	L	**4.57**	**3.38e-03**	**0.05**	**-0.14**	**(-0.22 - -0.06)**	**3.28e-04**	-0.03	(-0.31 - 0.26)	0.85	-0.16	(-0.36 - 0.05)	0.13
	R	2.61	0.05	0.16	**-0.11**	**(-0.18 - -0.03)**	**6.82e-03**	-0.03	(-0.31 - 0.26)	0.84	0.02	(-0.19 - 0.22)	0.88
Middle Temporal	L	1.95	0.12	0.28	**-0.09**	**(-0.17 - -0.02)**	**0.02**	-0.10	(-0.38 - 0.19)	0.52	-0.04	(-0.25 - 0.16)	0.69
	R	**7.38**	**6.35e-05**	**9.84e-03**	**-0.18**	**(-0.26 - -0.1)**	**4.32e-06**	-0.21	(-0.49 - 0.07)	0.15	-0.04	(-0.25 - 0.16)	0.68
Paracentral	L	**5.17**	**1.45e-03**	**0.03**	**-0.14**	**(-0.22 - -0.07)**	**2.07e-04**	0.08	(-0.21 - 0.36)	0.58	0.01	(-0.2 - 0.21)	0.95
	R	3.07	0.03	0.12	**-0.09**	**(-0.17 - -0.02)**	**0.02**	0.21	(-0.07 - 0.49)	0.14	0.02	(-0.18 - 0.23)	0.83
Parahippocampal	L	3.82	9.55e-03	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.87e-03**	0.16	(-0.12 - 0.44)	0.27	-0.11	(-0.31 - 0.1)	0.31
	R	1.31	0.27	0.46	-0.06	(-0.14 - 0.02)	0.12	0.13	(-0.15 - 0.41)	0.38	-0.08	(-0.29 - 0.12)	0.43
Pars Opercularis	L	0.70	0.55	0.71	-0.04	(-0.11 - 0.04)	0.36	0.14	(-0.15 - 0.43)	0.33	0.01	(-0.2 - 0.22)	0.92
	R	0.41	0.74	0.86	-0.04	(-0.12 - 0.04)	0.29	0.01	(-0.27 - 0.3)	0.92	0.01	(-0.2 - 0.21)	0.95
Pars Orbitalis	L	0.40	0.76	0.87	-0.04	(-0.11 - 0.04)	0.33	0.04	(-0.25 - 0.32)	0.80	0.01	(-0.2 - 0.22)	0.92
	R	0.49	0.69	0.84	0.02	(-0.05 - 0.1)	0.58	-0.05	(-0.34 - 0.23)	0.71	-0.09	(-0.3 - 0.12)	0.39
Pars Triangularis	L	0.60	0.61	0.77	0.04	(-0.04 - 0.12)	0.30	0.10	(-0.18 - 0.38)	0.49	-0.04	(-0.25 - 0.16)	0.68
	R	0.70	0.55	0.71	-0.04	(-0.12 - 0.03)	0.27	0.11	(-0.18 - 0.4)	0.46	-0.04	(-0.25 - 0.16)	0.68
Pericalcarine	L	2.93	0.03	0.12	0.00	(-0.07 - 0.08)	0.96	**0.41**	**(0.12 - 0.7)**	**5.19e-03**	0.11	(-0.1 - 0.31)	0.32
	R	2.77	0.04	0.14	0.06	(-0.02 - 0.13)	0.14	**0.33**	**(0.04 - 0.62)**	**0.03**	0.18	(-0.03 - 0.39)	0.09
Postcentral	L	1.57	0.19	0.36	-0.07	(-0.15 - 0.01)	0.07	0.00	(-0.29 - 0.28)	0.98	-0.16	(-0.37 - 0.05)	0.13
	R	3.20	0.02	0.10	**-0.11**	**(-0.19 - -0.04)**	**4.13e-03**	-0.20	(-0.49 - 0.09)	0.17	0.00	(-0.21 - 0.21)	1.00
Posterior Cingulate	L	2.46	0.06	0.19	**-0.09**	**(-0.17 - -0.02)**	**0.02**	-0.19	(-0.47 - 0.1)	0.20	0.03	(-0.17 - 0.24)	0.75
	R	3.42	0.02	0.08	**-0.12**	**(-0.2 - -0.05)**	**1.42e-03**	-0.09	(-0.37 - 0.19)	0.54	-0.05	(-0.25 - 0.16)	0.65
Precentral	L	2.06	0.10	0.26	**-0.10**	**(-0.17 - -0.02)**	**0.01**	-0.07	(-0.35 - 0.21)	0.64	-0.05	(-0.26 - 0.15)	0.62
	R	3.47	0.02	0.08	**-0.12**	**(-0.19 - -0.04)**	**2.68e-03**	-0.01	(-0.29 - 0.27)	0.95	0.06	(-0.15 - 0.26)	0.60
Precuneus	L	3.77	0.01	0.06	**-0.11**	**(-0.18 - -0.03)**	**5.80e-03**	0.14	(-0.14 - 0.43)	0.33	0.09	(-0.12 - 0.3)	0.41
	R	2.96	0.03	0.12	**-0.12**	**(-0.19 - -0.04)**	**3.06e-03**	-0.05	(-0.33 - 0.24)	0.74	-0.09	(-0.29 - 0.12)	0.41
Rostral Anterior	L	1.77	0.15	0.31	**-0.08**	**(-0.16 - -0.01)**	**0.03**	-0.10	(-0.39 - 0.19)	0.50	-0.11	(-0.32 - 0.09)	0.28

Cingulate	R	1.97	0.12	0.28	-0.08	(-0.15 - 0)	0.05	0.15	(-0.13 - 0.43)	0.30	-0.10	(-0.31 - 0.1)	0.33
Rostral Middle Frontal	L	4.11	6.45e-03	0.06	**-0.12**	**(-0.2 - -0.05)**	**1.61e-03**	-0.25	(-0.54 - 0.04)	0.09	0.02	(-0.19 - 0.23)	0.86
	R	2.69	0.04	0.15	**-0.11**	**(-0.18 - -0.03)**	**5.32e-03**	-0.13	(-0.42 - 0.15)	0.37	-0.07	(-0.28 - 0.14)	0.51
Superior Frontal	L	1.59	0.19	0.36	**-0.08**	**(-0.16 - -0.01)**	**0.03**	-0.07	(-0.36 - 0.21)	0.62	-0.01	(-0.21 - 0.2)	0.96
	R	1.62	0.18	0.35	**-0.08**	**(-0.15 - 0)**	**0.05**	-0.04	(-0.33 - 0.24)	0.78	0.06	(-0.15 - 0.26)	0.59
Superior Parietal	L	2.12	0.10	0.25	**-0.09**	**(-0.17 - -0.01)**	**0.02**	-0.02	(-0.3 - 0.26)	0.90	0.05	(-0.15 - 0.26)	0.61
	R	4.16	5.98e-03	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.78e-03**	-0.05	(-0.33 - 0.24)	0.75	0.13	(-0.07 - 0.34)	0.21
Superior Temporal	L	2.77	0.04	0.14	**-0.11**	**(-0.19 - -0.03)**	**4.85e-03**	-0.10	(-0.39 - 0.18)	0.48	-0.01	(-0.21 - 0.2)	0.96
	R	**4.52**	**3.64e-03**	**0.05**	**-0.13**	**(-0.21 - -0.06)**	**7.14e-04**	-0.20	(-0.49 - 0.09)	0.17	-0.19	(-0.39 - 0.02)	0.08
Supramarginal	L	1.53	0.21	0.38	**-0.08**	**(-0.15 - 0)**	**0.05**	-0.05	(-0.33 - 0.23)	0.73	-0.13	(-0.33 - 0.08)	0.22
	R	1.84	0.14	0.30	**-0.09**	**(-0.16 - -0.01)**	**0.03**	-0.11	(-0.39 - 0.18)	0.46	0.01	(-0.19 - 0.22)	0.89
Temporal Pole	L	1.05	0.37	0.54	-0.07	(-0.14 - 0.01)	0.09	-0.02	(-0.31 - 0.26)	0.87	-0.09	(-0.3 - 0.11)	0.37
	R	1.66	0.17	0.34	**-0.09**	**(-0.16 - -0.01)**	**0.03**	-0.05	(-0.33 - 0.24)	0.74	-0.03	(-0.24 - 0.17)	0.74
Transverse Temporal	L	0.45	0.72	0.85	-0.04	(-0.12 - 0.03)	0.28	-0.01	(-0.3 - 0.27)	0.93	-0.07	(-0.27 - 0.14)	0.52
	R	2.80	0.04	0.14	**-0.08**	**(-0.16 - 0)**	**0.04**	**-0.33**	**(-0.62 - -0.05)**	**0.02**	-0.03	(-0.24 - 0.18)	0.80
Surface Area													
Banks of the Superior Temporal Sulcus	L	1.27	0.28	0.47	-0.07	(-0.15 - 0.01)	0.08	0.09	(-0.2 - 0.38)	0.54	-0.04	(-0.25 - 0.17)	0.68
	R	2.25	0.08	0.22	-0.07	(-0.14 - 0.01)	0.09	0.19	(-0.09 - 0.47)	0.19	-0.16	(-0.36 - 0.05)	0.14
Caudal Anterior Cingulate	L	1.17	0.32	0.49	-0.02	(-0.1 - 0.06)	0.60	0.24	(-0.05 - 0.52)	0.10	-0.06	(-0.27 - 0.14)	0.55
	R	1.91	0.13	0.29	**-0.09**	**(-0.17 - -0.01)**	**0.02**	0.04	(-0.25 - 0.32)	0.80	-0.02	(-0.23 - 0.19)	0.85
Caudal Middle Frontal	L	0.99	0.40	0.57	-0.06	(-0.13 - 0.02)	0.16	0.10	(-0.18 - 0.39)	0.47	0.01	(-0.2 - 0.21)	0.93
	R	1.86	0.13	0.29	-0.05	(-0.12 - 0.03)	0.24	0.21	(-0.08 - 0.49)	0.15	0.11	(-0.1 - 0.32)	0.29
Cuneus	L	2.21	0.09	0.23	-0.07	(-0.14 - 0.01)	0.09	0.24	(-0.04 - 0.53)	0.10	-0.03	(-0.24 - 0.18)	0.75
	R	1.73	0.16	0.32	**-0.08**	**(-0.16 - -0.01)**	**0.03**	0.04	(-0.24 - 0.33)	0.78	-0.10	(-0.31 - 0.11)	0.36
Entorhinal	L	2.64	0.05	0.16	**-0.11**	**(-0.18 - -0.03)**	**5.67e-03**	-0.12	(-0.4 - 0.17)	0.42	-0.04	(-0.24 - 0.17)	0.74
	R	1.40	0.24	0.42	-0.05	(-0.12 - 0.03)	0.25	-0.05	(-0.33 - 0.23)	0.74	0.15	(-0.06 - 0.36)	0.16
Frontal Pole	L	0.48	0.70	0.84	0.04	(-0.04 - 0.11)	0.34	0.04	(-0.24 - 0.32)	0.79	0.09	(-0.11 - 0.3)	0.37
	R	1.94	0.12	0.28	0.04	(-0.03 - 0.12)	0.27	**0.32**	**(0.03 - 0.6)**	**0.03**	-0.03	(-0.24 - 0.17)	0.76
Fusiform	L	1.82	0.14	0.30	-0.04	(-0.12 - 0.03)	0.27	0.23	(-0.05 - 0.52)	0.11	-0.13	(-0.33 - 0.08)	0.23

	R	2.68	0.05	0.15	**-0.08**	**(-0.16 - -0.01)**	**0.03**	0.23	(-0.06 - 0.51)	0.12	-0.05	(-0.25 - 0.16)	0.65
Inferior Parietal	L	0.95	0.41	0.58	-0.06	(-0.14 - 0.02)	0.13	0.01	(-0.27 - 0.29)	0.96	-0.10	(-0.3 - 0.11)	0.35
	R	1.96	0.12	0.28	**-0.08**	**(-0.16 - -0.01)**	**0.03**	0.03	(-0.25 - 0.31)	0.84	-0.15	(-0.35 - 0.06)	0.16
Inferior Temporal	L	0.81	0.49	0.66	-0.04	(-0.12 - 0.04)	0.29	0.14	(-0.14 - 0.43)	0.32	-0.03	(-0.24 - 0.17)	0.75
	R	2.42	0.06	0.19	-0.02	(-0.1 - 0.06)	0.62	**0.34**	**(0.05 - 0.62)**	**0.02**	-0.11	(-0.32 - 0.09)	0.28
Insula	L	0.98	0.40	0.57	-0.06	(-0.14 - 0.01)	0.11	-0.10	(-0.39 - 0.18)	0.47	0.01	(-0.2 - 0.21)	0.95
	R	0.37	0.78	0.88	-0.04	(-0.12 - 0.04)	0.31	-0.03	(-0.32 - 0.25)	0.84	-0.05	(-0.25 - 0.16)	0.65
Isthmus Cingulate	L	0.16	0.93	0.96	-0.01	(-0.09 - 0.06)	0.72	0.06	(-0.23 - 0.34)	0.69	-0.05	(-0.25 - 0.16)	0.67
	R	3.48	0.02	0.08	**0.08**	**(0 - 0.15)**	**0.04**	**0.41**	**(0.12 - 0.69)**	**5.47e-03**	0.05	(-0.15 - 0.26)	0.61
Lateral Occipital	L	3.73	0.01	0.06	0.00	(-0.08 - 0.07)	0.93	**0.40**	**(0.12 - 0.69)**	**5.73e-03**	-0.19	(-0.39 - 0.02)	0.08
	R	0.62	0.60	0.75	-0.03	(-0.1 - 0.05)	0.47	0.15	(-0.13 - 0.43)	0.30	-0.03	(-0.24 - 0.18)	0.81
Lateral Orbitofrontal	L	0.32	0.81	0.90	-0.02	(-0.1 - 0.05)	0.59	0.01	(-0.27 - 0.3)	0.93	0.07	(-0.13 - 0.28)	0.49
	R	0.34	0.80	0.89	-0.03	(-0.11 - 0.04)	0.39	0.04	(-0.25 - 0.32)	0.79	0.02	(-0.18 - 0.23)	0.83
Lingual	L	1.12	0.34	0.51	-0.05	(-0.13 - 0.02)	0.16	-0.13	(-0.41 - 0.16)	0.38	-0.13	(-0.34 - 0.08)	0.22
	R	0.53	0.66	0.81	-0.02	(-0.09 - 0.06)	0.66	0.16	(-0.13 - 0.45)	0.27	-0.02	(-0.23 - 0.18)	0.82
Medial Orbitofrontal	L	0.13	0.94	0.97	-0.02	(-0.09 - 0.06)	0.66	0.05	(-0.24 - 0.33)	0.75	-0.03	(-0.24 - 0.18)	0.78
	R	1.57	0.19	0.36	**-0.08**	**(-0.15 - 0)**	**0.04**	-0.02	(-0.3 - 0.27)	0.91	-0.12	(-0.33 - 0.09)	0.26
Middle Temporal	L	0.73	0.54	0.70	0.00	(-0.07 - 0.08)	0.95	0.21	(-0.08 - 0.49)	0.15	0.04	(-0.17 - 0.25)	0.71
	R	1.17	0.32	0.49	-0.07	(-0.14 - 0.01)	0.09	0.02	(-0.26 - 0.3)	0.90	-0.11	(-0.31 - 0.1)	0.30
Paracentral	L	0.17	0.92	0.96	-0.03	(-0.1 - 0.05)	0.50	0.01	(-0.27 - 0.29)	0.94	0.00	(-0.21 - 0.2)	0.97
	R	0.84	0.47	0.65	-0.01	(-0.08 - 0.07)	0.88	0.00	(-0.29 - 0.28)	0.99	0.16	(-0.05 - 0.37)	0.13
Parahippocampal	L	1.52	0.21	0.38	-0.04	(-0.11 - 0.04)	0.37	-0.27	(-0.56 - 0.01)	0.06	-0.10	(-0.3 - 0.11)	0.35
	R	0.75	0.52	0.70	0.06	(-0.02 - 0.13)	0.15	0.05	(-0.24 - 0.33)	0.75	0.08	(-0.13 - 0.28)	0.47
Pars Opercularis	L	2.11	0.10	0.25	**-0.09**	**(-0.17 - -0.01)**	**0.02**	-0.14	(-0.42 - 0.15)	0.35	0.03	(-0.18 - 0.23)	0.79
	R	0.59	0.62	0.77	-0.03	(-0.1 - 0.05)	0.49	0.07	(-0.22 - 0.35)	0.64	0.09	(-0.12 - 0.3)	0.40
Pars Orbitalis	L	1.12	0.34	0.51	0.01	(-0.07 - 0.09)	0.78	0.19	(-0.09 - 0.47)	0.19	0.14	(-0.06 - 0.35)	0.18
	R	0.69	0.56	0.71	0.03	(-0.05 - 0.11)	0.45	0.17	(-0.11 - 0.46)	0.23	0.07	(-0.14 - 0.28)	0.51
Pars Triangularis	L	1.25	0.29	0.47	-0.07	(-0.14 - 0.01)	0.08	0.01	(-0.27 - 0.29)	0.95	0.05	(-0.16 - 0.25)	0.65
	R	0.18	0.91	0.96	0.01	(-0.06 -	0.76	0.10	(-0.18 -	0.49	0.00	(-0.2 - 0.21)	0.99

						0.09)			0.38)				
Pericalcarine	L	1.05	0.37	0.54	-0.05	(-0.13 - 0.02)	0.16	0.13	(-0.16 - 0.42)	0.38	-0.01	(-0.21 - 0.2)	0.95
	R	2.27	0.08	0.22	**-0.10**	**(-0.18 - -0.02)**	**9.71e-03**	-0.07	(-0.36 - 0.22)	0.65	-0.08	(-0.29 - 0.13)	0.43
Postcentral	L	0.10	0.96	0.97	0.01	(-0.07 - 0.08)	0.85	-0.02	(-0.3 - 0.26)	0.88	-0.05	(-0.25 - 0.16)	0.67
	R	1.24	0.30	0.48	-0.04	(-0.12 - 0.04)	0.29	-0.24	(-0.53 - 0.04)	0.10	0.02	(-0.18 - 0.23)	0.83
Posterior Cingulate	L	1.39	0.24	0.42	-0.05	(-0.12 - 0.03)	0.22	0.14	(-0.14 - 0.43)	0.32	-0.14	(-0.35 - 0.07)	0.19
	R	1.76	0.15	0.31	-0.06	(-0.14 - 0.01)	0.10	-0.01	(-0.3 - 0.27)	0.93	-0.20	(-0.4 - 0.01)	0.06
Precentral	L	1.20	0.31	0.49	0.04	(-0.03 - 0.12)	0.29	0.25	(-0.04 - 0.53)	0.09	0.03	(-0.18 - 0.24)	0.77
	R	0.23	0.87	0.94	0.01	(-0.07 - 0.09)	0.77	0.12	(-0.17 - 0.4)	0.43	0.03	(-0.18 - 0.23)	0.80
Precuneus	L	1.05	0.37	0.54	-0.04	(-0.11 - 0.04)	0.34	-0.12	(-0.4 - 0.16)	0.41	-0.16	(-0.36 - 0.05)	0.13
	R	0.44	0.73	0.85	-0.04	(-0.11 - 0.04)	0.34	-0.11	(-0.39 - 0.18)	0.46	-0.04	(-0.25 - 0.17)	0.71
Rostral Anterior Cingulate	L	3.78	0.01	0.06	**-0.12**	**(-0.2 - -0.05)**	**1.75e-03**	0.08	(-0.2 - 0.36)	0.59	0.02	(-0.19 - 0.22)	0.87
	R	2.16	0.09	0.24	**-0.09**	**(-0.16 - -0.01)**	**0.02**	0.08	(-0.21 - 0.36)	0.59	0.04	(-0.17 - 0.25)	0.71
Rostral Middle Frontal	L	2.43	0.06	0.19	-0.02	(-0.1 - 0.06)	0.62	**0.34**	**(0.05 - 0.62)**	**0.02**	-0.12	(-0.32 - 0.09)	0.27
	R	**4.48**	**3.81e-03**	**0.05**	-0.02	(-0.1 - 0.05)	0.58	**0.41**	**(0.13 - 0.69)**	**4.73e-03**	**-0.22**	**(-0.43 - -0.02)**	**0.03**
Superior Frontal	L	3.24	0.02	0.10	-0.06	(-0.14 - 0.02)	0.13	0.28	(0 - 0.56)	0.05	0.14	(-0.06 - 0.35)	0.17
	R	3.65	0.01	0.06	**-0.12**	**(-0.19 - -0.04)**	**2.39e-03**	0.10	(-0.18 - 0.39)	0.47	0.01	(-0.2 - 0.21)	0.95
Superior Parietal	L	0.12	0.95	0.97	0.01	(-0.07 - 0.08)	0.83	-0.06	(-0.34 - 0.22)	0.69	0.04	(-0.17 - 0.25)	0.71
	R	0.63	0.59	0.75	0.02	(-0.06 - 0.09)	0.66	0.17	(-0.11 - 0.45)	0.24	-0.06	(-0.27 - 0.15)	0.58
Superior Temporal	L	0.15	0.93	0.96	-0.03	(-0.1 - 0.05)	0.51	-0.02	(-0.31 - 0.27)	0.90	-0.01	(-0.22 - 0.19)	0.89
	R	0.91	0.44	0.60	-0.06	(-0.13 - 0.02)	0.14	0.02	(-0.26 - 0.3)	0.89	-0.10	(-0.31 - 0.11)	0.35
Supramarginal	L	2.82	0.04	0.14	**-0.10**	**(-0.18 - -0.02)**	**0.01**	-0.21	(-0.5 - 0.08)	0.16	-0.14	(-0.35 - 0.06)	0.18
	R	1.47	0.22	0.40	-0.07	(-0.14 - 0.01)	0.09	-0.11	(-0.39 - 0.17)	0.45	-0.15	(-0.36 - 0.06)	0.15
Temporal Pole	L	0.06	0.98	0.98	-0.01	(-0.08 - 0.07)	0.88	-0.06	(-0.34 - 0.23)	0.70	0.01	(-0.2 - 0.21)	0.96
	R	3.25	0.02	0.10	0.03	(-0.05 - 0.11)	0.42	0.24	(-0.04 - 0.52)	0.10	**0.29**	**(0.08 - 0.5)**	**6.33e-03**
Transverse Temporal	L	1.16	0.32	0.49	-0.05	(-0.13 - 0.03)	0.20	-0.18	(-0.46 - 0.11)	0.23	0.06	(-0.14 - 0.27)	0.56
	R	0.96	0.41	0.58	-0.01	(-0.09 - 0.06)	0.71	0.02	(-0.27 - 0.3)	0.91	-0.18	(-0.38 - 0.03)	0.09
Subcortical Volume													
Amygdala	L	0.73	0.54	0.70	-0.04	(-0.12 - 0.03)	0.26	0.08	(-0.2 - 0.37)	0.56	0.04	(-0.17 - 0.25)	0.71

	R	3.05	0.03	0.12	**-0.10**	**(-0.17 - -0.02)**	**0.01**	0.19	(-0.09 - 0.47)	0.19	0.00	(-0.21 - 0.2)	0.98
Caudate	L	0.47	0.71	0.84	0.02	(-0.06 - 0.1)	0.60	-0.14	(-0.43 - 0.15)	0.35	-0.02	(-0.23 - 0.19)	0.84
	R	0.25	0.86	0.93	-0.02	(-0.1 - 0.06)	0.62	-0.11	(-0.39 - 0.18)	0.45	-0.03	(-0.24 - 0.18)	0.78
Hippocampus	L	1.25	0.29	0.47	-0.07	(-0.15 - 0)	0.07	-0.07	(-0.35 - 0.22)	0.65	0.02	(-0.19 - 0.23)	0.85
	R	**5.59**	**8.01e-04**	**0.02**	**-0.16**	**(-0.23 - -0.08)**	**6.45e-05**	-0.20	(-0.48 - 0.08)	0.17	-0.06	(-0.26 - 0.15)	0.59
Lateral Ventricles	L	4.09	6.54e-03	0.06	**0.13**	**(0.05 - 0.2)**	**1.12e-03**	-0.02	(-0.31 - 0.27)	0.88	-0.05	(-0.26 - 0.15)	0.62
	R	3.79	9.99e-03	0.06	**0.11**	**(0.04 - 0.19)**	**3.65e-03**	-0.18	(-0.47 - 0.11)	0.22	0.11	(-0.1 - 0.32)	0.30
Nucleus Accumbens	L	0.28	0.84	0.91	-0.01	(-0.09 - 0.06)	0.76	-0.10	(-0.38 - 0.19)	0.51	-0.07	(-0.28 - 0.14)	0.50
	R	0.05	0.98	0.98	0.01	(-0.07 - 0.09)	0.81	-0.03	(-0.32 - 0.25)	0.82	-0.01	(-0.22 - 0.2)	0.92
Pallidum	L	0.35	0.79	0.89	-0.02	(-0.1 - 0.05)	0.55	0.02	(-0.26 - 0.3)	0.88	0.07	(-0.13 - 0.28)	0.49
	R	1.06	0.36	0.54	-0.03	(-0.1 - 0.05)	0.52	-0.09	(-0.37 - 0.19)	0.53	0.15	(-0.06 - 0.36)	0.16
Putamen	L	0.16	0.93	0.96	-0.01	(-0.08 - 0.07)	0.86	0.04	(-0.24 - 0.33)	0.78	-0.06	(-0.27 - 0.14)	0.55
	R	0.31	0.82	0.91	-0.02	(-0.09 - 0.06)	0.67	0.10	(-0.19 - 0.4)	0.48	0.03	(-0.17 - 0.24)	0.74
Thalamus	L	1.30	0.27	0.46	-0.05	(-0.13 - 0.03)	0.20	0.04	(-0.25 - 0.32)	0.80	0.12	(-0.08 - 0.33)	0.24
	R	2.45	0.06	0.19	**-0.09**	**(-0.17 - -0.02)**	**0.02**	-0.09	(-0.37 - 0.19)	0.53	0.08	(-0.13 - 0.28)	0.47
Global													
Estimated Intracranial Volume	N/A	4.28	5.03e-03	0.06	**-0.13**	**(-0.21 - -0.06)**	**5.20e-04**	-0.15	(-0.43 - 0.13)	0.29	-0.14	(-0.35 - 0.07)	0.18
Mean Cortical Thickness		**5.87**	**5.42e-04**	**0.02**	**-0.16**	**(-0.24 - -0.09)**	**3.06e-05**	-0.12	(-0.4 - 0.17)	0.43	-0.05	(-0.26 - 0.16)	0.64
Total Surface Area		**6.29**	**3.01e-04**	**0.02**	**-0.16**	**(-0.24 - -0.09)**	**3.37e-05**	0.03	(-0.25 - 0.31)	0.84	-0.19	(-0.39 - 0.02)	0.08

Results marked in bold are significant at q<0.05 (the overall effect) or at p<0.05 (pairwise comparisons). Pairwise comparisons shown in this table are APS/BIPS/GRD < HC. CHR subgroup comparisons are reported in part B.

eTable 12B. CHR subgroup (APS vs. BIPS vs. GRD vs. HC) effect size overview (continued)

		Overall Test Statistics			APS < BIPS			APS < GRD			GRD < BIPS		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	2.41	0.07	0.19	-0.14	(0.15 - -0.43)	0.33	-0.16	(0.05 - -0.37)	0.14	0.02	(-0.33 - 0.37)	0.93
	R	4.18	5.84e-03	0.06	-0.19	(0.09 - -0.48)	0.18	-0.04	(0.17 - -0.25)	0.73	-0.16	(-0.51 - 0.18)	0.37
Caudal Anterior Cingulate	L	1.81	0.14	0.30	0.20	(0.48 - -0.09)	0.18	-0.06	(0.15 - -0.27)	0.58	0.26	(-0.08 - 0.61)	0.15
	R	3.94	8.08e-03	0.06	0.14	(0.42 - -0.15)	0.35	**-0.29**	**(-0.08 - -0.5)**	**6.30e-03**	**0.44**	**(0.09 - 0.78)**	**0.01**
Caudal Middle Frontal	L	2.36	0.07	0.20	0.13	(0.42 - -0.16)	0.39	-0.11	(0.09 - -0.32)	0.28	0.25	(-0.1 - 0.6)	0.17
	R	3.98	7.73e-03	0.06	-0.18	(0.11 - -0.46)	0.22	-0.21	(0 - -0.41)	0.05	0.03	(-0.32 - 0.37)	0.88
Cuneus	L	1.44	0.23	0.41	-0.28	(0.01 - -0.57)	0.06	-0.09	(0.12 - -0.3)	0.40	-0.22	(-0.56 - 0.13)	0.28
	R	2.55	0.05	0.17	**-0.38**	**(-0.1 - -0.67)**	**7.95e-03**	-0.02	(0.19 - -0.23)	0.84	**-0.43**	**(-0.78 - -0.09)**	**0.04**
Entorhinal	L	0.29	0.83	0.91	0.10	(0.39 - -0.18)	0.48	0.07	(0.27 - -0.14)	0.52	0.04	(-0.3 - 0.38)	0.84
	R	0.75	0.52	0.70	0.12	(0.41 - -0.16)	0.40	0.09	(0.3 - -0.12)	0.40	0.03	(-0.31 - 0.38)	0.85
Frontal Pole	L	1.21	0.30	0.49	-0.22	(0.06 - -0.5)	0.13	-0.06	(0.15 - -0.27)	0.58	-0.16	(-0.51 - 0.18)	0.36
	R	1.47	0.22	0.40	0.12	(0.41 - -0.17)	0.41	-0.10	(0.11 - -0.31)	0.36	0.23	(-0.12 - 0.57)	0.22
Fusiform	L	**5.81**	**5.92e-04**	**0.02**	-0.08	(0.2 - -0.36)	0.58	-0.17	(0.04 - -0.37)	0.12	0.09	(-0.25 - 0.43)	0.62
	R	1.86	0.13	0.29	-0.10	(0.19 - -0.38)	0.51	-0.02	(0.19 - -0.22)	0.87	-0.08	(-0.42 - 0.26)	0.65
Inferior Parietal	L	**6.35**	**2.75e-04**	**0.02**	0.06	(0.35 - -0.22)	0.68	**-0.21**	**(-0.01 - -0.42)**	**0.04**	0.29	(-0.06 - 0.63)	0.12
	R	3.93	8.24e-03	0.06	-0.05	(0.23 - -0.34)	0.73	**-0.23**	**(-0.03 - -0.44)**	**0.03**	0.19	(-0.16 - 0.53)	0.30
Inferior Temporal	L	2.94	0.03	0.12	0.00	(0.28 - -0.29)	0.97	0.08	(0.29 - -0.13)	0.45	-0.09	(-0.43 - 0.25)	0.63
	R	3.83	9.51e-03	0.06	0.03	(0.32 - -0.25)	0.82	0.00	(0.21 - -0.21)	1.00	0.03	(-0.31 - 0.38)	0.86
Insula	L	**5.56**	**8.41e-04**	**0.02**	-0.09	(0.19 - -0.38)	0.52	0.06	(0.27 - -0.14)	0.56	-0.16	(-0.5 - 0.18)	0.37
	R	**4.80**	**2.46e-03**	**0.04**	0.11	(0.4 - -0.17)	0.43	-0.03	(0.17 - -0.24)	0.75	0.15	(-0.19 - 0.49)	0.40
Isthmus Cingulate	L	0.58	0.63	0.77	0.18	(0.46 - -0.11)	0.23	-0.05	(0.16 - -0.25)	0.66	0.23	(-0.11 - 0.58)	0.21
	R	0.46	0.71	0.84	-0.01	(0.27 - -0.3)	0.94	-0.03	(0.18 - -0.24)	0.77	0.02	(-0.32 - 0.37)	0.91
Lateral Occipital	L	3.72	0.01	0.06	0.01	(0.29 - -0.28)	0.97	-0.20	(0.01 - -0.4)	0.07	0.21	(-0.13 - 0.55)	0.25
	R	**4.58**	**3.31e-03**	**0.05**	0.06	(0.35 - -0.22)	0.66	-0.07	(0.14 - -0.28)	0.52	0.14	(-0.21 - 0.48)	0.46
						(0.26 -			(0.05 -			(-0.22 -	

Lateral Orbitofrontal	L	2.03	0.11	0.27	-0.03	-0.31)	0.84	-0.16	-0.36)	0.14	0.13	0.47)	0.47
	R	1.71	0.16	0.32	-0.09	(0.2 - -0.37)	0.56	-0.12	(0.08 - -0.33)	0.24	0.04	(-0.31 - 0.39)	0.83
Lingual	L	1.87	0.13	0.29	**-0.31**	**(-0.03 - -0.6)**	**0.03**	-0.11	(0.1 - -0.32)	0.32	-0.22	(-0.57 - 0.12)	0.25
	R	0.23	0.88	0.94	-0.09	(0.19 - -0.38)	0.52	-0.05	(0.16 - -0.26)	0.62	-0.05	(-0.39 - 0.3)	0.82
Medial Orbitofrontal	L	**4.57**	**3.38e-03**	**0.05**	-0.12	(0.17 - -0.4)	0.43	0.02	(0.22 - -0.19)	0.88	-0.14	(-0.48 - 0.2)	0.46
	R	2.61	0.05	0.16	-0.08	(0.21 - -0.36)	0.59	-0.12	(0.08 - -0.33)	0.24	0.05	(-0.3 - 0.39)	0.80
Middle Temporal	L	1.95	0.12	0.28	0.00	(0.29 - -0.29)	1.00	-0.05	(0.15 - -0.26)	0.62	0.06	(-0.29 - 0.4)	0.77
	R	**7.38**	**6.35e-05**	**9.84e-03**	0.03	(0.31 - -0.26)	0.85	-0.14	(0.07 - -0.35)	0.20	0.17	(-0.17 - 0.52)	0.35
Paracentral	L	**5.17**	**1.45e-03**	**0.03**	-0.23	(0.06 - -0.51)	0.12	-0.15	(0.05 - -0.36)	0.14	-0.08	(-0.42 - 0.27)	0.68
	R	3.07	0.03	0.12	**-0.31**	**(-0.02 - -0.59)**	**0.03**	-0.12	(0.09 - -0.32)	0.27	-0.20	(-0.54 - 0.14)	0.28
Parahippocampal	L	3.82	9.55e-03	0.06	-0.28	(0.01 - -0.56)	0.06	-0.01	(0.2 - -0.22)	0.92	-0.27	(-0.61 - 0.07)	0.13
	R	1.31	0.27	0.46	-0.19	(0.09 - -0.47)	0.19	0.02	(0.23 - -0.18)	0.84	-0.22	(-0.56 - 0.13)	0.23
Pars Opercularis	L	0.70	0.55	0.71	-0.18	(0.11 - -0.47)	0.22	-0.05	(0.16 - -0.25)	0.66	-0.14	(-0.48 - 0.21)	0.46
	R	0.41	0.74	0.86	-0.06	(0.23 - -0.34)	0.70	-0.05	(0.16 - -0.25)	0.65	-0.01	(-0.35 - 0.33)	0.96
Pars Orbitalis	L	0.40	0.76	0.87	-0.08	(0.21 - -0.36)	0.60	-0.05	(0.16 - -0.26)	0.64	-0.03	(-0.37 - 0.31)	0.88
	R	0.49	0.69	0.84	0.08	(0.36 - -0.21)	0.60	0.12	(0.33 - -0.1)	0.28	-0.04	(-0.39 - 0.31)	0.82
Pars Triangularis	L	0.60	0.61	0.77	-0.06	(0.22 - -0.34)	0.68	0.08	(0.29 - -0.12)	0.42	-0.15	(-0.49 - 0.19)	0.41
	R	0.70	0.55	0.71	-0.15	(0.13 - -0.44)	0.30	0.00	(0.21 - -0.21)	1.00	-0.16	(-0.51 - 0.19)	0.39
Pericalcarine	L	2.93	0.03	0.12	**-0.41**	**(-0.12 - -0.7)**	**5.39e-03**	-0.10	(0.1 - -0.31)	0.33	-0.35	(-0.69 - 0)	0.08
	R	2.77	0.04	0.14	-0.27	(0.02 - -0.56)	0.07	-0.12	(0.09 - -0.33)	0.25	-0.17	(-0.52 - 0.18)	0.41
Postcentral	L	1.57	0.19	0.36	-0.07	(0.22 - -0.36)	0.64	0.09	(0.3 - -0.12)	0.40	-0.17	(-0.52 - 0.17)	0.37
	R	3.20	0.02	0.10	0.09	(0.38 - -0.2)	0.55	-0.12	(0.09 - -0.32)	0.27	0.23	(-0.12 - 0.58)	0.25
Posterior Cingulate	L	2.46	0.06	0.19	0.09	(0.38 - -0.2)	0.54	-0.13	(0.08 - -0.34)	0.22	0.23	(-0.12 - 0.57)	0.21
	R	3.42	0.02	0.08	-0.04	(0.24 - -0.32)	0.79	-0.08	(0.13 - -0.29)	0.46	0.04	(-0.3 - 0.39)	0.81
Precentral	L	2.06	0.10	0.26	-0.03	(0.25 - -0.31)	0.83	-0.05	(0.16 - -0.25)	0.66	0.02	(-0.32 - 0.36)	0.93
	R	3.47	0.02	0.08	-0.11	(0.17 - -0.39)	0.44	-0.18	(0.03 - -0.38)	0.10	0.07	(-0.27 - 0.41)	0.71
Precuneus	L	3.77	0.01	0.06	-0.25	(0.03 - -0.54)	0.09	-0.20	(0.01 - -0.41)	0.06	-0.06	(-0.4 - 0.29)	0.76
	R	2.96	0.03	0.12	-0.07	(0.22 - -0.36)	0.63	-0.03	(0.18 - -0.24)	0.78	-0.04	(-0.39 - 0.3)	0.82
Rostral Anterior	L	1.77	0.15	0.31	0.01	(0.3 - -0.27)	0.92	0.03	(0.23 - -0.18)	0.79	-0.01	(-0.36 - 0.33)	0.94

Cingulate	R	1.97	0.12	0.28	-0.23	(0.06 - -0.51)	0.12	0.03	(0.23 - -0.18)	0.81	-0.27	(-0.61 - 0.07)	0.15
Rostral Middle Frontal	L	4.11	6.45e-03	0.06	0.12	(0.41 - -0.16)	0.40	-0.14	(0.06 - -0.35)	0.17	0.27	(-0.07 - 0.62)	0.13
	R	2.69	0.04	0.15	0.02	(0.31 - -0.27)	0.89	-0.04	(0.17 - -0.25)	0.70	0.06	(-0.28 - 0.41)	0.73
Superior Frontal	L	1.59	0.19	0.36	-0.01	(0.27 - -0.3)	0.93	-0.08	(0.13 - -0.29)	0.45	0.07	(-0.27 - 0.41)	0.70
	R	1.62	0.18	0.35	-0.04	(0.25 - -0.32)	0.79	-0.14	(0.07 - -0.34)	0.20	0.10	(-0.24 - 0.44)	0.58
Superior Parietal	L	2.12	0.10	0.25	-0.07	(0.21 - -0.36)	0.61	-0.15	(0.06 - -0.35)	0.17	0.07	(-0.27 - 0.42)	0.69
	R	4.16	5.98e-03	0.06	-0.07	(0.21 - -0.36)	0.61	**-0.25**	**(-0.05 - -0.46)**	**0.02**	0.19	(-0.16 - 0.53)	0.31
Superior Temporal	L	2.77	0.04	0.14	-0.01	(0.28 - -0.3)	0.96	-0.11	(0.1 - -0.32)	0.32	0.10	(-0.24 - 0.45)	0.58
	R	**4.52**	**3.64e-03**	**0.05**	0.07	(0.36 - -0.22)	0.65	0.05	(0.26 - -0.15)	0.62	0.02	(-0.33 - 0.36)	0.93
Supramarginal	L	1.53	0.21	0.38	-0.03	(0.25 - -0.31)	0.85	0.05	(0.26 - -0.16)	0.63	-0.09	(-0.43 - 0.25)	0.65
	R	1.84	0.14	0.30	0.02	(0.3 - -0.27)	0.90	-0.10	(0.1 - -0.31)	0.33	0.13	(-0.21 - 0.48)	0.48
Temporal Pole	L	1.05	0.37	0.54	-0.04	(0.24 - -0.33)	0.76	0.03	(0.24 - -0.18)	0.79	-0.08	(-0.42 - 0.26)	0.68
	R	1.66	0.17	0.34	-0.04	(0.24 - -0.32)	0.77	-0.05	(0.15 - -0.26)	0.61	0.01	(-0.33 - 0.36)	0.94
Transverse Temporal	L	0.45	0.72	0.85	-0.03	(0.26 - -0.31)	0.84	0.02	(0.23 - -0.18)	0.81	-0.06	(-0.4 - 0.29)	0.76
	R	2.80	0.04	0.14	0.25	(0.54 - -0.03)	0.08	-0.05	(0.15 - -0.26)	0.61	0.31	(-0.03 - 0.66)	0.08
Surface Area													
Banks of the Superior Temporal Sulcus	L	1.27	0.28	0.47	-0.16	(0.13 - -0.45)	0.28	-0.03	(0.18 - -0.24)	0.81	-0.15	(-0.5 - 0.2)	0.45
	R	2.25	0.08	0.22	-0.26	(0.03 - -0.54)	0.08	0.09	(0.3 - -0.12)	0.39	**-0.36**	**(-0.71 - -0.02)**	**0.05**
Caudal Anterior Cingulate	L	1.17	0.32	0.49	-0.26	(0.03 - -0.54)	0.08	0.04	(0.25 - -0.16)	0.68	-0.31	(-0.66 - 0.04)	0.09
	R	1.91	0.13	0.29	-0.13	(0.16 - -0.41)	0.38	-0.07	(0.13 - -0.28)	0.50	-0.06	(-0.4 - 0.28)	0.74
Caudal Middle Frontal	L	0.99	0.40	0.57	-0.16	(0.12 - -0.45)	0.27	-0.07	(0.14 - -0.27)	0.54	-0.10	(-0.44 - 0.25)	0.59
	R	1.86	0.13	0.29	-0.25	(0.03 - -0.54)	0.08	-0.16	(0.05 - -0.37)	0.13	-0.10	(-0.44 - 0.24)	0.59
Cuneus	L	2.21	0.09	0.23	**-0.31**	**(-0.03 - -0.6)**	**0.03**	-0.03	(0.18 - -0.24)	0.75	-0.31	(-0.66 - 0.04)	0.12
	R	1.73	0.16	0.32	-0.13	(0.16 - -0.41)	0.39	0.01	(0.22 - -0.2)	0.90	-0.16	(-0.51 - 0.18)	0.43
Entorhinal	L	2.64	0.05	0.16	0.01	(0.29 - -0.28)	0.95	-0.07	(0.13 - -0.28)	0.48	0.09	(-0.26 - 0.43)	0.64
	R	1.40	0.24	0.42	0.00	(0.29 - -0.28)	0.98	-0.20	(0.01 - -0.4)	0.06	0.21	(-0.13 - 0.55)	0.25
Frontal Pole	L	0.48	0.70	0.84	0.00	(0.28 - -0.28)	0.99	-0.06	(0.15 - -0.26)	0.59	0.06	(-0.29 - 0.4)	0.75
	R	1.94	0.12	0.28	-0.27	(0.01 - -0.56)	0.06	0.08	(0.28 - -0.13)	0.48	**-0.36**	**(-0.7 - -0.02)**	**0.05**
Fusiform	L	1.82	0.14	0.30	-0.28	(0.01 - -0.56)	0.06	0.08	(0.29 - -0.12)	0.43	**-0.37**	**(-0.71 - -0.02)**	**0.04**

	R	2.68	0.05	0.15	**-0.31**	**(-0.03 - -0.59)**	**0.03**	-0.04	(0.17 - -0.24)	0.73	-0.28	(-0.62 - 0.06)	0.12
Inferior Parietal	L	0.95	0.41	0.58	-0.07	(0.21 - -0.35)	0.63	0.04	(0.24 - -0.17)	0.72	-0.11	(-0.45 - 0.23)	0.54
	R	1.96	0.12	0.28	-0.11	(0.17 - -0.4)	0.43	0.06	(0.27 - -0.14)	0.56	-0.18	(-0.52 - 0.16)	0.31
Inferior Temporal	L	0.81	0.49	0.66	-0.19	(0.1 - -0.47)	0.20	-0.01	(0.2 - -0.21)	0.94	-0.18	(-0.52 - 0.16)	0.31
	R	2.42	0.06	0.19	**-0.36**	**(-0.07 - -0.64)**	**0.01**	0.10	(0.3 - -0.11)	0.37	**-0.46**	**(-0.8 - -0.11)**	**9.76e-03**
Insula	L	0.98	0.40	0.57	0.04	(0.33 - -0.24)	0.78	-0.07	(0.14 - -0.28)	0.51	0.12	(-0.23 - 0.46)	0.53
	R	0.37	0.78	0.88	-0.01	(0.28 - -0.3)	0.95	0.01	(0.21 - -0.2)	0.95	-0.02	(-0.36 - 0.33)	0.92
Isthmus Cingulate	L	0.16	0.93	0.96	-0.07	(0.21 - -0.36)	0.62	0.03	(0.24 - -0.17)	0.76	-0.11	(-0.45 - 0.24)	0.56
	R	3.48	0.02	0.08	**-0.33**	**(-0.04 - -0.61)**	**0.03**	0.03	(0.23 - -0.18)	0.80	**-0.36**	**(-0.71 - -0.02)**	**0.04**
Lateral Occipital	L	3.73	0.01	0.06	**-0.41**	**(-0.12 - -0.69)**	**5.32e-03**	0.18	(0.39 - -0.03)	0.09	**-0.62**	**(-0.97 - -0.27)**	**8.48e-04**
	R	0.62	0.60	0.75	-0.18	(0.1 - -0.46)	0.22	0.00	(0.21 - -0.21)	0.98	-0.18	(-0.53 - 0.16)	0.31
Lateral Orbitofrontal	L	0.32	0.81	0.90	-0.04	(0.25 - -0.32)	0.81	-0.09	(0.11 - -0.3)	0.37	0.06	(-0.28 - 0.4)	0.74
	R	0.34	0.80	0.89	-0.07	(0.21 - -0.36)	0.62	-0.06	(0.15 - -0.26)	0.59	-0.02	(-0.36 - 0.33)	0.93
Lingual	L	1.12	0.34	0.51	0.07	(0.36 - -0.21)	0.62	0.08	(0.28 - -0.13)	0.47	0.00	(-0.35 - 0.34)	0.98
	R	0.53	0.66	0.81	-0.18	(0.11 - -0.47)	0.22	0.01	(0.21 - -0.2)	0.95	-0.21	(-0.56 - 0.14)	0.29
Medial Orbitofrontal	L	0.13	0.94	0.97	-0.06	(0.22 - -0.35)	0.66	0.01	(0.22 - -0.19)	0.91	-0.08	(-0.42 - 0.26)	0.66
	R	1.57	0.19	0.36	-0.06	(0.22 - -0.35)	0.66	0.04	(0.25 - -0.17)	0.71	-0.11	(-0.45 - 0.24)	0.56
Middle Temporal	L	0.73	0.54	0.70	-0.21	(0.08 - -0.49)	0.16	-0.04	(0.17 - -0.24)	0.72	-0.18	(-0.52 - 0.17)	0.34
	R	1.17	0.32	0.49	-0.09	(0.2 - -0.37)	0.56	0.04	(0.25 - -0.16)	0.69	-0.13	(-0.47 - 0.21)	0.47
Paracentral	L	0.17	0.92	0.96	-0.04	(0.24 - -0.32)	0.79	-0.02	(0.18 - -0.23)	0.83	-0.02	(-0.36 - 0.33)	0.93
	R	0.84	0.47	0.65	0.00	(0.28 - -0.29)	0.97	-0.17	(0.04 - -0.37)	0.11	0.17	(-0.17 - 0.51)	0.36
Parahippocampal	L	1.52	0.21	0.38	0.24	(0.52 - -0.04)	0.10	0.06	(0.27 - -0.14)	0.56	0.18	(-0.16 - 0.52)	0.31
	R	0.75	0.52	0.70	0.01	(0.29 - -0.27)	0.94	-0.02	(0.19 - -0.23)	0.85	0.03	(-0.31 - 0.37)	0.86
Pars Opercularis	L	2.11	0.10	0.25	0.05	(0.33 - -0.24)	0.76	-0.12	(0.09 - -0.33)	0.25	0.17	(-0.17 - 0.52)	0.34
	R	0.59	0.62	0.77	-0.09	(0.19 - -0.38)	0.51	-0.12	(0.09 - -0.32)	0.27	0.02	(-0.32 - 0.37)	0.90
Pars Orbitalis	L	1.12	0.34	0.51	-0.18	(0.11 - -0.46)	0.22	-0.13	(0.07 - -0.34)	0.21	-0.05	(-0.39 - 0.29)	0.79
	R	0.69	0.56	0.71	-0.14	(0.14 - -0.43)	0.32	-0.04	(0.17 - -0.25)	0.71	-0.11	(-0.45 - 0.23)	0.55
Pars Triangularis	L	1.25	0.29	0.47	-0.08	(0.2 - -0.36)	0.59	-0.12	(0.09 - -0.32)	0.27	0.04	(-0.3 - 0.38)	0.82
	R	0.18	0.91	0.96	-0.09	(0.19 -	0.54	0.01	(0.22 - -0.2)	0.92	-0.10	(-0.44 -	0.57

						-0.37)						0.24)	
Pericalcarine	L	1.05	0.37	0.54	-0.18	(0.1 - -0.47)	0.21	-0.05	(0.16 - -0.26)	0.64	-0.15	(-0.5 - 0.2)	0.45
	R	2.27	0.08	0.22	-0.04	(0.25 - -0.33)	0.81	-0.02	(0.19 - -0.23)	0.86	-0.02	(-0.37 - 0.33)	0.92
Postcentral	L	0.10	0.96	0.97	0.03	(0.31 - -0.25)	0.84	0.05	(0.26 - -0.15)	0.62	-0.03	(-0.37 - 0.32)	0.89
	R	1.24	0.30	0.48	0.20	(0.49 - -0.08)	0.17	-0.07	(0.14 - -0.27)	0.53	0.29	(-0.05 - 0.64)	0.13
Posterior Cingulate	L	1.39	0.24	0.42	-0.19	(0.09 - -0.47)	0.18	0.09	(0.3 - -0.12)	0.39	-0.30	(-0.64 - 0.04)	0.10
	R	1.76	0.15	0.31	-0.05	(0.23 - -0.33)	0.72	0.13	(0.34 - -0.07)	0.21	-0.19	(-0.53 - 0.15)	0.29
Precentral	L	1.20	0.31	0.49	-0.20	(0.08 - -0.49)	0.16	0.01	(0.22 - -0.2)	0.91	-0.22	(-0.57 - 0.12)	0.22
	R	0.23	0.87	0.94	-0.10	(0.18 - -0.39)	0.47	-0.02	(0.19 - -0.22)	0.88	-0.09	(-0.44 - 0.25)	0.61
Precuneus	L	1.05	0.37	0.54	0.08	(0.37 - -0.2)	0.57	0.12	(0.33 - -0.08)	0.25	-0.04	(-0.38 - 0.3)	0.82
	R	0.44	0.73	0.85	0.07	(0.35 - -0.22)	0.64	0.00	(0.21 - -0.2)	0.99	0.07	(-0.28 - 0.41)	0.70
Rostral Anterior Cingulate	L	3.78	0.01	0.06	-0.20	(0.08 - -0.48)	0.16	-0.14	(0.06 - -0.35)	0.18	-0.06	(-0.4 - 0.28)	0.73
	R	2.16	0.09	0.24	-0.17	(0.12 - -0.45)	0.25	-0.13	(0.08 - -0.34)	0.22	-0.04	(-0.38 - 0.3)	0.82
Rostral Middle Frontal	L	2.43	0.06	0.19	**-0.36**	**(-0.07 - -0.64)**	**0.01**	0.10	(0.31 - -0.11)	0.35	**-0.47**	**(-0.82 - -0.12)**	**9.50e-03**
	R	**4.48**	**3.81e-03**	**0.05**	**-0.43**	**(-0.15 - -0.71)**	**2.90e-03**	0.20	(0.41 - 0)	0.06	**-0.65**	**(-1 - -0.3)**	**2.92e-04**
Superior Frontal	L	3.24	0.02	0.10	**-0.34**	**(-0.06 - -0.62)**	**0.02**	-0.21	(0 - -0.41)	0.05	-0.14	(-0.48 - 0.2)	0.43
	R	3.65	0.01	0.06	-0.22	(0.06 - -0.51)	0.12	-0.13	(0.08 - -0.33)	0.23	-0.10	(-0.44 - 0.24)	0.58
Superior Parietal	L	0.12	0.95	0.97	0.07	(0.35 - -0.22)	0.64	-0.03	(0.18 - -0.24)	0.77	0.10	(-0.24 - 0.44)	0.58
	R	0.63	0.59	0.75	-0.15	(0.13 - -0.43)	0.30	0.08	(0.28 - -0.13)	0.47	-0.23	(-0.58 - 0.11)	0.19
Superior Temporal	L	0.15	0.93	0.96	-0.01	(0.28 - -0.3)	0.96	-0.01	(0.2 - -0.22)	0.92	0.00	(-0.34 - 0.35)	0.98
	R	0.91	0.44	0.60	-0.08	(0.2 - -0.36)	0.58	0.04	(0.25 - -0.16)	0.69	-0.13	(-0.47 - 0.22)	0.49
Supramarginal	L	2.82	0.04	0.14	0.11	(0.4 - -0.18)	0.47	0.04	(0.25 - -0.17)	0.70	0.07	(-0.27 - 0.42)	0.71
	R	1.47	0.22	0.40	0.04	(0.32 - -0.24)	0.78	0.08	(0.29 - -0.12)	0.43	-0.05	(-0.39 - 0.3)	0.81
Temporal Pole	L	0.06	0.98	0.98	0.05	(0.33 - -0.23)	0.73	-0.01	(0.2 - -0.22)	0.92	0.06	(-0.28 - 0.4)	0.73
	R	3.25	0.02	0.10	-0.21	(0.08 - -0.49)	0.15	**-0.26**	**(-0.05 - -0.47)**	**0.01**	0.05	(-0.29 - 0.4)	0.77
Transverse Temporal	L	1.16	0.32	0.49	0.13	(0.41 - -0.16)	0.39	-0.11	(0.09 - -0.32)	0.29	0.26	(-0.09 - 0.6)	0.18
	R	0.96	0.41	0.58	-0.03	(0.25 - -0.32)	0.83	0.16	(0.37 - -0.04)	0.12	-0.20	(-0.55 - 0.14)	0.27
Subcortical Volume													
Amygdala	L	0.73	0.54	0.70	-0.13	(0.16 - -0.41)	0.38	-0.08	(0.12 - -0.29)	0.42	-0.05	(-0.39 - 0.3)	0.80

	R	3.05	0.03	0.12	**-0.29**	**(-0.01 - -0.57)**	**0.05**	-0.10	(0.11 - -0.3)	0.36	-0.20	(-0.54 - 0.14)	0.27
Caudate	L	0.47	0.71	0.84	0.16	(0.45 - -0.13)	0.28	0.04	(0.25 - -0.17)	0.69	0.12	(-0.22 - 0.47)	0.51
	R	0.25	0.86	0.93	0.09	(0.38 - -0.2)	0.54	0.01	(0.22 - -0.2)	0.93	0.08	(-0.26 - 0.43)	0.65
Hippocampus	L	1.25	0.29	0.47	-0.01	(0.27 - -0.29)	0.96	-0.09	(0.11 - -0.3)	0.38	0.09	(-0.25 - 0.43)	0.63
	R	**5.59**	**8.01e-04**	**0.02**	0.04	(0.32 - -0.24)	0.78	-0.10	(0.11 - -0.31)	0.34	0.15	(-0.2 - 0.49)	0.42
Lateral Ventricles	L	4.09	6.54e-03	0.06	0.15	(0.44 - -0.14)	0.30	0.18	(0.39 - -0.02)	0.08	-0.03	(-0.38 - 0.31)	0.86
	R	3.79	9.99e-03	0.06	**0.30**	**(0.59 - 0.01)**	**0.05**	0.01	(0.21 - -0.2)	0.95	0.33	(-0.02 - 0.68)	0.10
Nucleus Accumbens	L	0.28	0.84	0.91	0.08	(0.37 - -0.2)	0.57	0.06	(0.27 - -0.15)	0.57	0.03	(-0.32 - 0.37)	0.89
	R	0.05	0.98	0.98	0.04	(0.33 - -0.24)	0.77	0.02	(0.23 - -0.19)	0.84	0.02	(-0.32 - 0.37)	0.90
Pallidum	L	0.35	0.79	0.89	-0.04	(0.24 - -0.33)	0.76	-0.10	(0.11 - -0.3)	0.36	0.05	(-0.29 - 0.39)	0.77
	R	1.06	0.36	0.54	0.06	(0.35 - -0.22)	0.65	-0.18	(0.03 - -0.38)	0.10	0.25	(-0.1 - 0.59)	0.17
Putamen	L	0.16	0.93	0.96	-0.05	(0.24 - -0.33)	0.74	0.06	(0.26 - -0.15)	0.60	-0.11	(-0.45 - 0.24)	0.55
	R	0.31	0.82	0.91	-0.12	(0.17 - -0.41)	0.41	-0.05	(0.15 - -0.26)	0.62	-0.07	(-0.42 - 0.28)	0.69
Thalamus	L	1.30	0.27	0.46	-0.09	(0.2 - -0.37)	0.55	-0.18	(0.03 - -0.38)	0.10	0.09	(-0.25 - 0.43)	0.62
	R	2.45	0.06	0.19	-0.01	(0.28 - -0.29)	0.97	-0.17	(0.03 - -0.38)	0.10	0.17	(-0.17 - 0.51)	0.34
Global													
Estimated Intracranial Volume	N/A	4.28	5.03e-03	0.06	0.01	(0.3 - -0.27)	0.92	0.00	(0.21 - -0.2)	0.97	0.01	(-0.33 - 0.35)	0.95
Mean Cortical Thickness		**5.87**	**5.42e-04**	**0.02**	-0.05	(0.24 - -0.34)	0.74	-0.12	(0.09 - -0.32)	0.28	0.07	(-0.28 - 0.41)	0.71
Total Surface Area		**6.29**	**3.01e-04**	**0.02**	-0.19	(0.09 - -0.48)	0.18	0.02	(0.23 - -0.18)	0.84	-0.22	(-0.56 - 0.12)	0.22

Results marked in bold are significant at q<0.05 (the overall effect) or at p<0.05 (pairwise comparisons). Pairwise comparisons shown in this table are APS < BIPS, APS < GRD, and GRD < BIPS

eTable 13. APS subgroup (APS vs. no APS assignment vs. HC) effect size overview

		Overall Test Statistics			APS < HC			APS < no APS			no APS < HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	4.05	0.02	0.07	**-0.10**	**(-0.17 - -0.02)**	**0.01**	-0.16	(-0.33 - 0.01)	0.07	0.06	(-0.11 - 0.23)	0.50
	R	**6.76**	**1.18e-03**	**0.01**	**-0.14**	**(-0.21 - -0.06)**	**2.44e-04**	-0.08	(-0.25 - 0.09)	0.37	-0.06	(-0.23 - 0.11)	0.46
Caudal Anterior Cingulate	L	1.80	0.17	0.30	-0.06	(-0.14 - 0.01)	0.09	0.04	(-0.13 - 0.21)	0.61	-0.11	(-0.28 - 0.06)	0.21
	R	2.78	0.06	0.15	**-0.08**	**(-0.15 - 0)**	**0.04**	-0.14	(-0.31 - 0.03)	0.11	0.06	(-0.11 - 0.23)	0.47
Caudal Middle Frontal	L	3.78	0.02	0.08	**-0.10**	**(-0.18 - -0.03)**	**6.00e-03**	-0.05	(-0.22 - 0.12)	0.57	-0.06	(-0.23 - 0.11)	0.52
	R	**6.86**	**1.07e-03**	**0.01**	**-0.13**	**(-0.2 - -0.05)**	**7.91e-04**	**-0.19**	**(-0.36 - -0.02)**	**0.03**	0.06	(-0.11 - 0.23)	0.48
Cuneus	L	1.33	0.27	0.43	0.01	(-0.06 - 0.09)	0.70	-0.13	(-0.3 - 0.04)	0.14	0.14	(-0.03 - 0.31)	0.10
	R	1.88	0.15	0.29	-0.05	(-0.12 - 0.03)	0.23	-0.15	(-0.32 - 0.02)	0.08	0.10	(-0.07 - 0.27)	0.23
Entorhinal	L	0.37	0.69	0.79	-0.01	(-0.09 - 0.06)	0.70	0.06	(-0.11 - 0.23)	0.50	-0.07	(-0.24 - 0.1)	0.40
	R	1.47	0.23	0.38	-0.04	(-0.12 - 0.03)	0.24	0.08	(-0.09 - 0.25)	0.33	-0.13	(-0.3 - 0.04)	0.14
Frontal Pole	L	1.17	0.31	0.47	-0.04	(-0.12 - 0.03)	0.25	-0.10	(-0.27 - 0.06)	0.23	0.06	(-0.11 - 0.23)	0.49
	R	1.87	0.15	0.29	-0.07	(-0.15 - 0)	0.05	-0.03	(-0.2 - 0.15)	0.77	-0.05	(-0.22 - 0.12)	0.58
Fusiform	L	**9.93**	**5.05e-05**	**1.75e-03**	**-0.17**	**(-0.24 - -0.09)**	**1.17e-05**	-0.14	(-0.31 - 0.03)	0.10	-0.03	(-0.2 - 0.14)	0.76
	R	3.25	0.04	0.11	**-0.10**	**(-0.17 - -0.02)**	**0.01**	-0.05	(-0.22 - 0.12)	0.54	-0.04	(-0.21 - 0.13)	0.61
Inferior Parietal	L	**10.21**	**3.82e-05**	**1.75e-03**	**-0.17**	**(-0.24 - -0.09)**	**8.60e-06**	-0.14	(-0.31 - 0.03)	0.10	-0.03	(-0.2 - 0.14)	0.74
	R	**6.20**	**2.06e-03**	**0.02**	**-0.12**	**(-0.19 - -0.05)**	**1.38e-03**	**-0.18**	**(-0.35 - -0.01)**	**0.04**	0.06	(-0.11 - 0.23)	0.51
Inferior Temporal	L	4.24	0.01	0.06	**-0.10**	**(-0.18 - -0.03)**	**6.67e-03**	0.04	(-0.13 - 0.21)	0.63	-0.14	(-0.31 - 0.02)	0.09
	R	**6.47**	**1.57e-03**	**0.01**	**-0.13**	**(-0.21 - -0.06)**	**4.79e-04**	0.01	(-0.16 - 0.18)	0.91	-0.14	(-0.31 - 0.03)	0.10
Insula	L	**9.17**	**1.08e-04**	**2.78e-03**	**-0.16**	**(-0.23 - -0.08)**	**2.97e-05**	0.00	(-0.16 - 0.17)	0.97	-0.16	(-0.33 - 0.01)	0.06
	R	**7.19**	**7.68e-04**	**0.01**	**-0.14**	**(-0.21 - -0.07)**	**2.31e-04**	0.01	(-0.16 - 0.18)	0.91	-0.15	(-0.32 - 0.02)	0.08
Isthmus Cingulate	L	0.14	0.87	0.92	-0.01	(-0.09 - 0.06)	0.69	0.02	(-0.15 - 0.19)	0.80	-0.04	(-0.21 - 0.13)	0.67
	R	0.94	0.39	0.55	-0.05	(-0.13 - 0.02)	0.17	-0.02	(-0.19 - 0.15)	0.84	-0.03	(-0.21 - 0.14)	0.69
Lateral Occipital	L	**4.94**	**7.23e-03**	**0.04**	**-0.11**	**(-0.19 - -0.04)**	**2.70e-03**	-0.13	(-0.3 - 0.04)	0.13	0.02	(-0.15 - 0.19)	0.85
	R	**7.90**	**3.79e-04**	**7.34e-03**	**-0.15**	**(-0.22 - -0.08)**	**7.86e-05**	-0.04	(-0.21 - 0.14)	0.69	-0.12	(-0.29 - 0.06)	0.19
									(-0.26 -			(-0.15 -	

Lateral Orbitofrontal	L	2.00	0.14	0.27	-0.07	(-0.14 - 0)	0.06	-0.09	0.08)	0.28	0.02	0.19)	0.81
	R	2.74	0.06	0.16	**-0.08**	**(-0.15 - -0.01)**	**0.03**	-0.12	(-0.29 - 0.05)	0.17	0.04	(-0.13 - 0.21)	0.67
Lingual	L	1.85	0.16	0.29	-0.03	(-0.11 - 0.04)	0.40	-0.16	(-0.33 - 0.01)	0.06	0.13	(-0.04 - 0.3)	0.14
	R	0.31	0.73	0.82	0.00	(-0.07 - 0.08)	0.92	-0.06	(-0.24 - 0.11)	0.46	0.07	(-0.1 - 0.24)	0.43
Medial Orbitofrontal	L	**4.81**	**8.21e-03**	**0.04**	**-0.12**	**(-0.19 - -0.04)**	**2.22e-03**	-0.01	(-0.18 - 0.16)	0.89	-0.11	(-0.27 - 0.06)	0.23
	R	3.49	0.03	0.10	**-0.10**	**(-0.17 - -0.02)**	**0.01**	-0.10	(-0.27 - 0.07)	0.23	0.00	(-0.16 - 0.17)	0.96
Middle Temporal	L	2.88	0.06	0.15	**-0.09**	**(-0.16 - -0.02)**	**0.02**	-0.04	(-0.21 - 0.13)	0.61	-0.05	(-0.22 - 0.12)	0.58
	R	**11.84**	**7.59e-06**	**1.18e-03**	**-0.18**	**(-0.26 - -0.11)**	**1.20e-06**	-0.09	(-0.26 - 0.08)	0.30	-0.10	(-0.27 - 0.07)	0.27
Paracentral	L	**8.84**	**1.49e-04**	**3.29e-03**	**-0.15**	**(-0.22 - -0.08)**	**6.45e-05**	**-0.18**	**(-0.35 - -0.01)**	**0.04**	0.03	(-0.14 - 0.2)	0.76
	R	**5.33**	**4.88e-03**	**0.03**	**-0.11**	**(-0.18 - -0.03)**	**5.03e-03**	**-0.19**	**(-0.36 - -0.02)**	**0.03**	0.08	(-0.09 - 0.25)	0.34
Parahippocampal	L	**5.72**	**3.32e-03**	**0.02**	**-0.13**	**(-0.2 - -0.05)**	**8.44e-04**	-0.10	(-0.27 - 0.07)	0.23	-0.03	(-0.19 - 0.14)	0.77
	R	1.48	0.23	0.38	-0.06	(-0.14 - 0.01)	0.09	-0.06	(-0.23 - 0.11)	0.50	-0.01	(-0.18 - 0.16)	0.93
Pars Opercularis	L	1.12	0.33	0.49	-0.04	(-0.12 - 0.03)	0.25	-0.10	(-0.27 - 0.07)	0.24	0.06	(-0.11 - 0.23)	0.51
	R	1.68	0.19	0.33	-0.07	(-0.14 - 0.01)	0.08	-0.08	(-0.25 - 0.09)	0.36	0.01	(-0.16 - 0.18)	0.89
Pars Orbitalis	L	1.17	0.31	0.47	-0.05	(-0.12 - 0.02)	0.19	-0.09	(-0.26 - 0.08)	0.30	0.04	(-0.13 - 0.21)	0.66
	R	0.66	0.52	0.66	0.02	(-0.06 - 0.09)	0.63	0.10	(-0.07 - 0.27)	0.26	-0.08	(-0.25 - 0.09)	0.37
Pars Triangularis	L	0.41	0.67	0.78	0.03	(-0.04 - 0.11)	0.39	0.04	(-0.13 - 0.2)	0.68	0.00	(-0.17 - 0.17)	0.98
	R	0.81	0.45	0.61	-0.05	(-0.12 - 0.03)	0.22	-0.05	(-0.22 - 0.12)	0.55	0.01	(-0.17 - 0.18)	0.95
Pericalcarine	L	2.70	0.07	0.16	0.02	(-0.06 - 0.09)	0.67	**-0.19**	**(-0.36 - -0.02)**	**0.03**	**0.20**	**(0.03 - 0.37)**	**0.02**
	R	3.39	0.03	0.11	0.05	(-0.02 - 0.13)	0.17	-0.17	(-0.34 - 0.01)	0.06	**0.22**	**(0.05 - 0.39)**	**0.01**
Postcentral	L	2.59	0.08	0.17	**-0.08**	**(-0.16 - -0.01)**	**0.03**	0.02	(-0.15 - 0.19)	0.78	-0.11	(-0.28 - 0.06)	0.22
	R	**4.67**	**9.48e-03**	**0.05**	**-0.12**	**(-0.19 - -0.04)**	**2.28e-03**	-0.05	(-0.22 - 0.12)	0.57	-0.07	(-0.24 - 0.1)	0.44
Posterior Cingulate	L	3.08	0.05	0.13	**-0.09**	**(-0.17 - -0.02)**	**0.01**	-0.03	(-0.2 - 0.14)	0.75	-0.07	(-0.24 - 0.1)	0.44
	R	**5.41**	**4.50e-03**	**0.03**	**-0.12**	**(-0.2 - -0.05)**	**1.01e-03**	-0.06	(-0.23 - 0.11)	0.50	-0.07	(-0.24 - 0.1)	0.44
Precentral	L	4.42	0.01	0.05	**-0.11**	**(-0.19 - -0.04)**	**2.98e-03**	-0.05	(-0.22 - 0.11)	0.53	-0.06	(-0.23 - 0.11)	0.49
	R	**6.02**	**2.45e-03**	**0.02**	**-0.12**	**(-0.2 - -0.05)**	**1.05e-03**	-0.15	(-0.32 - 0.02)	0.08	0.03	(-0.14 - 0.2)	0.75
Precuneus	L	**6.51**	**1.50e-03**	**0.01**	**-0.11**	**(-0.19 - -0.04)**	**2.63e-03**	**-0.22**	**(-0.39 - -0.05)**	**0.01**	0.11	(-0.06 - 0.28)	0.22
	R	**6.30**	**1.87e-03**	**0.02**	**-0.13**	**(-0.21 - -0.06)**	**3.93e-04**	-0.07	(-0.24 - 0.1)	0.44	-0.07	(-0.24 - 0.1)	0.43
Rostral Anterior	L	3.33	0.04	0.11	**-0.09**	**(-0.16 - -0.02)**	**0.02**	0.04	(-0.13 - 0.21)	0.67	-0.13	(-0.3 - 0.04)	0.14

Cingulate	R	1.93	0.15	0.29	-0.07	(-0.15 - 0)	0.05	-0.06	(-0.22 - 0.11)	0.52	-0.02	(-0.19 - 0.15)	0.83
Rostral Middle Frontal	L	**5.11**	**6.09e-03**	**0.03**	**-0.12**	**(-0.19 - -0.05)**	**1.40e-03**	-0.05	(-0.22 - 0.12)	0.54	-0.07	(-0.24 - 0.1)	0.43
	R	4.12	0.02	0.06	**-0.11**	**(-0.18 - -0.03)**	**4.40e-03**	-0.02	(-0.19 - 0.15)	0.81	-0.09	(-0.26 - 0.08)	0.32
Superior Frontal	L	3.43	0.03	0.11	**-0.10**	**(-0.17 - -0.02)**	**9.21e-03**	-0.07	(-0.24 - 0.1)	0.44	-0.03	(-0.2 - 0.14)	0.71
	R	2.82	0.06	0.15	**-0.08**	**(-0.16 - -0.01)**	**0.03**	-0.11	(-0.28 - 0.06)	0.21	0.02	(-0.15 - 0.19)	0.78
Superior Parietal	L	4.14	0.02	0.06	**-0.10**	**(-0.17 - -0.03)**	**7.41e-03**	-0.14	(-0.3 - 0.03)	0.12	0.03	(-0.14 - 0.2)	0.71
	R	**6.70**	**1.25e-03**	**0.01**	**-0.12**	**(-0.2 - -0.05)**	**1.06e-03**	**-0.20**	**(-0.36 - -0.03)**	**0.02**	0.07	(-0.1 - 0.24)	0.42
Superior Temporal	L	4.46	0.01	0.05	**-0.11**	**(-0.19 - -0.04)**	**2.92e-03**	-0.07	(-0.24 - 0.1)	0.41	-0.04	(-0.21 - 0.13)	0.63
	R	**6.96**	**9.69e-04**	**0.01**	**-0.13**	**(-0.2 - -0.05)**	**7.18e-04**	0.07	(-0.1 - 0.24)	0.40	**-0.20**	**(-0.37 - -0.03)**	**0.02**
Supramarginal	L	2.94	0.05	0.14	**-0.09**	**(-0.16 - -0.02)**	**0.02**	0.00	(-0.16 - 0.17)	0.97	-0.09	(-0.26 - 0.07)	0.28
	R	2.65	0.07	0.16	**-0.09**	**(-0.16 - -0.01)**	**0.02**	-0.05	(-0.22 - 0.12)	0.56	-0.04	(-0.21 - 0.13)	0.66
Temporal Pole	L	1.00	0.37	0.52	-0.05	(-0.12 - 0.02)	0.18	0.01	(-0.16 - 0.18)	0.90	-0.06	(-0.23 - 0.11)	0.47
	R	2.28	0.10	0.23	**-0.08**	**(-0.15 - -0.01)**	**0.03**	-0.05	(-0.22 - 0.12)	0.59	-0.04	(-0.2 - 0.13)	0.69
Transverse Temporal	L	1.25	0.29	0.45	-0.06	(-0.13 - 0.01)	0.12	-0.01	(-0.18 - 0.16)	0.88	-0.05	(-0.22 - 0.12)	0.59
	R	3.31	0.04	0.11	**-0.09**	**(-0.16 - -0.01)**	**0.02**	0.05	(-0.12 - 0.22)	0.54	-0.14	(-0.31 - 0.03)	0.10
Surface Area													
Banks of the Superior Temporal Sulcus	L	2.18	0.11	0.24	**-0.08**	**(-0.15 - 0)**	**0.04**	-0.08	(-0.25 - 0.09)	0.38	0.00	(-0.17 - 0.17)	0.98
	R	2.23	0.11	0.23	**-0.08**	**(-0.15 - -0.01)**	**0.03**	-0.04	(-0.21 - 0.13)	0.66	-0.04	(-0.21 - 0.13)	0.63
Caudal Anterior Cingulate	L	0.29	0.75	0.83	-0.02	(-0.09 - 0.06)	0.64	-0.06	(-0.23 - 0.11)	0.50	0.04	(-0.13 - 0.21)	0.64
	R	2.91	0.05	0.14	**-0.09**	**(-0.16 - -0.01)**	**0.02**	-0.09	(-0.26 - 0.08)	0.31	0.00	(-0.17 - 0.17)	0.97
Caudal Middle Frontal	L	1.76	0.17	0.31	-0.06	(-0.14 - 0.01)	0.10	-0.10	(-0.27 - 0.06)	0.23	0.04	(-0.13 - 0.21)	0.63
	R	2.73	0.07	0.16	-0.04	(-0.11 - 0.03)	0.28	**-0.19**	**(-0.36 - -0.03)**	**0.02**	0.15	(-0.02 - 0.32)	0.08
Cuneus	L	2.17	0.11	0.24	-0.07	(-0.14 - 0.01)	0.07	-0.12	(-0.29 - 0.05)	0.16	0.05	(-0.12 - 0.23)	0.54
	R	2.67	0.07	0.16	**-0.09**	**(-0.16 - -0.01)**	**0.02**	-0.02	(-0.19 - 0.15)	0.78	-0.06	(-0.24 - 0.11)	0.46
Entorhinal	L	3.39	0.03	0.11	**-0.10**	**(-0.17 - -0.02)**	**9.54e-03**	-0.02	(-0.19 - 0.14)	0.77	-0.07	(-0.24 - 0.1)	0.39
	R	1.27	0.28	0.45	-0.04	(-0.11 - 0.04)	0.35	-0.12	(-0.29 - 0.04)	0.15	0.09	(-0.08 - 0.26)	0.31
Frontal Pole	L	0.56	0.57	0.69	0.03	(-0.04 - 0.1)	0.43	-0.05	(-0.21 - 0.12)	0.59	0.08	(-0.09 - 0.25)	0.38
	R	0.92	0.40	0.56	0.04	(-0.04 - 0.11)	0.31	-0.06	(-0.23 - 0.11)	0.51	0.10	(-0.07 - 0.27)	0.27
Fusiform	L	1.02	0.36	0.52	-0.05	(-0.13 - 0.02)	0.16	-0.05	(-0.22 - 0.12)	0.56	0.00	(-0.17 - 0.17)	0.97

	R	3.24	0.04	0.11	**-0.08**	**(-0.16 - -0.01)**	**0.03**	-0.14	(-0.31 - 0.03)	0.10	0.05	(-0.11 - 0.22)	0.53
Inferior Parietal	L	1.19	0.30	0.47	-0.06	(-0.13 - 0.02)	0.13	0.00	(-0.17 - 0.17)	0.98	-0.06	(-0.22 - 0.11)	0.52
	R	3.67	0.03	0.09	**-0.10**	**(-0.17 - -0.03)**	**7.38e-03**	-0.01	(-0.18 - 0.15)	0.87	-0.09	(-0.26 - 0.08)	0.30
Inferior Temporal	L	0.64	0.53	0.66	-0.04	(-0.11 - 0.04)	0.32	-0.06	(-0.23 - 0.1)	0.46	0.03	(-0.14 - 0.2)	0.76
	R	0.47	0.63	0.74	-0.03	(-0.1 - 0.04)	0.44	-0.06	(-0.23 - 0.11)	0.47	0.03	(-0.14 - 0.2)	0.70
Insula	L	1.51	0.22	0.38	-0.07	(-0.14 - 0.01)	0.08	-0.02	(-0.19 - 0.15)	0.79	-0.04	(-0.21 - 0.13)	0.62
	R	0.75	0.47	0.64	-0.05	(-0.12 - 0.03)	0.23	0.00	(-0.17 - 0.17)	0.97	-0.04	(-0.21 - 0.13)	0.62
Isthmus Cingulate	L	0.03	0.97	0.97	-0.01	(-0.08 - 0.07)	0.86	0.01	(-0.16 - 0.18)	0.90	-0.02	(-0.19 - 0.15)	0.84
	R	3.47	0.03	0.10	**0.08**	**(0.01 - 0.15)**	**0.04**	-0.10	(-0.27 - 0.07)	0.26	**0.18**	**(0.01 - 0.35)**	**0.04**
Lateral Occipital	L	0.05	0.95	0.97	-0.01	(-0.08 - 0.06)	0.82	-0.02	(-0.19 - 0.15)	0.79	0.01	(-0.16 - 0.18)	0.87
	R	0.31	0.74	0.82	-0.02	(-0.09 - 0.05)	0.59	-0.06	(-0.23 - 0.11)	0.51	0.04	(-0.13 - 0.21)	0.67
Lateral Orbitofrontal	L	0.54	0.58	0.70	-0.03	(-0.1 - 0.04)	0.43	-0.07	(-0.24 - 0.1)	0.40	0.04	(-0.13 - 0.21)	0.63
	R	0.50	0.61	0.72	-0.03	(-0.11 - 0.04)	0.37	-0.05	(-0.22 - 0.12)	0.53	0.02	(-0.15 - 0.19)	0.82
Lingual	L	1.87	0.15	0.29	-0.05	(-0.13 - 0.02)	0.15	0.08	(-0.09 - 0.25)	0.34	-0.14	(-0.31 - 0.03)	0.11
	R	0.39	0.68	0.78	-0.03	(-0.1 - 0.05)	0.50	-0.06	(-0.23 - 0.11)	0.49	0.03	(-0.14 - 0.2)	0.70
Medial Orbitofrontal	L	0.17	0.84	0.90	-0.02	(-0.1 - 0.05)	0.56	-0.01	(-0.18 - 0.16)	0.92	-0.01	(-0.18 - 0.16)	0.87
	R	2.92	0.05	0.14	**-0.09**	**(-0.16 - -0.02)**	**0.02**	0.00	(-0.17 - 0.17)	1.00	-0.09	(-0.26 - 0.08)	0.30
Middle Temporal	L	0.61	0.54	0.67	0.00	(-0.07 - 0.08)	0.93	-0.09	(-0.26 - 0.08)	0.29	0.10	(-0.08 - 0.27)	0.27
	R	1.88	0.15	0.29	-0.07	(-0.15 - 0)	0.06	0.00	(-0.17 - 0.17)	0.99	-0.07	(-0.24 - 0.1)	0.39
Paracentral	L	0.04	0.96	0.97	-0.01	(-0.08 - 0.06)	0.78	-0.01	(-0.18 - 0.16)	0.91	0.00	(-0.17 - 0.17)	0.99
	R	0.69	0.50	0.65	0.00	(-0.07 - 0.08)	0.94	-0.10	(-0.27 - 0.07)	0.26	0.10	(-0.07 - 0.27)	0.25
Parahippocampal	L	1.82	0.16	0.30	-0.04	(-0.11 - 0.03)	0.29	0.12	(-0.05 - 0.28)	0.18	-0.16	(-0.32 - 0.01)	0.07
	R	1.27	0.28	0.45	0.06	(-0.02 - 0.13)	0.12	0.00	(-0.17 - 0.17)	0.98	0.06	(-0.11 - 0.23)	0.48
Pars Opercularis	L	2.56	0.08	0.17	**-0.08**	**(-0.16 - -0.01)**	**0.02**	-0.06	(-0.23 - 0.11)	0.47	-0.02	(-0.19 - 0.15)	0.79
	R	0.78	0.46	0.63	-0.01	(-0.09 - 0.06)	0.70	-0.11	(-0.28 - 0.06)	0.22	0.09	(-0.08 - 0.26)	0.29
Pars Orbitalis	L	1.26	0.28	0.45	0.01	(-0.07 - 0.08)	0.83	-0.13	(-0.3 - 0.04)	0.13	0.14	(-0.03 - 0.31)	0.11
	R	0.65	0.52	0.66	0.02	(-0.05 - 0.09)	0.58	-0.07	(-0.24 - 0.09)	0.39	0.10	(-0.07 - 0.26)	0.27
Pars Triangularis	L	1.51	0.22	0.38	-0.06	(-0.13 - 0.01)	0.12	-0.09	(-0.26 - 0.08)	0.29	0.03	(-0.14 - 0.2)	0.71
	R	0.14	0.87	0.92	0.01	(-0.06 -	0.73	-0.03	(-0.2 - 0.14)	0.74	0.04	(-0.13 -	0.64

						0.09)						0.21)	
Pericalcarine	L	1.68	0.19	0.33	-0.06	(-0.14 - 0.01)	0.09	-0.09	(-0.26 - 0.08)	0.29	0.03	(-0.14 - 0.2)	0.75
	R	3.94	0.02	0.07	**-0.11**	**(-0.18 - -0.03)**	**5.36e-03**	-0.02	(-0.19 - 0.15)	0.81	-0.09	(-0.26 - 0.09)	0.33
Postcentral	L	0.11	0.89	0.94	0.00	(-0.07 - 0.08)	0.93	0.04	(-0.13 - 0.21)	0.64	-0.04	(-0.21 - 0.13)	0.67
	R	0.67	0.51	0.66	-0.04	(-0.11 - 0.03)	0.29	0.02	(-0.15 - 0.19)	0.81	-0.06	(-0.23 - 0.11)	0.48
Posterior Cingulate	L	0.69	0.50	0.65	-0.04	(-0.12 - 0.03)	0.25	0.00	(-0.17 - 0.17)	0.98	-0.05	(-0.22 - 0.12)	0.60
	R	2.23	0.11	0.23	-0.06	(-0.14 - 0.01)	0.09	0.07	(-0.09 - 0.24)	0.39	-0.14	(-0.31 - 0.03)	0.11
Precentral	L	1.11	0.33	0.49	0.04	(-0.03 - 0.12)	0.26	-0.06	(-0.23 - 0.11)	0.47	0.11	(-0.06 - 0.28)	0.22
	R	0.18	0.83	0.90	0.01	(-0.07 - 0.08)	0.83	-0.04	(-0.21 - 0.12)	0.61	0.05	(-0.12 - 0.22)	0.55
Precuneus	L	1.46	0.23	0.38	-0.03	(-0.1 - 0.05)	0.49	0.12	(-0.05 - 0.29)	0.16	-0.15	(-0.31 - 0.02)	0.09
	R	0.71	0.49	0.65	-0.04	(-0.11 - 0.04)	0.34	0.04	(-0.13 - 0.21)	0.62	-0.08	(-0.25 - 0.09)	0.36
Rostral Anterior Cingulate	L	**6.11**	**2.25e-03**	**0.02**	**-0.12**	**(-0.2 - -0.05)**	**1.05e-03**	-0.16	(-0.33 - 0.01)	0.06	0.03	(-0.13 - 0.2)	0.69
	R	3.13	0.04	0.12	**-0.08**	**(-0.16 - -0.01)**	**0.03**	-0.14	(-0.31 - 0.03)	0.11	0.05	(-0.12 - 0.22)	0.55
Rostral Middle Frontal	L	0.23	0.79	0.86	-0.02	(-0.09 - 0.05)	0.59	-0.04	(-0.21 - 0.12)	0.61	0.02	(-0.15 - 0.19)	0.78
	R	0.25	0.77	0.85	-0.03	(-0.1 - 0.05)	0.48	-0.01	(-0.18 - 0.16)	0.92	-0.02	(-0.19 - 0.15)	0.83
Superior Frontal	L	4.09	0.02	0.07	-0.05	(-0.12 - 0.02)	0.19	**-0.24**	**(-0.41 - -0.07)**	**5.92e-03**	**0.19**	**(0.02 - 0.36)**	**0.03**
	R	**5.23**	**5.41e-03**	**0.03**	**-0.11**	**(-0.19 - -0.04)**	**2.57e-03**	-0.15	(-0.32 - 0.02)	0.08	0.04	(-0.13 - 0.2)	0.68
Superior Parietal	L	0.05	0.95	0.97	0.01	(-0.06 - 0.09)	0.75	0.01	(-0.16 - 0.18)	0.92	0.00	(-0.17 - 0.17)	0.96
	R	0.08	0.93	0.96	0.01	(-0.06 - 0.09)	0.69	0.01	(-0.16 - 0.18)	0.93	0.01	(-0.16 - 0.18)	0.93
Superior Temporal	L	0.54	0.58	0.70	-0.04	(-0.11 - 0.03)	0.30	-0.02	(-0.19 - 0.15)	0.79	-0.02	(-0.19 - 0.15)	0.85
	R	1.24	0.29	0.45	-0.06	(-0.13 - 0.02)	0.13	0.00	(-0.17 - 0.17)	0.97	-0.06	(-0.23 - 0.11)	0.48
Supramarginal	L	**5.25**	**5.28e-03**	**0.03**	**-0.11**	**(-0.19 - -0.04)**	**3.40e-03**	0.07	(-0.1 - 0.24)	0.45	**-0.18**	**(-0.35 - -0.01)**	**0.04**
	R	1.77	0.17	0.31	-0.06	(-0.13 - 0.02)	0.14	0.07	(-0.1 - 0.24)	0.40	-0.13	(-0.3 - 0.04)	0.14
Temporal Pole	L	0.40	0.67	0.78	-0.03	(-0.11 - 0.04)	0.37	-0.02	(-0.18 - 0.15)	0.86	-0.02	(-0.19 - 0.15)	0.83
	R	**4.89**	**7.61e-03**	**0.04**	0.02	(-0.05 - 0.1)	0.52	**-0.25**	**(-0.42 - -0.08)**	**4.24e-03**	**0.27**	**(0.1 - 0.44)**	**1.80e-03**
Transverse Temporal	L	1.09	0.34	0.49	-0.06	(-0.13 - 0.02)	0.14	-0.02	(-0.19 - 0.14)	0.78	-0.03	(-0.2 - 0.14)	0.71
	R	0.73	0.48	0.65	-0.01	(-0.08 - 0.07)	0.86	0.10	(-0.07 - 0.27)	0.26	-0.10	(-0.27 - 0.07)	0.23
Subcortical Volume													
Amygdala	L	1.08	0.34	0.49	-0.05	(-0.12 - 0.03)	0.23	-0.09	(-0.26 - 0.08)	0.28	0.05	(-0.12 - 0.22)	0.59

	R	4.20	0.02	0.06	**-0.10**	**(-0.17 - -0.02)**	**8.86e-03**	-0.15	(-0.32 - 0.02)	0.08	0.05	(-0.12 - 0.22)	0.56
Caudate	L	0.61	0.55	0.67	0.02	(-0.05 - 0.1)	0.51	0.09	(-0.08 - 0.26)	0.32	-0.06	(-0.23 - 0.11)	0.48
	R	0.23	0.80	0.86	-0.01	(-0.08 - 0.06)	0.81	0.05	(-0.12 - 0.22)	0.57	-0.06	(-0.23 - 0.11)	0.50
Hippocampus	L	2.02	0.13	0.27	-0.07	(-0.15 - 0)	0.05	-0.08	(-0.25 - 0.09)	0.37	0.00	(-0.17 - 0.17)	0.98
	R	**7.41**	**6.18e-04**	**9.59e-03**	**-0.14**	**(-0.22 - -0.07)**	**1.23e-04**	-0.05	(-0.22 - 0.12)	0.54	-0.09	(-0.26 - 0.08)	0.28
Lateral Ventricles	L	**6.53**	**1.48e-03**	**0.01**	**0.13**	**(0.05 - 0.2)**	**7.29e-04**	0.17	(0 - 0.34)	0.05	-0.04	(-0.21 - 0.13)	0.67
	R	**4.62**	**9.96e-03**	**0.05**	**0.11**	**(0.04 - 0.19)**	**2.88e-03**	0.10	(-0.07 - 0.27)	0.24	0.01	(-0.16 - 0.18)	0.88
Nucleus Accumbens	L	0.57	0.57	0.69	-0.02	(-0.1 - 0.05)	0.55	0.06	(-0.1 - 0.23)	0.46	-0.09	(-0.26 - 0.08)	0.32
	R	0.06	0.94	0.97	0.00	(-0.07 - 0.08)	0.90	0.03	(-0.14 - 0.2)	0.73	-0.02	(-0.19 - 0.15)	0.78
Pallidum	L	0.61	0.54	0.67	-0.03	(-0.1 - 0.05)	0.45	-0.08	(-0.25 - 0.09)	0.34	0.05	(-0.12 - 0.22)	0.54
	R	0.83	0.44	0.61	-0.03	(-0.1 - 0.05)	0.46	-0.10	(-0.27 - 0.07)	0.24	0.07	(-0.1 - 0.24)	0.40
Putamen	L	0.03	0.97	0.97	0.00	(-0.08 - 0.07)	0.94	0.02	(-0.15 - 0.19)	0.83	-0.02	(-0.19 - 0.15)	0.81
	R	0.32	0.73	0.82	-0.01	(-0.08 - 0.06)	0.77	-0.07	(-0.24 - 0.1)	0.43	0.06	(-0.11 - 0.23)	0.52
Thalamus	L	2.26	0.10	0.23	-0.06	(-0.13 - 0.01)	0.12	-0.15	(-0.32 - 0.02)	0.09	0.09	(-0.08 - 0.26)	0.31
	R	3.73	0.02	0.09	**-0.10**	**(-0.17 - -0.02)**	**0.01**	-0.12	(-0.29 - 0.05)	0.16	0.02	(-0.15 - 0.19)	0.79
Global													
Estimated Intracranial Volume	N/A	**7.74**	**4.46e-04**	**7.68e-03**	**-0.15**	**(-0.22 - -0.07)**	**1.13e-04**	-0.01	(-0.18 - 0.16)	0.94	-0.14	(-0.31 - 0.03)	0.11
Mean Cortical Thickness		**9.82**	**5.63e-05**	**1.75e-03**	**-0.17**	**(-0.24 - -0.09)**	**1.00e-05**	-0.10	(-0.27 - 0.07)	0.26	-0.07	(-0.24 - 0.1)	0.42
Total Surface Area		**9.88**	**5.30e-05**	**1.75e-03**	**-0.17**	**(-0.24 - -0.09)**	**9.54e-06**	-0.05	(-0.22 - 0.11)	0.54	-0.12	(-0.28 - 0.05)	0.18

Results marked in bold are significant at q<0.05 (the overall effect) or at p<0.05 (pairwise comparisons).

eTable 14. BIPS subgroup (BIPS vs. no BIPS assignment vs. HC) effect size overview

		Overall Test Statistics			BIPS < HC			BIPS < no BIPS			no BIPS < HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	2.52	0.08	0.19	-0.04	(-0.26 - 0.17)	0.69	0.04	(-0.17 - 0.26)	0.70	**-0.08**	**(-0.16 - -0.01)**	**0.02**
	R	**7.01**	**9.19e-04**	**0.01**	-0.02	(-0.23 - 0.19)	0.87	0.12	(-0.09 - 0.33)	0.26	**-0.14**	**(-0.21 - -0.07)**	**2.15e-04**
Caudal Anterior Cingulate	L	2.54	0.08	0.19	-0.20	(-0.42 - 0.01)	0.06	-0.14	(-0.36 - 0.07)	0.19	-0.06	(-0.13 - 0.01)	0.11
	R	1.82	0.16	0.29	-0.15	(-0.36 - 0.06)	0.17	-0.09	(-0.3 - 0.12)	0.41	-0.06	(-0.13 - 0.01)	0.12
Caudal Middle Frontal	L	3.91	0.02	0.08	-0.18	(-0.39 - 0.04)	0.10	-0.08	(-0.3 - 0.13)	0.45	**-0.09**	**(-0.17 - -0.02)**	**0.01**
	R	4.79	8.35e-03	0.05	-0.02	(-0.24 - 0.19)	0.83	0.09	(-0.12 - 0.31)	0.39	**-0.11**	**(-0.19 - -0.04)**	**2.13e-03**
Cuneus	L	2.67	0.07	0.18	**0.26**	**(0.04 - 0.48)**	**0.02**	**0.24**	**(0.03 - 0.46)**	**0.03**	0.01	(-0.06 - 0.09)	0.74
	R	1.98	0.14	0.26	0.15	(-0.06 - 0.36)	0.17	0.20	(-0.02 - 0.41)	0.07	-0.04	(-0.12 - 0.03)	0.25
Entorhinal	L	3.49	0.03	0.11	**-0.28**	**(-0.5 - -0.07)**	**9.04e-03**	**-0.28**	**(-0.49 - -0.07)**	**9.76e-03**	0.00	(-0.08 - 0.07)	0.92
	R	3.03	0.05	0.14	**-0.26**	**(-0.47 - -0.05)**	**0.02**	**-0.22**	**(-0.43 - -0.01)**	**0.04**	-0.04	(-0.11 - 0.03)	0.29
Frontal Pole	L	1.31	0.27	0.41	0.10	(-0.11 - 0.31)	0.36	0.14	(-0.07 - 0.35)	0.19	-0.04	(-0.12 - 0.03)	0.26
	R	2.35	0.10	0.21	-0.18	(-0.39 - 0.04)	0.11	-0.11	(-0.32 - 0.1)	0.31	-0.06	(-0.14 - 0.01)	0.08
Fusiform	L	**8.60**	**1.89e-04**	**4.88e-03**	-0.17	(-0.38 - 0.04)	0.11	-0.02	(-0.23 - 0.19)	0.87	**-0.15**	**(-0.22 - -0.08)**	**5.03e-05**
	R	3.33	0.04	0.12	-0.02	(-0.23 - 0.2)	0.88	0.08	(-0.13 - 0.29)	0.46	**-0.10**	**(-0.17 - -0.02)**	**0.01**
Inferior Parietal	L	**9.26**	**9.78e-05**	**3.03e-03**	**-0.25**	**(-0.46 - -0.04)**	**0.02**	-0.10	(-0.31 - 0.12)	0.38	**-0.15**	**(-0.22 - -0.08)**	**6.27e-05**
	R	4.26	0.01	0.07	-0.04	(-0.25 - 0.18)	0.74	0.07	(-0.14 - 0.29)	0.49	**-0.11**	**(-0.18 - -0.04)**	**3.62e-03**
Inferior Temporal	L	4.14	0.02	0.07	-0.09	(-0.3 - 0.12)	0.41	0.02	(-0.19 - 0.23)	0.86	**-0.11**	**(-0.18 - -0.03)**	**4.23e-03**
	R	**6.63**	**1.34e-03**	**0.02**	-0.07	(-0.29 - 0.14)	0.50	0.06	(-0.15 - 0.28)	0.56	**-0.14**	**(-0.21 - -0.06)**	**2.75e-04**
Insula	L	**9.49**	**7.82e-05**	**3.03e-03**	-0.08	(-0.29 - 0.13)	0.47	0.09	(-0.13 - 0.3)	0.42	**-0.16**	**(-0.24 - -0.09)**	**1.38e-05**
	R	**7.78**	**4.25e-04**	**7.57e-03**	**-0.25**	**(-0.47 - -0.04)**	**0.02**	-0.12	(-0.33 - 0.09)	0.27	**-0.13**	**(-0.21 - -0.06)**	**3.77e-04**
Isthmus Cingulate	L	1.52	0.22	0.36	-0.19	(-0.4 - 0.02)	0.08	-0.18	(-0.4 - 0.03)	0.09	-0.01	(-0.08 - 0.07)	0.86
	R	0.93	0.39	0.53	-0.04	(-0.25 - 0.18)	0.74	0.02	(-0.2 - 0.23)	0.88	-0.05	(-0.12 - 0.02)	0.17
Lateral Occipital	L	3.78	0.02	0.09	-0.11	(-0.32 - 0.11)	0.33	0.00	(-0.22 - 0.21)	0.97	**-0.10**	**(-0.17 - -0.03)**	**6.85e-03**
	R	**7.82**	**4.11e-04**	**7.57e-03**	-0.15	(-0.36 - 0.07)	0.19	0.00	(-0.21 - 0.22)	0.98	**-0.15**	**(-0.22 - -0.07)**	**9.61e-05**
						(-0.16 -			(-0.09 -				

Lateral Orbitofrontal	L	2.04	0.13	0.25	0.05	0.26)	0.64	0.12	0.33)	0.27	-0.07	(-0.14 - 0)	0.06
	R	3.01	0.05	0.14	0.09	(-0.12 - 0.3)	0.41	0.17	(-0.04 - 0.38)	0.12	**-0.08**	**(-0.15 - -0.01)**	**0.03**
Lingual	L	0.87	0.42	0.55	0.11	(-0.11 - 0.33)	0.32	0.14	(-0.08 - 0.35)	0.22	-0.03	(-0.1 - 0.05)	0.50
	R	0.04	0.96	0.96	0.02	(-0.19 - 0.24)	0.84	0.01	(-0.2 - 0.23)	0.91	0.01	(-0.06 - 0.08)	0.81
Medial Orbitofrontal	L	**5.84**	**2.95e-03**	**0.03**	0.03	(-0.18 - 0.25)	0.77	0.16	(-0.06 - 0.37)	0.15	**-0.12**	**(-0.2 - -0.05)**	**9.98e-04**
	R	3.16	0.04	0.13	0.00	(-0.21 - 0.22)	0.99	0.10	(-0.12 - 0.31)	0.38	**-0.09**	**(-0.17 - -0.02)**	**0.01**
Middle Temporal	L	2.75	0.06	0.17	-0.10	(-0.31 - 0.12)	0.38	-0.01	(-0.22 - 0.21)	0.94	**-0.09**	**(-0.16 - -0.01)**	**0.02**
	R	**11.32**	**1.26e-05**	**1.96e-03**	-0.20	(-0.42 - 0.01)	0.07	-0.02	(-0.24 - 0.19)	0.82	**-0.17**	**(-0.25 - -0.1)**	**3.43e-06**
Paracentral	L	**7.00**	**9.28e-04**	**0.01**	-0.05	(-0.27 - 0.16)	0.63	0.09	(-0.13 - 0.3)	0.42	**-0.14**	**(-0.21 - -0.07)**	**1.91e-04**
	R	3.10	0.05	0.13	-0.02	(-0.24 - 0.19)	0.82	0.07	(-0.14 - 0.28)	0.52	**-0.09**	**(-0.17 - -0.02)**	**0.01**
Parahippocampal	L	**5.06**	**6.42e-03**	**0.05**	-0.09	(-0.3 - 0.13)	0.43	0.03	(-0.18 - 0.25)	0.75	**-0.12**	**(-0.19 - -0.05)**	**1.52e-03**
	R	1.39	0.25	0.39	-0.01	(-0.22 - 0.21)	0.96	0.06	(-0.16 - 0.27)	0.60	-0.06	(-0.13 - 0.01)	0.10
Pars Opercularis	L	2.02	0.13	0.25	0.15	(-0.07 - 0.36)	0.18	0.19	(-0.02 - 0.41)	0.08	-0.05	(-0.12 - 0.03)	0.23
	R	1.30	0.27	0.41	-0.09	(-0.3 - 0.13)	0.42	-0.03	(-0.24 - 0.18)	0.78	-0.06	(-0.13 - 0.02)	0.13
Pars Orbitalis	L	0.65	0.52	0.65	-0.06	(-0.27 - 0.16)	0.61	-0.01	(-0.23 - 0.2)	0.90	-0.04	(-0.11 - 0.03)	0.27
	R	0.09	0.92	0.94	0.04	(-0.17 - 0.26)	0.70	0.03	(-0.18 - 0.25)	0.75	0.01	(-0.07 - 0.08)	0.83
Pars Triangularis	L	0.33	0.72	0.80	0.04	(-0.17 - 0.26)	0.69	0.01	(-0.2 - 0.23)	0.90	0.03	(-0.04 - 0.1)	0.44
	R	0.83	0.43	0.56	0.02	(-0.19 - 0.24)	0.83	0.07	(-0.14 - 0.28)	0.52	-0.05	(-0.12 - 0.03)	0.23
Pericalcarine	L	2.45	0.09	0.20	**0.25**	**(0.03 - 0.47)**	**0.03**	**0.23**	**(0.01 - 0.45)**	**0.04**	0.02	(-0.05 - 0.09)	0.58
	R	1.59	0.20	0.35	0.08	(-0.14 - 0.3)	0.46	0.01	(-0.2 - 0.23)	0.89	0.07	(-0.01 - 0.14)	0.08
Postcentral	L	2.74	0.07	0.17	-0.02	(-0.24 - 0.19)	0.84	0.07	(-0.15 - 0.28)	0.54	**-0.09**	**(-0.16 - -0.01)**	**0.02**
	R	4.50	0.01	0.06	-0.11	(-0.33 - 0.11)	0.32	0.00	(-0.22 - 0.22)	0.99	**-0.11**	**(-0.18 - -0.04)**	**3.05e-03**
Posterior Cingulate	L	3.29	0.04	0.13	-0.17	(-0.38 - 0.05)	0.13	-0.08	(-0.29 - 0.13)	0.47	**-0.09**	**(-0.16 - -0.01)**	**0.02**
	R	**5.38**	**4.67e-03**	**0.04**	-0.06	(-0.27 - 0.15)	0.60	0.07	(-0.14 - 0.28)	0.53	**-0.12**	**(-0.2 - -0.05)**	**1.06e-03**
Precentral	L	4.22	0.01	0.07	-0.11	(-0.33 - 0.1)	0.30	0.00	(-0.22 - 0.21)	0.97	**-0.11**	**(-0.18 - -0.03)**	**4.25e-03**
	R	4.48	0.01	0.06	-0.08	(-0.29 - 0.13)	0.47	0.03	(-0.18 - 0.25)	0.76	**-0.11**	**(-0.19 - -0.04)**	**2.82e-03**
Precuneus	L	3.52	0.03	0.11	-0.02	(-0.23 - 0.19)	0.86	0.08	(-0.13 - 0.29)	0.46	**-0.10**	**(-0.17 - -0.03)**	**8.51e-03**
	R	**6.31**	**1.84e-03**	**0.02**	-0.05	(-0.26 - 0.16)	0.65	0.09	(-0.13 - 0.3)	0.43	**-0.13**	**(-0.21 - -0.06)**	**3.97e-04**
Rostral Anterior	L	3.27	0.04	0.13	-0.12	(-0.34 - 0.09)	0.26	-0.03	(-0.24 - 0.18)	0.79	**-0.09**	**(-0.17 - -0.02)**	**0.01**

Cingulate	R	2.46	0.09	0.20	0.05	(-0.16 - 0.27)	0.62	0.13	(-0.08 - 0.34)	0.23	**-0.08**	**(-0.15 - 0)**	**0.04**
Rostral Middle Frontal	L	**4.94**	**7.20e-03**	**0.05**	-0.10	(-0.31 - 0.12)	0.37	0.02	(-0.19 - 0.23)	0.85	**-0.12**	**(-0.19 - -0.04)**	**1.78e-03**
	R	4.11	0.02	0.07	-0.08	(-0.3 - 0.13)	0.44	0.02	(-0.19 - 0.24)	0.82	**-0.11**	**(-0.18 - -0.03)**	**4.29e-03**
Superior Frontal	L	3.13	0.04	0.13	-0.09	(-0.3 - 0.12)	0.41	0.00	(-0.21 - 0.22)	0.97	**-0.09**	**(-0.17 - -0.02)**	**0.01**
	R	2.02	0.13	0.25	-0.07	(-0.28 - 0.14)	0.52	0.01	(-0.21 - 0.22)	0.96	**-0.07**	**(-0.15 - 0)**	**0.05**
Superior Parietal	L	3.33	0.04	0.12	0.00	(-0.21 - 0.22)	0.97	0.10	(-0.11 - 0.31)	0.36	**-0.09**	**(-0.17 - -0.02)**	**0.01**
	R	4.26	0.01	0.07	-0.06	(-0.27 - 0.16)	0.60	0.05	(-0.16 - 0.27)	0.61	**-0.11**	**(-0.18 - -0.04)**	**3.55e-03**
Superior Temporal	L	4.12	0.02	0.07	-0.11	(-0.33 - 0.1)	0.31	0.00	(-0.22 - 0.21)	0.97	**-0.11**	**(-0.18 - -0.03)**	**4.73e-03**
	R	**6.60**	**1.38e-03**	**0.02**	-0.13	(-0.34 - 0.09)	0.25	0.01	(-0.21 - 0.23)	0.93	**-0.13**	**(-0.21 - -0.06)**	**3.25e-04**
Supramarginal	L	2.95	0.05	0.15	-0.10	(-0.31 - 0.11)	0.36	-0.01	(-0.22 - 0.2)	0.94	**-0.09**	**(-0.16 - -0.02)**	**0.02**
	R	2.50	0.08	0.19	-0.11	(-0.32 - 0.11)	0.34	-0.02	(-0.24 - 0.19)	0.84	**-0.08**	**(-0.15 - -0.01)**	**0.03**
Temporal Pole	L	1.37	0.25	0.39	-0.14	(-0.35 - 0.07)	0.19	-0.09	(-0.31 - 0.12)	0.39	-0.05	(-0.12 - 0.03)	0.21
	R	2.15	0.12	0.24	-0.10	(-0.31 - 0.12)	0.38	-0.02	(-0.23 - 0.19)	0.86	**-0.08**	**(-0.15 - 0)**	**0.04**
Transverse Temporal	L	1.38	0.25	0.39	-0.11	(-0.33 - 0.1)	0.30	-0.06	(-0.27 - 0.16)	0.60	-0.05	(-0.13 - 0.02)	0.14
	R	4.37	0.01	0.07	**-0.26**	**(-0.47 - -0.04)**	**0.02**	-0.17	(-0.39 - 0.04)	0.11	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Surface Area													
Banks of the Superior Temporal Sulcus	L	1.80	0.17	0.29	-0.07	(-0.28 - 0.15)	0.54	0.00	(-0.21 - 0.22)	0.97	-0.07	(-0.14 - 0)	0.06
	R	2.63	0.07	0.18	0.02	(-0.19 - 0.24)	0.82	0.11	(-0.1 - 0.32)	0.32	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Caudal Anterior Cingulate	L	0.30	0.74	0.81	0.06	(-0.16 - 0.27)	0.59	0.08	(-0.14 - 0.29)	0.48	-0.02	(-0.09 - 0.06)	0.65
	R	2.51	0.08	0.19	-0.03	(-0.25 - 0.18)	0.75	0.05	(-0.16 - 0.26)	0.64	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Caudal Middle Frontal	L	1.04	0.35	0.48	-0.04	(-0.25 - 0.18)	0.74	0.02	(-0.19 - 0.23)	0.86	-0.05	(-0.13 - 0.02)	0.15
	R	2.21	0.11	0.23	0.18	(-0.03 - 0.4)	0.10	**0.22**	**(0.01 - 0.43)**	**0.05**	-0.04	(-0.11 - 0.04)	0.34
Cuneus	L	1.18	0.31	0.43	-0.06	(-0.28 - 0.16)	0.60	0.00	(-0.22 - 0.22)	0.99	-0.06	(-0.13 - 0.02)	0.13
	R	2.67	0.07	0.18	-0.11	(-0.33 - 0.1)	0.31	-0.03	(-0.24 - 0.19)	0.80	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Entorhinal	L	3.37	0.03	0.12	-0.12	(-0.33 - 0.1)	0.29	-0.02	(-0.23 - 0.19)	0.85	**-0.09**	**(-0.17 - -0.02)**	**0.01**
	R	0.42	0.65	0.74	0.04	(-0.17 - 0.25)	0.70	0.07	(-0.14 - 0.28)	0.52	-0.03	(-0.1 - 0.04)	0.45
Frontal Pole	L	0.44	0.64	0.74	0.05	(-0.16 - 0.27)	0.62	0.02	(-0.19 - 0.23)	0.85	0.03	(-0.04 - 0.11)	0.38
	R	0.73	0.48	0.61	0.07	(-0.14 - 0.28)	0.52	0.03	(-0.19 - 0.24)	0.81	0.04	(-0.03 - 0.12)	0.26
Fusiform	L	1.42	0.24	0.39	0.06	(-0.15 - 0.28)	0.58	0.12	(-0.1 - 0.33)	0.28	-0.05	(-0.13 - 0.02)	0.14

	R	4.55	0.01	0.06	0.16	(-0.05 - 0.38)	0.14	**0.25**	**(0.04 - 0.46)**	**0.02**	**-0.09**	**(-0.16 - -0.01)**	**0.02**
Inferior Parietal	L	1.86	0.16	0.28	0.06	(-0.15 - 0.27)	0.58	0.13	(-0.09 - 0.34)	0.25	-0.06	(-0.14 - 0.01)	0.09
	R	4.41	0.01	0.07	0.02	(-0.19 - 0.24)	0.83	0.13	(-0.08 - 0.34)	0.22	**-0.11**	**(-0.18 - -0.03)**	**4.13e-03**
Inferior Temporal	L	2.35	0.10	0.21	0.17	(-0.04 - 0.39)	0.11	**0.22**	**(0 - 0.43)**	**0.05**	-0.04	(-0.12 - 0.03)	0.24
	R	2.05	0.13	0.25	0.17	(-0.04 - 0.38)	0.11	0.21	(0 - 0.42)	0.05	-0.03	(-0.11 - 0.04)	0.35
Insula	L	2.02	0.13	0.25	-0.17	(-0.39 - 0.04)	0.12	-0.11	(-0.33 - 0.1)	0.30	-0.06	(-0.13 - 0.02)	0.13
	R	0.75	0.47	0.61	-0.04	(-0.26 - 0.17)	0.68	0.00	(-0.21 - 0.21)	0.99	-0.04	(-0.12 - 0.03)	0.23
Isthmus Cingulate	L	0.64	0.53	0.65	-0.12	(-0.34 - 0.09)	0.26	-0.12	(-0.34 - 0.09)	0.26	0.00	(-0.07 - 0.07)	0.98
	R	2.96	0.05	0.15	0.14	(-0.07 - 0.35)	0.20	0.05	(-0.16 - 0.27)	0.63	**0.08**	**(0.01 - 0.16)**	**0.02**
Lateral Occipital	L	1.95	0.14	0.26	0.20	(-0.02 - 0.41)	0.07	**0.21**	**(0 - 0.43)**	**0.05**	-0.02	(-0.09 - 0.05)	0.62
	R	0.69	0.50	0.63	0.10	(-0.12 - 0.31)	0.37	0.12	(-0.09 - 0.33)	0.27	-0.02	(-0.09 - 0.05)	0.56
Lateral Orbitofrontal	L	0.27	0.77	0.82	-0.06	(-0.28 - 0.15)	0.57	-0.04	(-0.25 - 0.17)	0.71	-0.02	(-0.09 - 0.05)	0.58
	R	0.43	0.65	0.74	-0.08	(-0.29 - 0.13)	0.47	-0.05	(-0.27 - 0.16)	0.62	-0.03	(-0.1 - 0.05)	0.49
Lingual	L	3.15	0.04	0.13	**-0.26**	**(-0.47 - -0.04)**	**0.02**	-0.21	(-0.42 - 0.01)	0.06	-0.05	(-0.12 - 0.02)	0.17
	R	0.29	0.75	0.81	-0.08	(-0.29 - 0.14)	0.49	-0.06	(-0.27 - 0.16)	0.60	-0.02	(-0.09 - 0.06)	0.65
Medial Orbitofrontal	L	0.17	0.85	0.88	-0.02	(-0.23 - 0.2)	0.87	0.00	(-0.21 - 0.22)	0.97	-0.02	(-0.09 - 0.05)	0.57
	R	2.92	0.05	0.15	-0.08	(-0.29 - 0.13)	0.47	0.01	(-0.2 - 0.22)	0.91	**-0.09**	**(-0.16 - -0.02)**	**0.02**
Middle Temporal	L	1.17	0.31	0.43	0.17	(-0.05 - 0.38)	0.13	0.16	(-0.05 - 0.38)	0.13	0.00	(-0.07 - 0.08)	0.95
	R	2.14	0.12	0.24	0.00	(-0.21 - 0.21)	0.99	0.08	(-0.13 - 0.29)	0.47	**-0.08**	**(-0.15 - 0)**	**0.04**
Paracentral	L	1.27	0.28	0.41	0.15	(-0.06 - 0.36)	0.17	0.17	(-0.04 - 0.38)	0.12	-0.02	(-0.09 - 0.05)	0.61
	R	0.05	0.95	0.95	0.02	(-0.19 - 0.24)	0.82	0.01	(-0.2 - 0.23)	0.90	0.01	(-0.06 - 0.08)	0.78
Parahippocampal	L	1.29	0.28	0.41	-0.14	(-0.35 - 0.07)	0.20	-0.09	(-0.31 - 0.12)	0.39	-0.04	(-0.12 - 0.03)	0.23
	R	1.31	0.27	0.41	0.09	(-0.13 - 0.3)	0.42	0.03	(-0.18 - 0.24)	0.78	0.06	(-0.02 - 0.13)	0.13
Pars Opercularis	L	2.36	0.10	0.21	-0.12	(-0.33 - 0.1)	0.29	-0.04	(-0.25 - 0.17)	0.72	**-0.08**	**(-0.15 - 0)**	**0.04**
	R	0.50	0.60	0.72	0.10	(-0.12 - 0.31)	0.38	0.11	(-0.1 - 0.32)	0.32	-0.01	(-0.08 - 0.06)	0.76
Pars Orbitalis	L	0.31	0.73	0.81	0.08	(-0.13 - 0.29)	0.46	0.06	(-0.15 - 0.28)	0.56	0.02	(-0.06 - 0.09)	0.67
	R	0.31	0.73	0.81	0.00	(-0.21 - 0.22)	0.98	-0.03	(-0.24 - 0.19)	0.81	0.03	(-0.04 - 0.1)	0.43
Pars Triangularis	L	1.00	0.37	0.49	-0.09	(-0.3 - 0.12)	0.42	-0.04	(-0.25 - 0.17)	0.72	-0.05	(-0.12 - 0.02)	0.20
	R	0.23	0.79	0.84	0.07	(-0.14 -	0.52	0.06	(-0.15 -	0.59	0.01	(-0.06 -	0.75

						0.28)			0.27)			0.09)	
Pericalcarine	L	1.40	0.25	0.39	-0.14	(-0.36 - 0.08)	0.23	-0.08	(-0.3 - 0.13)	0.45	-0.05	(-0.12 - 0.02)	0.18
	R	**4.98**	**6.95e-03**	**0.05**	**-0.26**	**(-0.48 - -0.04)**	**0.02**	-0.16	(-0.38 - 0.06)	0.14	**-0.09**	**(-0.17 - -0.02)**	**0.01**
Postcentral	L	0.07	0.93	0.95	0.04	(-0.18 - 0.25)	0.73	0.04	(-0.17 - 0.25)	0.71	0.00	(-0.08 - 0.07)	0.94
	R	1.20	0.30	0.43	-0.15	(-0.37 - 0.06)	0.17	-0.12	(-0.33 - 0.1)	0.29	-0.04	(-0.11 - 0.04)	0.34
Posterior Cingulate	L	0.86	0.42	0.55	0.02	(-0.2 - 0.23)	0.89	0.06	(-0.15 - 0.27)	0.56	-0.05	(-0.12 - 0.03)	0.21
	R	1.86	0.16	0.28	-0.08	(-0.3 - 0.13)	0.44	-0.01	(-0.22 - 0.2)	0.91	-0.07	(-0.14 - 0)	0.06
Precentral	L	1.28	0.28	0.41	0.14	(-0.07 - 0.36)	0.19	0.10	(-0.11 - 0.31)	0.35	0.04	(-0.03 - 0.12)	0.26
	R	0.05	0.95	0.95	0.01	(-0.21 - 0.22)	0.96	-0.01	(-0.22 - 0.21)	0.95	0.01	(-0.06 - 0.09)	0.74
Precuneus	L	0.50	0.61	0.72	-0.02	(-0.24 - 0.19)	0.83	0.02	(-0.2 - 0.23)	0.89	-0.04	(-0.11 - 0.04)	0.32
	R	1.10	0.33	0.46	-0.15	(-0.36 - 0.07)	0.19	-0.11	(-0.33 - 0.1)	0.31	-0.03	(-0.11 - 0.04)	0.36
Rostral Anterior Cingulate	L	**5.43**	**4.40e-03**	**0.04**	0.04	(-0.18 - 0.25)	0.73	0.16	(-0.06 - 0.37)	0.15	**-0.12**	**(-0.19 - -0.04)**	**1.60e-03**
	R	2.22	0.11	0.23	0.02	(-0.2 - 0.23)	0.89	0.09	(-0.12 - 0.31)	0.40	**-0.08**	**(-0.15 - 0)**	**0.04**
Rostral Middle Frontal	L	0.88	0.41	0.55	0.11	(-0.1 - 0.32)	0.31	0.14	(-0.08 - 0.35)	0.21	-0.02	(-0.1 - 0.05)	0.52
	R	1.74	0.18	0.31	0.15	(-0.06 - 0.36)	0.17	0.19	(-0.02 - 0.4)	0.08	-0.04	(-0.11 - 0.04)	0.33
Superior Frontal	L	2.23	0.11	0.23	0.17	(-0.04 - 0.38)	0.11	**0.21**	**(0 - 0.42)**	**0.05**	-0.04	(-0.11 - 0.03)	0.28
	R	3.94	0.02	0.08	-0.03	(-0.24 - 0.18)	0.79	0.08	(-0.13 - 0.29)	0.47	**-0.10**	**(-0.18 - -0.03)**	**5.20e-03**
Superior Parietal	L	0.18	0.84	0.88	-0.04	(-0.25 - 0.17)	0.71	-0.06	(-0.27 - 0.16)	0.61	0.01	(-0.06 - 0.09)	0.70
	R	1.50	0.22	0.37	0.19	(-0.03 - 0.4)	0.09	0.18	(-0.03 - 0.4)	0.09	0.00	(-0.07 - 0.08)	0.92
Superior Temporal	L	0.61	0.54	0.66	-0.09	(-0.3 - 0.13)	0.44	-0.05	(-0.27 - 0.16)	0.65	-0.03	(-0.11 - 0.04)	0.36
	R	1.33	0.26	0.41	-0.02	(-0.23 - 0.2)	0.89	0.05	(-0.16 - 0.26)	0.67	-0.06	(-0.13 - 0.01)	0.10
Supramarginal	L	**5.38**	**4.64e-03**	**0.04**	-0.21	(-0.43 - 0)	0.05	-0.10	(-0.32 - 0.11)	0.36	**-0.11**	**(-0.18 - -0.04)**	**3.08e-03**
	R	1.56	0.21	0.35	-0.01	(-0.22 - 0.21)	0.95	0.06	(-0.15 - 0.27)	0.59	-0.07	(-0.14 - 0.01)	0.08
Temporal Pole	L	0.51	0.60	0.72	-0.08	(-0.3 - 0.13)	0.44	-0.05	(-0.27 - 0.16)	0.62	-0.03	(-0.1 - 0.04)	0.44
	R	1.26	0.28	0.41	0.15	(-0.07 - 0.36)	0.18	0.10	(-0.11 - 0.32)	0.33	0.04	(-0.03 - 0.11)	0.28
Transverse Temporal	L	1.07	0.34	0.47	-0.07	(-0.29 - 0.14)	0.50	-0.02	(-0.23 - 0.19)	0.85	-0.05	(-0.13 - 0.02)	0.16
	R	0.21	0.81	0.85	0.04	(-0.18 - 0.25)	0.75	0.05	(-0.16 - 0.27)	0.62	-0.02	(-0.09 - 0.05)	0.62
Subcortical Volume													
Amygdala	L	0.51	0.60	0.72	-0.06	(-0.27 - 0.16)	0.62	-0.02	(-0.23 - 0.2)	0.86	-0.04	(-0.11 - 0.04)	0.34
	R	3.18	0.04	0.13	0.02	(-0.2 - 0.23)	0.87	0.11	(-0.1 - 0.32)	0.31	**-0.09**	**(-0.16 -**	**0.01**

												-0.02)	
Caudate	L	0.48	0.62	0.72	-0.07	(-0.29 - 0.14)	0.52	-0.09	(-0.31 - 0.12)	0.39	0.02	(-0.05 - 0.1)	0.55
	R	0.48	0.62	0.72	-0.11	(-0.32 - 0.11)	0.33	-0.10	(-0.32 - 0.11)	0.36	-0.01	(-0.08 - 0.07)	0.83
Hippocampus	L	2.03	0.13	0.25	-0.16	(-0.37 - 0.05)	0.14	-0.10	(-0.31 - 0.11)	0.36	-0.06	(-0.13 - 0.01)	0.10
	R	**7.27**	**7.06e-04**	**0.01**	-0.18	(-0.39 - 0.04)	0.11	-0.04	(-0.25 - 0.18)	0.74	**-0.14**	**(-0.21 - -0.06)**	**2.25e-04**
Lateral Ventricles	L	4.66	9.51e-03	0.06	0.13	(-0.08 - 0.34)	0.24	0.02	(-0.2 - 0.23)	0.88	**0.11**	**(0.04 - 0.19)**	**2.86e-03**
	R	**5.35**	**4.78e-03**	**0.04**	-0.07	(-0.29 - 0.15)	0.52	-0.19	(-0.4 - 0.03)	0.09	**0.11**	**(0.04 - 0.19)**	**2.40e-03**
Nucleus Accumbens	L	1.62	0.20	0.34	-0.20	(-0.41 - 0.02)	0.07	-0.18	(-0.39 - 0.04)	0.10	-0.02	(-0.09 - 0.05)	0.63
	R	0.66	0.52	0.65	-0.12	(-0.33 - 0.1)	0.29	-0.12	(-0.34 - 0.09)	0.25	0.01	(-0.06 - 0.08)	0.81
Pallidum	L	0.27	0.76	0.82	-0.07	(-0.28 - 0.14)	0.53	-0.05	(-0.26 - 0.16)	0.64	-0.02	(-0.09 - 0.06)	0.63
	R	0.44	0.64	0.74	-0.10	(-0.31 - 0.11)	0.36	-0.09	(-0.3 - 0.13)	0.43	-0.01	(-0.09 - 0.06)	0.71
Putamen	L	0.33	0.72	0.80	-0.09	(-0.3 - 0.13)	0.43	-0.09	(-0.3 - 0.13)	0.42	0.00	(-0.07 - 0.07)	0.99
	R	0.15	0.86	0.89	-0.06	(-0.28 - 0.16)	0.59	-0.06	(-0.27 - 0.16)	0.60	0.00	(-0.07 - 0.07)	0.96
Thalamus	L	1.55	0.21	0.35	-0.17	(-0.39 - 0.04)	0.11	-0.13	(-0.35 - 0.08)	0.21	-0.04	(-0.11 - 0.03)	0.30
	R	4.20	0.02	0.07	**-0.26**	**(-0.47 - -0.05)**	**0.02**	-0.19	(-0.4 - 0.03)	0.09	**-0.08**	**(-0.15 - 0)**	**0.04**
Global													
Estimated Intracranial Volume	N/A	**7.75**	**4.40e-04**	**7.57e-03**	-0.17	(-0.38 - 0.05)	0.13	-0.02	(-0.23 - 0.19)	0.85	**-0.14**	**(-0.22 - -0.07)**	**1.21e-04**
Mean Cortical Thickness		**9.27**	**9.67e-05**	**3.03e-03**	-0.12	(-0.33 - 0.1)	0.29	0.05	(-0.17 - 0.26)	0.67	**-0.16**	**(-0.23 - -0.09)**	**1.79e-05**
Total Surface Area		**10.09**	**4.31e-05**	**3.03e-03**	-0.07	(-0.29 - 0.14)	0.51	0.10	(-0.12 - 0.31)	0.37	**-0.17**	**(-0.24 - -0.09)**	**7.43e-06**

Results marked in bold are significant at q<0.05 (the overall effect) or at p<0.05 (pairwise comparisons).

eTable 15. GRD subgroup (GRD vs. no GRD assignment vs. HC) effect size overview

		Overall Test Statistics			GRD < HC			GRD < no GRD			no GRD < HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	2.57	0.08	0.18	-0.05	(-0.19 - 0.08)	0.44	0.03	(-0.1 - 0.17)	0.62	**-0.09**	**(-0.16 - -0.01)**	**0.02**
	R	**6.49**	**1.55e-03**	**0.01**	**-0.16**	**(-0.3 - -0.03)**	**0.02**	-0.04	(-0.17 - 0.1)	0.61	**-0.13**	**(-0.2 - -0.05)**	**9.98e-04**
Caudal Anterior Cingulate	L	1.91	0.15	0.31	-0.03	(-0.16 - 0.11)	0.70	0.05	(-0.09 - 0.19)	0.49	-0.07	(-0.15 - 0)	0.05
	R	3.38	0.03	0.12	0.05	(-0.09 - 0.19)	0.47	0.14	(0 - 0.27)	0.05	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Caudal Middle Frontal	L	3.66	0.03	0.10	-0.12	(-0.25 - 0.02)	0.10	-0.02	(-0.15 - 0.12)	0.79	**-0.10**	**(-0.17 - -0.02)**	**0.01**
	R	4.43	0.01	0.07	-0.10	(-0.24 - 0.03)	0.14	0.01	(-0.12 - 0.15)	0.87	**-0.11**	**(-0.19 - -0.04)**	**3.70e-03**
Cuneus	L	0.50	0.61	0.72	0.07	(-0.07 - 0.2)	0.33	0.05	(-0.09 - 0.19)	0.47	0.02	(-0.06 - 0.09)	0.64
	R	0.37	0.69	0.80	-0.03	(-0.17 - 0.1)	0.63	0.00	(-0.14 - 0.13)	0.98	-0.03	(-0.11 - 0.04)	0.41
Entorhinal	L	0.56	0.57	0.68	-0.07	(-0.21 - 0.06)	0.29	-0.06	(-0.2 - 0.07)	0.36	-0.01	(-0.08 - 0.06)	0.79
	R	1.61	0.20	0.37	-0.12	(-0.25 - 0.02)	0.09	-0.08	(-0.21 - 0.06)	0.27	-0.04	(-0.12 - 0.03)	0.29
Frontal Pole	L	0.77	0.46	0.62	0.01	(-0.12 - 0.15)	0.84	0.06	(-0.08 - 0.19)	0.41	-0.04	(-0.12 - 0.03)	0.26
	R	1.84	0.16	0.32	-0.06	(-0.2 - 0.07)	0.36	0.01	(-0.13 - 0.15)	0.90	-0.07	(-0.15 - 0)	0.06
Fusiform	L	**8.80**	**1.55e-04**	**4.01e-03**	-0.12	(-0.25 - 0.02)	0.09	0.05	(-0.09 - 0.18)	0.52	**-0.16**	**(-0.23 - -0.08)**	**3.23e-05**
	R	3.19	0.04	0.13	-0.12	(-0.26 - 0.01)	0.08	-0.04	(-0.17 - 0.1)	0.60	**-0.09**	**(-0.16 - -0.01)**	**0.03**
Inferior Parietal	L	**8.95**	**1.33e-04**	**4.01e-03**	-0.13	(-0.27 - 0)	0.06	0.03	(-0.11 - 0.16)	0.68	**-0.16**	**(-0.23 - -0.08)**	**3.22e-05**
	R	4.21	0.01	0.07	-0.07	(-0.21 - 0.07)	0.31	0.04	(-0.09 - 0.18)	0.54	**-0.11**	**(-0.19 - -0.04)**	**3.80e-03**
Inferior Temporal	L	4.13	0.02	0.07	-0.10	(-0.24 - 0.03)	0.14	0.00	(-0.13 - 0.14)	0.95	**-0.11**	**(-0.18 - -0.03)**	**5.44e-03**
	R	**6.94**	**9.86e-04**	**0.01**	**-0.19**	**(-0.33 - -0.06)**	**5.94e-03**	-0.07	(-0.2 - 0.07)	0.33	**-0.12**	**(-0.2 - -0.05)**	**1.43e-03**
Insula	L	**9.69**	**6.40e-05**	**3.31e-03**	**-0.22**	**(-0.36 - -0.08)**	**1.54e-03**	-0.07	(-0.21 - 0.06)	0.31	**-0.15**	**(-0.22 - -0.07)**	**1.27e-04**
	R	**7.29**	**6.95e-04**	**9.79e-03**	-0.11	(-0.25 - 0.02)	0.10	0.03	(-0.1 - 0.17)	0.64	**-0.14**	**(-0.22 - -0.07)**	**1.65e-04**
Isthmus Cingulate	L	0.11	0.90	0.92	-0.02	(-0.15 - 0.12)	0.80	0.00	(-0.14 - 0.13)	0.99	-0.02	(-0.09 - 0.06)	0.66
	R	1.21	0.30	0.47	-0.10	(-0.23 - 0.04)	0.17	-0.05	(-0.19 - 0.08)	0.45	-0.04	(-0.12 - 0.03)	0.27
Lateral Occipital	L	4.40	0.01	0.07	-0.04	(-0.17 - 0.1)	0.59	0.08	(-0.06 - 0.21)	0.27	**-0.11**	**(-0.19 - -0.04)**	**3.22e-03**
	R	**8.04**	**3.30e-04**	**5.84e-03**	**-0.19**	**(-0.32 - -0.05)**	**7.38e-03**	-0.05	(-0.18 - 0.09)	0.51	**-0.14**	**(-0.21 - -0.06)**	**2.96e-04**
									(-0.02 -				

Lateral Orbitofrontal	L	2.86	0.06	0.15	0.04	(-0.1 - 0.17)	0.60	0.12	0.25)	0.09	**-0.08**	**(-0.15 - 0)**	**0.04**
	R	1.79	0.17	0.33	-0.07	(-0.21 - 0.06)	0.30	0.00	(-0.14 - 0.13)	0.98	-0.07	(-0.14 - 0.01)	0.07
Lingual	L	0.42	0.66	0.77	0.03	(-0.11 - 0.16)	0.69	0.05	(-0.08 - 0.19)	0.44	-0.03	(-0.1 - 0.05)	0.50
	R	0.04	0.96	0.96	0.02	(-0.12 - 0.15)	0.80	0.01	(-0.13 - 0.15)	0.90	0.01	(-0.07 - 0.08)	0.83
Medial Orbitofrontal	L	**5.72**	**3.32e-03**	**0.03**	-0.04	(-0.17 - 0.1)	0.60	0.09	(-0.04 - 0.23)	0.18	**-0.13**	**(-0.2 - -0.05)**	**8.12e-04**
	R	3.54	0.03	0.11	-0.02	(-0.15 - 0.12)	0.81	0.09	(-0.05 - 0.22)	0.22	**-0.10**	**(-0.17 - -0.02)**	**9.23e-03**
Middle Temporal	L	3.18	0.04	0.13	-0.03	(-0.17 - 0.1)	0.63	0.06	(-0.07 - 0.2)	0.35	**-0.10**	**(-0.17 - -0.02)**	**0.01**
	R	**11.41**	**1.16e-05**	**1.79e-03**	**-0.15**	**(-0.29 - -0.01)**	**0.03**	0.03	(-0.1 - 0.17)	0.63	**-0.18**	**(-0.26 - -0.11)**	**2.68e-06**
Paracentral	L	**6.68**	**1.27e-03**	**0.01**	-0.13	(-0.26 - 0.01)	0.07	0.01	(-0.13 - 0.15)	0.88	**-0.14**	**(-0.21 - -0.06)**	**3.85e-04**
	R	2.90	0.06	0.15	-0.10	(-0.24 - 0.04)	0.16	-0.01	(-0.15 - 0.13)	0.88	**-0.09**	**(-0.16 - -0.01)**	**0.02**
Parahippocampal	L	**5.02**	**6.65e-03**	**0.05**	-0.13	(-0.26 - 0.01)	0.06	-0.01	(-0.15 - 0.12)	0.86	**-0.11**	**(-0.19 - -0.04)**	**2.77e-03**
	R	1.25	0.29	0.46	-0.06	(-0.19 - 0.08)	0.41	0.00	(-0.13 - 0.14)	0.97	-0.06	(-0.13 - 0.02)	0.13
Pars Opercularis	L	0.71	0.49	0.63	-0.08	(-0.21 - 0.06)	0.26	-0.05	(-0.19 - 0.08)	0.46	-0.03	(-0.1 - 0.05)	0.49
	R	2.14	0.12	0.26	**-0.14**	**(-0.27 - 0)**	**0.05**	-0.09	(-0.23 - 0.04)	0.18	-0.04	(-0.12 - 0.03)	0.24
Pars Orbitalis	L	0.66	0.52	0.64	-0.05	(-0.19 - 0.08)	0.44	-0.01	(-0.15 - 0.12)	0.85	-0.04	(-0.11 - 0.04)	0.30
	R	0.73	0.48	0.63	-0.06	(-0.2 - 0.08)	0.39	-0.08	(-0.22 - 0.05)	0.24	0.02	(-0.05 - 0.1)	0.56
Pars Triangularis	L	1.06	0.35	0.51	-0.04	(-0.18 - 0.09)	0.55	-0.08	(-0.22 - 0.05)	0.22	0.04	(-0.03 - 0.12)	0.27
	R	0.86	0.43	0.59	-0.08	(-0.22 - 0.05)	0.24	-0.05	(-0.18 - 0.09)	0.50	-0.03	(-0.11 - 0.04)	0.37
Pericalcarine	L	1.55	0.21	0.38	0.12	(-0.01 - 0.26)	0.08	0.11	(-0.03 - 0.24)	0.13	0.02	(-0.06 - 0.09)	0.67
	R	1.71	0.18	0.35	0.10	(-0.04 - 0.23)	0.17	0.04	(-0.1 - 0.17)	0.61	0.06	(-0.01 - 0.14)	0.12
Postcentral	L	3.58	0.03	0.11	**-0.17**	**(-0.31 - -0.03)**	**0.02**	-0.10	(-0.24 - 0.04)	0.15	-0.07	(-0.14 - 0.01)	0.08
	R	4.52	0.01	0.07	-0.10	(-0.24 - 0.03)	0.14	0.01	(-0.12 - 0.15)	0.87	**-0.11**	**(-0.19 - -0.04)**	**3.43e-03**
Posterior Cingulate	L	3.07	0.05	0.14	-0.07	(-0.21 - 0.06)	0.28	0.02	(-0.12 - 0.16)	0.77	**-0.09**	**(-0.17 - -0.02)**	**0.01**
	R	**5.20**	**5.59e-03**	**0.04**	-0.13	(-0.27 - 0.01)	0.06	-0.01	(-0.15 - 0.12)	0.88	**-0.12**	**(-0.19 - -0.04)**	**2.28e-03**
Precentral	L	4.56	0.01	0.07	**-0.16**	**(-0.29 - -0.02)**	**0.02**	-0.06	(-0.19 - 0.08)	0.41	**-0.10**	**(-0.17 - -0.02)**	**0.01**
	R	4.53	0.01	0.07	-0.09	(-0.22 - 0.05)	0.22	0.03	(-0.11 - 0.17)	0.66	**-0.11**	**(-0.19 - -0.04)**	**2.86e-03**
Precuneus	L	3.26	0.04	0.13	-0.09	(-0.22 - 0.05)	0.22	0.01	(-0.12 - 0.15)	0.86	**-0.10**	**(-0.17 - -0.02)**	**0.01**
	R	**7.90**	**3.77e-04**	**5.84e-03**	**-0.24**	**(-0.38 - -0.11)**	**4.55e-04**	-0.14	(-0.27 - 0)	0.05	**-0.11**	**(-0.18 - -0.03)**	**5.23e-03**
Rostral Anterior	L	3.38	0.03	0.12	-0.13	(-0.26 - 0.01)	0.07	-0.04	(-0.17 - 0.1)	0.59	**-0.09**	**(-0.16 - -0.01)**	**0.02**

Cingulate	R	1.81	0.16	0.33	-0.09	(-0.23 - 0.04)	0.18	-0.03	(-0.16 - 0.11)	0.68	-0.06	(-0.14 - 0.01)	0.10
Rostral Middle Frontal	L	**5.18**	**5.68e-03**	**0.04**	-0.08	(-0.21 - 0.06)	0.28	0.05	(-0.09 - 0.19)	0.47	**-0.12**	**(-0.2 - -0.05)**	**1.32e-03**
	R	4.09	0.02	0.07	-0.11	(-0.25 - 0.03)	0.12	0.00	(-0.14 - 0.13)	0.96	**-0.10**	**(-0.18 - -0.03)**	**6.22e-03**
Superior Frontal	L	3.55	0.03	0.11	**-0.15**	**(-0.28 - -0.01)**	**0.03**	-0.06	(-0.2 - 0.07)	0.35	**-0.08**	**(-0.16 - -0.01)**	**0.03**
	R	2.03	0.13	0.29	-0.07	(-0.2 - 0.07)	0.34	0.01	(-0.13 - 0.15)	0.88	**-0.08**	**(-0.15 - 0)**	**0.05**
Superior Parietal	L	2.98	0.05	0.14	-0.11	(-0.25 - 0.02)	0.10	-0.03	(-0.16 - 0.11)	0.69	**-0.08**	**(-0.16 - -0.01)**	**0.03**
	R	4.32	0.01	0.07	-0.07	(-0.21 - 0.07)	0.31	0.04	(-0.09 - 0.18)	0.54	**-0.11**	**(-0.19 - -0.04)**	**3.37e-03**
Superior Temporal	L	4.16	0.02	0.07	-0.09	(-0.23 - 0.05)	0.19	0.02	(-0.12 - 0.16)	0.79	**-0.11**	**(-0.18 - -0.03)**	**4.60e-03**
	R	**6.71**	**1.24e-03**	**0.01**	**-0.16**	**(-0.3 - -0.03)**	**0.02**	-0.03	(-0.17 - 0.1)	0.63	**-0.13**	**(-0.2 - -0.05)**	**7.87e-04**
Supramarginal	L	3.82	0.02	0.09	**-0.17**	**(-0.3 - -0.03)**	**0.02**	-0.09	(-0.23 - 0.04)	0.19	**-0.08**	**(-0.15 - 0)**	**0.05**
	R	2.68	0.07	0.17	-0.05	(-0.18 - 0.09)	0.50	0.04	(-0.09 - 0.18)	0.53	**-0.09**	**(-0.16 - -0.01)**	**0.02**
Temporal Pole	L	3.21	0.04	0.13	0.07	(-0.07 - 0.21)	0.31	**0.15**	**(0.01 - 0.28)**	**0.04**	-0.07	(-0.15 - 0)	0.05
	R	2.79	0.06	0.16	-0.01	(-0.15 - 0.13)	0.89	0.08	(-0.06 - 0.22)	0.25	**-0.09**	**(-0.16 - -0.01)**	**0.02**
Transverse Temporal	L	1.77	0.17	0.34	-0.12	(-0.26 - 0.02)	0.09	-0.07	(-0.21 - 0.06)	0.31	-0.05	(-0.12 - 0.03)	0.22
	R	3.15	0.04	0.13	-0.11	(-0.24 - 0.03)	0.13	-0.02	(-0.15 - 0.12)	0.82	**-0.09**	**(-0.16 - -0.01)**	**0.02**
Surface Area													
Banks of the Superior Temporal Sulcus	L	1.94	0.14	0.31	-0.10	(-0.24 - 0.03)	0.14	-0.04	(-0.17 - 0.1)	0.59	-0.06	(-0.14 - 0.01)	0.09
	R	4.25	0.01	0.07	**-0.20**	**(-0.33 - -0.06)**	**4.49e-03**	**-0.14**	**(-0.28 - -0.01)**	**0.04**	-0.05	(-0.13 - 0.02)	0.15
Caudal Anterior Cingulate	L	0.16	0.85	0.91	0.01	(-0.12 - 0.15)	0.84	0.03	(-0.1 - 0.17)	0.64	-0.02	(-0.09 - 0.06)	0.65
	R	2.45	0.09	0.20	-0.07	(-0.2 - 0.07)	0.35	0.02	(-0.12 - 0.16)	0.77	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Caudal Middle Frontal	L	1.04	0.35	0.51	-0.04	(-0.18 - 0.09)	0.55	0.01	(-0.12 - 0.15)	0.84	-0.05	(-0.13 - 0.02)	0.15
	R	0.96	0.38	0.55	0.05	(-0.09 - 0.19)	0.48	0.09	(-0.05 - 0.22)	0.22	-0.04	(-0.11 - 0.04)	0.35
Cuneus	L	1.53	0.22	0.38	-0.01	(-0.15 - 0.13)	0.90	0.06	(-0.08 - 0.19)	0.40	-0.07	(-0.14 - 0.01)	0.09
	R	2.67	0.07	0.17	-0.10	(-0.24 - 0.03)	0.14	-0.02	(-0.16 - 0.12)	0.78	**-0.08**	**(-0.16 - -0.01)**	**0.03**
Entorhinal	L	3.68	0.03	0.10	-0.05	(-0.19 - 0.09)	0.48	0.06	(-0.08 - 0.19)	0.42	**-0.10**	**(-0.18 - -0.03)**	**6.71e-03**
	R	1.38	0.25	0.42	0.07	(-0.07 - 0.2)	0.35	0.11	(-0.03 - 0.24)	0.13	-0.04	(-0.12 - 0.03)	0.29
Frontal Pole	L	0.46	0.63	0.74	0.02	(-0.12 - 0.15)	0.80	-0.02	(-0.16 - 0.12)	0.77	0.04	(-0.04 - 0.11)	0.34
	R	0.70	0.50	0.63	0.04	(-0.1 - 0.18)	0.56	0.00	(-0.14 - 0.13)	0.96	0.04	(-0.03 - 0.12)	0.25
Fusiform	L	1.61	0.20	0.37	-0.12	(-0.26 - 0.01)	0.08	-0.09	(-0.22 - 0.05)	0.22	-0.04	(-0.11 - 0.04)	0.36

	R	1.94	0.14	0.31	-0.09	(-0.23 - 0.05)	0.19	-0.02	(-0.16 - 0.12)	0.77	-0.07	(-0.14 - 0.01)	0.07
Inferior Parietal	L	1.26	0.29	0.46	-0.08	(-0.22 - 0.06)	0.25	-0.03	(-0.16 - 0.11)	0.71	-0.05	(-0.13 - 0.02)	0.17
	R	**7.12**	**8.23e-04**	**0.01**	**-0.25**	**(-0.39 - -0.12)**	**2.43e-04**	**-0.18**	**(-0.32 - -0.05)**	**8.64e-03**	-0.07	(-0.15 - 0)	0.06
Inferior Temporal	L	0.52	0.59	0.71	-0.06	(-0.2 - 0.07)	0.35	-0.04	(-0.17 - 0.1)	0.57	-0.03	(-0.1 - 0.05)	0.51
	R	1.15	0.32	0.49	-0.10	(-0.24 - 0.03)	0.13	-0.10	(-0.23 - 0.04)	0.17	-0.01	(-0.08 - 0.07)	0.82
Insula	L	1.57	0.21	0.38	-0.04	(-0.17 - 0.1)	0.57	0.03	(-0.11 - 0.17)	0.67	-0.07	(-0.14 - 0.01)	0.08
	R	0.76	0.47	0.62	-0.06	(-0.19 - 0.08)	0.42	-0.01	(-0.15 - 0.12)	0.86	-0.04	(-0.12 - 0.03)	0.26
Isthmus Cingulate	L	0.28	0.75	0.85	0.03	(-0.1 - 0.17)	0.62	0.05	(-0.09 - 0.19)	0.47	-0.02	(-0.09 - 0.06)	0.69
	R	2.92	0.05	0.15	0.11	(-0.02 - 0.25)	0.10	0.03	(-0.11 - 0.16)	0.68	**0.08**	**(0.01 - 0.16)**	**0.03**
Lateral Occipital	L	1.53	0.22	0.38	-0.11	(-0.25 - 0.03)	0.12	-0.12	(-0.26 - 0.02)	0.08	0.01	(-0.06 - 0.09)	0.76
	R	0.12	0.88	0.92	0.00	(-0.14 - 0.14)	0.99	0.02	(-0.12 - 0.16)	0.78	-0.02	(-0.09 - 0.06)	0.64
Lateral Orbitofrontal	L	0.23	0.79	0.87	-0.01	(-0.14 - 0.13)	0.91	0.02	(-0.12 - 0.15)	0.79	-0.03	(-0.1 - 0.05)	0.50
	R	0.77	0.46	0.62	0.03	(-0.11 - 0.16)	0.70	0.07	(-0.07 - 0.2)	0.34	-0.04	(-0.11 - 0.04)	0.31
Lingual	L	1.41	0.24	0.41	-0.06	(-0.2 - 0.07)	0.37	0.00	(-0.14 - 0.14)	0.99	-0.06	(-0.14 - 0.01)	0.11
	R	0.29	0.75	0.85	-0.05	(-0.19 - 0.08)	0.46	-0.04	(-0.17 - 0.1)	0.60	-0.01	(-0.09 - 0.06)	0.70
Medial Orbitofrontal	L	0.24	0.79	0.87	-0.04	(-0.18 - 0.09)	0.52	-0.03	(-0.16 - 0.11)	0.70	-0.02	(-0.09 - 0.06)	0.65
	R	3.33	0.04	0.12	**-0.14**	**(-0.28 - -0.01)**	**0.04**	-0.06	(-0.2 - 0.07)	0.37	**-0.08**	**(-0.15 - 0)**	**0.04**
Middle Temporal	L	0.13	0.88	0.92	-0.01	(-0.15 - 0.12)	0.87	-0.03	(-0.16 - 0.11)	0.69	0.02	(-0.06 - 0.09)	0.69
	R	2.56	0.08	0.18	**-0.14**	**(-0.28 - 0)**	**0.04**	-0.08	(-0.22 - 0.05)	0.25	-0.06	(-0.13 - 0.02)	0.12
Paracentral	L	0.23	0.79	0.87	0.03	(-0.11 - 0.16)	0.69	0.04	(-0.09 - 0.18)	0.53	-0.02	(-0.09 - 0.06)	0.67
	R	1.07	0.34	0.51	0.10	(-0.04 - 0.23)	0.17	0.10	(-0.04 - 0.24)	0.15	0.00	(-0.08 - 0.07)	0.92
Parahippocampal	L	1.20	0.30	0.47	-0.09	(-0.23 - 0.04)	0.18	-0.05	(-0.19 - 0.08)	0.46	-0.04	(-0.12 - 0.03)	0.27
	R	1.32	0.27	0.44	0.04	(-0.09 - 0.18)	0.55	-0.02	(-0.16 - 0.11)	0.75	0.06	(-0.01 - 0.14)	0.11
Pars Opercularis	L	2.88	0.06	0.15	-0.02	(-0.15 - 0.12)	0.81	0.07	(-0.06 - 0.21)	0.28	**-0.09**	**(-0.17 - -0.02)**	**0.02**
	R	1.11	0.33	0.50	0.08	(-0.05 - 0.22)	0.24	0.10	(-0.03 - 0.24)	0.14	-0.02	(-0.1 - 0.05)	0.59
Pars Orbitalis	L	0.22	0.81	0.87	0.04	(-0.09 - 0.18)	0.54	0.03	(-0.11 - 0.16)	0.69	0.02	(-0.06 - 0.09)	0.69
	R	0.29	0.75	0.85	0.02	(-0.11 - 0.16)	0.75	-0.01	(-0.14 - 0.13)	0.92	0.03	(-0.05 - 0.1)	0.45
Pars Triangularis	L	3.04	0.05	0.14	0.07	(-0.07 - 0.2)	0.33	**0.14**	**(0.01 - 0.28)**	**0.04**	-0.07	(-0.15 - 0)	0.06
	R	0.11	0.90	0.92	0.03	(-0.11 - 0.16)	0.69	0.01	(-0.12 - 0.15)	0.84	0.01	(-0.06 - 0.09)	0.73
	L	1.15	0.32	0.49	-0.04	(-0.18 - 0.1)	0.57	0.02	(-0.12 -	0.78	-0.06	(-0.13 -	0.13

Pericalcarine									0.16)			0.02)	
	R	3.94	0.02	0.08	-0.09	(-0.23 - 0.05)	0.20	0.02	(-0.12 - 0.15)	0.80	**-0.11**	**(-0.18 - -0.03)**	**5.86e-03**
Postcentral	L	0.85	0.43	0.59	-0.08	(-0.21 - 0.06)	0.27	-0.09	(-0.23 - 0.05)	0.19	0.01	(-0.06 - 0.09)	0.73
	R	0.73	0.48	0.63	-0.02	(-0.15 - 0.12)	0.79	0.03	(-0.11 - 0.16)	0.68	-0.05	(-0.12 - 0.03)	0.23
Posterior Cingulate	L	0.70	0.50	0.63	-0.04	(-0.17 - 0.1)	0.59	0.01	(-0.13 - 0.14)	0.91	-0.04	(-0.12 - 0.03)	0.24
	R	2.00	0.14	0.30	-0.10	(-0.24 - 0.03)	0.14	-0.04	(-0.17 - 0.1)	0.60	-0.07	(-0.14 - 0.01)	0.09
Precentral	L	0.90	0.41	0.57	0.03	(-0.11 - 0.17)	0.66	-0.02	(-0.16 - 0.11)	0.76	0.05	(-0.02 - 0.13)	0.18
	R	0.07	0.93	0.93	0.00	(-0.14 - 0.14)	1.00	-0.01	(-0.15 - 0.12)	0.83	0.01	(-0.06 - 0.09)	0.71
Precuneus	L	0.62	0.54	0.66	-0.07	(-0.2 - 0.07)	0.34	-0.04	(-0.17 - 0.1)	0.61	-0.03	(-0.11 - 0.04)	0.42
	R	0.59	0.55	0.67	-0.05	(-0.18 - 0.09)	0.52	-0.01	(-0.14 - 0.13)	0.94	-0.04	(-0.11 - 0.04)	0.31
Rostral Anterior Cingulate	L	4.46	0.01	0.07	-0.09	(-0.22 - 0.05)	0.20	0.03	(-0.11 - 0.16)	0.71	**-0.11**	**(-0.19 - -0.04)**	**3.19e-03**
	R	2.21	0.11	0.25	-0.02	(-0.16 - 0.11)	0.74	0.06	(-0.08 - 0.19)	0.40	**-0.08**	**(-0.15 - 0)**	**0.04**
Rostral Middle Frontal	L	0.15	0.86	0.92	-0.04	(-0.17 - 0.1)	0.61	-0.02	(-0.16 - 0.11)	0.74	-0.01	(-0.09 - 0.06)	0.74
	R	1.72	0.18	0.35	-0.13	(-0.26 - 0.01)	0.07	-0.12	(-0.25 - 0.02)	0.09	-0.01	(-0.08 - 0.07)	0.83
Superior Frontal	L	1.57	0.21	0.38	0.07	(-0.07 - 0.2)	0.35	0.11	(-0.03 - 0.25)	0.11	-0.05	(-0.12 - 0.03)	0.24
	R	4.48	0.01	0.07	-0.03	(-0.16 - 0.11)	0.69	0.09	(-0.05 - 0.22)	0.21	**-0.11**	**(-0.19 - -0.04)**	**3.13e-03**
Superior Parietal	L	0.11	0.90	0.92	0.03	(-0.1 - 0.17)	0.65	0.02	(-0.11 - 0.16)	0.73	0.01	(-0.07 - 0.08)	0.84
	R	1.49	0.23	0.39	-0.08	(-0.22 - 0.05)	0.23	-0.12	(-0.25 - 0.02)	0.09	0.03	(-0.04 - 0.11)	0.41
Superior Temporal	L	0.66	0.51	0.64	-0.07	(-0.21 - 0.07)	0.31	-0.04	(-0.18 - 0.1)	0.57	-0.03	(-0.11 - 0.04)	0.42
	R	1.27	0.28	0.46	-0.07	(-0.21 - 0.06)	0.28	-0.02	(-0.15 - 0.12)	0.79	-0.06	(-0.13 - 0.02)	0.15
Supramarginal	L	**5.56**	**3.88e-03**	**0.03**	**-0.18**	**(-0.32 - -0.05)**	**8.78e-03**	-0.08	(-0.21 - 0.06)	0.28	**-0.11**	**(-0.18 - -0.03)**	**6.39e-03**
	R	1.41	0.25	0.41	-0.06	(-0.2 - 0.07)	0.38	0.00	(-0.13 - 0.14)	0.97	-0.06	(-0.14 - 0.01)	0.10
Temporal Pole	L	2.46	0.09	0.20	**-0.15**	**(-0.29 - -0.02)**	**0.03**	**-0.14**	**(-0.28 - -0.01)**	**0.04**	-0.01	(-0.09 - 0.06)	0.78
	R	1.40	0.25	0.41	0.11	(-0.02 - 0.25)	0.11	0.08	(-0.06 - 0.21)	0.27	0.03	(-0.04 - 0.11)	0.37
Transverse Temporal	L	1.05	0.35	0.51	-0.05	(-0.19 - 0.08)	0.44	0.00	(-0.14 - 0.14)	0.99	-0.05	(-0.13 - 0.02)	0.16
	R	0.09	0.91	0.92	-0.02	(-0.16 - 0.12)	0.77	-0.01	(-0.14 - 0.13)	0.94	-0.01	(-0.09 - 0.06)	0.70
Subcortical Volume													
Amygdala	L	0.72	0.49	0.63	0.00	(-0.13 - 0.14)	0.98	0.05	(-0.09 - 0.18)	0.51	-0.04	(-0.12 - 0.03)	0.25
	R	2.67	0.07	0.17	-0.08	(-0.22 - 0.05)	0.22	0.00	(-0.13 - 0.14)	0.98	**-0.09**	**(-0.16 - -0.01)**	**0.03**

Caudate	L	0.14	0.87	0.92	0.03	(-0.1 - 0.17)	0.65	0.02	(-0.12 - 0.15)	0.80	0.01	(-0.06 - 0.09)	0.70
	R	0.59	0.55	0.67	0.05	(-0.09 - 0.18)	0.51	0.07	(-0.06 - 0.21)	0.31	-0.02	(-0.1 - 0.05)	0.53
Hippocampus	L	1.91	0.15	0.31	-0.02	(-0.16 - 0.11)	0.75	0.05	(-0.08 - 0.19)	0.45	-0.07	(-0.15 - 0)	0.05
	R	**8.61**	**1.87e-04**	**4.14e-03**	-0.04	(-0.18 - 0.09)	0.52	0.12	(-0.02 - 0.25)	0.10	**-0.16**	**(-0.23 - -0.08)**	**4.04e-05**
Lateral Ventricles	L	**5.74**	**3.25e-03**	**0.03**	0.03	(-0.11 - 0.16)	0.68	-0.10	(-0.24 - 0.03)	0.14	**0.13**	**(0.05 - 0.2)**	**8.52e-04**
	R	3.98	0.02	0.08	0.09	(-0.05 - 0.22)	0.21	-0.02	(-0.16 - 0.12)	0.76	**0.11**	**(0.03 - 0.18)**	**5.47e-03**
Nucleus Accumbens	L	0.93	0.40	0.56	-0.09	(-0.23 - 0.04)	0.17	-0.08	(-0.21 - 0.06)	0.26	-0.02	(-0.09 - 0.06)	0.67
	R	0.12	0.89	0.92	-0.03	(-0.16 - 0.11)	0.70	-0.03	(-0.17 - 0.1)	0.62	0.01	(-0.07 - 0.08)	0.85
Pallidum	L	0.32	0.72	0.83	0.01	(-0.12 - 0.15)	0.86	0.04	(-0.1 - 0.18)	0.57	-0.03	(-0.1 - 0.05)	0.48
	R	0.68	0.51	0.64	0.04	(-0.09 - 0.18)	0.54	0.07	(-0.06 - 0.21)	0.29	-0.03	(-0.1 - 0.05)	0.44
Putamen	L	0.23	0.79	0.87	0.03	(-0.1 - 0.17)	0.62	0.05	(-0.09 - 0.18)	0.50	-0.01	(-0.09 - 0.06)	0.76
	R	0.81	0.44	0.61	0.07	(-0.07 - 0.2)	0.32	0.09	(-0.05 - 0.22)	0.21	-0.02	(-0.09 - 0.06)	0.63
Thalamus	L	1.11	0.33	0.50	0.00	(-0.14 - 0.14)	1.00	0.06	(-0.08 - 0.19)	0.42	-0.05	(-0.13 - 0.02)	0.16
	R	3.29	0.04	0.12	-0.03	(-0.16 - 0.11)	0.71	0.07	(-0.06 - 0.21)	0.29	**-0.10**	**(-0.17 - -0.02)**	**0.01**
Global													
Estimated Intracranial Volume	N/A	**7.93**	**3.68e-04**	**5.84e-03**	**-0.18**	**(-0.32 - -0.05)**	**8.36e-03**	-0.04	(-0.18 - 0.09)	0.53	**-0.14**	**(-0.21 - -0.06)**	**3.11e-04**
Mean Cortical Thickness		**9.19**	**1.05e-04**	**4.01e-03**	**-0.15**	**(-0.29 - -0.02)**	**0.03**	0.01	(-0.13 - 0.14)	0.92	**-0.16**	**(-0.23 - -0.08)**	**3.44e-05**
Total Surface Area		**9.86**	**5.39e-05**	**3.31e-03**	**-0.20**	**(-0.33 - -0.06)**	**4.16e-03**	-0.04	(-0.18 - 0.09)	0.56	**-0.16**	**(-0.23 - -0.08)**	**4.91e-05**

Results marked in bold are significant at q<0.05 (the overall effect) or at p<0.05 (pairwise comparisons).

eTable 16. CHR-PS+ vs. CHR-PS- vs. HC effect size overview (post-ComBat mega analysis)

		Overall Test Statistics			CHR-PS+ < HC			CHR-PS+ < CHR-PS-			CHR-PS- < HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**	**Cohen's d**	**95% Confidence Interval**	**p**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	3.91	0.02	0.06	-0.10	(-0.24 - 0.03)	0.13	0.00	(-0.17 - 0.18)	0.97	**-0.11**	**(-0.19 - -0.03)**	**7.27e-03**
	R	**9.34**	**9.08e-05**	**1.17e-03**	**-0.23**	**(-0.37 - -0.09)**	**9.04e-04**	-0.09	(-0.26 - 0.09)	0.21	**-0.14**	**(-0.22 - -0.07)**	**3.21e-04**
Caudal Anterior Cingulate	L	2.53	0.08	0.19	-0.08	(-0.21 - 0.06)	0.26	0.01	(-0.17 - 0.18)	0.90	**-0.09**	**(-0.16 - -0.01)**	**0.03**
	R	1.41	0.24	0.39	-0.07	(-0.21 - 0.06)	0.29	-0.01	(-0.19 - 0.17)	0.88	-0.06	(-0.14 - 0.02)	0.12
Caudal Middle Frontal	L	**7.05**	**8.86e-04**	**7.16e-03**	**-0.21**	**(-0.34 - -0.07)**	**2.47e-03**	-0.09	(-0.27 - 0.08)	0.19	**-0.12**	**(-0.2 - -0.04)**	**2.77e-03**
	R	**7.21**	**7.51e-04**	**6.75e-03**	**-0.16**	**(-0.3 - -0.03)**	**0.02**	-0.02	(-0.19 - 0.16)	0.79	**-0.14**	**(-0.22 - -0.06)**	**3.91e-04**
Cuneus	L	0.61	0.54	0.67	-0.05	(-0.19 - 0.08)	0.43	-0.08	(-0.25 - 0.1)	0.28	0.02	(-0.06 - 0.1)	0.61
	R	1.28	0.28	0.43	-0.09	(-0.23 - 0.04)	0.19	-0.04	(-0.22 - 0.14)	0.55	-0.05	(-0.13 - 0.03)	0.21
Entorhinal	L	0.89	0.41	0.54	-0.09	(-0.22 - 0.05)	0.20	-0.09	(-0.26 - 0.09)	0.20	0.00	(-0.08 - 0.08)	0.98
	R	1.99	0.14	0.26	**-0.14**	**(-0.27 - 0)**	**0.05**	-0.10	(-0.28 - 0.07)	0.15	-0.04	(-0.11 - 0.04)	0.37
Frontal Pole	L	1.45	0.23	0.38	-0.11	(-0.25 - 0.02)	0.11	-0.07	(-0.24 - 0.11)	0.32	-0.04	(-0.12 - 0.04)	0.30
	R	2.26	0.10	0.22	-0.13	(-0.26 - 0.01)	0.07	-0.07	(-0.24 - 0.11)	0.35	-0.06	(-0.14 - 0.02)	0.12
Fusiform	L	**12.41**	**4.33e-06**	**1.68e-04**	**-0.29**	**(-0.42 - -0.15)**	**2.96e-05**	**-0.14**	**(-0.31 - 0.04)**	**0.05**	**-0.15**	**(-0.23 - -0.07)**	**1.52e-04**
	R	**6.42**	**1.66e-03**	**9.19e-03**	**-0.23**	**(-0.36 - -0.09)**	**1.12e-03**	-0.13	(-0.31 - 0.04)	0.06	**-0.09**	**(-0.17 - -0.02)**	**0.02**
Inferior Parietal	L	**10.83**	**2.06e-05**	**4.56e-04**	**-0.22**	**(-0.35 - -0.08)**	**1.45e-03**	-0.05	(-0.23 - 0.12)	0.44	**-0.16**	**(-0.24 - -0.09)**	**3.20e-05**
	R	**5.82**	**3.01e-03**	**0.01**	-0.10	(-0.24 - 0.03)	0.13	0.03	(-0.14 - 0.21)	0.66	**-0.13**	**(-0.21 - -0.06)**	**7.76e-04**
Inferior Temporal	L	**6.03**	**2.43e-03**	**0.01**	**-0.19**	**(-0.32 - -0.05)**	**6.73e-03**	-0.07	(-0.25 - 0.1)	0.29	**-0.11**	**(-0.19 - -0.04)**	**4.28e-03**
	R	**9.37**	**8.76e-05**	**1.17e-03**	**-0.17**	**(-0.3 - -0.03)**	**0.02**	0.00	(-0.18 - 0.17)	0.96	**-0.16**	**(-0.24 - -0.09)**	**3.73e-05**
Insula	L	**11.21**	**1.42e-05**	**3.66e-04**	**-0.19**	**(-0.33 - -0.06)**	**5.44e-03**	-0.01	(-0.19 - 0.16)	0.85	**-0.18**	**(-0.25 - -0.1)**	**8.07e-06**
	R	**9.59**	**7.06e-05**	**1.17e-03**	**-0.19**	**(-0.32 - -0.05)**	**6.83e-03**	-0.02	(-0.2 - 0.15)	0.72	**-0.16**	**(-0.24 - -0.08)**	**4.67e-05**
Isthmus Cingulate	L	0.30	0.74	0.86	-0.05	(-0.18 - 0.09)	0.50	-0.02	(-0.2 - 0.15)	0.72	-0.02	(-0.1 - 0.06)	0.58
	R	1.90	0.15	0.27	-0.05	(-0.18 - 0.09)	0.51	0.03	(-0.14 - 0.21)	0.64	-0.08	(-0.15 - 0)	0.05
Lateral Occipital	L	**6.56**	**1.44e-03**	**8.59e-03**	**-0.20**	**(-0.34 - -0.07)**	**3.04e-03**	-0.09	(-0.27 - 0.08)	0.19	**-0.11**	**(-0.19 - -0.03)**	**4.50e-03**
	R	**9.95**	**4.96e-05**	**9.62e-04**	**-0.22**	**(-0.35 - -0.08)**	**1.63e-03**	-0.06	(-0.24 - 0.11)	0.38	**-0.16**	**(-0.23 - -0.08)**	**8.69e-05**
						(-0.29 -			(-0.26 -				

Lateral Orbitofrontal	L	3.35	0.04	0.09	**-0.15**	**-0.02)**	**0.02**	-0.08	0.09)	0.25	-0.07	(-0.15 - 0)	0.06
	R	2.53	0.08	0.19	-0.08	(-0.22 - 0.05)	0.23	0.00	(-0.17 - 0.18)	0.95	**-0.09**	**(-0.16 - -0.01)**	**0.03**
Lingual	L	0.55	0.58	0.71	-0.04	(-0.18 - 0.09)	0.53	0.00	(-0.18 - 0.17)	0.95	-0.04	(-0.12 - 0.04)	0.33
	R	0.04	0.96	0.99	-0.02	(-0.16 - 0.12)	0.78	-0.01	(-0.19 - 0.16)	0.85	-0.01	(-0.08 - 0.07)	0.88
Medial Orbitofrontal	L	**7.00**	**9.23e-04**	**7.16e-03**	-0.08	(-0.21 - 0.06)	0.27	0.07	(-0.1 - 0.25)	0.29	**-0.15**	**(-0.23 - -0.07)**	**1.86e-04**
	R	**4.53**	**0.01**	**0.04**	-0.10	(-0.24 - 0.03)	0.13	0.01	(-0.16 - 0.19)	0.86	**-0.12**	**(-0.19 - -0.04)**	**3.43e-03**
Middle Temporal	L	3.74	0.02	0.07	**-0.17**	**(-0.31 - -0.04)**	**0.01**	-0.10	(-0.27 - 0.08)	0.15	-0.07	(-0.15 - 0.01)	0.07
	R	**13.73**	**1.16e-06**	**1.19e-04**	**-0.27**	**(-0.41 - -0.14)**	**8.29e-05**	-0.09	(-0.27 - 0.08)	0.17	**-0.18**	**(-0.25 - -0.1)**	**9.15e-06**
Paracentral	L	**12.18**	**5.42e-06**	**1.68e-04**	**-0.32**	**(-0.45 - -0.18)**	**4.60e-06**	**-0.20**	**(-0.37 - -0.02)**	**4.76e-03**	**-0.12**	**(-0.2 - -0.04)**	**2.25e-03**
	R	**8.88**	**1.43e-04**	**1.71e-03**	**-0.28**	**(-0.42 - -0.15)**	**4.51e-05**	**-0.20**	**(-0.37 - -0.02)**	**4.59e-03**	**-0.09**	**(-0.16 - -0.01)**	**0.03**
Parahippocampal	L	**6.79**	**1.14e-03**	**7.59e-03**	-0.13	(-0.26 - 0.01)	0.06	0.01	(-0.16 - 0.19)	0.83	**-0.14**	**(-0.22 - -0.06)**	**3.45e-04**
	R	1.66	0.19	0.33	-0.08	(-0.21 - 0.06)	0.26	-0.01	(-0.18 - 0.16)	0.88	-0.07	(-0.14 - 0.01)	0.09
Pars Opercularis	L	0.96	0.38	0.52	-0.03	(-0.16 - 0.11)	0.68	0.03	(-0.15 - 0.2)	0.69	-0.05	(-0.13 - 0.02)	0.17
	R	2.42	0.09	0.19	-0.12	(-0.25 - 0.02)	0.09	-0.04	(-0.22 - 0.13)	0.53	-0.07	(-0.15 - 0)	0.07
Pars Orbitalis	L	1.39	0.25	0.40	-0.10	(-0.23 - 0.03)	0.15	-0.05	(-0.23 - 0.12)	0.45	-0.05	(-0.12 - 0.03)	0.23
	R	0.30	0.74	0.86	-0.05	(-0.19 - 0.08)	0.46	-0.04	(-0.21 - 0.14)	0.61	-0.02	(-0.09 - 0.06)	0.68
Pars Triangularis	L	0.13	0.87	0.93	-0.02	(-0.15 - 0.12)	0.81	-0.03	(-0.21 - 0.14)	0.65	0.01	(-0.06 - 0.09)	0.71
	R	2.05	0.13	0.25	-0.12	(-0.25 - 0.02)	0.09	-0.06	(-0.23 - 0.12)	0.42	-0.06	(-0.14 - 0.02)	0.12
Pericalcarine	L	0.14	0.87	0.93	0.02	(-0.12 - 0.15)	0.79	0.00	(-0.18 - 0.17)	0.98	0.02	(-0.06 - 0.1)	0.60
	R	0.70	0.50	0.63	0.04	(-0.09 - 0.18)	0.54	0.00	(-0.18 - 0.17)	0.96	0.05	(-0.03 - 0.12)	0.25
Postcentral	L	3.83	0.02	0.07	-0.13	(-0.27 - 0)	0.06	-0.03	(-0.21 - 0.14)	0.65	**-0.10**	**(-0.18 - -0.02)**	**0.01**
	R	**6.38**	**1.72e-03**	**9.21e-03**	**-0.20**	**(-0.34 - -0.07)**	**3.86e-03**	-0.09	(-0.27 - 0.09)	0.21	**-0.11**	**(-0.19 - -0.04)**	**4.57e-03**
Posterior Cingulate	L	3.57	0.03	0.08	-0.07	(-0.21 - 0.06)	0.28	0.03	(-0.14 - 0.21)	0.65	**-0.10**	**(-0.18 - -0.03)**	**8.04e-03**
	R	**6.76**	**1.17e-03**	**7.59e-03**	**-0.19**	**(-0.33 - -0.06)**	**5.73e-03**	-0.07	(-0.24 - 0.11)	0.33	**-0.12**	**(-0.2 - -0.05)**	**1.83e-03**
Precentral	L	**6.63**	**1.34e-03**	**8.34e-03**	-0.13	(-0.27 - 0)	0.06	0.01	(-0.17 - 0.19)	0.91	**-0.14**	**(-0.22 - -0.06)**	**4.37e-04**
	R	**7.67**	**4.76e-04**	**4.92e-03**	**-0.22**	**(-0.36 - -0.09)**	**1.37e-03**	-0.10	(-0.28 - 0.08)	0.16	**-0.12**	**(-0.2 - -0.04)**	**2.06e-03**
Precuneus	L	**4.84**	**7.99e-03**	**0.03**	-0.11	(-0.25 - 0.02)	0.11	0.01	(-0.17 - 0.18)	0.90	**-0.12**	**(-0.2 - -0.04)**	**2.63e-03**
	R	**9.40**	**8.55e-05**	**1.17e-03**	**-0.17**	**(-0.3 - -0.03)**	**0.02**	0.00	(-0.18 - 0.18)	1.00	**-0.16**	**(-0.24 - -0.09)**	**3.43e-05**
Rostral Anterior	L	**5.13**	**5.96e-03**	**0.03**	**-0.17**	**(-0.31 - -0.04)**	**0.01**	-0.07	(-0.24 - 0.11)	0.34	**-0.11**	**(-0.18 - -0.03)**	**8.06e-03**

Cingulate	R	3.68	0.03	0.07	-0.14	(-0.27 - 0)	0.05	-0.04	(-0.22 - 0.14)	0.56	**-0.09**	**(-0.17 - -0.02)**	**0.02**
Rostral Middle Frontal	L	**7.18**	**7.77e-04**	**6.75e-03**	**-0.19**	**(-0.32 - -0.05)**	**7.37e-03**	-0.05	(-0.23 - 0.12)	0.45	**-0.13**	**(-0.21 - -0.05)**	**8.63e-04**
	R	**6.48**	**1.55e-03**	**8.90e-03**	**-0.19**	**(-0.33 - -0.06)**	**5.78e-03**	-0.07	(-0.25 - 0.1)	0.31	**-0.12**	**(-0.2 - -0.04)**	**2.63e-03**
Superior Frontal	L	**5.43**	**4.45e-03**	**0.02**	-0.13	(-0.27 - 0)	0.05	-0.01	(-0.19 - 0.16)	0.87	**-0.12**	**(-0.2 - -0.05)**	**1.95e-03**
	R	**4.51**	**0.01**	**0.04**	**-0.15**	**(-0.29 - -0.02)**	**0.03**	-0.05	(-0.23 - 0.12)	0.47	**-0.10**	**(-0.18 - -0.02)**	**0.01**
Superior Parietal	L	**4.92**	**7.37e-03**	**0.03**	**-0.16**	**(-0.29 - -0.02)**	**0.02**	-0.05	(-0.22 - 0.13)	0.48	**-0.11**	**(-0.19 - -0.03)**	**6.53e-03**
	R	**5.87**	**2.87e-03**	**0.01**	-0.13	(-0.26 - 0.01)	0.07	0.01	(-0.17 - 0.18)	0.94	**-0.13**	**(-0.21 - -0.05)**	**9.76e-04**
Superior Temporal	L	**6.88**	**1.05e-03**	**7.37e-03**	**-0.23**	**(-0.36 - -0.09)**	**9.44e-04**	-0.13	(-0.3 - 0.05)	0.07	**-0.10**	**(-0.18 - -0.02)**	**0.01**
	R	**12.28**	**4.88e-06**	**1.68e-04**	**-0.31**	**(-0.44 - -0.17)**	**9.93e-06**	**-0.17**	**(-0.35 - 0)**	**0.01**	**-0.14**	**(-0.21 - -0.06)**	**6.49e-04**
Supramarginal	L	**4.28**	**0.01**	**0.05**	-0.11	(-0.25 - 0.02)	0.10	0.00	(-0.18 - 0.18)	0.98	**-0.11**	**(-0.19 - -0.03)**	**5.22e-03**
	R	4.08	0.02	0.06	-0.11	(-0.25 - 0.02)	0.10	-0.01	(-0.18 - 0.17)	0.94	**-0.11**	**(-0.19 - -0.03)**	**6.68e-03**
Temporal Pole	L	0.94	0.39	0.53	-0.09	(-0.22 - 0.05)	0.21	-0.05	(-0.22 - 0.13)	0.47	-0.04	(-0.11 - 0.04)	0.36
	R	2.05	0.13	0.25	-0.10	(-0.23 - 0.04)	0.16	-0.03	(-0.2 - 0.15)	0.70	-0.07	(-0.15 - 0.01)	0.07
Transverse Temporal	L	3.29	0.04	0.10	**-0.15**	**(-0.28 - -0.01)**	**0.03**	-0.07	(-0.25 - 0.1)	0.30	-0.08	(-0.15 - 0)	0.05
	R	**6.90**	**1.02e-03**	**7.37e-03**	**-0.22**	**(-0.35 - -0.08)**	**1.58e-03**	-0.11	(-0.28 - 0.07)	0.12	**-0.11**	**(-0.19 - -0.03)**	**5.45e-03**
Surface Area													
Banks of the Superior Temporal Sulcus	L	2.21	0.11	0.22	-0.02	(-0.15 - 0.12)	0.81	0.07	(-0.11 - 0.24)	0.34	**-0.08**	**(-0.16 - 0)**	**0.04**
	R	4.08	0.02	0.06	**-0.19**	**(-0.33 - -0.06)**	**5.88e-03**	-0.13	(-0.31 - 0.04)	0.06	-0.06	(-0.14 - 0.02)	0.13
Caudal Anterior Cingulate	L	0.32	0.73	0.86	0.04	(-0.09 - 0.18)	0.53	0.06	(-0.12 - 0.23)	0.43	-0.01	(-0.09 - 0.07)	0.77
	R	3.32	0.04	0.09	-0.02	(-0.15 - 0.12)	0.79	0.08	(-0.09 - 0.26)	0.23	**-0.10**	**(-0.18 - -0.02)**	**0.01**
Caudal Middle Frontal	L	1.61	0.20	0.34	0.07	(-0.06 - 0.21)	0.30	0.12	(-0.06 - 0.29)	0.10	-0.04	(-0.12 - 0.03)	0.26
	R	1.25	0.29	0.43	0.09	(-0.05 - 0.22)	0.21	0.11	(-0.07 - 0.29)	0.11	-0.02	(-0.1 - 0.06)	0.58
Cuneus	L	0.30	0.74	0.86	-0.05	(-0.19 - 0.09)	0.48	-0.03	(-0.21 - 0.15)	0.67	-0.02	(-0.1 - 0.06)	0.61
	R	1.54	0.22	0.35	-0.08	(-0.22 - 0.06)	0.25	-0.02	(-0.19 - 0.16)	0.82	-0.06	(-0.14 - 0.01)	0.11
Entorhinal	L	3.79	0.02	0.07	-0.10	(-0.24 - 0.03)	0.14	0.00	(-0.17 - 0.18)	0.95	**-0.11**	**(-0.18 - -0.03)**	**8.06e-03**
	R	1.25	0.29	0.43	0.05	(-0.08 - 0.19)	0.44	0.10	(-0.08 - 0.27)	0.16	-0.04	(-0.12 - 0.03)	0.27
Frontal Pole	L	1.93	0.14	0.27	0.13	(0 - 0.27)	0.05	0.12	(-0.05 - 0.3)	0.08	0.01	(-0.06 - 0.09)	0.71
	R	1.20	0.30	0.44	0.07	(-0.07 - 0.2)	0.31	0.01	(-0.16 - 0.19)	0.85	0.06	(-0.02 - 0.13)	0.16
Fusiform	L	0.80	0.45	0.58	0.01	(-0.12 - 0.14)	0.88	0.06	(-0.12 - 0.23)	0.41	-0.05	(-0.12 - 0.03)	0.25

	R	1.57	0.21	0.35	-0.05	(-0.18 - 0.09)	0.50	0.02	(-0.15 - 0.2)	0.73	-0.07	(-0.15 - 0.01)	0.08
Inferior Parietal	L	3.62	0.03	0.07	0.08	(-0.06 - 0.21)	0.26	**0.16**	**(-0.02 - 0.33)**	**0.02**	**-0.08**	**(-0.16 - 0)**	**0.04**
	R	3.95	0.02	0.06	-0.05	(-0.19 - 0.08)	0.44	0.06	(-0.11 - 0.23)	0.39	**-0.11**	**(-0.19 - -0.03)**	**4.99e-03**
Inferior Temporal	L	1.18	0.31	0.44	0.04	(-0.09 - 0.18)	0.55	0.09	(-0.09 - 0.26)	0.20	-0.05	(-0.12 - 0.03)	0.24
	R	2.26	0.10	0.22	0.09	(-0.04 - 0.23)	0.17	**0.14**	**(-0.03 - 0.32)**	**0.04**	-0.05	(-0.12 - 0.03)	0.24
Insula	L	1.97	0.14	0.26	-0.13	(-0.26 - 0.01)	0.06	-0.08	(-0.26 - 0.09)	0.24	-0.05	(-0.13 - 0.03)	0.23
	R	0.83	0.43	0.57	-0.09	(-0.22 - 0.05)	0.21	-0.06	(-0.24 - 0.11)	0.36	-0.02	(-0.1 - 0.05)	0.54
Isthmus Cingulate	L	0.27	0.77	0.87	-0.04	(-0.17 - 0.1)	0.61	-0.05	(-0.22 - 0.13)	0.48	0.01	(-0.06 - 0.09)	0.73
	R	**4.44**	**0.01**	**0.05**	0.12	(-0.02 - 0.25)	0.08	0.01	(-0.17 - 0.18)	0.91	**0.11**	**(0.03 - 0.19)**	**4.85e-03**
Lateral Occipital	L	0.03	0.97	0.99	0.01	(-0.12 - 0.15)	0.86	0.00	(-0.17 - 0.18)	0.96	0.01	(-0.07 - 0.09)	0.83
	R	0.02	0.98	1.00	0.00	(-0.14 - 0.13)	0.96	-0.01	(-0.18 - 0.16)	0.88	0.01	(-0.07 - 0.08)	0.87
Lateral Orbitofrontal	L	0.21	0.81	0.90	0.01	(-0.12 - 0.15)	0.87	0.03	(-0.14 - 0.21)	0.63	-0.02	(-0.1 - 0.06)	0.58
	R	1.86	0.16	0.28	0.09	(-0.05 - 0.22)	0.20	0.13	(-0.05 - 0.31)	0.06	-0.04	(-0.12 - 0.04)	0.31
Lingual	L	2.08	0.12	0.25	**-0.14**	**(-0.27 - 0)**	**0.05**	-0.10	(-0.28 - 0.07)	0.15	-0.04	(-0.12 - 0.04)	0.34
	R	2.20	0.11	0.22	-0.13	(-0.27 - 0.01)	0.06	**-0.15**	**(-0.32 - 0.03)**	**0.04**	0.02	(-0.06 - 0.09)	0.70
Medial Orbitofrontal	L	1.93	0.15	0.27	0.10	(-0.03 - 0.23)	0.15	0.13	(-0.04 - 0.31)	0.05	-0.03	(-0.11 - 0.04)	0.40
	R	2.39	0.09	0.20	-0.05	(-0.19 - 0.08)	0.45	0.04	(-0.14 - 0.21)	0.61	**-0.09**	**(-0.16 - -0.01)**	**0.03**
Middle Temporal	L	0.25	0.78	0.88	0.05	(-0.09 - 0.18)	0.49	0.05	(-0.13 - 0.22)	0.52	0.00	(-0.07 - 0.08)	0.94
	R	2.59	0.08	0.18	**-0.14**	**(-0.27 - 0)**	**0.05**	-0.07	(-0.24 - 0.11)	0.32	-0.07	(-0.14 - 0.01)	0.10
Paracentral	L	1.16	0.31	0.45	0.10	(-0.04 - 0.23)	0.16	0.10	(-0.07 - 0.28)	0.13	-0.01	(-0.08 - 0.07)	0.85
	R	0.41	0.66	0.79	0.04	(-0.1 - 0.17)	0.61	0.00	(-0.17 - 0.18)	0.99	0.03	(-0.04 - 0.11)	0.39
Parahippocampal	L	0.80	0.45	0.58	-0.04	(-0.18 - 0.09)	0.53	0.01	(-0.17 - 0.18)	0.93	-0.05	(-0.13 - 0.03)	0.22
	R	1.37	0.25	0.40	0.01	(-0.13 - 0.14)	0.89	-0.06	(-0.23 - 0.12)	0.43	0.06	(-0.01 - 0.14)	0.11
Pars Opercularis	L	2.42	0.09	0.19	-0.06	(-0.19 - 0.07)	0.38	0.03	(-0.15 - 0.2)	0.69	**-0.09**	**(-0.16 - -0.01)**	**0.03**
	R	0.01	0.99	1.00	0.00	(-0.13 - 0.14)	0.96	0.01	(-0.17 - 0.18)	0.92	0.00	(-0.08 - 0.07)	0.92
Pars Orbitalis	L	1.08	0.34	0.48	0.10	(-0.04 - 0.23)	0.16	0.10	(-0.08 - 0.27)	0.16	0.00	(-0.08 - 0.08)	1.00
	R	0.96	0.38	0.52	0.10	(-0.04 - 0.23)	0.17	0.08	(-0.09 - 0.26)	0.23	0.01	(-0.06 - 0.09)	0.74
Pars Triangularis	L	1.26	0.28	0.43	-0.09	(-0.22 - 0.05)	0.20	-0.04	(-0.21 - 0.14)	0.58	-0.05	(-0.13 - 0.03)	0.20
	R	1.07	0.34	0.48	0.10	(-0.03 -	0.15	0.09	(-0.08 -	0.19	0.01	(-0.07 -	0.82

						0.24)			0.27)			0.09)	
Pericalcarine	L	1.25	0.29	0.43	-0.11	(-0.24 - 0.03)	0.12	-0.08	(-0.25 - 0.1)	0.28	-0.03	(-0.11 - 0.05)	0.43
	R	4.20	0.02	0.05	**-0.18**	**(-0.32 - -0.05)**	**9.21e-03**	-0.10	(-0.28 - 0.07)	0.14	-0.08	(-0.16 - 0)	0.05
Postcentral	L	0.50	0.60	0.73	0.06	(-0.07 - 0.2)	0.36	0.07	(-0.11 - 0.25)	0.32	0.00	(-0.08 - 0.07)	0.91
	R	0.69	0.50	0.63	0.02	(-0.12 - 0.16)	0.79	0.06	(-0.12 - 0.24)	0.39	-0.04	(-0.12 - 0.04)	0.31
Posterior Cingulate	L	2.43	0.09	0.19	0.08	(-0.06 - 0.21)	0.27	**0.14**	**(-0.04 - 0.31)**	**0.05**	-0.06	(-0.14 - 0.02)	0.13
	R	3.05	0.05	0.12	0.05	(-0.08 - 0.19)	0.46	0.13	(-0.04 - 0.31)	0.05	**-0.08**	**(-0.16 - 0)**	**0.04**
Precentral	L	1.41	0.24	0.39	0.09	(-0.04 - 0.23)	0.18	0.04	(-0.14 - 0.21)	0.58	0.05	(-0.02 - 0.13)	0.18
	R	2.27	0.10	0.22	**0.14**	**(0.01 - 0.28)**	**0.04**	**0.14**	**(-0.04 - 0.32)**	**0.04**	0.00	(-0.07 - 0.08)	0.93
Precuneus	L	0.47	0.62	0.75	-0.01	(-0.14 - 0.13)	0.93	0.03	(-0.14 - 0.21)	0.64	-0.04	(-0.12 - 0.04)	0.34
	R	0.19	0.82	0.90	-0.02	(-0.16 - 0.11)	0.72	0.00	(-0.18 - 0.17)	0.99	-0.02	(-0.1 - 0.05)	0.55
Rostral Anterior Cingulate	L	4.08	0.02	0.06	-0.06	(-0.2 - 0.07)	0.36	0.05	(-0.12 - 0.23)	0.46	**-0.11**	**(-0.19 - -0.04)**	**4.35e-03**
	R	2.97	0.05	0.13	0.05	(-0.09 - 0.18)	0.48	0.13	(-0.05 - 0.31)	0.06	**-0.08**	**(-0.16 - 0)**	**0.04**
Rostral Middle Frontal	L	2.44	0.09	0.19	0.12	(-0.02 - 0.25)	0.09	**0.15**	**(-0.02 - 0.33)**	**0.03**	-0.03	(-0.11 - 0.04)	0.40
	R	0.93	0.39	0.53	0.06	(-0.07 - 0.2)	0.36	0.09	(-0.08 - 0.27)	0.19	-0.03	(-0.11 - 0.05)	0.48
Superior Frontal	L	0.77	0.46	0.59	0.06	(-0.08 - 0.19)	0.42	0.08	(-0.09 - 0.26)	0.23	-0.03	(-0.1 - 0.05)	0.51
	R	2.70	0.07	0.17	0.00	(-0.14 - 0.13)	0.98	0.09	(-0.09 - 0.26)	0.20	**-0.09**	**(-0.17 - -0.01)**	**0.03**
Superior Parietal	L	0.20	0.82	0.90	0.04	(-0.09 - 0.18)	0.53	0.04	(-0.14 - 0.21)	0.57	0.00	(-0.07 - 0.08)	0.91
	R	1.21	0.30	0.44	0.10	(-0.04 - 0.23)	0.15	0.11	(-0.07 - 0.28)	0.13	0.00	(-0.08 - 0.07)	0.90
Superior Temporal	L	0.22	0.81	0.90	-0.05	(-0.18 - 0.09)	0.51	-0.04	(-0.22 - 0.13)	0.56	0.00	(-0.08 - 0.07)	0.90
	R	1.64	0.20	0.33	-0.12	(-0.26 - 0.01)	0.07	-0.11	(-0.28 - 0.07)	0.12	-0.02	(-0.09 - 0.06)	0.68
Supramarginal	L	**4.30**	**0.01**	**0.05**	**-0.18**	**(-0.31 - -0.04)**	**0.01**	-0.09	(-0.27 - 0.09)	0.20	**-0.09**	**(-0.16 - -0.01)**	**0.03**
	R	0.90	0.41	0.54	-0.04	(-0.18 - 0.09)	0.52	0.01	(-0.17 - 0.18)	0.91	-0.05	(-0.13 - 0.03)	0.19
Temporal Pole	L	0.69	0.50	0.63	-0.08	(-0.21 - 0.05)	0.24	-0.07	(-0.24 - 0.1)	0.31	-0.01	(-0.09 - 0.07)	0.79
	R	1.77	0.17	0.30	0.13	(-0.01 - 0.26)	0.06	0.10	(-0.07 - 0.28)	0.14	0.03	(-0.05 - 0.1)	0.50
Transverse Temporal	L	0.09	0.91	0.95	-0.02	(-0.16 - 0.11)	0.72	-0.01	(-0.19 - 0.16)	0.87	-0.01	(-0.09 - 0.06)	0.74
	R	0.00	1.00	1.00	0.00	(-0.13 - 0.14)	0.95	0.00	(-0.17 - 0.18)	0.96	0.00	(-0.08 - 0.08)	0.98
Subcortical Volume													
Amygdala	L	0.15	0.86	0.93	-0.02	(-0.16 - 0.11)	0.73	0.00	(-0.18 - 0.17)	0.96	-0.02	(-0.1 - 0.06)	0.61

	R	1.64	0.19	0.33	-0.07	(-0.21 - 0.06)	0.29	0.00	(-0.18 - 0.17)	0.95	-0.07	(-0.15 - 0.01)	0.09
Caudate	L	0.28	0.76	0.87	0.04	(-0.09 - 0.18)	0.54	0.02	(-0.16 - 0.19)	0.78	0.02	(-0.05 - 0.1)	0.56
	R	0.04	0.96	0.99	0.00	(-0.14 - 0.14)	1.00	0.01	(-0.17 - 0.19)	0.88	-0.01	(-0.09 - 0.07)	0.78
Hippocampus	L	2.61	0.07	0.18	-0.03	(-0.17 - 0.1)	0.61	0.06	(-0.12 - 0.23)	0.42	**-0.09**	**(-0.17 - -0.01)**	**0.02**
	R	**8.38**	**2.35e-04**	**2.60e-03**	**-0.16**	**(-0.29 - -0.02)**	**0.02**	0.00	(-0.18 - 0.17)	0.96	**-0.15**	**(-0.23 - -0.08)**	**9.76e-05**
Lateral Ventricles	L	**5.11**	**6.06e-03**	**0.03**	0.03	(-0.1 - 0.17)	0.62	-0.09	(-0.27 - 0.08)	0.18	**0.13**	**(0.05 - 0.2)**	**1.55e-03**
	R	3.82	0.02	0.07	0.06	(-0.08 - 0.19)	0.42	-0.06	(-0.23 - 0.12)	0.43	**0.11**	**(0.03 - 0.19)**	**5.73e-03**
Nucleus Accumbens	L	0.59	0.55	0.68	-0.07	(-0.21 - 0.06)	0.28	-0.06	(-0.24 - 0.11)	0.37	-0.01	(-0.09 - 0.06)	0.73
	R	0.02	0.98	1.00	0.01	(-0.13 - 0.14)	0.92	0.01	(-0.16 - 0.19)	0.87	0.00	(-0.08 - 0.07)	0.90
Pallidum	L	0.20	0.82	0.90	-0.02	(-0.15 - 0.12)	0.82	0.01	(-0.16 - 0.18)	0.89	-0.02	(-0.1 - 0.05)	0.53
	R	1.03	0.36	0.50	-0.10	(-0.23 - 0.04)	0.15	-0.08	(-0.25 - 0.1)	0.26	-0.02	(-0.1 - 0.06)	0.59
Putamen	L	0.11	0.89	0.94	-0.03	(-0.16 - 0.11)	0.67	-0.03	(-0.21 - 0.14)	0.64	0.00	(-0.07 - 0.08)	0.93
	R	0.13	0.88	0.93	0.01	(-0.13 - 0.14)	0.92	0.03	(-0.15 - 0.2)	0.72	-0.02	(-0.09 - 0.06)	0.66
Thalamus	L	1.93	0.15	0.27	-0.08	(-0.21 - 0.06)	0.26	0.00	(-0.18 - 0.17)	0.95	-0.07	(-0.15 - 0)	0.06
	R	**4.28**	**0.01**	**0.05**	**-0.14**	**(-0.27 - 0)**	**0.05**	-0.03	(-0.21 - 0.14)	0.64	**-0.10**	**(-0.18 - -0.03)**	**8.62e-03**
Global													
Estimated Intracranial Volume	N/A	**6.18**	**2.10e-03**	**0.01**	**-0.17**	**(-0.3 - -0.03)**	**0.02**	-0.04	(-0.22 - 0.13)	0.55	**-0.12**	**(-0.2 - -0.05)**	**1.69e-03**
Mean Cortical Thickness		**13.45**	**1.54e-06**	**1.19e-04**	**-0.26**	**(-0.4 - -0.13)**	**1.50e-04**	-0.08	(-0.26 - 0.09)	0.22	**-0.18**	**(-0.25 - -0.1)**	**8.07e-06**
Total Surface Area		**7.17**	**7.83e-04**	**6.75e-03**	-0.09	(-0.23 - 0.04)	0.17	0.06	(-0.12 - 0.23)	0.43	**-0.15**	**(-0.23 - -0.07)**	**1.64e-04**

For "Overall Test Statistics": results marked in bold are significant at q<0.05 For pairwise comparisons: results marked in bold are significant at p<0.05

eTable 17. CHR-PS+ vs. CHR-PS- vs. HC antipsychotic medication effects

		Overall stats: Original Results		Cohens's d Group Difference: Original Results			Overall stats: AP-corrected		Cohens's d Group Difference: AP-corrected		
Region of Interest	**Hemisphere**	**F**	**q**	**CHR-PS+ < HC**	**CHR-PS+ < CHR-PS-**	**CHR-PS- < HC**	**F**	**q**	**CHR-PS+ < HC**	**CHR-PS+ < CHR-PS-**	**CHR-PS- < HC**
Cortical Thickness											
Banks of the Superior Temporal Sulcus	R	9.34	1.17e-03	-0.23	-0.09	-0.14	8.25	1.18e-03	-0.22	-0.09	-0.13
Caudal Middle Frontal	L	7.05	7.16e-03	-0.21	-0.09	-0.12	5.75	5.44e-03	-0.20	-0.09	-0.11
	R	7.21	6.75e-03	-0.16	-0.02	-0.14	6.15	4.51e-03	-0.15	-0.02	-0.13
Fusiform	L	12.41	1.68e-04	-0.29	-0.14	-0.15	10.88	1.44e-04	-0.28	-0.14	-0.14
	R	6.42	9.19e-03	-0.23	-0.13	-0.09	5.38	6.41e-03	-0.21	-0.13	-0.08
Inferior Parietal	L	10.83	4.56e-04	-0.22	-0.05	-0.16	9.96	2.69e-04	-0.22	-0.05	-0.16
	R	5.82	0.01	-0.10	0.03	-0.13	4.50	0.01	-0.09	0.03	-0.12
Inferior Temporal	L	6.03	0.01	-0.19	-0.07	-0.11	5.45	6.19e-03	-0.18	-0.07	-0.11
	R	9.37	1.17e-03	-0.17	0.00	-0.16	6.80	3.12e-03	-0.15	0.00	-0.14
Insula	L	11.21	3.66e-04	-0.19	-0.01	-0.18	11.69	1.21e-04	-0.20	-0.01	-0.18
	R	9.59	1.17e-03	-0.19	-0.02	-0.16	8.76	7.84e-04	-0.18	-0.02	-0.15
Lateral Occipital	L	6.56	8.59e-03	-0.20	-0.09	-0.11	7.27	2.60e-03	-0.22	-0.09	-0.12
	R	9.95	9.62e-04	-0.22	-0.06	-0.16	10.26	2.27e-04	-0.22	-0.06	-0.16
Medial Orbitofrontal	L	7.00	7.16e-03	-0.08	0.07	-0.15	7.04	2.81e-03	-0.08	0.07	-0.15
	R	4.53	0.04	-0.10	0.01	-0.12	4.54	0.01	-0.11	0.01	-0.12
Middle Temporal	R	13.73	1.19e-04	-0.27	-0.09	-0.18	11.45	1.21e-04	-0.26	-0.09	-0.16
Paracentral	L	12.18	1.68e-04	-0.32	-0.20	-0.12	11.57	1.21e-04	-0.31	-0.20	-0.12
	R	8.88	1.71e-03	-0.28	-0.20	-0.09	8.01	1.36e-03	-0.27	-0.20	-0.08
Parahippocampal	L	6.79	7.59e-03	-0.13	0.01	-0.14	6.47	4.05e-03	-0.13	0.01	-0.14
Postcentral	R	6.38	9.21e-03	-0.20	-0.09	-0.11	6.39	4.11e-03	-0.20	-0.09	-0.11
Posterior Cingulate	R	6.76	7.59e-03	-0.19	-0.07	-0.12	5.78	5.44e-03	-0.18	-0.07	-0.11
Precentral	L	6.63	8.34e-03	-0.13	0.01	-0.14	5.45	6.19e-03	-0.12	0.01	-0.13
	R	7.67	4.92e-03	-0.22	-0.10	-0.12	6.89	3.05e-03	-0.22	-0.10	-0.12
Precuneus	L	4.84	0.03	-0.11	0.01	-0.12	3.78	0.03	-0.10	0.01	-0.11
	R	9.40	1.17e-03	-0.17	0.00	-0.16	7.06	2.81e-03	-0.15	0.00	-0.14
Rostral Anterior Cingulate	L	5.13	0.03	-0.17	-0.07	-0.11	5.48	6.19e-03	-0.18	-0.07	-0.11
Rostral Middle Frontal	L	7.18	6.75e-03	-0.19	-0.05	-0.13	5.96	5.05e-03	-0.17	-0.05	-0.12
	R	6.48	8.90e-03	-0.19	-0.07	-0.12	5.87	5.22e-03	-0.19	-0.07	-0.11
Superior Frontal	L	5.43	0.02	-0.13	-0.01	-0.12	4.16	0.02	-0.12	-0.01	-0.11
	R	4.51	0.04	-0.15	-0.05	-0.10	4.58	0.01	-0.16	-0.05	-0.10
Superior Parietal	L	4.92	0.03	-0.16	-0.05	-0.11	4.90	9.73e-03	-0.16	-0.05	-0.11
	R	5.87	0.01	-0.13	0.01	-0.13	5.58	6.04e-03	-0.13	0.01	-0.13
Superior Temporal	L	6.88	7.37e-03	-0.23	-0.13	-0.10	5.57	6.04e-03	-0.21	-0.13	-0.09
	R	12.28	1.68e-04	-0.31	-0.17	-0.14	11.24	1.21e-04	-0.30	-0.17	-0.13
Supramarginal	L	4.28	0.05	-0.11	0.00	-0.11	3.26	0.04	-0.10	0.00	-0.10
Transverse Temporal	R	6.90	7.37e-03	-0.22	-0.11	-0.11	6.25	4.29e-03	-0.21	-0.11	-0.10
Surface Area											
Isthmus Cingulate	R	4.44	0.05	0.12	0.01	0.11	2.66	0.07	0.10	0.01	0.09
Supramarginal	L	4.30	0.05	-0.18	-0.09	-0.09	3.71	0.03	-0.17	-0.09	-0.08
Subcortical Volume											
Hippocampus	R	8.38	2.60e-03	-0.16	0.00	-0.15	5.17	7.63e-03	-0.13	0.00	-0.12
Lateral Ventricles	L	5.11	0.03	0.03	-0.09	0.13	4.25	0.02	0.03	-0.09	0.11

Thalamus	R	4.28	0.05	-0.14	-0.03	-0.10	2.96	0.05	-0.12	-0.03	-0.09
Global											
Estimated Intracranial Volume	N/A	6.18	0.01	-0.17	-0.04	-0.12	6.35	4.11e-03	-0.17	-0.04	-0.13
Mean Cortical Thickness	N/A	13.45	1.19e-04	-0.26	-0.08	-0.18	12.02	1.21e-04	-0.25	-0.08	-0.17
Total Surface Area	N/A	7.17	6.75e-03	-0.09	0.06	-0.15	5.95	5.05e-03	-0.08	0.06	-0.14

Results reported under "Original Results" are from the CHR-PS+ vs. CHR-PS- vs. HC post-ComBat mega analysis (see also eTable 11). All reported regions showed an overall effect significant at q<0.05. "AP-corrected" refers to post-ComBat mega analysis including antipsychotic medication as an additional covariate.

eTable 18. CHR-PS+ vs. CHR-PS- vs. HC equivalence testing results

			Equivalence Testing Results					Equivalence Testing Results					Equivalence Testing Results				
		CHR-PS+ < HC					CHR-PS+ < CHR-PS-					CHR-PS- < HC				
Region of Interest	**Hemisphere**	**Cohen's d**	**90% CI**	**p ΔL**	**p ΔU**	**equivalent to SESOI**	**Cohen's d**	**90% CI**	**p ΔL**	**p ΔU**	**equivalent to SESOI**	**Cohen's d**	**90% CI**	**p ΔL**	**p ΔU**	**equivalent to SESOI**
Cortical Thickness																
Banks of the Superior Temporal Sulcus	R	-0.23	(-0.35 - -0.12)	0.88	2.08e-08	no	-0.09	•	•	•	•	-0.14	(-0.21 - -0.08)	0.43	7.42e-14	no
Caudal Middle Frontal	L	-0.21	(-0.32 - -0.1)	0.80	9.51e-08	no	-0.09	•	•	•	•	-0.12	(-0.18 - -0.05)	0.21	5.66e-12	no
	R	-0.16	(-0.27 - -0.05)	0.56	3.38e-06	no	-0.02	•	•	•	•	-0.14	(-0.21 - -0.08)	0.41	1.09e-13	no
Fusiform	L	-0.29	(-0.4 - -0.17)	0.98	1.01e-10	no	-0.14	(-0.29 - 0.01)	0.45	6.30e-04	no	-0.15	(-0.22 - -0.09)	0.50	1.70e-14	no
	R	-0.23	(-0.34 - -0.11)	0.86	2.72e-08	no	-0.13	•	•	•	•	-0.09	(-0.16 - -0.03)	0.07	3.78e-10	no
Inferior Parietal	L	-0.22	(-0.33 - -0.11)	0.84	3.94e-08	no	-0.05	•	•	•	•	-0.16	(-0.23 - -0.1)	0.65	9.10e-16	no
	R	-0.10	•	•	•	•	0.03	•	•	•	•	-0.13	(-0.2 - -0.07)	0.34	4.32e-13	no
Inferior Temporal	L	-0.19	(-0.3 - -0.07)	0.70	5.00e-07	no	-0.07	•	•	•	•	-0.11	(-0.18 - -0.05)	0.18	1.43e-11	no
	R	-0.17	(-0.28 - -0.05)	0.60	2.08e-06	no	0.00	•	•	•	•	-0.16	(-0.23 - -0.1)	0.63	1.24e-15	no
Insula	L	-0.19	(-0.3 - -0.08)	0.73	3.37e-07	no	-0.01	•	•	•	•	-0.18	(-0.24 - -0.11)	0.75	7.58e-17	no
	R	-0.19	(-0.3 - -0.07)	0.70	5.13e-07	no	-0.02	•	•	•	•	-0.16	(-0.23 - -0.1)	0.61	1.82e-15	no
Lateral Occipital	L	-0.20	(-0.32 - -0.09)	0.79	1.34e-07	no	-0.09	•	•	•	•	-0.11	(-0.18 - -0.05)	0.17	1.59e-11	no
	R	-0.22	(-0.33 - -0.1)	0.83	4.66e-08	no	-0.06	•	•	•	•	-0.16	(-0.22 - -0.09)	0.56	5.97e-15	no
Medial Orbitofrontal	L	-0.08	•	•	•	•	0.07	•	•	•	•	-0.15	(-0.21 - -0.08)	0.48	2.56e-14	no
	R	-0.10	•	•	•	•	0.01	•	•	•	•	-0.12	(-0.18 - -0.05)	0.19	9.06e-12	no
Middle Temporal	R	-0.27	(-0.38 - -0.16)	0.96	4.62e-10	no	-0.09	•	•	•	•	-0.18	(-0.24 - -0.11)	0.75	1.01e-16	no

Paracentral	L	-0.32	(-0.43 - -0.2)	0.99	6.98e-12	no	-0.20	(-0.34 - -0.05)	0.70	5.50e-05	no	-0.12	(-0.19 - -0.06)	0.23	3.72e-12	no
	R	-0.28	(-0.4 - -0.17)	0.97	1.94e-10	no	-0.20	(-0.35 - -0.05)	0.70	5.31e-05	no	-0.09	(-0.15 - -0.02)	0.05	1.24e-09	no
Parahippocampal	L	-0.13	•	•	•	•	0.01	•	•	•	•	-0.14	(-0.21 - -0.08)	0.42	7.97e-14	no
Postcentral	R	-0.20	(-0.32 - -0.09)	0.77	2.25e-07	no	-0.09	•	•	•	•	-0.11	(-0.18 - -0.05)	0.18	2.02e-11	no
Posterior Cingulate	R	-0.19	(-0.31 - -0.08)	0.73	4.06e-07	no	-0.07	•	•	•	•	-0.12	(-0.19 - -0.06)	0.25	2.40e-12	no
Precentral	L	-0.13	•	•	•	•	0.01	•	•	•	•	-0.14	(-0.21 - -0.07)	0.40	1.54e-13	no
	R	-0.22	(-0.34 - -0.11)	0.85	3.90e-08	no	-0.10	•	•	•	•	-0.12	(-0.19 - -0.06)	0.25	3.59e-12	no
Precuneus	L	-0.11	•	•	•	•	0.01	•	•	•	•	-0.12	(-0.18 - -0.05)	0.22	5.23e-12	no
	R	-0.17	(-0.28 - -0.05)	0.59	2.42e-06	no	0.00	•	•	•	•	-0.16	(-0.23 - -0.1)	0.64	1.07e-15	no
Rostral Anterior Cingulate	L	-0.17	(-0.28 - -0.06)	0.62	1.51e-06	no	-0.07	•	•	•	•	-0.11	(-0.17 - -0.04)	0.13	5.95e-11	no
Rostral Middle Frontal	L	-0.19	(-0.3 - -0.07)	0.70	5.93e-07	no	-0.05	•	•	•	•	-0.13	(-0.2 - -0.07)	0.32	4.97e-13	no
	R	-0.19	(-0.3 - -0.08)	0.72	3.80e-07	no	-0.07	•	•	•	•	-0.12	(-0.18 - -0.05)	0.22	5.01e-12	no
Superior Frontal	L	-0.13	•	•	•	•	-0.01	•	•	•	•	-0.12	(-0.19 - -0.06)	0.25	2.75e-12	no
	R	-0.15	(-0.27 - -0.04)	0.52	5.28e-06	no	-0.05	•	•	•	•	-0.10	(-0.17 - -0.04)	0.11	9.39e-11	no
Superior Parietal	L	-0.16	(-0.27 - -0.04)	0.54	4.14e-06	no	-0.05	•	•	•	•	-0.11	(-0.17 - -0.04)	0.14	3.64e-11	no
	R	-0.13	•	•	•	•	0.01	•	•	•	•	-0.13	(-0.2 - -0.07)	0.31	6.77e-13	no
Superior Temporal	L	-0.23	(-0.34 - -0.11)	0.87	1.96e-08	no	-0.13	•	•	•	•	-0.10	(-0.17 - -0.04)	0.11	1.19e-10	no
	R	-0.31	(-0.42 - -0.19)	0.99	2.18e-11	no	-0.17	(-0.32 - -0.02)	0.59	1.71e-04	no	-0.14	(-0.2 - -0.07)	0.36	3.02e-13	no
Supramarginal	L	-0.11	•	•	•	•	0.00	•	•	•	•	-0.11	(-0.18 -	0.16	2.48e-	no

													-0.05)		11	
Transverse Temporal	R	-0.22	(-0.33 - -0.1)	0.84	4.54e-08	no	-0.11	•	•	•	•	-0.11	(-0.18 - -0.05)	0.16	2.44e-11	no
Surface Area																
Isthmus Cingulate	R	0.12	•	•	•	•	0.01	•	•	•	•	0.11	(0.05 - 0.18)	1.92e-11	0.17	no
Supramarginal	L	-0.18	(-0.29 - -0.06)	0.65	1.34e-06	no	-0.09	•	•	•	•	-0.09	(-0.15 - -0.02)	0.05	1.60e-09	no
Subcortical Volume																
Hippocampus	R	-0.16	(-0.27 - -0.05)	0.55	3.36e-06	no	0.00	•	•	•	•	-0.15	(-0.22 - -0.09)	0.54	6.98e-15	no
Lateral Ventricles	L	0.03	•	•	•	•	-0.09	•	•	•	•	0.13	(0.06 - 0.19)	1.98e-12	0.27	no
Thalamus	R	-0.14	(-0.25 - -0.02)	0.42	1.46e-05	no	-0.03	•	•	•	•	-0.10	(-0.17 - -0.04)	0.12	6.64e-11	no
Global																
Estimated Intracranial Volume	N/A	-0.17	(-0.28 - -0.05)	0.59	2.10e-06	no	-0.04	•	•	•	•	-0.12	(-0.19 - -0.06)	0.25	1.81e-12	no
Mean Cortical Thickness	N/A	-0.26	(-0.38 - -0.15)	0.95	1.18e-09	no	-0.08	•	•	•	•	-0.18	(-0.24 - -0.11)	0.75	7.26e-17	no
Total Surface Area	N/A	-0.09	•	•	•	•	0.06	•	•	•	•	-0.15	(-0.21 - -0.08)	0.49	1.83e-14	no

ΔU/L refer to upper (+0.15) and lower (-0.15) equivalence bounds. SESOI = smallest effect size of interest. All regions of interest showed an overall effect of conversion status at q<0.05 in the CHR-PS+ vs. CHR-PS- vs. HC post-ComBat mega analysis (see also eTable 11). Regions that failed to show a group difference at p<0.05 in pairwise comparisons are marked as "•".

eTable 19. CHR subgroup-by-psychosis conversion interaction analyses effect size overview

		all-by-conversion			APS-by-conversion			BIPS-by-conversion			GRD-by-conversion		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**F**	**p**	**q**	**F**	**p**	**q**	**F**	**p**	**q**
Cortical Thickness													
Banks of the Superior Temporal Sulcus	L	0.96	0.38	0.86	0.43	0.51	0.94	1.33	0.25	0.98	6.64	0.01	0.35
	R	0.47	0.62	0.91	0.41	0.52	0.94	0.01	0.91	0.98	1.68	0.20	0.64
Caudal Anterior Cingulate	L	3.74	0.02	0.75	2.51	0.11	0.84	0.35	0.56	0.98	0.10	0.75	0.90
	R	0.12	0.88	0.96	0.02	0.89	0.98	1.83	0.18	0.98	0.76	0.38	0.70
Caudal Middle Frontal	L	1.61	0.20	0.75	3.66	0.06	0.74	0.18	0.67	0.98	1.70	0.19	0.64
	R	3.54	0.03	0.75	6.80	9.16e-03	0.63	0.77	0.38	0.98	9.66	1.90e-03	0.21
Cuneus	L	2.11	0.12	0.75	2.96	0.09	0.82	0.01	0.91	0.98	4.22	0.04	0.48
	R	2.17	0.11	0.75	1.91	0.17	0.87	0.03	0.87	0.98	2.06	0.15	0.61
Entorhinal	L	1.86	0.16	0.75	0.37	0.55	0.94	1.10	0.30	0.98	0.07	0.79	0.92
	R	2.25	0.11	0.75	1.95	0.16	0.87	1.76	0.18	0.98	4.65	0.03	0.48
Frontal Pole	L	0.53	0.59	0.91	0.04	0.84	0.98	0.23	0.63	0.98	1.56	0.21	0.64
	R	0.63	0.53	0.91	0.66	0.42	0.93	2.81	0.09	0.98	1.62	0.20	0.64
Fusiform	L	1.22	0.29	0.86	1.06	0.30	0.91	1.45	0.23	0.98	0.56	0.45	0.78
	R	0.54	0.58	0.91	0.71	0.40	0.92	0.38	0.54	0.98	3.97	0.05	0.48
Inferior Parietal	L	1.18	0.31	0.86	2.26	0.13	0.86	0.00	0.97	0.98	1.01	0.31	0.70
	R	1.79	0.17	0.75	3.39	0.07	0.74	0.32	0.57	0.98	1.05	0.31	0.70
Inferior Temporal	L	0.51	0.60	0.91	0.67	0.41	0.93	0.71	0.40	0.98	0.16	0.68	0.89
	R	0.51	0.60	0.91	0.54	0.46	0.93	0.35	0.55	0.98	0.00	0.98	0.98
Insula	L	0.69	0.50	0.91	0.35	0.56	0.95	0.20	0.66	0.98	4.97	0.03	0.48
	R	1.05	0.35	0.86	1.47	0.23	0.87	0.23	0.63	0.98	2.40	0.12	0.59
Isthmus Cingulate	L	0.34	0.71	0.94	0.79	0.37	0.91	0.21	0.65	0.98	1.99	0.16	0.61
	R	0.05	0.95	0.97	0.13	0.71	0.95	0.04	0.83	0.98	3.55	0.06	0.48
Lateral Occipital	L	0.70	0.50	0.91	1.52	0.22	0.87	0.00	0.96	0.98	0.23	0.63	0.85
	R	3.09	0.05	0.75	6.28	0.01	0.63	0.00	0.97	0.98	0.88	0.35	0.70
Lateral Orbitofrontal	L	0.13	0.88	0.96	0.25	0.62	0.95	0.00	0.97	0.98	0.89	0.35	0.70
	R	1.29	0.28	0.86	0.04	0.85	0.98	0.03	0.86	0.98	0.25	0.62	0.85
Lingual	L	0.38	0.68	0.94	0.10	0.76	0.95	0.32	0.57	0.98	4.62	0.03	0.48
	R	0.32	0.72	0.94	0.27	0.60	0.95	0.80	0.37	0.98	2.90	0.09	0.53
Medial Orbitofrontal	L	1.56	0.21	0.75	2.46	0.12	0.84	0.01	0.93	0.98	1.59	0.21	0.64
	R	2.21	0.11	0.75	2.16	0.14	0.87	0.62	0.43	0.98	2.38	0.12	0.59
Middle Temporal	L	1.67	0.19	0.75	0.07	0.80	0.96	1.68	0.20	0.98	5.05	0.02	0.48
	R	0.49	0.62	0.91	1.21	0.27	0.91	0.14	0.71	0.98	0.03	0.86	0.94
Paracentral	L	0.16	0.85	0.96	0.03	0.86	0.98	2.22	0.14	0.98	0.59	0.44	0.78
	R	0.45	0.64	0.91	0.00	0.96	0.99	0.03	0.86	0.98	0.32	0.57	0.84
Parahippocampal	L	1.73	0.18	0.75	0.90	0.34	0.91	1.71	0.19	0.98	0.51	0.48	0.78
	R	3.46	0.03	0.75	0.17	0.68	0.95	0.77	0.38	0.98	0.15	0.70	0.89
Pars Opercularis	L	0.78	0.46	0.91	0.25	0.61	0.95	0.53	0.47	0.98	1.37	0.24	0.68
	R	2.46	0.09	0.75	3.92	0.05	0.74	1.41	0.24	0.98	6.42	0.01	0.35
Pars Orbitalis	L	0.98	0.38	0.86	0.57	0.45	0.93	0.00	0.96	0.98	1.12	0.29	0.70
	R	2.59	0.08	0.75	0.00	0.96	0.99	2.27	0.13	0.98	0.45	0.50	0.80
Pars Triangularis	L	1.89	0.15	0.75	0.78	0.38	0.91	0.79	0.38	0.98	1.05	0.31	0.70
	R	1.79	0.17	0.75	0.24	0.62	0.95	1.05	0.31	0.98	0.01	0.91	0.96
Pericalcarine	L	1.12	0.33	0.86	0.44	0.51	0.94	0.00	1.00	1.00	3.54	0.06	0.48
	R	0.12	0.88	0.96	0.00	1.00	1.00	4.07	0.04	0.98	0.11	0.74	0.90
	L	0.05	0.96	0.97	0.08	0.77	0.95	0.64	0.42	0.98	0.00	0.97	0.98

Postcentral	R	0.37	0.69	0.94	1.04	0.31	0.91	0.01	0.91	0.98	0.04	0.85	0.94
Posterior Cingulate	L	0.00	1.00	1.00	0.57	0.45	0.93	0.03	0.86	0.98	0.45	0.50	0.80
	R	0.19	0.83	0.96	0.21	0.64	0.95	0.16	0.69	0.98	0.78	0.38	0.70
Precentral	L	0.13	0.88	0.96	0.00	0.96	0.99	0.17	0.68	0.98	1.62	0.20	0.64
	R	0.22	0.81	0.96	0.23	0.63	0.95	0.93	0.34	0.98	0.01	0.91	0.96
Precuneus	L	1.84	0.16	0.75	3.35	0.07	0.74	0.00	0.97	0.98	3.58	0.06	0.48
	R	1.96	0.14	0.75	3.40	0.07	0.74	0.51	0.48	0.98	1.11	0.29	0.70
Rostral Anterior Cingulate	L	0.51	0.60	0.91	0.86	0.35	0.91	1.67	0.20	0.98	0.01	0.93	0.97
	R	1.52	0.22	0.75	0.34	0.56	0.95	0.23	0.63	0.98	4.04	0.04	0.48
Rostral Middle Frontal	L	0.58	0.56	0.91	1.02	0.31	0.91	0.18	0.67	0.98	2.69	0.10	0.53
	R	1.69	0.18	0.75	1.77	0.18	0.87	1.02	0.31	0.98	2.14	0.14	0.61
Superior Frontal	L	0.56	0.57	0.91	0.40	0.53	0.94	0.14	0.71	0.98	5.13	0.02	0.48
	R	0.50	0.61	0.91	0.98	0.32	0.91	0.02	0.88	0.98	1.40	0.24	0.68
Superior Parietal	L	0.96	0.38	0.86	2.43	0.12	0.84	0.02	0.88	0.98	1.27	0.26	0.70
	R	1.53	0.22	0.75	4.28	0.04	0.74	0.04	0.83	0.98	1.82	0.18	0.64
Superior Temporal	L	0.32	0.73	0.94	0.01	0.91	0.99	2.68	0.10	0.98	3.37	0.07	0.48
	R	0.69	0.50	0.91	0.06	0.80	0.96	0.33	0.57	0.98	0.22	0.64	0.85
Supramarginal	L	0.56	0.57	0.91	0.05	0.82	0.97	0.02	0.87	0.98	2.68	0.10	0.53
	R	1.75	0.17	0.75	2.00	0.16	0.87	0.16	0.69	0.98	9.03	2.68e-03	0.21
Temporal Pole	L	0.53	0.59	0.91	0.81	0.37	0.91	0.13	0.72	0.98	2.07	0.15	0.61
	R	1.13	0.32	0.86	0.08	0.78	0.95	0.33	0.57	0.98	0.50	0.48	0.78
Transverse Temporal	L	4.40	0.01	0.75	3.44	0.06	0.74	0.04	0.84	0.98	7.21	7.30e-03	0.35
	R	2.40	0.09	0.75	6.58	0.01	0.63	0.01	0.91	0.98	1.68	0.20	0.64
Surface Area													
Banks of the Superior Temporal Sulcus	L	1.07	0.34	0.86	1.10	0.30	0.91	0.01	0.92	0.98	0.22	0.64	0.85
	R	1.00	0.37	0.86	0.39	0.53	0.94	1.06	0.30	0.98	0.40	0.53	0.81
Caudal Anterior Cingulate	L	0.16	0.86	0.96	0.31	0.58	0.95	0.14	0.70	0.98	0.06	0.81	0.93
	R	0.21	0.81	0.96	0.19	0.66	0.95	0.01	0.94	0.98	0.53	0.47	0.78
Caudal Middle Frontal	L	0.79	0.46	0.91	2.49	0.11	0.84	1.57	0.21	0.98	0.83	0.36	0.70
	R	0.39	0.67	0.93	0.06	0.81	0.96	0.06	0.80	0.98	1.11	0.29	0.70
Cuneus	L	0.20	0.82	0.96	0.02	0.89	0.98	0.04	0.84	0.98	3.57	0.06	0.48
	R	0.05	0.96	0.97	0.00	0.97	0.99	0.02	0.88	0.98	0.79	0.38	0.70
Entorhinal	L	3.36	0.04	0.75	1.63	0.20	0.87	9.12	2.56e-03	0.39	0.03	0.87	0.94
	R	2.26	0.10	0.75	0.96	0.33	0.91	4.46	0.03	0.98	0.86	0.35	0.70
Frontal Pole	L	0.45	0.64	0.91	0.12	0.73	0.95	0.00	0.95	0.98	0.54	0.46	0.78
	R	0.16	0.86	0.96	0.48	0.49	0.94	1.11	0.29	0.98	1.01	0.31	0.70
Fusiform	L	2.13	0.12	0.75	0.01	0.91	0.99	3.84	0.05	0.98	0.80	0.37	0.70
	R	2.36	0.09	0.75	0.00	0.96	0.99	0.97	0.32	0.98	3.08	0.08	0.51
Inferior Parietal	L	0.05	0.95	0.97	0.00	0.97	0.99	1.08	0.30	0.98	2.12	0.15	0.61
	R	1.21	0.30	0.86	0.54	0.46	0.93	0.56	0.45	0.98	0.92	0.34	0.70
Inferior Temporal	L	1.55	0.21	0.75	1.44	0.23	0.87	0.10	0.75	0.98	0.03	0.87	0.94
	R	0.36	0.70	0.94	0.00	0.94	0.99	1.14	0.29	0.98	0.53	0.47	0.78
Insula	L	2.23	0.11	0.75	1.46	0.23	0.87	1.62	0.20	0.98	0.31	0.58	0.84
	R	2.00	0.14	0.75	1.34	0.25	0.87	2.47	0.12	0.98	1.90	0.17	0.64
Isthmus Cingulate	L	0.28	0.76	0.95	0.10	0.75	0.95	0.19	0.66	0.98	2.99	0.08	0.52
	R	1.76	0.17	0.75	4.58	0.03	0.74	0.55	0.46	0.98	3.08	0.08	0.51
Lateral Occipital	L	1.60	0.20	0.75	5.01	0.03	0.74	0.05	0.82	0.98	0.41	0.52	0.81

	R	0.82	0.44	0.91	0.85	0.36	0.91	1.85	0.17	0.98	4.12	0.04	0.48
Lateral Orbitofrontal	L	0.28	0.75	0.95	1.02	0.31	0.91	1.29	0.26	0.98	0.17	0.68	0.89
	R	0.11	0.90	0.96	0.00	0.95	0.99	0.01	0.91	0.98	0.04	0.84	0.94
Lingual	L	0.07	0.93	0.97	0.02	0.89	0.98	0.00	0.96	0.98	1.16	0.28	0.70
	R	0.14	0.87	0.96	0.22	0.64	0.95	0.23	0.63	0.98	0.02	0.90	0.96
Medial Orbitofrontal	L	0.05	0.95	0.97	0.01	0.93	0.99	0.71	0.40	0.98	0.47	0.50	0.80
	R	1.62	0.20	0.75	0.16	0.69	0.95	2.82	0.09	0.98	2.73	0.10	0.53
Middle Temporal	L	0.60	0.55	0.91	1.01	0.31	0.91	0.79	0.37	0.98	0.03	0.86	0.94
	R	0.39	0.67	0.93	0.24	0.62	0.95	0.03	0.85	0.98	1.04	0.31	0.70
Paracentral	L	0.94	0.39	0.86	0.11	0.74	0.95	0.41	0.52	0.98	0.07	0.79	0.92
	R	0.73	0.48	0.91	2.06	0.15	0.87	0.18	0.67	0.98	0.00	0.99	0.99
Parahippocampal	L	2.01	0.13	0.75	2.95	0.09	0.82	4.49	0.03	0.98	0.84	0.36	0.70
	R	1.04	0.35	0.86	1.51	0.22	0.87	0.01	0.91	0.98	3.43	0.06	0.48
Pars Opercularis	L	2.79	0.06	0.75	4.90	0.03	0.74	3.31	0.07	0.98	0.98	0.32	0.70
	R	0.09	0.91	0.97	0.23	0.63	0.95	0.06	0.81	0.98	0.13	0.72	0.89
Pars Orbitalis	L	0.07	0.93	0.97	0.03	0.86	0.98	3.18	0.07	0.98	0.22	0.64	0.85
	R	0.42	0.66	0.93	0.60	0.44	0.93	0.24	0.62	0.98	0.38	0.54	0.82
Pars Triangularis	L	0.27	0.76	0.95	0.64	0.42	0.93	1.95	0.16	0.98	0.30	0.59	0.84
	R	0.57	0.57	0.91	0.42	0.52	0.94	0.39	0.53	0.98	0.83	0.36	0.70
Pericalcarine	L	0.01	0.99	1.00	0.09	0.76	0.95	0.03	0.86	0.98	2.06	0.15	0.61
	R	0.17	0.84	0.96	0.10	0.75	0.95	0.55	0.46	0.98	0.14	0.71	0.89
Postcentral	L	0.47	0.62	0.91	0.38	0.54	0.94	1.09	0.30	0.98	0.03	0.86	0.94
	R	1.86	0.16	0.75	0.00	0.97	0.99	0.02	0.88	0.98	3.67	0.06	0.48
Posterior Cingulate	L	0.33	0.72	0.94	0.76	0.38	0.92	0.47	0.49	0.98	0.08	0.78	0.92
	R	1.73	0.18	0.75	1.34	0.25	0.87	0.58	0.45	0.98	1.04	0.31	0.70
Precentral	L	1.30	0.27	0.86	0.41	0.52	0.94	0.06	0.81	0.98	0.32	0.57	0.84
	R	3.46	0.03	0.75	0.62	0.43	0.93	1.95	0.16	0.98	1.50	0.22	0.66
Precuneus	L	0.94	0.39	0.86	1.36	0.24	0.87	2.32	0.13	0.98	0.28	0.59	0.84
	R	0.57	0.56	0.91	0.20	0.65	0.95	0.91	0.34	0.98	0.22	0.64	0.85
Rostral Anterior Cingulate	L	0.23	0.80	0.96	0.08	0.78	0.95	1.32	0.25	0.98	0.12	0.73	0.90
	R	0.17	0.84	0.96	0.08	0.77	0.95	0.05	0.83	0.98	0.14	0.71	0.89
Rostral Middle Frontal	L	0.23	0.79	0.96	0.72	0.40	0.92	0.07	0.79	0.98	1.31	0.25	0.70
	R	1.36	0.26	0.85	0.20	0.65	0.95	0.02	0.89	0.98	0.00	0.95	0.98
Superior Frontal	L	3.69	0.02	0.75	0.53	0.47	0.93	2.10	0.15	0.98	2.05	0.15	0.61
	R	0.96	0.38	0.86	0.11	0.74	0.95	3.23	0.07	0.98	0.86	0.35	0.70
Superior Parietal	L	0.21	0.81	0.96	0.09	0.76	0.95	0.20	0.65	0.98	0.06	0.81	0.93
	R	0.35	0.71	0.94	0.19	0.66	0.95	0.54	0.46	0.98	0.44	0.51	0.80
Superior Temporal	L	1.22	0.29	0.86	0.14	0.71	0.95	0.50	0.48	0.98	1.78	0.18	0.64
	R	0.55	0.58	0.91	0.02	0.89	0.98	0.04	0.85	0.98	0.14	0.71	0.89
Supramarginal	L	0.11	0.90	0.96	0.02	0.89	0.98	1.04	0.31	0.98	0.11	0.74	0.90
	R	0.26	0.77	0.95	0.00	0.99	0.99	0.00	0.95	0.98	0.01	0.91	0.96
Temporal Pole	L	1.56	0.21	0.75	1.65	0.20	0.87	2.29	0.13	0.98	2.31	0.13	0.60
	R	0.76	0.47	0.91	0.25	0.62	0.95	0.92	0.34	0.98	2.84	0.09	0.53
Transverse Temporal	L	0.50	0.61	0.91	0.04	0.85	0.98	1.48	0.22	0.98	0.79	0.37	0.70
	R	0.55	0.58	0.91	0.10	0.75	0.95	0.26	0.61	0.98	0.65	0.42	0.76
Subcortical Volume													
Amygdala	L	0.39	0.68	0.93	0.26	0.61	0.95	1.35	0.25	0.98	0.93	0.34	0.70
	R	1.40	0.25	0.83	0.50	0.48	0.94	0.55	0.46	0.98	0.92	0.34	0.70
Caudate	L	1.18	0.31	0.86	2.82	0.09	0.82	0.10	0.75	0.98	0.28	0.60	0.84
	R	1.03	0.36	0.86	2.26	0.13	0.86	0.09	0.77	0.98	0.00	0.97	0.98

Hippocampus	L	1.00	0.37	0.86	1.70	0.19	0.87	0.17	0.68	0.98	0.30	0.58	0.84
	R	1.28	0.28	0.86	1.67	0.20	0.87	0.23	0.63	0.98	0.76	0.38	0.70
Lateral Ventricles	L	0.71	0.49	0.91	1.00	0.32	0.91	0.23	0.63	0.98	0.08	0.78	0.92
	R	1.54	0.22	0.75	3.48	0.06	0.74	0.01	0.91	0.98	0.52	0.47	0.78
Nucleus Accumbens	L	0.46	0.63	0.91	0.81	0.37	0.91	0.00	0.95	0.98	0.13	0.72	0.89
	R	0.28	0.75	0.95	0.19	0.67	0.95	0.61	0.43	0.98	1.18	0.28	0.70
Pallidum	L	0.73	0.48	0.91	0.37	0.54	0.94	0.00	0.99	1.00	1.56	0.21	0.64
	R	0.12	0.89	0.96	0.09	0.76	0.95	0.36	0.55	0.98	0.63	0.43	0.76
Putamen	L	1.73	0.18	0.75	2.78	0.10	0.82	0.87	0.35	0.98	0.00	0.95	0.98
	R	0.99	0.37	0.86	1.83	0.18	0.87	0.07	0.79	0.98	0.04	0.84	0.94
Thalamus	L	0.55	0.58	0.91	0.87	0.35	0.91	0.45	0.50	0.98	0.26	0.61	0.85
	R	0.87	0.42	0.91	0.82	0.37	0.91	0.10	0.75	0.98	0.02	0.88	0.94
Global													
Estimated Intracranial Volume	N/A	0.83	0.44	0.91	1.70	0.19	0.87	NA	999.00	999.00	0.34	0.56	0.84
Mean Cortical Thickness		0.71	0.49	0.91	1.17	0.28	0.91	NA	999.00	999.00	3.32	0.07	0.48
Total Surface Area		0.53	0.59	0.91	0.57	0.45	0.93	NA	999.00	999.00	1.39	0.24	0.68

For all interaction analyses, psychosis conversion consisted of three levels (CHR-PS+, CHR-PS-, HC). For "all-by-conversion", "all" consisted of four levels (APS, BIPS, GRD, HC). For all other interaction analyses (APS/BIPS/GRD-by-psychosis conversion), APS/BIPS/GRD consisted of three levels (APS/BIPS/GRD vs. no APS/BIPS/GRD vs. HC).

eTable 20. Interaction between group (HC vs. CHR) and the smoothed effect of age on structural neuroimaging metrics

		Age-interaction statistics		
Region of Interest	**Hemisphere**	**F**	**p**	**q**
Cortical Thickness				
Banks of the Superior Temporal Sulcus	L	0.36	0.55	1.00
	R	0.21	0.65	1.00
Caudal Middle Frontal	L	0.02	0.88	1.00
	R	0.57	0.45	1.00
Fusiform	L	4.93	0.01	0.67
	R	2.36	0.12	1.00
Inferior Parietal	L	0.69	0.41	1.00
	R	0.63	0.43	1.00
Inferior Temporal	L	5.11	0.02	1.00
	R	0.07	0.79	1.00
Insula	L	3.02	0.09	1.00
	R	3.67	0.06	1.00
Lateral Occipital	L	0.25	0.62	1.00
	R	1.92	0.17	1.00
Lateral Orbitofrontal	R	0.31	0.58	1.00
Medial Orbitofrontal	L	0.95	0.33	1.00
	R	0.35	0.55	1.00
Middle Temporal	L	0.20	0.66	1.00
	R	0.52	0.47	1.00
Paracentral	L	0.39	0.74	1.00
	R	0.07	0.79	1.00
Parahippocampal	L	0.21	0.65	1.00
Postcentral	L	0.28	0.60	1.00
	R	3.02	0.08	1.00
Posterior Cingulate	L	1.15	0.28	1.00
	R	0.09	0.77	1.00
Precentral	L	0.00	0.96	1.00
	R	0.66	0.61	1.00
Precuneus	L	0.98	0.32	1.00
	R	0.04	0.85	1.00
Rostral Anterior Cingulate	L	0.53	0.47	1.00
Rostral Middle Frontal	L	0.00	0.99	1.00
	R	0.03	0.87	1.00
Superior Frontal	L	0.03	0.86	1.00
	R	0.22	0.64	1.00
Superior Parietal	L	0.03	0.86	1.00
	R	0.88	0.35	1.00
Superior Temporal	L	0.07	0.79	1.00
	R	0.20	0.66	1.00
Supramarginal	L	0.10	0.75	1.00
	R	1.41	0.27	1.00
Transverse Temporal	R	4.50	0.03	1.00
Surface Area				
Entorhinal	L	0.09	0.77	1.00
Inferior Parietal	R	2.63	0.09	1.00

Isthmus Cingulate	R	0.21	0.65	1.00
Pars Opercularis	L	0.00	1.00	1.00
Pericalcarine	R	0.83	0.37	1.00
Rostral Anterior Cingulate	L	0.07	0.79	1.00
Superior Frontal	R	5.19	0.02	1.00
Supramarginal	L	1.27	0.26	1.00
Subcortical Volume				
Hippocampus	R	1.15	0.25	1.00
Lateral Ventricles	L	0.46	0.69	1.00
	R	1.00	0.32	1.00
Global				
Estimated Intracranial Volume	N/A	3.40	0.06	1.00
Mean Cortical Thickness	N/A	1.69	0.28	1.00
Total Surface Area	N/A	7.60	5.69e-03	0.32

eTable 21. Interaction between conversion status (CHR-PS+ vs. HC, CHR-PS+ vs. CHR-PS-, CHR-PS- vs. HC) and the smoothed effect of age on structural neuroimaging metrics.

		Age-interaction statistics CHR-PS+ vs. HC			Age-interaction statistics CHR-PS+ vs. CHR-PS-			Age-interaction statistics CHR-PS- vs. HC		
Region of Interest	**Hemisphere**	**F**	**p**	**q**	**F**	**p**	**q**	**F**	**p**	**q**
Cortical Thickness										
Fusiform	L	**9.76**	**4.88e-05**	**5.85e-04**	1.34	0.31	0.45	**8.7**	**1.51e-04**	**9.05e-04**
Paracentral	L	**5.29**	**4.68e-03**	**0.02**	1.89	0.18	0.45	0.23	0.68	0.74
	R	1.5	0.20	0.45	1.35	0.30	0.45	0.01	0.92	0.92
Superior Temporal	R	1.17	0.34	0.45	0.41	0.51	0.61	1.06	0.28	0.45

Results marked in bold are significant at q<0.05.

eFigure 1. CHR vs. HC effect size overview (post-ComBat mega analysis)



*q<0.05. Colored bars represent 95% confidence intervals. Black lines represent 90% confidence intervals used for equivalence testing. Shaded area represents the interval between upper (left vertical dashed line, -0.15) and lower (right vertical dashed line, +0.15) SESOI bounds.

eFigure 2. Jackknife resampling analysis for structural neuroimaging measures meeting statistical significance (q<0.05) in Aim 1



Left panel: regions of interest significant at q<0.05 in CHR vs HC post-ComBat mega analysis. **Right panel:** regions of interest significant at q<0.05 in CHR-PS+ vs. CHR-PS- vs. HC post-ComBat mega analysis (overall effect). *Regions that failed to show a psychosis risk/conversion (overall) effect at q<0.05 in more than 10% of all iterations (four study sites) were considered untrustworthy. Vertical dashed line represents 10% cut-off. Absence of colored bar indicates q>0.05 for a particular region in of the two post-ComBat mega analyses; these regions were therefore not included in the jackknife analysis. For visualization purposes, regions of interest with q<0.05 for every iteration are set to 1%.*

eFigure 3. CHR-PS+ vs. CHR-PS- vs. HC effect size overview (post-ComBat mega analysis)



◦overall effect of psychosis conversion q<0.05; * pairwise comparison p<0.05 (note: only displayed for regions for which overall effect was q<0.05). *Colored bars represent 95% confidence intervals. Black lines represent 90% confidence intervals used for equivalence testing. Shaded area represents the interval between upper (left vertical dashed line, -0.15) and lower (right vertical dashed line, +0.15) SESOI bounds.*

eFigure 4. CHR-PS+ vs. SZ vs. 22q.11DS effect size overview



Estimated intracranial volume was not available for individuals with schizophrenia. Colored bars represent standard error.

eFigure 5. Surface Area, Subcortical Volume and global measure correlations between CHR-PS+, SZ, and 22q.11DS



p = Spearman's rank correlation.

Supplementary Citations

1. Yung AR, Yuen HP, McGorry PD, et al. Mapping the onset of psychosis: the Comprehensive Assessment of At-Risk Mental States. *Aust N Z J Psychiatry*. 2005;39(11-12):964-971. doi:10.1080/j.1440-1614.2005.01714.x
2. Yung AR, McGorry PD, McFarlane CA, Jackson HJ, Patton GC, Rakkar A. Monitoring and care of young people at incipient risk of psychosis. *Schizophr Bull*. 1996;22(2):283-303. doi:10.1093/schbul/22.2.283
3. Rybarczyk B. Social and Occupational Functioning Assessment Scale (SOFAS). In: Kreutzer JS, DeLuca J, Caplan B, eds. *Encyclopedia of Clinical Neuropsychology*. Springer; 2011:2313-2313. doi:10.1007/978-0-387-79948-3_428
4. McGlashan T, Walsh B, Woods S. *The Psychosis-Risk Syndrome: Handbook for Diagnosis and Follow-Up*. Oxford University Press, USA; 2010.
5. McGlashan TH. *Structured Interview for Prodromal Syndromes (SIPS)*. Yale University; 2001.
6. Sun D, Ching CRK, Lin A, et al. Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size. *Mol Psychiatry*. Published online June 13, 2018. doi:10.1038/s41380-018-0078-5
7. van Erp TGM, Walton E, Hibar DP, et al. Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. *Biological Psychiatry*. 2018;84(9):644-654. doi:10.1016/j.biopsych.2018.04.023
8. Radua J, Vieta E, Shinohara R, et al. Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. *Neuroimage*. 2020;218:116956. doi:10.1016/j.neuroimage.2020.116956
9. Viechtbauer W. Conducting Meta-Analyses in R with the metafor Package. *Journal of Statistical Software*. 2010;36(1):1-48. doi:10.18637/jss.v036.i03
10. Lakens D. Equivalence Tests: A Practical Primer for t Tests, Correlations, and Meta-Analyses. *Soc Psychol Personal Sci*. 2017;8(4):355-362. doi:10.1177/1948550617697177
11. Schuirmann DJ. A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability. *J Pharmacokinet Biopharm*. 1987;15(6):657-680. doi:10.1007/BF01068419
12. Lakens D, Scheel AM, Isager PM. Equivalence Testing for Psychological Research: A Tutorial: *Advances in Methods and Practices in Psychological Science*. Published online June 1,
13. doi:10.1177/2515245918770963
13. Calabro FJ, Murty VP, Jalbrzikowski M, Tervo-Clemmens B, Luna B. Development of Hippocampal–Prefrontal Cortex Interactions through Adolescence. *Cereb Cortex*. 2020;30(3):1548-1558. doi:10.1093/cercor/bhz186
14. Wood SN. *Generalized Additive Models: An Introduction with R*. Second edition. CRC Press/Taylor & Francis Group; 2017.
15. Steiger JH. Tests for comparing elements of a correlation matrix. *Psychological Bulletin*. 1980;87(2):245-251. doi:10.1037/0033-2909.87.2.245
16. Diedenhofen B, Musch J. cocor: A Comprehensive Solution for the Statistical Comparison of Correlations. *PLOS ONE*. 2015;10(4):e0121945. doi:10.1371/journal.pone.0121945
17. Lemmers-Jansen IL, Fett A-KJ, van Os J, Veltman DJ, Krabbendam L. Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. *Aust N Z J Psychiatry*. 2020;54(2):138-149. doi:10.1177/0004867419865939
18. Lemmers-Jansen ILJ, Fett A-KJ, Van Doesum NJ, Van Lange PAM, Veltman DJ, Krabbendam L. Social Mindfulness

and Psychosis: Neural Response to Socially Mindful Behavior in First-Episode Psychosis and Patients at Clinical High-Risk. *Front Hum Neurosci*. 2019;13:47. doi:10.3389/fnhum.2019.00047

19. Lemmers-Jansen ILJ, Fett A-KJ, Hanssen E, Veltman DJ, Krabbendam L. Learning to trust: social feedback normalizes trust behavior in first-episode psychosis and clinical high risk. *Psychol Med*. 2019;49(5):780-790. doi:10.1017/S003329171800140X

20. Hubl D, Schultze-Lutter F, Hauf M, et al. Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. *Schizophr Res*. 2018;201:231-236. doi:10.1016/j.schres.2018.06.018

21. Haas SS, Doucet GE, Garg S, et al. Linking language features to clinical symptoms and multimodal imaging in individuals at clinical high risk for psychosis. *Eur Psychiatry*. 2020;63(1). doi:10.1192/j.eurpsy.2020.73

22. Colibazzi T, Yang Z, Horga G, et al. Aberrant Temporal Connectivity in Persons at Clinical High Risk for Psychosis. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*. 2017;2(8):696-705. doi:10.1016/j.bpsc.2016.12.008

23. Krakauer K, Ebdrup BH, Glenthøj BY, et al. Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. *Psychol Med*. 2017;47(15):2689-2707. doi:10.1017/S0033291717001210

24. Krakauer K, Nordentoft M, Glenthøj BY, et al. White matter maturation during 12 months in individuals at ultra-high-risk for psychosis. *Acta Psychiatr Scand*. 2018;137(1):65-78. doi:10.1111/acps.12835

25. Zikidi K, Gajwani R, Gross J, et al. Grey-matter abnormalities in clinical high-risk participants for psychosis. *Schizophr Res*. Published online November 15, 2019. doi:10.1016/j.schres.2019.08.034

26. Solé-Padullés C, Castro-Fornieles J, de la Serna E, et al. Intrinsic functional connectivity of fronto-temporal networks in adolescents with early psychosis. *Eur Child Adolesc Psychiatry*. 2017;26(6):669-679. doi:10.1007/s00787-016-0931-5

27. Sarac C, Bilgrami ZR, Haas SS, et al. Processing speed and brain volume in individuals at clinical high-risk for psychosis with comorbid eating disorders: A brief report. *Schizophr Res*. Published online September 11, 2020. doi:10.1016/j.schres.2020.08.025

28. Davies C, Paloyelis Y, Rutigliano G, et al. Oxytocin modulates hippocampal perfusion in people at clinical high risk for psychosis. *Neuropsychopharmacology*. 2019;44(7):1300-1309. doi:10.1038/s41386-018-0311-6

29. Davies C, Rutigliano G, De Micheli A, et al. Neurochemical effects of oxytocin in people at clinical high risk for psychosis. *Eur Neuropsychopharmacol*. 2019;29(5):601-615. doi:10.1016/j.euroneuro.2019.03.008

30. Allen P, Chaddock CA, Egerton A, et al. Resting Hyperperfusion of the Hippocampus, Midbrain, and Basal Ganglia in People at High Risk for Psychosis. *Am J Psychiatry*. 2016;173(4):392-399. doi:10.1176/appi.ajp.2015.15040485

31. Allen P, Chaddock CA, Egerton A, et al. Functional outcome in people at high risk for psychosis predicted by thalamic glutamate levels and prefronto-striatal activation. *Schizophr Bull*. 2015;41(2):429-439. doi:10.1093/schbul/sbu115

32. Bloemen OJN, de Koning MB, Schmitz N, et al. White-matter markers for psychosis in a prospective ultra-high-risk cohort. *Psychol Med*. 2010;40(8):1297-1304. doi:10.1017/S0033291709991711

33. Bakker G, Caan MWA, Vingerhoets WAM, et al. Cortical Morphology Differences in Subjects at Increased Vulnerability for Developing a Psychotic Disorder: A Comparison between Subjects with Ultra-High Risk and 22q11.2 Deletion Syndrome. *PLoS One*. 2016;11(11):e0159928. doi:10.1371/journal.pone.0159928

34. Bakker G, Caan MWA, Schluter RS, et al. Distinct white-matter aberrations in 22q11.2 deletion syndrome and patients at ultra-high risk for psychosis. *Psychol Med*. 2016;46(11):2299-2311. doi:10.1017/S0033291716000970

35. Velakoulis D, Wood SJ, Wong MTH, et al. Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis: A Magnetic Resonance Imaging Study of Chronic Schizophrenia, First-Episode Psychosis, and Ultra–High-Risk Individuals. *Arch Gen Psychiatry*. 2006;63(2):139. doi:10.1001/archpsyc.63.2.139

36. Sun D, Phillips L, Velakoulis D, et al. Progressive brain structural changes mapped as psychosis develops in ‘at risk’ individuals. *Schizophrenia Research*. 2009;108(1-3):85-92. doi:10.1016/j.schres.2008.11.026

37. Fornito A, Yung AR, Wood SJ, et al. Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. *Biological Psychiatry*. 2008;64(9):758-765. doi:10.1016/j.biopsych.2008.05.032

38. Takahashi T, Wood SJ, Yung AR, et al. Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. *Schizophrenia Research*. 2009;111(1-3):94-102. doi:10.1016/j.schres.2009.03.024

39. León-Ortiz P, Reyes-Madrigal F, Kochunov P, et al. White matter alterations and the conversion to psychosis: A combined diffusion tensor imaging and glutamate 1H MRS study. *Schizophr Res*. Published online June 25, 2020. doi:10.1016/j.schres.2020.06.006

40. Kegeles LS, Ciarleglio A, León-Ortiz P, et al. An imaging-based risk calculator for prediction of conversion to psychosis in clinical high-risk individuals using glutamate 1H MRS. *Schizophr Res*. Published online September 12, 2019. doi:10.1016/j.schres.2019.09.004

41. de la Fuente-Sandoval C, Reyes-Madrigal F, Mao X, et al. Cortico-Striatal GABAergic and Glutamatergic Dysregulations in Subjects at Ultra-High Risk for Psychosis Investigated with Proton Magnetic Resonance Spectroscopy. *Int J Neuropsychopharmacol*. 2015;19(3):pyv105. doi:10.1093/ijnp/pyv105

42. de la Fuente-Sandoval C, León-Ortiz P, Favila R, et al. Higher levels of glutamate in the associative-striatum of subjects with prodromal symptoms of schizophrenia and patients with first-episode psychosis. *Neuropsychopharmacology*. 2011;36(9):1781-1791. doi:10.1038/npp.2011.65

43. Tomyshev AS, Lebedeva IS, Akhadov TA, Omelchenko MA, Rumyantsev AO, Kaleda VG. Alterations in white matter microstructure and cortical thickness in individuals at ultra-high risk of psychosis: A multimodal tractography and surface-based morphometry study. *Psychiatry Res Neuroimaging*. 2019;289:26-36. doi:10.1016/j.pscychresns.2019.05.002

44. Tomyshev AS, Lebedeva IS, Akhadov TA, et al. MRI Study for the Features of Brain Conduction Pathways in Patients with an Ultra-High Risk of Endogenous Psychoses. *Bull Exp Biol Med*. 2017;162(4):425-429. doi:10.1007/s10517-017-3631-3

45. Millman ZB, Gallagher K, Demro C, et al. Evidence of reward system dysfunction in youth at clinical high-risk for psychosis from two event-related fMRI paradigms. *Schizophr Res*. Published online April 15, 2019. doi:10.1016/j.schres.2019.03.017

46. Demro C, Rowland L, Wijtenburg SA, et al. Glutamatergic metabolites among adolescents at risk for psychosis. *Psychiatry Res*. 2017;257:179-185. doi:10.1016/j.psychres.2017.07.040

47. Lincoln SH, Hooker CI. Neural structure and social dysfunction in individuals at clinical high risk for psychosis. *Psychiatry Research: Neuroimaging*. 2014;224(3):152-158. doi:10.1016/j.pscychresns.2014.08.008

48. Wang C, Ji F, Hong Z, et al. Disrupted salience network functional connectivity and white-matter microstructure in persons at risk for psychosis: findings from the LYRIKS study. *Psychol Med*. 2016;46(13):2771-2783. doi:10.1017/S0033291716001410

49. Wang C, Lee J, Ho NF, et al. Large-Scale Network Topology Reveals Heterogeneity in Individuals With at Risk Mental State for Psychosis: Findings From the Longitudinal Youth-at-Risk Study. *Cereb Cortex*. 2018;28(12):4234-4243. doi:10.1093/cercor/bhx278

50. Lee J, Rekhi G, Mitter N, et al. The Longitudinal Youth at Risk Study (LYRIKS)–an Asian UHR perspective. *Schizophr Res*. 2013;151(1-3):279-283. doi:10.1016/j.schres.2013.09.025

51. Kwak YB, Kim M, Cho KIK, Lee J, Lee TY, Kwon JS. Reduced cortical thickness in subjects at clinical high risk for

psychosis and clinical attributes. *Aust N Z J Psychiatry*. 2019;53(3):219-227. doi:10.1177/0004867418807299

52. Katagiri N, Pantelis C, Nemoto T, et al. A longitudinal study investigating sub-threshold symptoms and white matter changes in individuals with an “at risk mental state” (ARMS). *Schizophr Res*. 2015;162(1-3):7-13. doi:10.1016/j.schres.2015.01.002

53. Katagiri N, Pantelis C, Nemoto T, et al. Symptom recovery and relationship to structure of corpus callosum in individuals with an “at risk mental state.” *Psychiatry Res Neuroimaging*. 2018;272:1-6. doi:10.1016/j.pscychresns.2017.11.016

54. Katagiri N, Pantelis C, Nemoto T, et al. Longitudinal changes in striatum and sub-threshold positive symptoms in individuals with an “at risk mental state” (ARMS). *Psychiatry Res Neuroimaging*. 2019;285:25-30. doi:10.1016/j.pscychresns.2019.01.008

55. Sasabayashi D, Takayanagi Y, Takahashi T, et al. Subcortical Brain Volume Abnormalities in Individuals With an At-risk Mental State. *Schizophr Bull*. 2020;46(4):834-845. doi:10.1093/schbul/sbaa011

56. Yassin W, Nakatani H, Zhu Y, et al. Machine-learning classification using neuroimaging data in schizophrenia, autism, ultra-high risk and first-episode psychosis. *Transl Psychiatry*. 2020;10(1):278. doi:10.1038/s41398-020-00965-5

57. Nakamura M, Takahashi T, Takayanagi Y, et al. Surface morphology of the orbitofrontal cortex in individuals at risk of psychosis: a multicenter study. *Eur Arch Psychiatry Clin Neurosci*. 2019;269(4):397-406. doi:10.1007/s00406-018-0890-6

58. Sasabayashi D, Takayanagi Y, Takahashi T, et al. Increased Occipital Gyrification and Development of Psychotic Disorders in Individuals With an At-Risk Mental State: A Multicenter Study. *Biol Psychiatry*. 2017;82(10):737-745. doi:10.1016/j.biopsych.2017.05.018

59. Takano Y, Aoki Y, Yahata N, et al. Neural basis for inferring false beliefs and social emotions in others among individuals with schizophrenia and those at ultra-high risk for psychosis. *Psychiatry Res Neuroimaging*. 2017;259:34-41. doi:10.1016/j.pscychresns.2016.11.003

60. Iwashiro N, Koike S, Satomura Y, et al. Association between impaired brain activity and volume at the sub-region of Broca’s area in ultra-high risk and first-episode schizophrenia: A multi-modal neuroimaging study. *Schizophr Res*. 2016;172(1-3):9-15. doi:10.1016/j.schres.2016.02.005

61. Natsubori T, Hashimoto R-I, Yahata N, et al. An fMRI study of visual lexical decision in patients with schizophrenia and clinical high-risk individuals. *Schizophr Res*. 2014;157(1-3):218-224. doi:10.1016/j.schres.2014.05.027

62. Natsubori T, Inoue H, Abe O, et al. Reduced frontal glutamate + glutamine and N-acetylaspartate levels in patients with chronic schizophrenia but not in those at clinical high risk for psychosis or with first-episode schizophrenia. *Schizophr Bull*. 2014;40(5):1128-1139. doi:10.1093/schbul/sbt124

63. Koike S, Takano Y, Iwashiro N, et al. A multimodal approach to investigate biomarkers for psychosis in a clinical setting: the integrative neuroimaging studies in schizophrenia targeting for early intervention and prevention (IN-STEP) project. *Schizophr Res*. 2013;143(1):116-124. doi:10.1016/j.schres.2012.11.012

64. Iwashiro N, Suga M, Takano Y, et al. Localized gray matter volume reductions in the pars triangularis of the inferior frontal gyrus in individuals at clinical high-risk for psychosis and first episode for schizophrenia. *Schizophr Res*. 2012;137(1-3):124-131. doi:10.1016/j.schres.2012.02.024

65. Da Silva T, Wu A, Laksono I, et al. Mitochondrial function in individuals at clinical high risk for psychosis. *Sci Rep*. 2018;8(1):6216. doi:10.1038/s41598-018-24355-6

66. Da Silva T, Hafizi S, Andreazza AC, et al. Glutathione, the Major Redox Regulator, in the Prefrontal Cortex of Individuals at Clinical High Risk for Psychosis. *Int J Neuropsychopharmacol*. 2018;21(4):311-318. doi:10.1093/ijnp/pyx094

67. Takahashi T, Wood SJ, Yung AR, et al. Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. *Schizophr Res*. 2014;153(1-3):18-24. doi:10.1016/j.schres.2014.01.041

68. Takahashi T, Nakamura K, Nishiyama S, et al. Increased pituitary volume in subjects at risk for psychosis and patients with first-episode schizophrenia. *Psychiatry Clin Neurosci*. 2013;67(7):540-548. doi:10.1111/pcn.12093

69. Nakamura K, Takahashi T, Nemoto K, et al. Gray matter changes in subjects at high risk for developing psychosis and first-episode schizophrenia: a voxel-based structural MRI study. *Front Psychiatry*. 2013;4:16. doi:10.3389/fpsyt.2013.00016

70. Takayanagi Y, Kulason S, Sasabayashi D, et al. Reduced Thickness of the Anterior Cingulate Cortex in Individuals With an At-Risk Mental State Who Later Develop Psychosis. *Schizophr Bull*. 2017;43(4):907-913. doi:10.1093/schbul/sbw167

71. Takahashi T, Higuchi Y, Komori Y, et al. Pituitary Volume and Socio-Cognitive Functions in Individuals at Risk of Psychosis and Patients With Schizophrenia. *Front Psychiatry*. 2018;9:574. doi:10.3389/fpsyt.2018.00574

72. Takahashi T, Nakamura M, Nishikawa Y, et al. Potential role of orbitofrontal surface morphology on social and cognitive functions in high-risk subjects for psychosis and schizophrenia patients. *Psychiatry Res Neuroimaging*. 2019;283:92-95. doi:10.1016/j.pscychresns.2018.12.002

73. Takahashi T, Nakamura M, Sasabayashi D, et al. Reduced pineal gland volume across the stages of schizophrenia. *Schizophr Res*. 2019;206:163-170. doi:10.1016/j.schres.2018.11.032

74. Takahashi T, Nakamura M, Sasabayashi D, et al. Association between olfactory sulcus morphology and olfactory functioning in schizophrenia and psychosis high-risk status. *Heliyon*. 2019;5(10):e02642. doi:10.1016/j.heliyon.2019.e02642

75. Takahashi T, Tsugawa S, Nakajima S, et al. Thalamic and striato-pallidal volumes in schizophrenia patients and individuals at risk for psychosis: A multi-atlas segmentation study. *Schizophr Res*. Published online May 21, 2020. doi:10.1016/j.schres.2020.04.016

76. Fryer SL, Roach BJ, Ford JM, et al. Should I Stay or Should I Go? FMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. *Schizophr Bull*. 2019;45(1):158-168. doi:10.1093/schbul/sbx198

77. Buechler R, Wotruba D, Michels L, et al. Cortical Volume Differences in Subjects at Risk for Psychosis are Driven by Surface Area. *Schizophr Bull*. Published online May 28, 2020. doi:10.1093/schbul/sbaa066

78. Bolton TAW, Wotruba D, Buechler R, et al. Triple Network Model Dynamically Revisited: Lower Salience Network State Switching in Pre-psychosis. *Front Physiol*. 2020;11:66. doi:10.3389/fphys.2020.00066

79. Wotruba D, Michels L, Buechler R, et al. Aberrant coupling within and across the default mode, task-positive, and salience network in subjects at risk for psychosis. *Schizophr Bull*. 2014;40(5):1095-1104. doi:10.1093/schbul/sbt161

80. Wotruba D, Heekeren K, Michels L, et al. Symptom dimensions are associated with reward processing in unmedicated persons at risk for psychosis. *Front Behav Neurosci*. 2014;8:382. doi:10.3389/fnbeh.2014.00382

81. Schultze-Lutter F, Addington J, Ruhrmann S, Klosterkötter J. Schizophrenia proneness instrument, adult version (SPI-A).

82. Klosterkötter J, Ruhrmann S, Schultze-Lutter F, et al. The European Prediction of Psychosis Study (EPOS): integrating early recognition and intervention in Europe. *World Psychiatry*. Published online 2005:7.

83. Lencz T. Nonspecific and attenuated negative symptoms in patients at clinical high-risk for schizophrenia. *Schizophrenia Research*. 2004;68(1):37-48. doi:10.1016/S0920-9964(03)00214-7