

Supplemental Data

Molecular diagnosis of causality in T cell mediated severe cutaneous adverse drug reactions

Ying X Teo^{1,2}, Wei Y Haw¹, Andres F Vallejo¹, Carolann McGuire¹, Jeongmin Woo¹, Peter S Friedmann¹, *Marta E Polak¹, *Michael R Ardern-Jones^{1,2}

*joint senior authors

Corresponding author(s): 1. Michael Roger Ardern-Jones, Mailpoint 825, Clinical Experimental Sciences, Faculty of Medicine, University of Southampton, Southampton SO16 6YD, United Kingdom. Telephone: +44(0)23 81 205727. Email: m.aj@soton.ac.uk

2. Marta Ewa Polak, Mailpoint 813, Clinical Experimental Sciences, Faculty of Medicine, University of Southampton, Southampton SO16 6YD, United Kingdom. Telephone: +44(0)23 81 205727. Email: m.e.polak@soton.ac.uk


Conflict of interest: The authors have declared that no conflict of interest exists

Keywords:

Drug reaction with eosinophilia and systemic symptoms (DRESS); Drug allergy; Immunology; Biomarker; Diagnostics

¹ Clinical Experimental Sciences, Faculty of Medicine, University of Southampton, Southampton SO16 6YD, United Kingdom

² Department of Dermatology, Southampton General Hospital, University Hospitals Southampton NHS Foundation Trust

18 **Supplemental Figure 1**

19 **Supplemental Figure 1.** Validation of top DEGs identified by whole transcriptome analysis. Changes
 20 in gene expression detected by RNA-sequencing were reproduced using RT-qPCR for the top 4 gene
 21 transcripts. a) Gene expression measured using RNA-sequencing for *STAC*, *CISH*, *CD4* and *FN1*. Log2
 22 of TMM normalised counts calibrated to *YWHAZ* b) Gene expression measured using RT-qPCR for
 23 *STAC*, *CISH*, *CD4* and *FN1* $2^{-\Delta\Delta CT}$, *YWHAZ* as housekeeping gene, in duplicate. Each data point
 24 represents gene expression in a single patient. Horizontal dotted line shows group median, error bars
 25 depict data range.


26
 27

Table S1: Genes in biomarker panel

Gene name	Gene symbol	Assay ID
Housekeeping genes		
Tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein zeta	YWHAZ	Hs01122445_g1
Glyceraldehyde-3-Phosphate Dehydrogenase	GAPDH	Hs99999905_m1
RNA-seq selected DEGs		
SH3 and cysteine rich domain	STAC	Hs00182385_m1
Inhibin beta A subunit	INHBA	Hs01081598_m1
C-C motif chemokine ligand 8	CCL8	Hs04187715_m1
Ribonuclease A family member 1, pancreatic	RNASE1	Hs01850125_s1
Cytokine inducible SH2 containing protein	CISH	Hs00367082_g1
Cathepsin L	CTSL	Hs00964650_m1
Mannose receptor, C type 1	MRC1	Hs00267207_m1
Heparin binding EGF like growth factor	HBEGF	Hs00181813_m1
Fibronectin 1	FN1	Hs01549976_m1
Glycerol-3-phosphate acyltransferase 3	GPAT3	Hs00262010_m1
Interleukin 3 receptor subunit alpha	IL3RA	Hs00608141_m1
CD274 molecule	CD274	Hs00204257_m1
CD40 molecule	CD40	Hs01002915_g1
CD276 molecule	CD276	Hs00987207_m1
Integrin subunit alpha M	ITGAM	Hs00167304_m1
CD209 molecule	CD209	Hs01588349_m1
Carboxypeptidase, vitellogenic like	CPVL	Hs01073862_m1
CD4 molecule	CD4	Hs01058407_m1
G protein-coupled receptor 183	GPR183	Hs00270639_s1
V-Set Immunoregulatory Receptor	VSIR	Hs00735289_m1
Tumor necrosis factor	TNF	Hs00174128_m1
Interferon gamma	IFNG	Hs00989291_m1

Table S2: Scoring using 22 biomarker genes in identification of DRESS subjects

Biomarker	DRE SS 1	DRE SS 2	DRE SS 3	DRE SS 4	DRE SS 5	DRE SS 6	Toler ant 1	Toler ant 2	Toler ant 3	Toler ant 4	Toler ant 5	Toler ant 6	Toler ant 7
CTSL	1	1	1	1	1	1	0	1	-1	-1	-1	-1	1
IL3RA	1	1	1	1	1	-1	-1	0	0	-1	-1	-1	1
CISH	1	1	-1	1	1	1	-1	1	0	-1	-1	-1	-1
TNF	0	1	1	1	1	-1	0	1	-1	0	0	-1	1
ITGAM	1	1	-1	0	1	-1	-1	1	1	1	1	-1	1
HBEGF	0	1	1	1	1	-1	1	1	0	1	1	-1	0
CD276	1	0	1	1	1	-1	-1	0	-1	1	1	0	0
INHBA	1	1	1	1	1	-1	1	1	0	-1	-1	-1	0
GPAT3	1	0	1	1	1	0	0	1	1	1	1	1	1
CCL8	1	1	1	1	1	1	1	1	-1	-1	-1	0	1
CD274	1	1	-1	1	1	1	1	1	0	-1	-1	-1	1
CD209	-1	1	0	-1	1	1	1	-1	-1	0	0	1	-1
CD40	0	1	-1	1	1	1	-1	0	-1	-1	-1	0	1
MRC1	-1	1	-1	-1	1	1	1	1	1	-1	-1	-1	-1
STAC	0	1	1	1	1	1	-1	-1	0	0	0	-1	-1
IFNG	1	1	-1	1	1	-1	-1	1	-1	-1	-1	1	1
GPR183	1	1	1	1	1	1	-1	-1	-1	-1	-1	-1	1
RNASE1	1	1	1	1	1	1	-1	-1	1	-1	-1	1	1
FN1	1	1	1	1	1	1	-1	-1	1	-1	-1	-1	1
CPVL	1	-1	-1	1	1	-1	-1	1	-1	-1	-1	1	-1
CD4	1	-1	1	1	1	1	-1	-1	-1	-1	-1	1	1
VSIR	1	1	1	1	-1	1	-1	-1	1	-1	-1	-1	1
Score	14	16	7	17	20	5	-7	5	-4	-11	-11	-7	9

36 **Supplemental Figure 2**

37 **Supplementary Figure 2.** Expression of remaining genes from gene panel in validation cohort
 38 and in tolerant subjects. Expression of genes in biomarker panel measured by qPCR in drug
 39 allergic patients (grey) and controls tolerant to specified antibiotics (white). Change induced
 40 in expression shown for genes not reaching statistical difference of $p = <0.05$ in expression
 41 change between patient cohorts ($2^{-\Delta\Delta CT}$ versus *YWHAZ* housekeeping gene). Box and
 42 whiskers indicate median and data range.

43

44

Table S3: Biomarker genes ranked according to random forest algorithm values.

	variable importance
STAC	0.994811833
GPR183	0.680540981
CD209	0.651630914
CCL8	0.49121443
RNASE1	0.386492208
CISH	0.36682482
CD40	0.341145022
IL3RA	0.289051948
CD4	0.233019336
GPAT3	0.215453824
CD276	0.185681962
CTSL	0.172102742
IFNG	0.171135786
FN1	0.167650938
MRC1	0.161882251
ITGAM	0.161407648
C10orf54	0.157426018
CD274	0.12821746
TNF	0.113121756
HBEGF	0.110421068
INHBA	0.096309812

Table S4: Scoring using 6 selected biomarker genes in identification of DRESS subjects

Biomarker	DRE SS 1	DRE SS 2	DRE SS 3	DRE SS 4	DRE SS 5	DRE SS 6	Tolerant 1	Tolerant 2	Tolerant 3	Tolerant 4	Tolerant 5	Tolerant 6	Tolerant 7
CISH	1	1	-1	1	1	1	-1	1	0	-1	-1	-1	-1
CCL8	1	1	1	1	1	1	1	1	-1	-1	-1	0	1
CD40	0	1	-1	1	1	1	-1	0	-1	-1	-1	0	1
STAC	0	1	1	1	1	1	-1	-1	0	0	0	-1	-1
GPR183	1	1	1	1	1	1	-1	-1	-1	-1	-1	-1	1
CD4	1	-1	1	1	1	1	-1	-1	-1	-1	-1	1	1
Score	4	4	2	6	6	6	-4	-1	-4	-5	-5	-2	2

Table S5: Inflammatory diseases gene expression signature overlap with biomarker panel analysis

Disease	Curated gene set (GEO dataset)	Gene expression in curated gene set	Number of genes	Normalised enrichment score	FDR q-value	Overlap genes with DRESS biomarker
Influenza	GSE6269: healthy vs influenza PBMC	Upregulated	160	1.458515	0.006908463	
Sepsis	GSE9960: healthy vs sepsis PBMC	Upregulated	192	2.433338	0.0	STAC
	GSE9960 healthy vs gram positive sepsis PBMC	Upregulated	198	2.1894507	0.0	INHBA, CD274
	GSE9960 healthy vs gram negative sepsis PBMC	Downregulated	198	2.4648156	0.0	INHBA
	GSE9960 healthy vs gram negative and positive sepsis PBMC	Downregulated	196	1.4939677	0.004305705	CCL8
Systemic lupus erythematosus	GSE10325 myeloid vs lupus	Upregulated	190	2.4966972	0.0	CCL8
	GSE10325 CD4 T cell vs lupus CD4 T cells	Upregulated	157	2.166506	0.0	
	Bennett systemic lupus erythematosus M12175	Upregulated	27	1.3876796	0.04183008	
	GSE30153 lupus vs healthy donor B cells	Upregulated	146	1.1878923	0.1454361	
	GSE10325 myeloid vs lupus myeloid	Downregulated	70	1.2539403	0.10766052	
Dermatomyositis	Disgenet dermatomyositis CUI: C0011633	Upregulated	149	1.5843996	0.0034364262	TNF, CD274, CTSL, MRC1

DRESS = drug reaction with eosinophilia and systemic symptoms; FDR = false discovery rate; GEO = gene expression omnibus; PBMC = peripheral blood mononuclear cells; vs = versus