

Feature Name	Dataset	Description
Age	RPDB	Age of the patient at the end of the observation window
Sex (female)	RPDB	Sex of the patient (binary)
Quarter of the year	-	Quarter of the year at the end of the observation window.
LHIN (1-14)	ON-MARG	Local Health Integrated Network the patient lives in. Takes on a binary value for each LHIN from 1 to 14. (14 features in total)
Living in rural areas	ON-MARG	Binary indicator of whether or not a patient lives in a rural area.
Marginalization Index - Dependency (1st quintile - 5th quintile)	ON-MARG	Index to quantify the dependency level of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates lower degree of marginalization. (5 features in total)
Marginalization Index - Ethnicity (1st quintile - 5th quintile)	ON-MARG	Index to quantify the ethnic marginalization of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates lower degree of marginalization. (5 features in total)
Marginalization Index - Instability (1st quintile - 5th quintile)	ON-MARG	Index to quantify the instability level of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates lower degree of marginalization. (5 features in total)
Marginalization Index - Deprivation (1st quintile - 5th quintile)	ON-MARG	Index to quantify the deprivation level of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates lower degree of marginalization. (5 features in total)
Income (1st quintile - 5th quintile)	ON-MARG	Index to quantify the income level of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates higher income. (5 features in total)
Education (1st quintile - 5th quintile)	ON-MARG	Index to quantify the education level of the neighborhood the patient lives in. Takes on a binary value for each index level from 1 to 5. Higher index indicates higher education level. (5 features in total)
Latitude	ON-MARG	Value in decimal degrees to a precision of 2 decimal places ( $\sim 1km$ ).
Longitude	ON-MARG	Value in decimal degrees to a precision of 2 decimal places ( $\sim 1km$ ).
Presence of arrhythmia	MMB Macro	Presence of arrhythmia throughout the observation window.
Presence of asthma	MMB Macro	Presence of asthma throughout the observation window.
Presence of asthma since quarter 7	MMB Macro	Presence of asthma starting from the 7th quarter of the observation window (at the latest).

Feature Name	Dataset	Description
Presence of chronic heart failure	MMB Macro	Presence of chronic heart failure throughout the observation window.
Presence of chronic heart failure since quarter 1	MMB Macro	Presence of chronic heart failure starting from the 1st quarter of the observation window (at the latest).
Presence of chronic heart failure since quarter 7	MMB Macro	Presence of chronic heart failure starting from the 7th quarter of the observation window (at the latest).
Presence of COPD	MMB Macro	Presence of chronic obstructive pulmonary disease throughout the observation window.
Presence of COPD since quarter 1	MMB Macro	Presence of COPD starting from the 1st quarter of the observation window (at the latest).
Presence of COPD since quarter 3	MMB Macro	Presence of COPD starting from the 3rd quarter of the observation window (at the latest).
Presence of COPD since quarter 4	MMB Macro	Presence of COPD starting from the 4th quarter of the observation window (at the latest).
Presence of COPD since quarter 5	MMB Macro	Presence of COPD starting from the 5th quarter of the observation window (at the latest).
Presence of COPD since quarter 6	MMB Macro	Presence of COPD starting from the 6th quarter of the observation window (at the latest).
Presence of COPD since quarter 7	MMB Macro	Presence of COPD starting from the 7th quarter of the observation window (at the latest).
Presence of coronary disease	MMB Macro	Presence of coronary disease throughout the observation window.
Presence of coronary disease since quarter 1	MMB Macro	Presence of coronary disease starting from the 1st quarter of the observation window (at the latest).
Presence of coronary disease since quarter 2	MMB Macro	Presence of coronary disease starting from the 2nd quarter of the observation window (at the latest).
Presence of coronary disease since quarter 7	MMB Macro	Presence of coronary disease starting from the 7th quarter of the observation window (at the latest).
Presence of diabetes	MMB Macro	Presence of diabetes throughout the observation window.
Presence of diabetes since quarter 1	MMB Macro	Presence of diabetes starting from the 1st quarter of the observation window (at the latest).
Presence of diabetes since quarter 2	MMB Macro	Presence of diabetes starting from the 2nd quarter of the observation window (at the latest).
Presence of diabetes since quarter 3	MMB Macro	Presence of diabetes starting from the 3rd quarter of the observation window (at the latest).
Presence of diabetes since quarter 4	MMB Macro	Presence of diabetes starting from the 4th quarter of the observation window (at the latest).
Presence of diabetes since quarter 5	MMB Macro	Presence of diabetes starting from the 5th quarter of the observation window (at the latest).
Presence of diabetes since quarter 7	MMB Macro	Presence of diabetes starting from the 7th quarter of the observation window (at the latest).
Presence of hypertension	MMB Macro	Presence of hypertension throughout the observation window.
Presence of hypertension since quarter 7	MMB Macro	Presence of hypertension starting from the 7th quarter of the observation window (at the latest).

Feature Name	Dataset	Description
Presence of mental disease	MMB Macro	Presence of mental disease throughout the observation window.
Presence of mental disease since quarter 1	MMB Macro	Presence of mental disease starting from the 1st quarter of the observation window (at the latest).
Presence of mental disease since quarter 7	MMB Macro	Presence of mental disease starting from the 7th quarter of the observation window (at the latest).
Presence of mood disorder	MMB Macro	Presence of mood disorder throughout the observation window.
Presence of renal failure	MMB Macro	Presence of renal failure throughout the observation window.
Presence of stroke since quarter 1	MMB Macro	Presence of stroke starting from the 1st quarter of the observation window (at the latest).
Number of ambulatory usage	NACRS	Number of ambulatory usage of the patient over the observation window
Time since last ambulatory usage	NACRS	If there is, time since the last ambulatory usage of the patient over the observation window
Presence of ACSC hospitalization	DAD, NACRS	Binary indicator of the presence of any ACSC-related hospitalization over the observation window
Time since last ACSC	DAD, NACRS	If there is, time since the last ACSC-related hospitalization over the observation window
Number of clinician visits	OHIP	Number of clinician visits of the patient over the observation window
Number of selective beta2-adrenergic agonists prescriptions	ODB	Number of selective beta2-adrenergic agonists prescriptions over the observation window
Time since last selective beta2-adrenergic agonists prescriptions	ODB	If there is, time since last selective beta2-adrenergic agonists prescription over the observation window
Number of beta-blockers prescriptions	ODB	Number of beta-blockers prescriptions over the observation window
Time since last beta-blockers prescriptions	ODB	If there is, time since last beta-blockers prescription over the observation window
Number of furosemide prescriptions	ODB	Number of furosemide prescriptions over the observation window
Number of albuterol sulfate prescriptions	ODB	Number of albuterol sulfate prescriptions over the observation window
Number of antilipemic statins prescriptions in quarter 8	ODB	Number of antilipemic statins prescriptions in the 8th quarter of the observation window
Time since last lab test	OLIS	If there is, time since last lab test the patient had over the observation window
Absence of LTC prescriptions in quarter 1	ODB	Binary indicator of LTC prescriptions over the first quarter of the observation window
Clinician visit feecode in quarter 8 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 8th quarter of the observation window
Number of calcium blockers prescriptions	ODB	Number of calcium blockers prescriptions over the observation window

Feature Name	Dataset	Description
Number of lab tests	OLIS	Total number lab tests the patient had over the observation window
Number of hospitalizations	DAD	Total number of hospitalizations the patient had over the observation window
Clinician visit location in quarter 4 - office	OHIP	Number of visits to a clinician in office during the 4th quarter of the observation window
Number of antilipemic statins prescriptions in quarter 5	ODB	Number of antilipemic statins prescriptions in the 5th quarter of the observation window
Absence of LTC prescriptions in quarter 5	ODB	Binary indicator of LTC prescriptions over the 5th quarter of the observation window
Absence of LTC prescriptions in quarter 6	ODB	Binary indicator of LTC prescriptions over the 6th quarter of the observation window
Absence of LTC prescriptions in quarter 8	ODB	Binary indicator of LTC prescriptions over the 8th quarter of the observation window
Number of antilipemic statins prescriptions in quarter 7	ODB	Number of antilipemic statins prescriptions in the 7th quarter of the observation window
Time since last furosemide prescription	ODB	If there is, the last time the patient was prescribed with furosemide during the observation window
Clinician visit feecode in quarter 7 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 7th quarter of the observation window
Clinician visit feecode in quarter 6 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 6th quarter of the observation window
Clinician visit feecode in quarter 5 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 5th quarter of the observation window
Time since last albuterol sulfate prescription	ODB	If there is, the last time the patient was prescribed with albuterol sulfate during the observation window
Number of macrolides prescriptions	ODB	Number of macrolides prescriptions over the observation window
Time since last calcium blocker prescription	ODB	If there is, the last time the patient was prescribed with calcium blocker during the observation window
Clinician visit feecode in quarter 4 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 4th quarter of the observation window
Clinician visit feecode in quarter 2 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 2nd quarter of the observation window
Clinician visit location in quarter 2 - office	OHIP	Number of visits to a clinician in office during the 2nd quarter of the observation window
Clinician visit feecode in quarter 1 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 1st quarter of the observation window
Clinician specialty in quarter 8 - emergency medicine	OHIP	Number of visits to a clinician specialized in emergency medicine during the 8th quarter of the observation window
Number of non-steroidal anti-inflammatory prescriptions	ODB	Number of non-steroidal anti-inflammatory prescriptions during the observation window
Time since last antilipemic statins prescription	ODB	If there is, the last time the patient was prescribed with antilipemic statins during the observation window

Feature Name	Dataset	Description
Emergency visit in quarter 8 - no blood transfusion	NACRS	No blood transfusion during emergency visits in the 8th quarter during the observation window
Time since last clinician visit	OHIP	If there is, the last time the patient goes for a clinician visit over the observation window
Number of antilipemic statins prescriptions in quarter 6	ODB	Number of antilipemic statins prescriptions in the 6th quarter of the observation window
Clinician visit location in quarter 6 - office	OHIP	Number of visits to a clinician in office during the 6th quarter of the observation window
Clinician specialty in quarter 7 - emergency medicine	OHIP	Number of visits to a clinician specialized in emergency medicine during the 7th quarter of the observation window
Clinician visit location in quarter 5 - office	OHIP	Number of visits to a clinician in office during the 5th quarter of the observation window
Presence of COPD-related ACSC	DAD, NACRS	Binary indicator of the presence of any COPD ACSC-related hospitalization over the observation window
Number of benzodiazepine prescriptions	ODB	Number of benzodiazepine prescriptions over the observation window
Number of fluoroquinolones prescriptions	ODB	Number of fluoroquinolones prescriptions over the observation window
Number of antilipemic statins prescriptions in quarter 3	ODB	Number of antilipemic statins prescriptions in the 3rd quarter of the observation window
Number of antilipemic statins prescriptions in quarter 1	ODB	Number of antilipemic statins prescriptions in the 1st quarter of the observation window
Clinician specialty in quarter 3 - internal medicine	OHIP	Number of visits to a clinician specialized in internal medicine during the 3rd quarter of the observation window
Time since last fluoroquinolones prescriptions	ODB	If there is, time since last fluoroquinolones prescription over the observation window
Clinician visit feecode in quarter 3 - chest radiology	OHIP	Number of clinician visits related to chest radiology in the 3rd quarter of the observation window
Time since last narcotics (opiate agonists) prescriptions	ODB	If there is, time since last narcotics (opiate agonists) prescription over the observation window
Time since last ACE inhibitors prescriptions	ODB	If there is, time since last ACE inhibitors prescription over the observation window
Number of ACE inhibitors prescriptions	ODB	Number of ACE inhibitors prescriptions over the observation window
Number of narcotics (opiate agonists) prescriptions	ODB	Number of narcotics (opiate agonists) prescriptions over the observation window
Clinician specialty in quarter 7 - dermatology	OHIP	Number of visits to a clinician specialized in dermatology during the 7th quarter of the observation window
Clinician specialty in quarter 6 - emergency medicine	OHIP	Number of visits to a clinician specialized in emergency medicine during the 6th quarter of the observation window

**Table S4.** List of all features used in the XGBoost model and Linear Regression.