

Supplementary Figures

Figure S1





Figure S2

Imputation accuracy




Figure S3






Figure S4

INFO




Min INFO

HWE




Max HWE $-\log_{10}P$

EAF



EAF


PAF



PAF

Figure S5

MHC class I



MHC class II






Figure S6


a.




b.




c.




d.



e.



f.



g.




Figure S7




Table S1

Feature	Effect size	s.e.	T-statistic	P-value
intercept	1.76E-01	3.33E-03	5.29E+01	1.29E-264
Tumor purity >50%	5.51E-03	2.28E-03	2.41E+00	1.60E-02
Panel version == 2	-2.85e-02	3.30E-03	-8.66E+00	2.54E-17
Panel version == 3	2.90E-02	3.51E-03	8.28E+00	5.28E-16
Metastatic tumor	4.83E-03	2.73E-03	1.77E+00	7.68E-02
Total Copy Number	3.59E-03	9.63E-03	3.72E-01	7.10E-01
Tumor Mutational Burden	8.20E-05	1.45E-04	5.65E-01	5.72E-01

Table S2a

Model	Ancestry p-value	Race p-value
EGFR ~ race	-	2.3×10^{-21}
EGFR ~ ancestry	3.5×10^{-22}	-
EGFR ~ ancestry + race	0.001	0.33

Table S2b

Race	All	Asian ancestry	European ancestry
Self-reported White	17%	47%	17%
Self-reported Asian	56%	58%	-