

**Supplementary Equation 1: FIB-4 score**

$$Fib - 4 = \frac{Age(years) * AST Level \left(\frac{U}{L}\right)}{Platelet Count \left(\frac{10^9}{L}\right) * \sqrt{ALT} \left(\frac{U}{L}\right)}$$

**Supplementary Equation 2: APRI score**

$$APRI = \frac{\left( \frac{AST Level \frac{IU}{L}}{AST (Upper Limit of Normal) \left(\frac{IU}{L}\right)} \right)}{Platelet Count (10^9/L)} * 100$$

**Supplementary Equation 3: NAFLD Fibrosis score**

$$NAFLD FS = -1.675 + 0.037 * age(years) + 0.094 * BMI \left(\frac{kg}{m^2}\right) + 1.13 \\ * \frac{IFG}{diabetes (yes = 1, no = 2)} + 0.99 * \frac{AST}{ALT} - 0.013 \\ * platelet count \left(\frac{10^9}{L}\right) - 0.66 * albumin \left(\frac{g}{dL}\right)$$

**Supplementary Table 1: NAFLD risk indicator codes:** This table is divided into sub-tables based on the specific NAFLD risk indicator (**a-e**). Each table lists the OMOP concept name and code id along with the specific diagnostic code and code type. Inclusion criteria for ICD-9/10 diagnoses was 1 diagnosis code (dx) occurrence. Any laboratory measures (code type =LOINC) will list the appropriate cutoff for cohort inclusion.

**a. Type 2 diabetes**

| OMOP Concept ID | OMOP Concept Name                             | Code Type    | Specific Code                                  | Criteria for Inclusion |
|-----------------|-----------------------------------------------|--------------|------------------------------------------------|------------------------|
| 201826          | Type 2 diabetes mellitus                      | ICD-9/ICD-10 | ICD-9: 250.00, 250.02, ICD-10: E11.00, E11.630 | 1 dx                   |
| 4193704         | Type 2 diabetes mellitus without complication | ICD-9/ICD-10 | ICD-10: E11.9                                  | 1 dx                   |
| 40482801        | Type II diabetes mellitus uncontrolled        | ICD-9/ICD-10 | ICD-9: 250.02                                  | 1 dx                   |

|          |                                                                   |              |                                                                                                                                                                                                                                   |      |
|----------|-------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 376065   | Neurologic disorder associated with type 2 diabetes mellitus      | ICD-9/ICD-10 | ICD-10: E11.49                                                                                                                                                                                                                    | 1 dx |
| 4044391  | Diabetic neuropathy                                               | ICD-9/ICD-10 | ICD-10: E13.40, E08.40                                                                                                                                                                                                            | 1 dx |
| 376979   | Diabetic cataract                                                 | ICD-9/ICD-10 | ICD-9: 366.4<br>ICD-10: E08.36                                                                                                                                                                                                    | 1 dx |
| 4009303  | Diabetic ketoacidosis without coma                                | ICD-9/ICD-10 | ICD-10: E10.10, E13.10, E09.10, E08.10                                                                                                                                                                                            | 1 dx |
| 4159742  | Diabetic foot ulcer                                               | ICD-9/ICD-10 | ICD-9: E08.621, E13.621                                                                                                                                                                                                           | 1 dx |
| 37018196 | Prediabetes                                                       | ICD-9/ICD-10 | ICD-10: R73.03                                                                                                                                                                                                                    | 1 dx |
| 192279   | Diabetic renal disease                                            | ICD-9/ICD-10 | ICD-9: 250.4, 249.41, 249.40<br>ICD-10: E13.22, E13.29, E13.21, E09.21, E08.22, E08.21, E13.21, E09.22, E08.29, E09.29                                                                                                            | 1 dx |
| 195771   | Secondary diabetes mellitus                                       | ICD-9/ICD-10 | ICD-9: 249.00, 249.01, 249.80, 249.61, 249.40, 249.90, 249.41, 249.60, 249.40, 249.20, 249.21, 249.81, 249.50, 249.51, 249.70, 249.10, 249.11, 249.91, 249.30, 249.71<br>ICD-10: E08.29, E08.21, E08.22, E08.630, E08.36, E08.618 | 1 dx |
| 201820   | Diabetes mellitus                                                 | ICD-9/ICD-10 | ICD-9: 250<br>ICD-10: E13.65, E13.00, 250, E13.649, E08.00, E08.620                                                                                                                                                               | 1 dx |
| 321822   | Peripheral circulatory disorder associated with diabetes mellitus | ICD-9/ICD-10 | ICD-9: 249.70, 250.7, 249.71<br>ICD-10: E13.59, E08.59, E13.51, E08.52, E08.51                                                                                                                                                    | 1 dx |
| 376112   | Diabetic polyneuropathy                                           | ICD-9/ICD-10 | ICD-9: 357.2<br>ICD-10: E13.42, E08.42                                                                                                                                                                                            | 1 dx |
| 377552   | Moderate nonproliferative diabetic retinopathy                    | ICD-9/ICD-10 | ICD-9: 362.05<br>ICD-10: E08.331                                                                                                                                                                                                  | 1 dx |

|         |                                                                          |              |                                                                                                                                                                                   |      |
|---------|--------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 380096  | Proliferative diabetic retinopathy                                       | ICD-9/ICD-10 | ICD-9: 362.02,<br>ICD-10: E08.359, E08.3553, E08.351, E13.359, E13.3592, E13.3593                                                                                                 | 1 dx |
| 380688  | Hypoglycemic coma                                                        | ICD-9/ICD-10 | ICD-9: 251.0, 249.31, 249.30                                                                                                                                                      | 1 dx |
| 436940  | Metabolic syndrome X                                                     | ICD-9/ICD-10 | ICD-9: 277.7<br>ICD-10: E88.81                                                                                                                                                    | 1 dx |
| 442793  | Diabetic complication                                                    | ICD-9/ICD-10 | ICD-9: 250.9, 249.91, 249.80, 249.81, 249.90, 249.81, 249.91<br>ICD-10: E13.8, E08.8, E13.628, E08.69, E13.618, E08.59, E08.638, E08.630, E08.628, E13.69, E13.638, E09.8, E09.69 | 1 dx |
| 443727  | Diabetic ketoacidosis                                                    | ICD-9/ICD-10 | ICD-9: 250.1, 249.10, 249.11                                                                                                                                                      | 1 dx |
| 443729  | Peripheral circulatory disorder associated with type 2 diabetes mellitus | ICD-9/ICD-10 | ICD-9: 250.70, 250.6, 250.72, 250.70, 250.6, 249.61, 249.60<br>ICD-10: E11.51, E11.59, E08.49,                                                                                    | 1 dx |
| 443730  | Neurologic disorder associated with diabetes mellitus                    | ICD-9/ICD-10 | E13.49, E13.49, E08.49, E09.42                                                                                                                                                    | 1 dx |
| 443732  | Disorder due to type 2 diabetes mellitus                                 | ICD-9/ICD-10 | ICD-9: 250.90, 250.80, 250.92, 250.82<br>ICD-10: E11.8, E11.69, E11.628, E11.620, E11.638                                                                                         | 1 dx |
| 443733  | Diabetic oculopathy associated with type 2 diabetes mellitus             | ICD-9/ICD-10 | ICD-9: 250.52<br>ICD-10: E11.39, E11.359, E11.319                                                                                                                                 | 1 dx |
| 443767  | Diabetic oculopathy                                                      | ICD-9/ICD-10 | ICD-9: 250.50, 249.51, 250.5, 249.50<br>ICD-10: E13.311, E13.36, E13.39, E13.39, E08.39                                                                                           | 1 dx |
| 444369  | Hyperosmolality                                                          | ICD-9/ICD-10 | ICD-9: 249.21, 249.20                                                                                                                                                             | 1 dx |
| 4029423 | Hypoglycemic state in diabetes                                           | ICD-9/ICD-10 | ICD-10: E08.65, E13.649, E08.649                                                                                                                                                  | 1 dx |

|          |                                          |              |                                                                            |      |
|----------|------------------------------------------|--------------|----------------------------------------------------------------------------|------|
| 4042728  | Blood glucose abnormal                   | ICD-9/ICD-10 | ICD-10: R73.09                                                             | 1 dx |
| 4048028  | Diabetic mononeuropathy                  | ICD-9/ICD-10 | ICD-10: E08.41, E13.41                                                     | 1 dx |
| 4095288  | Diabetic coma with ketoacidosis          | ICD-9/ICD-10 | ICD-10: E13.11, E08.11, E09.11                                             | 1 dx |
| 4096666  | Diabetes mellitus with hyperosmolar coma | ICD-9/ICD-10 | ICD-10: E13.01, E08.01, E13.00                                             | 1 dx |
| 4114427  | Diabetic neuropathic arthropathy         | ICD-9/ICD-10 | ICD-10: E08.618, E13.610, E08.610, E13.618                                 | 1 dx |
| 4174977  | Diabetic retinopathy                     | ICD-9/ICD-10 | ICD-9: 362.0, 362.2<br>ICD-10: E13.319, E13.311, E08.311, E08.319, E09.319 | 1 dx |
| 4175440  | Diabetic autonomic neuropathy            | ICD-9/ICD-10 | ICD-10: E08.43, E13.43                                                     | 1 dx |
| 4191611  | Diabetic amyotrophy                      | ICD-9/ICD-10 | ICD-10: E13.44, E08.44                                                     | 1 dx |
| 4214376  | Hyperglycemia                            | ICD-9/ICD-10 | ICD-10: E11.65, R73.9, E10.65, E13.65                                      | 1 dx |
| 4226798  | Hypoglycemic coma in diabetes mellitus   | ICD-9/ICD-10 | ICD-10: E09.641, E08.641                                                   | 1 dx |
| 4227657  | Diabetic skin ulcer                      | ICD-9/ICD-10 | ICD-10: E13.622, E08.622                                                   | 1 dx |
| 4308509  | Impaired fasting glycaemia               | ICD-9/ICD-10 | ICD-9: 790.21<br>ICD-10: R73.01                                            | 1 dx |
| 4311629  | Impaired glucose tolerance               | ICD-9/ICD-10 | ICD-10: R73.02                                                             | 1 dx |
| 37018196 | Prediabetes                              | ICD-9/ICD-10 | ICD-10: R73.03                                                             | 1 dx |
| 3037110  | Hemoglobin A1c/Hemoglobin Total          | LOINC        | 1558-6                                                                     | ≥5.7 |
| 3004410  | Hemoglobin A1c (Glycated)                | LOINC        | 4548-4                                                                     | ≥5.7 |

**b. Obesity**

| <b>OMOP Concept ID</b> | <b>OMOP Concept name</b>                      | <b>Code Type</b> | <b>Specific Code</b>                                                                   | <b>Criteria for Inclusion</b> |
|------------------------|-----------------------------------------------|------------------|----------------------------------------------------------------------------------------|-------------------------------|
| 3038553                | Body Mass index                               | LOINC            | 39156-5                                                                                | >=30                          |
| 433736                 | Obesity                                       | ICD-9/ICD-10     | ICD-9: 278.00<br>ICD-10: E66.09, E66.8, E66.9                                          | 1 dx                          |
| 434005                 | Morbid Obesity                                | ICD-9/ICD-10     | ICD-9: 278.01<br>ICD-10: E66.01                                                        | 1 dx                          |
| 4060985                | Body mass index 30+ obesity                   | ICD-9/ICD-10     | ICD-10: V85.38, V85.39, V85.41, Z68.31, Z68.32, Z68.37, Z68.34, Z68.35, Z68.36, Z68.39 | 1 dx                          |
| 40481140               | Childhood obesity                             | ICD-9/ICD-10     | ICD-9: V85.54                                                                          | 1 dx                          |
| 4100857                | Extreme obesity with alveolar hypoventilation | ICD-9/ICD-10     | ICD-9: 278.03<br>ICD-10: E66.2                                                         | 1 dx                          |
| 437525                 | Overweight                                    | ICD-9/ICD-10     | ICD-10: E66.3                                                                          | 1 dx                          |
| 4256640                | Body mass index 40+ - severely obese          | ICD-9/ICD-10     | ICD-10: Z68.41, V8541                                                                  | 1 dx                          |
| 4097996                | Drug-induced obesity                          | ICD-9/ICD-10     | ICD-10: E66.1                                                                          | 1 dx                          |

**c. Abnormal Liver Enzymes**

| <b>OMOP Concept ID</b> | <b>OMOP Concept name</b>              | <b>Code Type</b> | <b>Specific Code</b>                                | <b>Criteria for Inclusion</b>                   |
|------------------------|---------------------------------------|------------------|-----------------------------------------------------|-------------------------------------------------|
| 3006923                | Alanine aminotransferase serum/plasma | LOINC            | 1742-6                                              | >= 40<br>(2 measurements taken ≥ 6months apart) |
| 194984                 | Disease of Liver                      | ICD-9/ICD-10     | ICD-9: 573.9, 573.8, 572.8,<br>ICD-10: K76.9, K76.8 | 1 dx                                            |

**d. Hyperlipidemia**

| <b>OMOP Concept ID</b> | <b>OMOP Concept name</b>                                              | <b>Code Type</b> | <b>Specific code</b>                 | <b>Criteria for Inclusion</b> |
|------------------------|-----------------------------------------------------------------------|------------------|--------------------------------------|-------------------------------|
| 3027114                | Cholesterol [Mass/volume] in Serum or Plasma                          | LOINC            | 2093-3                               | >200                          |
| 3035899                | Cholesterol in LDL [Mass/volume] in Serum or Plasma ultracentrifugate | LOINC            | 18261-8                              | >=130                         |
| 4134862                | Familial hypercholesterolemia                                         | ICD-9/ICD-10     | ICD-10: E78.01                       | 1 dx                          |
| 437827                 | Pure hypercholesterolemia                                             | ICD-9/ICD-10     | ICD-9: 272.0<br>ICD-10: E78.00       | 1 dx                          |
| 432867                 | Hyperlipidemia                                                        | ICD-9/ICD-10     | ICD-9: 272.4<br>ICD-10: E78.5, E78.4 | 1 dx                          |
| 438720                 | Mixed hyperlipidemia                                                  | ICD-9/ICD-10     | ICD-9: 272.2,<br>ICD-10: E78.2       | 1 dx                          |

**e. Hypertension**

| <b>OMOP Concept ID</b> | <b>OMOP Concept name</b>                                                 | <b>Code Type</b> | <b>Specific code</b>                                                                             | <b>Criteria for Inclusion</b> |
|------------------------|--------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------|-------------------------------|
| 320128                 | Essential hypertension                                                   | ICD-9/ICD-10     | ICD-9: 401.9, 401<br>ICD-10: I10                                                                 | 1 dx                          |
| 312648                 | Benign essential hypertension                                            | ICD-9/ICD-10     | ICD-9: 401.1                                                                                     | 1 dx                          |
| 4313767                | Chronic peripheral venous hypertension                                   | ICD-9/ICD-10     | ICD-9: 459.30, 459.31, 459.32, 459.33, 459.39                                                    | 1 dx                          |
| 44782715               | Chronic peripheral venous hypertension with lower extremity complication | ICD-9/ICD-10     | ICD-10: I87.312, I87.393, I87.339, I87.323, I87.329, I87.392, I87.391, I87.399, I87.331, I87.333 | 1 dx                          |
| 4311246                | Pre-existing hypertension in obstetric context                           | ICD-9/ICD-10     | ICD-10: O10.013, O10.012, O10.011, O10.019                                                       | 1 dx                          |
| 314958                 | Benign secondary hypertension                                            | ICD-9/ICD-10     | ICD-9: 405.19, 405.1                                                                             | 1 dx                          |
| 312935                 | Venous hypertension                                                      | ICD-9/ICD-10     | ICD-10: I87.303, I87.302, I87.309, I87.301                                                       | 1 dx                          |

|         |                        |              |              |      |
|---------|------------------------|--------------|--------------|------|
| 4064925 | Hypertension screening | ICD-9/ICD-10 | ICD-9: V81.1 | 1 dx |
|---------|------------------------|--------------|--------------|------|

**Supplementary Table 2: NAFLD diagnosis codes:** This table specifies the ICD-9 or ICD-10 codes for patient inclusion.

| OMOP Concept ID | OMOP Concept Name                   | Code Type    | Specific Code       | Criteria for Inclusion |
|-----------------|-------------------------------------|--------------|---------------------|------------------------|
| 201613          | Chronic nonalcoholic liver disease  | ICD-9        | ICD-9: 571.9, 571.8 | 1 dx                   |
| 40484532        | Nonalcoholic steatohepatitis (NASH) | ICD-9/ICD-10 | ICD-10: K75.81      | 1 dx                   |
| 4059290         | Steatosis of liver                  | ICD-9/ICD-10 | ICD-10: K76.0       | 1 dx                   |
| 194692          | Cirrhosis non-alcoholic             | ICD-9/ICD-10 | ICD-9: 571.5        | 1 dx                   |
| 4064161         | Cirrhosis of liver                  | ICD-9/ICD-10 | ICD-10: K76.9       | 1 dx                   |

**Supplementary Table 3: Patient exclusion criteria:** This table is divided into sub-tables based on specific exclusion criteria (a-f). Each table lists the OMOP concept name and code id along with the specific diagnostic code and code type. Criteria for cohort exclusion for ICD-9/10 diagnoses was 1 diagnosis (dx).

**a. Alcohol Exclusions**

| OMOP Concept Id | OMOP Concept Name             | Code Type    | Specific Code                                                                                | Criteria for Exclusion |
|-----------------|-------------------------------|--------------|----------------------------------------------------------------------------------------------|------------------------|
| 433753          | Alcohol abuse                 | ICD-9/ICD-10 | ICD-9: 305.00<br>ICD-10: F10.10, F10.129, F10.120, F10.19                                    | 1 dx                   |
| 435243          | Alcohol dependence            | ICD-9/ICD-10 | ICD-9: 303.90<br>ICD-10: F10.20, F10.21, F10.220, F10.229, F10.231, F10.232, F10.239, F10.24 | 1 dx                   |
| 436953          | Continuous chronic alcoholism | ICD-9/ICD-10 | ICD-9: 303.91                                                                                | 1 dx                   |

|         |                                                       |              |                                                                                   |      |
|---------|-------------------------------------------------------|--------------|-----------------------------------------------------------------------------------|------|
| 435534  | Nondependent alcohol abuse, continuous                | ICD-9/ICD-10 | ICD-9: 305.01                                                                     | 1 dx |
| 375519  | Alcohol withdrawal syndrome                           | ICD-9/ICD-10 | ICD-9: 291.81<br>ICD-10: F10.239, F10.230, F10.232                                | 1 dx |
| 196463  | Alcoholic cirrhosis                                   | ICD-9/ICD-10 | ICD-9: 571.2,<br>ICD-10: K70.30, K70.31                                           | 1 dx |
| 4104431 | Alcohol intoxication                                  | ICD-9/ICD-10 | ICD-9: 303.0<br>ICD-10: F10.120, F10.129, F10.920, F10.929                        | 1 dx |
| 433735  | Acute alcoholic intoxication in alcoholism            | ICD-9/ICD-10 | ICD-9: 303.00<br>ICD-10: F10.229, F10.220                                         | 1 dx |
| 441276  | Nondependent alcohol abuse in remission               | ICD-9/ICD-10 | ICD-9: 305.03                                                                     | 1 dx |
| 201343  | Acute alcoholic liver disease                         | ICD-9/ICD-10 | ICD-9: 571.1<br>ICD-10: K70.10, K70.11                                            | 1 dx |
| 439005  | Chronic alcoholism in remission                       | ICD-9/ICD-10 | ICD-9: 303.93<br>ICD-10: F10.21                                                   | 1 dx |
| 377830  | Alcohol withdrawal delirium                           | ICD-9/ICD-10 | ICD-9: 291.0<br>ICD-10: F10.231                                                   | 1 dx |
| 437257  | Continuous acute alcoholic intoxication in alcoholism | ICD-9/ICD-10 | ICD-9: 303.01                                                                     | 1 dx |
| 376383  | Alcohol-induced organic mental disorder               | ICD-9/ICD-10 | ICD-9: 291.8, 291.9<br>ICD-10: F10.288, F10.29, F10.9, F10.94, F10.988, F10.99    | 1 dx |
| 195300  | Alcoholic gastritis                                   | ICD-9/ICD-10 | ICD-9: 535.30, 535.31<br>ICD-10: K29.20, K29.21                                   | 1 dx |
| 4205002 | Alcohol-induced mood disorder                         | ICD-9/ICD-10 | ICD-9: 291.89<br>ICD-10: F10.14, F10.24, F10.188, F10.19, F10.288, F10.29, F10.94 | 1 dx |
| 318773  | Dilated cardiomyopathy secondary to alcohol           | ICD-9/ICD-10 | ICD-9: 425.5<br>ICD-10: I42.6                                                     | 1 dx |
| 440685  | Nondependent alcohol abuse, episodic                  | ICD-9/ICD-10 | ICD-9: 305.02                                                                     | 1 dx |
| 193256  | Alcoholic fatty liver                                 | ICD-9/ICD-10 | ICD-9: 571.0<br>ICD-10: K70.0                                                     | 1 dx |
| 201612  | Alcoholic liver damage                                | ICD-9/ICD-10 | ICD-9: 571.3                                                                      | 1 dx |

|          |                                                                                 |              |                                                                                      |      |
|----------|---------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------|------|
|          |                                                                                 |              | ICD-10: K70.9                                                                        |      |
| 378726   | Dementia associated with alcoholism                                             | ICD-9/ICD-10 | ICD-9: 291.2<br>ICD-10: F10.27, F10.97                                               | 1 dx |
| 436585   | Toxic effect of ethyl alcohol                                                   | ICD-9/ICD-10 | ICD-9: 980.0<br>ICD-10: T51.0X4A, T51.0X2A, T51.0X1A                                 | 1 dx |
| 40484946 | High alcohol level in blood                                                     | ICD-9/ICD-10 | ICD-10: Y90.0, Y90.1, Y90.2, Y90.3, Y90.4, Y90.5, Y90.6, Y90.7, Y90.8                | 1 dx |
| 372607   | Alcohol hallucinosis                                                            | ICD-9/ICD-10 | ICD-9: 291.3<br>ICD-10: F10.159, F10.251, F10.951, F10.151                           | 1 dx |
| 374623   | Alcohol amnestic disorder                                                       | ICD-9/ICD-10 | ICD-9: 291.1<br>ICD-10: F10.96, F10.26                                               | 1 dx |
| 36714559 | Disorder caused by alcohol                                                      | ICD-9/ICD-10 | ICD-10: F10.99, F10.988                                                              | 1 dx |
| 435532   | Episodic chronic alcoholism                                                     | ICD-9/ICD-10 | ICD-9: 303.92                                                                        | 1 dx |
| 4340383  | Alcoholic hepatitis                                                             | ICD-9/ICD-10 | ICD-10: K70.10                                                                       | 1 dx |
| 378421   | Alcoholic polyneuropathy                                                        | ICD-9/ICD-10 | ICD-9: 357.5<br>ICD-10: G62.1                                                        | 1 dx |
| 435140   | Toxic effect of alcohol                                                         | ICD-9/ICD-10 | ICD-9: 980.9, 980.8, 980<br>ICD-10: T51.92XA, T51.8X1A, T51.8X4A, T51.94XA, T51.93XD | 1 dx |
| 46269816 | Ascites due to alcoholic cirrhosis                                              | ICD-9/ICD-10 | ICD-10: K70.31                                                                       | 1 dx |
| 441465   | Accidental poisoning by alcoholic beverage                                      | ICD-9/ICD-10 | ICD-9: E860.0                                                                        | 1 dx |
| 4042860  | Finding relating to alcohol drinking behavior                                   | SNOMED       | 228273003                                                                            | 1 dx |
| 433309   | Fetal or neonatal effect of alcohol transmitted via placenta and/or breast milk | ICD-9/ICD-10 | ICD-9: 760.71                                                                        | 1 dx |
| 4340493  | Alcohol-induced acute pancreatitis                                              | ICD-9/ICD-10 | ICD-10: K85.20, K85.21, K85.22                                                       | 1 dx |

|          |                                                          |              |                                                     |      |
|----------|----------------------------------------------------------|--------------|-----------------------------------------------------|------|
| 441261   | Episodic acute alcoholic intoxication in alcoholism      | ICD-9/ICD-10 | ICD-9: 303.02                                       | 1 dx |
| 4340964  | Alcohol-induced chronic pancreatitis                     | ICD-9/ICD-10 | ICD-10: K86.0                                       | 1 dx |
| 442582   | Alcohol-induced psychotic disorder with delusions        | ICD-9/ICD-10 | ICD-9: 291.5<br>ICD-10: F10.150, F10.250, F10.950   | 1 dx |
| 436607   | Accidental poisoning by alcohol                          | ICD-9/ICD-10 | ICD-9: E860.9, E860.8<br>ICD-10: T51.91XA, T51.91XD | 1 dx |
| 4340386  | Alcoholic hepatic failure                                | ICD-9/ICD-10 | ICD-10: K70.40, K70.41                              | 1 dx |
| 435983   | Accidental poisoning with ethyl alcohol                  | ICD-9/ICD-10 | ICD-9: E860.1<br>ICD-10: T51.0X1A, T51.0X1D         | 1 dx |
| 46269835 | Hepatic ascites due to chronic alcoholic hepatitis       | ICD-9/ICD-10 | ICD-10: K70.11                                      | 1 dx |
| 4052945  | Stopped drinking alcohol                                 | SNOMED       | 4052946                                             | 1 dx |
| 440892   | Toxic effect of isopropyl alcohol                        | ICD-9/ICD-10 | ICD-9: 980.2<br>ICD-10: T51.2X4A, T51.2X2A          | 1 dx |
| 4088373  | Alcohol intoxication delirium                            | ICD-9/ICD-10 | ICD-10: F10.121, F10.221, F10.921                   | 1 dx |
| 432609   | Acute alcoholic intoxication in remission, in alcoholism | ICD-9/ICD-10 | ICD-9: 303.03                                       | 1 dx |
| 4330794  | Alcohol intake exceeds recommended daily limit           | ICD-9/ICD-10 | ICD-9: 790.3                                        | 1 dx |
| 4146660  | Alcohol-induced anxiety disorder                         | ICD-9/ICD-10 | ICD-10: F10.280, F10.980, F10.180                   | 1 dx |
| 45757093 | Alcohol dependence in pregnancy                          | ICD-9/ICD-10 | ICD-10: O99.310, O99.311, O99.312, O99.313          | 1 dx |
| 4166129  | Finding of alcohol in blood                              | ICD-9/ICD-10 | ICD-10: Z02.83, R78.0                               | 1 dx |
| 375794   | Alcohol-induced sleep disorder                           | ICD-9/ICD-10 | ICD-9: 291.82<br>ICD-10: F10.982, F10.282           | 1 dx |

|          |                                                     |              |                                   |      |
|----------|-----------------------------------------------------|--------------|-----------------------------------|------|
| 4004785  | Fetal alcohol syndrome                              | ICD-9/ICD-10 | ICD-10: Q86.0                     | 1 dx |
| 374317   | Alcohol-induced psychosis                           | ICD-9/ICD-10 | ICD-10: F10.959, F10.259, F10.159 | 1 dx |
| 440010   | Accidental poisoning by isopropyl alcohol           | ICD-9/ICD-10 | ICD-9: E860.3<br>ICD-10: T51.2X1A | 1 dx |
| 1326497  | Alcohol abuse, in remission                         | ICD-9/ICD-10 | ICD-10: F10.11                    | 1 dx |
| 45757783 | Gastric hemorrhage due to alcoholic gastritis       | ICD-9/ICD-10 | ICD-10: K29.21                    | 1 dx |
| 441761   | Methyl alcohol causing toxic effect                 | ICD-9/ICD-10 | ICD-9: 980.1                      | 1 dx |
| 37016176 | Cerebral degeneration due to alcoholism             | ICD-9/ICD-10 | ICD-10: G31.2                     | 1 dx |
| 46269818 | Hepatic coma due to alcoholic liver failure         | ICD-9/ICD-10 | ICD-10: K70.41                    | 1 dx |
| 434217   | Poisoning by alcohol deterrent                      | ICD-9/ICD-10 | ICD-9: 977.3, E947.3              | 1 dx |
| 4176653  | Alcoholic cerebellar degeneration                   | ICD-9/ICD-10 | ICD-10: G31.2                     | 1 dx |
| 439277   | Alcohol withdrawal hallucinosis                     | ICD-9/ICD-10 | ICD-10: F10.232                   | 1 dx |
| 4078688  | Alcohol myopathy                                    | ICD-9/ICD-10 | ICD-10: G72.1                     | 1 dx |
| 4062656  | Alcohol consumption screening                       | ICD-9/ICD-10 | ICD-10: V79.1                     | 1 dx |
| 4005284  | Fetal or neonatal effect of maternal use of alcohol | ICD-9/ICD-10 | ICD-10: P04.3                     | 1 dx |
| 436300   | Accidental poisoning by methyl alcohol              | ICD-9/ICD-10 | ICD-9: E860.2                     | 1 dx |
| 4340385  | Alcoholic fibrosis and sclerosis of liver           | ICD-9/ICD-10 | ICD-10: K70.2                     | 1 dx |
| 45757131 | Alcohol dependence in childbirth                    | ICD-9/ICD-10 | ICD-10: O99.314                   | 1 dx |
| 4052946  | Alcohol consumption unknown                         | SNOMED       | 160580001                         | 1 dx |
| 4052028  | Alcohol intake within recommended sensible limits   | SNOMED       | 160593006                         | 1 dx |

|         |                                                            |              |                  |      |
|---------|------------------------------------------------------------|--------------|------------------|------|
| 4064179 | Maternal care for (suspected) damage to fetus from alcohol | ICD-9/ICD-10 | ICD-10: O35.4XX0 | 1 dx |
| 4028805 | Alcohol-induced pseudo-Cushing's syndrome                  | ICD-9/ICD-10 | ICD-10: E24.4    | 1 dx |

- b. Viral Hepatitis Exclusions** Patients who tested with the following criteria for the specific test were excluded from the cohort: Positive, Reactive, Detected, Repeatedly Reactive, Confirmed, Indicated. For tests assessing viral load, patients with values above the baseline for detection were excluded.

| OMOP concept id | OMOP Concept Name                                                                                             | Code Type | Specific Code |
|-----------------|---------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 3002222         | Hepatitis E virus IgM Ab [Presence] in Serum                                                                  | LOINC     | 14212-5       |
| 3002653         | Hepatitis C virus genotype [Identifier] in Serum or Plasma by Probe and target amplification method           | LOINC     | 32286-7       |
| 3003867         | Hepatitis E virus IgG Ab [Presence] in Serum                                                                  | LOINC     | 14211-7       |
| 3004347         | Hepatitis D virus Ab [Presence] in Serum                                                                      | LOINC     | 13248-0       |
| 3008075         | Hepatitis C virus RNA [Presence] in Blood by Probe and target amplification method                            | LOINC     | 5010-4        |
| 3013801         | Hepatitis C virus Ab [Presence] in Serum or Plasma by Immunoassay                                             | LOINC     | 13955-0       |
| 3014700         | Hepatitis B virus DNA [Units/volume] in Serum                                                                 | LOINC     | 11258-1       |
| 3016770         | Hepatitis C virus RNA [# /volume] (viral load) in Serum or Plasma by Probe and target amplification method    | LOINC     | 20416-4       |
| 3017143         | Hepatitis C virus Ab [Presence] in Serum                                                                      | LOINC     | 16128-1       |
| 3018447         | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method | LOINC     | 11011-4       |
| 3018806         | Hepatitis B virus core IgM Ab [Units/volume] in Serum                                                         | LOINC     | 22319-8       |
| 3019284         | Hepatitis B virus surface Ag [Presence] in Serum                                                              | LOINC     | 5195-3        |
| 3019510         | Hepatitis B virus surface Ag [Presence] in Serum or Plasma by Immunoassay                                     | LOINC     | 5196-1        |
| 3020316         | Hepatitis A virus IgM Ab [Presence] in Serum or Plasma by Immunoassay                                         | LOINC     | 13950-1       |
| 3020978         | Hepatitis B virus genotype [Identifier] in Serum or Plasma by Probe and target amplification method           | LOINC     | 32366-7       |

|         |                                                                                                                   |       |         |
|---------|-------------------------------------------------------------------------------------------------------------------|-------|---------|
| 3021125 | Hepatitis C virus RNA [Presence] in Serum or Plasma by Probe and target amplification method                      | LOINC | 11259-9 |
| 3022058 | Hepatitis B virus DNA [Presence] in Serum or Plasma by Probe and target amplification method                      | LOINC | 29610-3 |
| 3022169 | Hepatitis D virus Ab [Units/volume] in Serum by Immunoassay                                                       | LOINC | 5200-1  |
| 3022560 | Hepatitis B virus core IgM Ab [Presence] in Serum or Plasma by Immunoassay                                        | LOINC | 24113-3 |
| 3022900 | Hepatitis B virus polymerase DNA [Presence] in Blood by Probe and target amplification method                     | LOINC | 16934-2 |
| 3023378 | Hepatitis B virus e Ag [Presence] in Serum or Plasma by Immunoassay                                               | LOINC | 13954-3 |
| 3024429 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification                  | LOINC | 10676-5 |
| 3025267 | Hepatitis B virus surface Ag [Presence] in Serum or Plasma by Neutralization test                                 | LOINC | 7905-3  |
| 3026432 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and signal amplification method     | LOINC | 29609-5 |
| 3027346 | Hepatitis B virus DNA [# /volume] (viral load) in Serum or Plasma by Probe and target amplification method        | LOINC | 29615-2 |
| 3030378 | Hepatitis B virus precore TAG [Presence] in Serum by Probe and target amplification method                        | LOINC | 33633-9 |
| 3032567 | Hepatitis B virus DNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method     | LOINC | 42595-9 |
| 3032823 | Hepatitis C virus RNA [log units/volume] (viral load) in Serum or Plasma by Probe and signal amplification method | LOINC | 42617-1 |
| 3034868 | Hepatitis C virus RNA [log units/volume] (viral load) in Serum or Plasma by Probe and target amplification method | LOINC | 38180-6 |
| 3036806 | Hepatitis B virus e Ab [Presence] in Serum or Plasma by Immunoassay                                               | LOINC | 13953-5 |
| 3038726 | Hepatitis D virus Ab [Presence] in Serum by Immunoassay                                                           | LOINC | 40727-0 |
| 3044784 | Hepatitis B Virus YMDD [Presence] in Serum or Plasma by Probe and target amplification method                     | LOINC | 43279-9 |
| 3047011 | Hepatitis D virus Ag [Presence] in Serum by Immunoassay                                                           | LOINC | 44754-0 |

|          |                                                                                                                   |       |         |
|----------|-------------------------------------------------------------------------------------------------------------------|-------|---------|
| 3048505  | Hepatitis B virus DNA [log units/volume] (viral load) in Serum or Plasma by Probe and target amplification method | LOINC | 48398-2 |
| 3049213  | Hepatitis C virus RNA [Presence] in Unspecified specimen by Probe and signal amplification method                 | LOINC | 48576-3 |
| 3049680  | Hepatitis C virus RNA [Log #/volume] (viral load) in Serum or Plasma by Probe and target amplification method     | LOINC | 47252-2 |
| 3052023  | Hepatitis C virus Ab Signal/Cutoff in Serum or Plasma by Immunoassay                                              | LOINC | 48159-8 |
| 3053003  | Hepatitis C virus genotype [Identifier] in Blood by Probe and target amplification method                         | LOINC | 48574-8 |
| 40757341 | Hepatitis B virus basal core promoter mutation [Identifier] in Serum by Probe and target amplification method     | LOINC | 54210-0 |
| 40759633 | Hepatitis E virus IgG Ab [Units/volume] in Serum or Plasma by Immunoassay                                         | LOINC | 56513-5 |
| 40761553 | Hepatitis B virus surface Ag [Units/volume] in Serum                                                              | LOINC | 58452-4 |
| 43533679 | Hepatitis C virus NS3 gene mutations detected [Identifier] by Genotype method                                     | LOINC | 73654-6 |
| 43533680 | Hepatitis C virus NS5 gene mutations detected [Identifier] by Genotype method                                     | LOINC | 73655-3 |
| 43534035 | Hepatitis C virus resistance panel by Genotype method                                                             | LOINC | 72862-6 |

- c. **HIV Exclusion Criteria:** Patients who tested with the following criteria for the specific test were excluded from the cohort: Positive, Reactive, Detected, Repeatedly Reactive, Confirmed, Indicated. For tests assessing viral load, patients with values above the baseline for detection were excluded from the cohort.

| OMOP Concept Id | OMOP Concept Name                                                                              | Code Type | Specific Code |
|-----------------|------------------------------------------------------------------------------------------------|-----------|---------------|
| 3000685         | HIV 1 RNA [Presence] in Serum or Plasma by Probe and target amplification method               | LOINC     | 25835-0       |
| 3004365         | HIV 1 proviral DNA [Presence] in Blood by Probe with amplification                             | LOINC     | 9837-6        |
| 3010074         | HIV 1 RNA [Log #/volume] (viral load) in Plasma by Probe and signal amplification method       | LOINC     | 29539-4       |
| 3010747         | HIV 1 RNA [# /volume] (viral load) in Serum or Plasma by Probe and target amplification method | LOINC     | 20447-9       |
| 3011325         | HIV 1+2 Ab [Presence] in Serum                                                                 | LOINC     | 7918-6        |

|          |                                                                                                                                       |       |         |
|----------|---------------------------------------------------------------------------------------------------------------------------------------|-------|---------|
| 3012693  | HIV reverse transcriptase gene mutations detected [Identifier]                                                                        | LOINC | 30554-0 |
| 3012733  | HIV 2 Ab [Units/volume] in Serum or Plasma by Immunoassay                                                                             | LOINC | 5224-1  |
| 3013906  | HIV 1 Ab [Presence] in Serum                                                                                                          | LOINC | 7917-8  |
| 3014347  | HIV 1 RNA [# /volume] in Serum                                                                                                        | LOINC | 21333-0 |
| 3016870  | HIV 1 Ab band pattern [Interpretation] in Serum by Immunoblot                                                                         | LOINC | 13499-9 |
| 3017675  | HIV 1 Ab [Presence] in Serum or Plasma by Immunoassay                                                                                 | LOINC | 29893-5 |
| 3024449  | HIV 2 Ab [Presence] in Serum or Plasma by Immunoassay                                                                                 | LOINC | 30361-0 |
| 3026532  | HIV 1 RNA [Log #/volume] (viral load) in Plasma by Probe and target amplification method                                              | LOINC | 29541-0 |
| 3031527  | HIV 1 RNA [# /volume] (viral load) in Serum or Plasma by Probe with amplification detection limit = 75 copies/mL                      | LOINC | 41515-8 |
| 3031839  | HIV 1 RNA [Log #/volume] (viral load) in Serum or Plasma by Probe with amplification detection limit = 1.9 log copies/mL              | LOINC | 41516-6 |
| 3032728  | HIV genotype [Susceptibility] in Isolate by Genotype method Narrative                                                                 | LOINC | 49573-9 |
| 3032965  | HIV 1+2 Ab [Presence] in Unspecified specimen by Rapid immunoassay                                                                    | LOINC | 49580-4 |
| 3038100  | HIV 1 Ab [Presence] in Serum or Plasma by Immunoblot                                                                                  | LOINC | 5221-7  |
| 3039370  | HIV 2 Ab Signal/Cutoff in Serum or Plasma by Immunoassay                                                                              | LOINC | 51786-2 |
| 3039421  | HIV 1 RNA [Log #/volume] (viral load) in Serum or Plasma by Probe and target amplification method detection limit = 0.5 log copies/mL | LOINC | 51780-5 |
| 3044830  | HIV protease gene mutations detected [Identifier]                                                                                     | LOINC | 33630-5 |
| 3045827  | HIV phenotype [Susceptibility]                                                                                                        | LOINC | 45182-3 |
| 3047064  | HIV 1 proviral DNA [Presence] in Blood by Probe and target amplification method                                                       | LOINC | 44871-2 |
| 3049147  | HIV 1+O+2 Ab [Units/volume] in Serum or Plasma                                                                                        | LOINC | 48346-1 |
| 3053246  | HIV 1+O+2 Ab [Presence] in Serum or Plasma                                                                                            | LOINC | 48345-3 |
| 21494795 | HIV 1 and 2 Ab [Identifier] in Serum, Plasma or Blood by Rapid immunoassay                                                            | LOINC | 80203-3 |

|          |                                                                     |              |             |
|----------|---------------------------------------------------------------------|--------------|-------------|
| 40760007 | HIV 1+2 Ab+HIV1 p24 Ag [Presence] in Serum or Plasma by Immunoassay | LOINC        | 56888-1     |
| 4276586  | Finding of HIV status                                               | ICD-9/ICD-10 | ICD-10: R75 |

**d. Type 1 diabetes exclusions**

| <b>OMOP Concept Id</b> | <b>OMOP Concept Name</b>                                                 | <b>Code Type</b> | <b>Specific Codes</b>                                          | <b>Criteria for Exclusion</b> |
|------------------------|--------------------------------------------------------------------------|------------------|----------------------------------------------------------------|-------------------------------|
| 443412                 | Type 1 diabetes mellitus without complication                            | ICD-9/ICD-10     | ICD-10: E10.9                                                  | 1 dx                          |
| 4096668                | Type 1 diabetes mellitus with gangrene                                   | ICD-9/ICD-10     | ICD-10: E10.52                                                 | 1 dx                          |
| 4099214                | Type 1 diabetes mellitus with ulcer                                      | ICD-9/ICD-10     | ICD-10: E10.621,E10.622                                        | 1 dx                          |
| 40484648               | Type 1 diabetes mellitus uncontrolled                                    | ICD-9/ICD-10     | ICD-9: 250.03                                                  | 1 dx                          |
| 201254                 | Type 1 diabetes mellitus                                                 | ICD-9/ICD-10     | ICD-9: 250.01, 250.03                                          | 1 dx                          |
| 201531                 | Type 1 diabetes mellitus with hyperosmolar coma                          | ICD-9/ICD-10     | ICD-9: 250.21                                                  | 1 dx                          |
| 318712                 | Peripheral circulatory disorder associated with type 1 diabetes mellitus | ICD-9/ICD-10     | ICD-9: 250.71, 250.73<br>ICD-10: E10.51, E10.59, E10.52        | 1 dx                          |
| 373999                 | Diabetic oculopathy associated with type 1 diabetes mellitus             | ICD-9/ICD-10     | ICD-9: 250.51, 250.53<br>ICD-10: E10.39                        | 1 dx                          |
| 377821                 | Neurological disorder associated with type 1 diabetes mellitus           | ICD-9/ICD-10     | ICD-9: 250.61, 250.63<br>ICD-10: E10.40, E10.49                | 1 dx                          |
| 435216                 | Disorder due to type 1 diabetes mellitus                                 | ICD-9/ICD-10     | ICD-9: 250.91, 250.81, 250.83, 250.93<br>ICD-10: E10.69, E10.8 | 1 dx                          |
| 443592                 | Hyperosmolality due to uncontrolled type 1 diabetes mellitus             | ICD-9/ICD-10     | ICD-9: 250.23                                                  | 1 dx                          |

|         |                                                               |              |                          |      |
|---------|---------------------------------------------------------------|--------------|--------------------------|------|
| 4063042 | Pre-existing type 1 diabetes mellitus                         | ICD-9/ICD-10 | ICD-10: O24.03           | 1 dx |
| 4143857 | Amyotrophy due to type 1 diabetes mellitus                    | ICD-9/ICD-10 | ICD-10: E10.44           | 1 dx |
| 4224254 | Ketoacidotic coma in type 1 diabetes mellitus                 | ICD-9/ICD-10 | ICD-10: E10.11           | 1 dx |
| 4225055 | Mononeuropathy associated with type 1 diabetes mellitus       | ICD-9/ICD-10 | ICD-10: E10.41           | 1 dx |
| 4225656 | Diabetic cataract associated with type 1 diabetes mellitus    | ICD-9/ICD-10 | ICD-10: E10.36           | 1 dx |
| 4227210 | Diabetic retinopathy associated with type 1 diabetes mellitus | ICD-9/ICD-10 | ICD-10: E10.319, E10.311 | 1 dx |
| 4152858 | Type 1 diabetes mellitus with arthropathy                     | ICD-9/ICD-10 | ICD-10: E10.618          | 1 dx |

**e. Other excluding diagnoses**

| <b>OMOP Concept Id</b> | <b>OMOP Concept Name</b>                               | <b>Code Type</b> | <b>Specific Code</b>                           | <b>Criteria for Exclusion</b> |
|------------------------|--------------------------------------------------------|------------------|------------------------------------------------|-------------------------------|
| 192275                 | Alpha-1-antitrypsin deficiency                         | ICD-9/ICD-10     | ICD-9: 273.4, ICD-10: E88.01                   | 1 dx                          |
| 192675                 | Biliary cirrhosis                                      | ICD-9/ICD-10     | ICD-9: 571.6<br>ICD-10: K74.5                  | 1 dx                          |
| 195856                 | Cholangitis                                            | ICD-9/ICD-10     | ICD-9: 576.1<br>ICD-10: K83.0                  | 1 dx                          |
| 4055341                | Calculus of bile duct with cholangitis                 | ICD-9/ICD-10     | ICD-10: K80.30, K80.34, K80.36, K80.32         | 1 dx                          |
| 4135822                | Primary biliary cholangitis                            | ICD-9/ICD-10     | ICD-10: K74.3                                  | 1 dx                          |
| 46269831               | Cholangitis due to bile duct calculus with obstruction | ICD-9/ICD-10     | ICD-10: K80.31, K80.33, K80.37, K80.35         | 1 dx                          |
| 434614                 | Disorder of iron metabolism                            | ICD-9/ICD-10     | ICD-9: 275.0, 275.09<br>ICD-10: E83.19, E83.10 | 1 dx                          |
| 436672                 | Disorder of copper metabolism                          | ICD-9/ICD-10     | ICD-9: 275.1<br>ICD-10: E83.00, E83.09         | 1 dx                          |

|          |                                                                          |              |                                                            |      |
|----------|--------------------------------------------------------------------------|--------------|------------------------------------------------------------|------|
| 438721   | Disorder of mineral metabolism                                           | ICD-9/ICD-10 | ICD-9: 275.8, 275.9<br>ICD-10: E83.89, E83.9               | 1 dx |
| 4148231  | Hereditary hemochromatosis                                               | ICD-9/ICD-10 | ICD-9: 275.01<br>ICD-10: E83.110                           | 1 dx |
| 4163735  | Hemochromatosis                                                          | ICD-9/ICD-10 | ICD-9: 275.02, 275.03<br>ICD-10: E83.111, E83.118, E83.119 | 1 dx |
| 4234997  | Disorder of vein                                                         | ICD-9/ICD-10 | ICD-9: 453<br>ICD-10: I87.8, I87.9,                        | 1 dx |
| 37016193 | Hemochromatosis following repeated red blood cell transfusion            | ICD-9/ICD-10 | ICD-10: E83.111                                            | 1 dx |
| 4031958  | Trace element excess                                                     | SNOMED       | 238145001                                                  | 1 dx |
| 4043346  | Disorder of thorax                                                       | ICD-9/ICD-10 | ICD-10: S23.9XXA, S24.8XXA, S23.29XA, S23.8XXA             | 1 dx |
| 4148231  | Hereditary hemochromatosis                                               | ICD-9/ICD-10 | ICD-9: 275.01<br>ICD-10: E83.110                           | 1 dx |
| 4064036  | Generalized skin eruption caused by drug and medicament (DRESS syndrome) | ICD-9/ICD-10 | ICD-10: L27.0                                              | 1 dx |
| 4058694  | Toxic liver disease with cholestasis                                     | ICD-9/ICD-10 | ICD-10: K71.0                                              | 1 dx |
| 4058695  | Toxic liver disease with fibrosis and cirrhosis of liver                 | ICD-9/ICD-10 | ICD-10: K71.7                                              | 1 dx |
| 4316372  | HELLP syndrome                                                           | ICD-9/ICD-10 | ICD-10: O14.20, O14.22, O14.24, O14.25, O14.23             | 1 dx |
| 132685   | Severe pre-eclampsia - not delivered                                     | ICD-9/ICD-10 | ICD-9: 642.53                                              | 1 dx |
| 438490   | Severe pre-eclampsia - delivered                                         | ICD-9/ICD-10 | ICD-9: 642.51                                              | 1 dx |
| 433536   | Severe pre-eclampsia                                                     | ICD-9/ICD-10 | ICD-9: 642.5                                               | 1 dx |
| 4057976  | Severe pre-eclampsia with postnatal complication                         | ICD-9/ICD-10 | ICD-9: 642.54                                              | 1 dx |
| 439077   | Severe pre-eclampsia - delivered with postnatal complication             | ICD-9/ICD-10 | ICD-9: 642.52                                              | 1 dx |

|          |                                                                                          |              |                                                            |      |
|----------|------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------|------|
| 433536   | Severe pre-eclampsia                                                                     | ICD-9/ICD-10 | ICD-9: 642.50                                              | 1 dx |
| 4151863  | Congenital abnormality of liver and/or biliary tract                                     | ICD-9/ICD-10 | ICD-10: O26.619                                            | 1 dx |
| 4062790  | Disease of the digestive system complicating pregnancy, childbirth and/or the puerperium | ICD-9/ICD-10 | ICD-10: O26.613, O99.612, O99.62, O99.63, O99.611, O26.619 | 1 dx |
| 4228429  | Carnitine deficiency                                                                     | ICD-9/ICD-10 | ICD-10: E71.40                                             | 1 dx |
| 195223   | Renal carnitine transport defect                                                         | ICD-9/ICD-10 | ICD-9: 277.82, 277.81<br>ICD-10: E71.41                    | 1 dx |
| 432294   | Iatrogenic carnitine deficiency                                                          | ICD-9/ICD-10 | ICD-9: 277.83<br>ICD-10: E71.43                            | 1 dx |
| 4261777  | Ruvalcaba-Myhre syndrome                                                                 | ICD-9/ICD-10 | ICD-9: E71.440                                             | 1 dx |
| 45773066 | Secondary carnitine deficiency                                                           | ICD-9/ICD-10 | ICD-10: E71.448                                            | 1 dx |
| 45763567 | Carnitine deficiency due to inborn error of metabolism                                   | ICD-9/ICD-10 | ICD-10: E71.42                                             | 1 dx |
| 436670   | Metabolic disease                                                                        | ICD-9/ICD-10 | ICD-9: 277.9, 277.89, 277, 277.8,<br>ICD-10: E88.9,        | 1 dx |
| 81539    | Mitochondrial cytopathy                                                                  | ICD-9/ICD-10 | ICD-9: 277.87                                              | 1 dx |
| 435233   | Disorder of fatty acid metabolism                                                        | ICD-9/ICD-10 | ICD-9: 277.85<br>ICD-10: E71.39, E71.318, E71.30           | 1 dx |
| 441268   | Disorder of peroxisomal function                                                         | ICD-9/ICD-10 | ICD-9: 277.86<br>ICD-10: E71.548, E71.50                   | 1 dx |
| 4079687  | Tumor lysis syndrome                                                                     | ICD-9/ICD-10 | ICD-9: 277.88<br>ICD-10: E88.3                             | 1 dx |
| 4029270  | Carnitine nutritional deficiency                                                         | ICD-9/ICD-10 | ICD-9: 277.84                                              | 1 dx |
| 444421   | Alagille Syndrome (Congenital malformation syndromes affecting multiple systems)         | ICD-9/ICD-10 | ICD-10: Q44.7                                              | 1 dx |
| 44835070 | Alagille Syndrome (Congenital malformation syndromes affecting multiple systems)         | ICD-9/ICD-10 | ICD-9: 759.89                                              | 1 dx |

|                              |                                       |              |                                |      |
|------------------------------|---------------------------------------|--------------|--------------------------------|------|
| 434615                       | Cystic fibrosis                       | ICD-9/ICD-10 | ICD-9: 277.00                  | 1 dx |
| 4557647<br>7<br>3520708<br>4 | Cystic fibrosis                       | ICD-9/ICD-10 | ICD-10: E84.9                  | 1 dx |
| 435516                       | Abetalipoproteinemia, LCAT deficiency | ICD-9/ICD-10 | ICD-9: 272.5<br>ICD-10: E78.6  | 1 dx |
| 134324                       | Lipodystrophy                         | ICD-9/ICD-10 | ICD-9: 272.6<br>ICD-10: E88.1  | 1 dx |
| 375241                       | Reye's Syndrome                       | ICD-9/ICD-10 | ICD-9: 331.81<br>ICD-10: G93.7 | 1 dx |
| 4482857<br>3                 | Parenteral nutrition                  | ICD-9/ICD-10 | ICD-10: V58.69                 | 1 dx |
| 4082397                      | Parenteral nutrition                  | ICD-9/ICD-10 | ICD-10: Z76.0                  | 1 dx |
| 4557139<br>1                 | Parenteral nutrition                  | ICD-9/ICD-10 | ICD-10: Z79.891                | 1 dx |
| 4553767<br>9                 | Parenteral nutrition                  | ICD-9/ICD-10 | ICD-10: Z79.899                | 1 dx |

- f. **Medication Exclusions** Patients prescribed the following medications were excluded from the cohort

| Anti-retroviral Medications                                    | Other Medications          |
|----------------------------------------------------------------|----------------------------|
| atazanavir                                                     | Amiodarone                 |
| darunavir (TMC114)                                             | Tamoxifen                  |
| fosamprenavir                                                  | Methotrexate               |
| indinavir                                                      | Cytosan (cyclophosphamide) |
| Lopinavir                                                      | Valproate                  |
| ritonavir                                                      |                            |
| nelfinavir                                                     |                            |
| ritonavir                                                      |                            |
| saquinavir                                                     |                            |
| tipranavir                                                     |                            |
| Nucleoside/Nucleotide Reverse Transcriptase Inhibitors (NRTIs) |                            |
| abacavir                                                       |                            |

|                                                          |  |
|----------------------------------------------------------|--|
| didanosine (ddl)                                         |  |
| emtricitabine (FTC)                                      |  |
| lamivudine (3TC)                                         |  |
| stavudine (d4T)                                          |  |
| tenofovir DF                                             |  |
| zalcitabine (ddC)                                        |  |
| zidovudine (AZT)                                         |  |
| Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs) |  |
| delavirdine                                              |  |
| efavirenz                                                |  |
| Etravirine                                               |  |
| nevirapine                                               |  |
| enfuvirtide (T-20; fusion inhibitor)                     |  |
| maraviroc (CCR5 antagonist)                              |  |
| raltegravir (integrase inhibitor)                        |  |

**Supplementary Table 4: Radiology modalities and key words used to identify hepatic steatosis**

| <b>Ultrasound</b>                               | <b>Computerized Tomography (CT) Scan</b> | <b>Magnetic Resonance Imaging (MRI)</b> |
|-------------------------------------------------|------------------------------------------|-----------------------------------------|
| Echogenic (diffusely, increased, heterogeneous) | Hepatic attenuation                      | Signal intensity                        |
| Hepatic steatosis                               | Steatosis                                | Hepatic steatosis                       |
| Fatty liver                                     | Fatty change                             | Nodular                                 |
| Coarsened echotexture                           | Heterogeneous enhancement                | Cirrhotic                               |
| Nodular                                         | Cirrhosis/cirrhotic                      |                                         |
| Cirrhotic                                       | Fatty infiltration                       |                                         |

**Supplementary Table 5: Pathology key words used to identify hepatic steatosis**

|                                           |
|-------------------------------------------|
| Steatosis                                 |
| Steatohepatitis                           |
| Non-alcoholic steatohepatitis (NASH)      |
| Fatty liver                               |
| Cirrhosis                                 |
| Non-alcoholic fatty liver disease (NAFLD) |