

Supplementary Table S1. Status and restrictions of land border posts in South Africa as of Feb 19, 2021.

Country route	Number of land border posts		Restrictions
	Closed (n/N)	Open (n/N)	
South Africa - Botswana	13/17	4/17	<ul style="list-style-type: none"> · All passengers passing through the border posts are required to present a medical certificate with a negative COVID-19 test result issued within 72 hours or get tested upon arrival and subject to quarantine in a government holding facility. The entry to Zimbabwe requires a negative COVID-19 test result that is within 48 hours. · Rail, ocean, air and road transport is permitted for the movement of cargo to and from other countries, subject to national legislation and any directions. · All borders were closed on Jan 11, 2021 then reopened on February 15, 2021.
South Africa - eSwatini	6/11	5/11	
South Africa - Lesotho	7/13	6/13	
South Africa - Mozambique	2/4	2/4	
South Africa - Namibia	4/6	2/6	
South Africa - Zimbabwe	0/1	1/1	

Supplementary Table S2. Variants of Concern/Note (VoC/Ns) in Africa

Variant Name	Lineage	Date Range	Spike Mutations of Biological Significance (all mutations)	Impact	Countries
N501Y.V2	B.1.351	Oct. 2020 – Feb. 2021	K417N, E484K, N501Y	Transmissibility, Escape Neutralization, ACE binding Affinity	South Africa, DRC, Mayotte, La Reunion, Zambia, Botswana, Congo, Kenya, Rwanda,
A.23, A.23.1	A.23.1	Dec. 2020 – Feb 2021	V367F, Q613H	Infectivity	Uganda, Rwanda, Ghana, South Africa, Zambia, Botswana
C.1.1	C.1.		S477N		Mozambique,
B.1.525	B.1.525	Dec. 2020 - Feb 2021	E484K, Q677H, F888L	Escape Neutralization, ACE binding Affinity	Nigeria, Ghana, Mayotte, Côte d'Ivoire/Bouaké Algeria
A.27/N501 Y.V4	A.27	Jan 2021 - Feb 2021	L18F, L452R, N501Y, A653V, H655Y, Q677H, D796Y, G1219V	under investigation (VUI not VOC)	Mayotte, Europe, Ghana, Côte d'Ivoire/Bouaké
N501Y.V3					Brazil
B.1.160	B.1.160		D614G, S477N	confirmed reinfection (under investigation)	Tunisia (reinfection), Large European lineage Ghana
N501Y	B.1.1.7	Jan - Mash2021	D614G, N501Y, del69-70,	Transmissibility	Ghana, Morocco Algeria , Côte d'Ivoire/Bouaké, DRC

Supplementary Table S3. Sampling or surveillance strategies in various participating institutions.

Country	Proportion of cases sequenced	Sampling strategies				Other (details)
		Regular surveillance (random sampling)	Cluster/outbreak investigations	Surveillance of imported cases (linked to border testing)	Investigation of re-infections	
South Africa	0.20%	Yes	Yes	No	Yes	Sequencing of infections in vaccine trials Sequencing for health facility-based and community-based research projects
Zambia	0.27% (0.42%)	Yes	Yes	Yes	Yes	Not all investigations are being performed at all times. When cases exceed a particular threshold cluster, random and imported case surveillance reduces or stops. Total cases 8/2/21 = 63,573, 8/3/21 = 82,421.

Democratic Republic of Congo (DRC)	1.4 % (2.87%)	Yes	No	Yes	No	Regular surveillance is based on samples availability; the surveillance of imported cases is based on samples of travellers coming in DRC. there are also "sequencing based on a research project focused on respiratory infections (Andemia)
South Africa (FS)		Yes	No	No	No	All samples with Cts lower that 30 are stored (with storage record). From 5 districts samples are selected randomly on a week basis (10 - 30) per district. From the ~15 000 stored samples no repeat testing has been identified within less than 90 days.
Ghana (Uhas)	0.36% (0.12%)	Yes	Yes	No	No	Random surveillance based on clusters of cases. During periods of suspected widespread infections, cases are randomly selected and sequenced.
Tunisia	0.04%	Yes	No	No	Yes	Random surveillance. Cases are randomly selected and sequenced. Some suspected reinfection cases are now tested in Sfax (Tunisia).

Morocco		Yes	Yes	Yes	Yes	Sequencing of 10% of Sample that are positif for S drop real time PCR test using (taqPath kit from thermo) . Sanger Sequencing of the entire S gene for the confirmation of mutation related to new varriants. WGS for the genomic surveillance over time et geographical localtion.
Equatorial Guinea	3.10%	Yes	YES	Yes	No	During the first wave from March to August, all positive samples were stored and a random selection of these samples were sequenced.
Côte d'Ivoire (Bouaké)	24.30%	Yes	No	No	No	Data set includes all CoV-2 RT-PCR samples tested positive from surveillance in regions of Côte d'Ivoire other than Abidjan; testing at CHU Bouaké; sampling period May-November 2020. Currently generating sequences from samples collected between Dec 2020 and March 2021. Calculation of cases (collumn C): suspected cases: 1199; of those tested: 100%; of those tested positive: 268 (22.36%); of those sequenced: 65

Algeria	0,08%	Yes	Yes	Yes	No	Sequencing of Sample that are negatif for S by rRTPCR test using (taqPath kit from thermo) . Sanger Sequencing of the entire S gene for the confirmation of mutation related to new varriants. WGS for the genomic surveillance using MinION nanopore is in progress.
Mayotte		Yes	Yes	No	No	Random surveillance, with extra samples collections in case of