

SUPPLEMENTARY MATERIALS

Characterisation of *S. argenteus* carried between healthy Royal Marines: a molecular epidemiology case-study to track transmission

Elita Jauneikaite^{1,2*}, Bruno Pichon^{2,3}, Mia Mosavie², Joanne L. Fallowfield⁴, Trish Davey⁴, Neil Thorpe⁴, Andrew Nelstrop^{5,6}, Shiranee Sriskandan² and Lucy E Lamb^{2,7,8*}

Supplementary Methods

Antimicrobial susceptibility testing. Antimicrobial susceptibility testing to erythromycin, clindamycin, mupirocin, cefoxitin and oxacillin was carried out by disk diffusion. The results were interpreted in accordance with the British Society for Antimicrobial Chemotherapy guidelines (http://bsac.org.uk/wp-content/uploads/2012/02/Version-12-Apr-2013_final.pdf).

***S. argenteus* DNA extraction.** The isolates were regrown on Columbia agar with 5% sheep blood plates (BD GmbH, Heidelberg, Germany) and incubated at 37°C overnight. Isolates were confirmed to be *S. argenteus* using the MALDI-TOF (MALDI Biotyper®, Bruker Daltonik GmbH, Germany). Overnight growth was resuspended in 100 µl of lysis buffer (100 mM NaCl, 10 mM Tris-HCl pH8, 1 mM EDTA, 1% Triton-X-100) with 20 µl of lysostaphin (1 mg/ml, Sigma, UK) and 20 µl of lysozyme (100mg/ml, Sigma, UK) incubated for 37 °C for 15 min before boiling for 10 min. Samples were centrifuged 13,000 × g for 2 min and the DNA-containing supernatant was further purified using an equal volume of chloroform. DNA was precipitated with isopropanol and resuspended in ddH₂O.

26 **Genomic analyses**

27 **Raw read assembly and annotation.**

28 Raw sequencing reads were checked using FastQC v.0.11.2
29 (<https://www.bioinformatics.babraham.ac.uk/projects/fastqc/>). Reads were then *de novo*
30 assembled using SPAdes v. 3.10.1 [1], assembly statistics was checked using Quast v.4.5 [2].
31 Assemblies were annotated with Prokka v.1.13 [3].
32

33 **Genomic characterisation of *S. argenteus* genomes.**

34 SRST2 v0.2.0 [4] was used to determine Multi-Locus sequence type (MLST) using *S. aureus*
35 MLST database, and staphylococcal virulence factors (as per Virulence Factors of Pathogenic
36 Bacteria database, <http://www.mgc.ac.cn/VFs/>), identified potential virulence factors were
37 then double checked with blasting sequences against NCBI database. Presence of potential
38 plasmids was checked using PlasmidFinder v.2.1
39 (<http://cge.cbs.dtu.dk/services/PlasmidFinder/>, [5]). Identified contigs of potential plasmids
40 were compared to *S. aureus* plasmid p18809-P04 (NC_018968.1) and visualised using BRIG
41 v.0.95 [6]. PHASTER (<https://phaster.ca>, [7]) was used to identify presence of phages.
42

43 **Identification of acquired antibiotic resistance genes and chromosomal mutations.**

44 SRST2 v0.2.0 [4] with ARGannot database (<https://github.com/katholt/srst2/tree/master/data>)
45 to identify acquired antimicrobial resistance genes. Chromosomal mutations associated with
46 antibiotic resistance in *gyrA*, *grrA*, *grrB* (specific mutations confer resistance to
47 ciprofloxacin), *fusA* (fusidic acid), *rpoB* (rifampin) and *dfrB* (trimethoprim) [8]; as well as
48 additional genes *pbp2*, *pbp4*, *ileS* and *23S* were checked using PointFinder database (last
49 update: 2019-07-02; https://bitbucket.org/genomicpidemiology/pointfinder_db/src/master/)

using ResFinder 4.0 [9] available on Center for Genomic Epidemiology website
(<http://www.genomicepidemiology.org>).

Genetic relatedness of six *S. argenteus* strains. Pair-wise Single Nucleotide Polymorphisms (SNPs) were identified using Snippy v3.0 (<https://github.com/tseemann/snippy>) and Sarg_A1 assembly as reference and SNPs matrix was build using MEGAX v.10.2.4 [10].

Phylogenetic analysis and comparison to global *S. argenteus* strains. All available *S. argenteus* genomes submitted to NCBI were downloaded (first downloaded on 07/08/2020, n=129; double checked on 07/02/2021, n=167) and characterised by determining MLST to select ST2250 genomes for comparative analysis. A total of 118 genomes of ST2250 *S. argenteus* were identified from global collection (Suppl. Table S5). SNPs for all ST2250 *S. argenteus* genomes were called using Snippy v3.0 (<https://github.com/tseemann/snippy>). Maximum-likelihood phylogenetic reconstruction of whole genome alignment was done using IQ-TREE v.2.0.3 [11] with best fit model “K3Pu+F+R4” (determined through extended model selection implemented in IQ-TREE) and 1000 bootstrap replicates. Phylogenetic tree was visualised using iTOL v.5 [12]. SNP pairwise distances were calculated using MEGA X v.10.2.4 [10]. Pangenome of ST2250 was analysed using Roary v.3.13.0 [13].

Supplementary Tables

Table S1. Accession numbers and assembly summary of six *S. argenteus* isolates.

Isolate ID	Accession no.	Genome length	No. of contigs*	N50
Sarg_A1	ERS5455722 (SAMEA7699208)	2745379	28	244106
Sarg_B1	ERS5455723 (SAMEA7699209)	2744813	27	249010
Sarg_C1	ERS5455724 (SAMEA7699210)	2745030	22	393718
Sarg_C2	ERS5455725 (SAMEA7699211)	2743389	40	168063
Sarg_D1	ERS5455726 (SAMEA7699212)	2744155	32	217193
Sarg_D2	ERS5455727 (SAMEA7699213)	2744075	44	169517

*number of contigs longer than 500bp

Table S2. Summary of Royal Marine recruits carrying *S. argenteus*. *S. argenteus* isolates are indicated in bold, the other *spa*-type and CC indicated for co-carried *S. aureus*.

Recruit	Week 1	Week 6	Week 15	Week 32	Age range (yrs)	SSTI
A	t008(CC8)N	t5078 (CC75)T t316(CC59)N t1504(CC30)N	t015(CC45)T	x	16-20	No
B	x	x	t5078 (CC75)T t015(CC45)T	x	21-25	No
C	x	t5078(CC75)N t5078(CC75)T	x	x	16-20	Yes
D	t5078 (CC75)N t5078 (CC75)T t6605(CC398)T	x	t189(CC1)N	x	21-25	No

N – nose swab; T – throat swab; CC- clonal complex was inferred from *spa*-type; x – no carriage was found, or swab sample was not available.

Table S3. Chromosomal mutations identified in genes associated with antimicrobial resistance. None of the identified mutations were previously reported to lead to non-susceptibility to a particular antibiotic. All six *S. argenteus* strains had identical mutations identified in the genes presented in the table.

	dfrB	pbp2	gyrA	ileS	griB	griA	rpoB	pbp4	fusA	23S
Sarg_A1 Sarg_B1 Sarg_C1 Sarg_C2 Sarg_D1 Sarg_D2	no gene	E487D, A462T, D489E, N727_None2181del, A576S, N251D, N472S, A606D, A285K, 711_None712insNS, N386D, R717N, I725L, E319D, D270E, L722I, D430E, S595T, N709S, E269Q, A480S, F646Y, Q629P	S883A, E862D, T827A, N860T, V248E, T818A, V623I, V406I, D856E, D612E, R837H, Q836R	Y905L, R903T, V883G, L898A, N885K, S878I, D276G, M900G, G890W, A223S, I892Y, N901E, E636D, N257D, S877V, Q893S, R894E, L899V, Y288F, V220I, E259Q, *902L, S570A, M873H, E472D, M882D, S546R, I904H, K911E, L912V, N429S, D313E, L870N, *913V, V886C, V889C, K884E, Q881A, K887E, A909C, H907P, V874G, T289S, I263V, M880H,868_None2602del, N879E, N872E, I895D, M871Y, L876I, A906C, D866_None2598del, Q421K, Q869T, D888R, N910Q, D665E, I669V, V897G, I875D, T891N, D908R, N213D, A280D, H915S, N914K	no gene	no gene	I831V, I315L, G225S,	no gene	S238A	131G>A, 1550G>A,

Table S4. Pair-wise SNPs differences of the six *S. argenteus* isolates characterised in this study.

	Sarg_B1	Sarg_C1	Sarg_C2	Sarg_D1	Sarg_D2	Sarg_A1
Sarg_B1						
Sarg_C1	18					
Sarg_C2	17	3				
Sarg_D1	12	18	17			
Sarg_D2	13	11	10	15		
Sarg_A1	22	34	35	30	33	

Table S5. Assemblies of *S. argenteus* ST2250 downloaded from NCBI database, relevant publications; and used for comparative analysis in this study.

No.	Strain	MLST	Country (reference)	Year	BioSample	BioProject	Assembly
1	58113	ST2250	Japan [14]		SAMD00114619	PRJDB6867	GCA_003967115.1
2	XNO62	ST2250			SAMN07510741	PRJNA398564	GCA_003595345.1
3	XNO106	ST2250			SAMN07510742	PRJNA400109	GCA_002812345.2
4	3688STDY6125080	ST2250	Thailand [15]	2013	SAMEA3449088	PRJEB9575	GCA_900126665.1

5	3688STDY6125091	ST2250	Thailand [15]	2012	SAMEA3449099	PRJEB9575	GCA_900128265.1
6	3688STDY6125064	ST2250	Thailand [15]	2011	SAMEA3449072	PRJEB9575	GCA_900126555.1
7	3688STDY6125066	ST2250	Thailand [15]	2011	SAMEA3449074	PRJEB9575	GCA_900126565.1
8	3688STDY6125116	ST2250	Thailand [15]	2012	SAMEA3449118	PRJEB9575	GCA_900126875.1
9	3688STDY6125100	ST2250	Thailand [15]	2013	SAMEA3449102	PRJEB9575	GCA_900126745.1
10	3688STDY6125126	ST2250	Thailand [15]	2013	SAMEA3449128	PRJEB9575	GCA_900126945.1
11	3688STDY6125111	ST2250	Thailand [15]	2011	SAMEA3449113	PRJEB9575	GCA_900126825.1
12	3688STDY6125070	ST2250	Thailand [15]	2012	SAMEA3449078	PRJEB9575	GCA_900126585.1
13	3688STDY6125063	ST2250	Thailand [15]	2011	SAMEA3449071	PRJEB9575	GCA_900126525.1
14	3688STDY6125068	ST2250	Thailand [15]	2011	SAMEA3449076	PRJEB9575	GCA_900128165.1
15	3688STDY6125072	ST2250	Thailand [15]	2012	SAMEA3449080	PRJEB9575	GCA_900126605.1
16	3688STDY6125075	ST2250	Thailand [15]	2012	SAMEA3449083	PRJEB9575	GCA_900128195.1
17	3688STDY6125077	ST2250	Thailand [15]	2013	SAMEA3449085	PRJEB9575	GCA_900128205.1
18	3688STDY6125105	ST2250	Thailand [15]	2012	SAMEA3449107	PRJEB9575	GCA_900126775.1
19	3688STDY6125121	ST2250	Thailand [15]	2012	SAMEA3449123	PRJEB9575	GCA_900126915.1
20	3688STDY6125113	ST2250	Thailand [15]	2011	SAMEA3449115	PRJEB9575	GCA_900128325.1
21	3688STDY6125093	ST2250			SAMEA3449101	PRJEB9575	GCA_900126735.1
22	3688STDY6125084	ST2250	Thailand [15]	2013	SAMEA3449092	PRJEB9575	GCA_900126695.1
23	3688STDY6125089	ST2250	Thailand [15]	2013	SAMEA3449097	PRJEB9575	GCA_900128255.1
24	3688STDY6125119	ST2250	Thailand [15]	2012	SAMEA3449121	PRJEB9575	GCA_900126895.1
25	3688STDY6125071	ST2250	Thailand [15]	2012	SAMEA3449079	PRJEB9575	GCA_900126595.1
26	3688STDY6125076	ST2250	Thailand [15]	2012	SAMEA3449084	PRJEB9575	GCA_900126625.1
27	3688STDY6125085	ST2250	Thailand [15]	2013	SAMEA3449093	PRJEB9575	GCA_900128225.1
28	3688STDY6125138	ST2250	Thailand [15]	2007	SAMEA3449140	PRJEB9575	GCA_900127075.1
29	3688STDY6125069	ST2250	Thailand [15]	2012	SAMEA3449077	PRJEB9575	GCA_900128175.1
30	3688STDY6125087	ST2250	Thailand [15]	2013	SAMEA3449095	PRJEB9575	GCA_900126705.1
31	3688STDY6125083	ST2250	Thailand [15]	2013	SAMEA3449091	PRJEB9575	GCA_900126685.1
32	3688STDY6125106	ST2250	Thailand [15]	2012	SAMEA3449108	PRJEB9575	GCA_900126785.1
33	3688STDY6125090	ST2250	Thailand [15]	2013	SAMEA3449098	PRJEB9575	GCA_900126725.1
34	3688STDY6125122	ST2250	Thailand [15]	2013	SAMEA3449124	PRJEB9575	GCA_900128345.1
35	3688STDY6125078	ST2250	Thailand [15]	2013	SAMEA3449086	PRJEB9575	GCA_900126645.1
36	3688STDY6125088	ST2250	Thailand [15]	2013	SAMEA3449096	PRJEB9575	GCA_900128245.1
37	3688STDY6125136	ST2250	Thailand [15]	2007	SAMEA3449138	PRJEB9575	GCA_900127045.1
38	3688STDY6125125	ST2250	Thailand [15]	2013	SAMEA3449127	PRJEB9575	GCA_900126935.1
39	3688STDY6125086	ST2250	Thailand [15]	2013	SAMEA3449094	PRJEB9575	GCA_900128235.1
40	3688STDY6125092	ST2250SLV	Thailand [15]	2012	SAMEA3449100	PRJEB9575	GCA_900128275.1
41	3688STDY6125140	ST2250	Thailand [15]	2011	SAMEA3449142	PRJEB9575	GCA_900127085.1
42	3688STDY6125114	ST2250	Thailand [15]	2012	SAMEA3449116	PRJEB9575	GCA_900128335.1
43	3688STDY6125062	ST2250	Thailand [15]	2011	SAMEA3449070	PRJEB9575	GCA_900128145.1
44	3688STDY6125112	ST2250	Thailand [15]	2011	SAMEA3449114	PRJEB9575	GCA_900126835.1
45	3688STDY6125115	ST2250	Thailand [15]	2012	SAMEA3449117	PRJEB9575	GCA_900126855.1
46	3688STDY6125081	ST2250	Thailand [15]	2013	SAMEA3449089	PRJEB9575	GCA_900126675.1

47	3688STDY6125124	ST2250	Thailand [15]	2013	SAMEA3449126	PRJEB9575	GCA_900128365.1
48	3688STDY6125110	ST2250	Thailand [15]	2011	SAMEA3449112	PRJEB9575	GCA_900126815.1
49	3688STDY6125065	ST2250	Thailand [15]	2011	SAMEA3449073	PRJEB9575	GCA_900126545.1
50	3688STDY6125067	ST2250	Thailand [15]	2011	SAMEA3449075	PRJEB9575	GCA_900128155.1
51	3688STDY6125082	ST2250	Thailand [15]	2013	SAMEA3449090	PRJEB9575	GCA_900128215.1
52	3688STDY6125108	ST2250	Thailand [15]	2013	SAMEA3449110	PRJEB9575	GCA_900126795.1
53	3688STDY6125073	ST2250	Thailand [15]	2012	SAMEA3449081	PRJEB9575	GCA_900128185.1
54	3688STDY6125131	ST2250	Thailand [15]	2006	SAMEA3449133	PRJEB9575	GCA_900126985.1
55	3688STDY6125118	ST2250	Thailand [15]	2012	SAMEA3449120	PRJEB9575	GCA_900126865.1
56	3688STDY6125109	ST2250	Thailand [15]	2011	SAMEA3449111	PRJEB9575	GCA_900126805.1
57	3688STDY6125120	ST2250	Thailand [15]	2012	SAMEA3449122	PRJEB9575	GCA_900126905.1
58	3688STDY6125123	ST2250	Thailand [15]	2013	SAMEA3449125	PRJEB9575	GCA_900128355.1
59	3688STDY6125074	ST2250	Thailand [15]	2012	SAMEA3449082	PRJEB9575	GCA_900126615.1
60	3688STDY6125117	ST2250	Thailand [15]	2012	SAMEA3449119	PRJEB9575	GCA_900126885.1
61	LBSA043	ST2250			SAMEA2007935	PRJEB6393	GCA_000752055.1
62	SCPM-O-B-8378	ST2250			SAMN08689422	PRJNA269675	GCA_003011845.1
63	ST2250	ST2250			SAMN09435802	PRJNA476500	GCA_003935695.1
64	3688STDY6125079	ST2250	Thailand [15]	2013	SAMEA3449087	PRJEB9575	GCA_900126655.1
65	PHL3431	ST2250			SAMN09704415	PRJNA482405	GCA_009874245.1
66	SARG0275	ST2250			SAMD00133958	PRJDB7256	GCA_005397745.1
67	PHL3433	ST2250			SAMN09704514	PRJNA482411	GCA_008368955.1
68	RK308	ST2250			SAMN04457463	PRJNA310972	GCA_001641625.1
69	H2179	ST2250	Denmark [16]	2013	SAMEA104034175	PRJEB20633	GCA_900183785.1
70	M4611	ST2250	Denmark [16]	2013	SAMEA104034174	PRJEB20633	GCA_900183845.1
71	M3040	ST2250	Denmark [16]	2016	SAMEA104034155	PRJEB20633	GCA_900183955.1
72	CCUG 69384	ST2250	Sweden [17]	2016	SAMN07566689	PRJNA305687	GCA_003010635.1
73	M21126	ST2250			SAMN02402619	PRJNA227695	GCA_000606605.1
74	M4143	ST2250	Denmark [16]	2013	SAMEA104034168	PRJEB20633	GCA_900183925.1
75	SJTU F21285	ST2250			SAMN04604746	PRJNA317282	GCA_001969725.1
76	F87619	ST2250			SAMN02402601	PRJNA227677	GCA_000602805.1
77	1299_SAUR	ST2250			SAMN03197271	PRJNA267549	GCA_001061465.1
78	O-6	ST2250	Denmark [16]	2015	SAMEA104034161	PRJEB20633	GCA_900183945.1
79	SJTU F21224	ST2250			SAMN04604745	PRJNA317280	GCA_001969715.1
80	MGYG-HGUT-02548	ST2250			SAMEA5852053	PRJEB33885	GCA_902388265.1
81	H1826	ST2250	Denmark [16]	2014	SAMEA104034166	PRJEB20633	GCA_900183825.1
82	H1540	ST2250	Denmark [16]	2014	SAMEA104034164	PRJEB20633	GCA_900183815.1
83	O-1	ST2250	Denmark [16]	2016	SAMEA104034156	PRJEB20633	GCA_900183865.1
84	SJTU F20419	ST2250			SAMN04604743	PRJNA317278	GCA_001969695.1
85	O-5	ST2250	Denmark [16]	2015	SAMEA104034160	PRJEB20633	GCA_900183895.1
86	O-2	ST2250SLV	Denmark [16]	2016	SAMEA104034157	PRJEB20633	GCA_900183965.1
87	O-3	ST2250	Denmark [16]	2016	SAMEA104034158	PRJEB20633	GCA_900183765.1

88	5506	ST2250			SAMN13979052	PRJNA595347	GCA_010570875.1
89	SJTU F21164	ST2250			SAMN04604744	PRJNA317279	GCA_001969705.1
90	O-4	ST2250	Denmark [16]	2015	SAMEA104034159	PRJEB20633	GCA_900183795.1
91	M4148	ST2250	Denmark [16]	2013	SAMEA104034170	PRJEB20633	GCA_900183875.1
92	M4146	ST2250	Denmark [16]	2013	SAMEA104034169	PRJEB20633	GCA_900183755.1
93	H1604	ST2250	Denmark [16]	2014	SAMEA104034165	PRJEB20633	GCA_900183775.1
94	O-10	ST2250	Denmark [16]	2015	SAMEA104034163	PRJEB20633	GCA_900183855.1
95	PFESA3024	ST2250	Singapore [15]	2011	SAMEA2662162	PRJEB1915	GCA_900128685.1
96	PFESA2861	ST2250	Singapore [15]	2009	SAMEA2662140	PRJEB1915	GCA_900128635.1
97	PFESA2947	ST2250	Malaysia [15]	2011	SAMEA2661974	PRJEB1915	GCA_900128625.1
98	PFESA2956	ST2250	Malaysia [15]	2011	SAMEA2662160	PRJEB1915	GCA_900128615.1
99	PFESA2944	ST2250	Malaysia [15]	2011	SAMEA2662156	PRJEB1915	GCA_900128705.1
100	PFESA2941	ST2250	Malaysia [15]	2011	SAMEA2662088	PRJEB1915	GCA_900128645.1
101	PFESA2952	ST2250	Malaysia [15]	2011	SAMEA2662072	PRJEB1915	GCA_900128655.1
102	PFESA2963	ST2250	Malaysia [15]	2011	SAMEA2662127	PRJEB1915	GCA_900128665.1
103	PFESA3295	ST2250	Israel [15]	2009	SAMEA2710365	PRJEB1915	GCA_900128605.1
104	PFESA2045	ST2250	France [15]	2010	SAMEA2445518	PRJEB1915	GCA_900128675.1
105	T151204	ST2250	France [18]		SAMEA6530084	PRJEB36681	
106	MC3	ST2250	Canada [19]		SAMN16304021	PRJNA666697	GCA_014877945.1
107	WU2	ST2250	Canada [19]		SAMN16304024	PRJNA666697	GCA_014877415.1
108	MC4	ST2250	Canada [19]		SAMN16304022	PRJNA666697	GCA_014877235.1
109	MC2	ST2250	Canada [19]		SAMN16304019	PRJNA666697	GCA_014877005.1
110	WU1	ST2250	Canada [19]		SAMN16304023	PRJNA666697	GCA_014877475.1
111	WU3	ST2250	Canada [19]		SAMN16304020	PRJNA666697	GCA_014877915.1
112	PHL2420	ST2250	Canada [19]		SAMN16304007	PRJNA666697	GCA_014878065.1
113	PHL4815	ST2250	Canada [19]		SAMN16304012	PRJNA666697	GCA_014877035.1
114	PHL3446	ST2250	Canada [19]		SAMN16304006	PRJNA666697	GCA_014878035.1
115	PHL6318	ST2250	Canada [19]		SAMN16304008	PRJNA666697	GCA_014878055.1
116	PHL6344	ST2250	Canada [19]		SAMN16304004	PRJNA666697	GCA_014878095.1
117	PHL8605	ST2250	Canada [19]		SAMN16304009	PRJNA666697	GCA_014877525.1
118	PHL4226	ST2250	Canada [19]		SAMN16304014	PRJNA666697	GCA_014877505.1

95


96

Supplementary Figures


Figure S1. Putative plasmid identified in this study from all six *S. argenteus* strains.

BRIG [6] was used to present BLASTN comparisons of the whole contig of putative plasmid of *S. argenteus* identified in this study and compared. The innermost ring shows genome scale in kilobase pairs and subsequent rings show BLASTN comparisons. **(a)** The innermost ring is putative plasmid contig of isolate Sarg_A1 which is compared to the putative plasmid contigs of other isolates in the outermost rings as follows: (1) Sarg_B1, (2) Sarg_C1, (3) Sarg_C2, (4) Sarg_D1, (5) Sarg_D2 and (6) annotated genes on a Sarg_A1 putative plasmid; non-annotated genes present hypothetical genes. **(b)** NCBI database search reported *S. aureus* plasmid p18809-P04 (NC_018968.1) being the closest match, but large portion of the plasmid was missing.

(a)



111 (b)



112

113

Suppl. Material references:

- [1] Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, et al. SPAdes: A New Genome Assembly Algorithm and Its Applications to Single-Cell Sequencing. *J Comput Biol* 2012. <https://doi.org/10.1089/cmb.2012.0021>.
- [2] Gurevich A, Saveliev V, Vyahhi N, Tesler G. QUAST: Quality assessment tool for genome assemblies. *Bioinformatics* 2013;29. <https://doi.org/10.1093/bioinformatics/btt086>.
- [3] Seemann T. Prokka: Rapid prokaryotic genome annotation. *Bioinformatics* 2014. <https://doi.org/10.1093/bioinformatics/btu153>.
- [4] Inouye M, Dashnow H, Raven LA, Schultz MB, Pope BJ, Tomita T, et al. SRST2: Rapid genomic surveillance for public health and hospital microbiology labs. *Genome Med* 2014. <https://doi.org/10.1186/s13073-014-0090-6>.
- [5] Carattoli A, Zankari E, Garcia-Fernandez A, Larsen M, Lund O, Villa L, et al. PlasmidFinder and pMLST: in silico detection and typing of plasmids. *Antimicrob Agents Chemother* 2014.
- [6] Alikhan NF, Petty NK, Ben Zakour NL, Beatson SA. BLAST Ring Image Generator (BRIG): Simple prokaryote genome comparisons. *BMC Genomics* 2011. <https://doi.org/10.1186/1471-2164-12-402>.
- [7] Arndt D, Grant JR, Marcu A, Sajed T, Pon A, Liang Y, et al. PHASTER: a better, faster version of the PHAST phage search tool. *Nucleic Acids Res* 2016;44. <https://doi.org/10.1093/nar/gkw387>.
- [8] Gordon NC, Price JR, Cole K, Everitt R, Morgan M, Finney J, et al. Prediction of staphylococcus aureus antimicrobial resistance by whole-genome sequencing. *J Clin Microbiol* 2014;52. <https://doi.org/10.1128/JCM.03117-13>.
- [9] Bortolaia V, Kaas RS, Ruppe E, Roberts MC, Schwarz S, Cattoir V, et al. ResFinder

4.0 for predictions of phenotypes from genotypes. *J Antimicrob Chemother* 2020;75.
<https://doi.org/10.1093/jac/dkaa345>.

[10] Kumar S, Stecher G, Li M, Knyaz C, Tamura K. MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Mol Biol Evol* 2018;35.
<https://doi.org/10.1093/molbev/msy096>.

[11] Minh BQ, Schmidt HA, Chernomor O, Schrempf D, Woodhams MD, Von Haeseler A, et al. IQ-TREE 2: New Models and Efficient Methods for Phylogenetic Inference in the Genomic Era. *Mol Biol Evol* 2020;37. <https://doi.org/10.1093/molbev/msaa015>.

[12] Letunic I, Bork P. Interactive Tree of Life (iTOL) v4: Recent updates and new developments. *Nucleic Acids Res* 2019;47. <https://doi.org/10.1093/nar/gkz239>.

[13] Page AJ, Cummins CA, Hunt M, Wong VK, Reuter S, Holden MTG, et al. Roary: Rapid large-scale prokaryote pan genome analysis. *Bioinformatics* 2015.
<https://doi.org/10.1093/bioinformatics/btv421>.

[14] Miyoshi-Akiyama T, Ohnishi T, Shinjoh M, Ohara H, Kawai T, Kamimaki I, et al. Complete Genome Sequences of *Staphylococcus argenteus* TWCC 58113, Which Bears Two Plasmids. *Microbiol Resour Announc* 2019.
<https://doi.org/10.1128/mra.01582-18>.

[15] Moradigaravand D, Jamrozny D, Mostowy R, Anderson A, Nickerson EK, Thaipadungpanit J, et al. Evolution of the *Staphylococcus argenteus* ST2250 clone in Northeastern Thailand is linked with the acquisition of livestock-associated staphylococcal genes. *MBio* 2017. <https://doi.org/10.1128/mBio.00802-17>.

[16] Hansen TA, Bartels MD, Høgh S V., Dons LE, Pedersen M, Jensen TG, et al. Whole Genome Sequencing of Danish *Staphylococcus argenteus* Reveals a Genetically Diverse Collection with Clear Separation from *Staphylococcus aureus*. *Front Microbiol* 2017. <https://doi.org/10.3389/fmicb.2017.01512>.

- 164 [17] Hallbäck ET, Karami N, Adlerberth I, Cardew S, Ohlén M, Jakobsson HE, et al.
165 Methicillin-resistant *Staphylococcus argenteus* misidentified as methicillin-resistant
166 *Staphylococcus aureus* emerging in western Sweden. J Med Microbiol 2018.
167 <https://doi.org/10.1099/jmm.0.000760>.
- 168 [18] Söderquist B, Wildeman P, Stenmark B, Stegger M. *Staphylococcus argenteus* as an
169 etiological agent of prosthetic hip joint infection: a case presentation . J Bone Jt Infect
170 2020. <https://doi.org/10.7150/jbji.44848>.
- 171 [19] Eshaghi A, Bommersbach C, Zittermann S, Burnham C-AD, Patel R, Schuetz AN, et
172 al. Phenotypic and genomic profiling of *Staphylococcus argenteus* in Canada and the
173 United States and recommendations for clinical result reporting . J Clin Microbiol
174 2021. <https://doi.org/10.1128/jcm.02470-20>.
- 175
- 176