

Integration of molecular inflammatory interactome analyses reveals dynamics of circulating cytokines and extracellular vesicle long non-coding RNAs and mRNAs in heroin addicts during acute and protracted withdrawal

Zunyue Zhang^{1,2,#}, Hongjin Wu^{1,2,#}, Qingyan Peng^{1,2,#}, Zhenrong Xie¹, Fengrong Chen^{1,2}, Yuru Ma^{1,2}, Yizhi Zhang^{1,2}, Yong Zhou¹, Jiqing Yang^{1,2}, Cheng Chen^{1,3}, Shaoyou Li^{1,2}, Yongjin Zhang^{1,2}, Yuan Wang⁴, Yu Xu^{1,3}, Huayou Luo^{1,3}, Mei Zhu¹, Yiqun Kuang¹, Juehua Yu^{1,2,*}, Kunhua Wang^{1,2,3*}


¹NHC Key Laboratory of Drug Addiction Medicine (Kunming Medical University), The First Affiliated Hospital of Kunming Medical University, Kunming, Yunnan 650032, China. ²Centre for Experimental Studies and Research, The First Affiliated Hospital of Kunming Medical University, Kunming, Yunnan 650032, China. ³Yunnan Institute of Digestive Disease, The First Affiliated Hospital of Kunming Medical University, Kunming, Yunnan 650032, China. ⁴Department of R&D, Echo Biotech Co., Ltd, Beijing, China. [#]Contributed equally

*Correspondence:

Juehua Yu, NHC Key Laboratory of Drug Addiction Medicine (Kunming Medical University), The First Affiliated Hospital of Kunming Medical University, Kunming, Yunnan 650032, China. Email: juehuayu@gmail.com

Kunhua Wang, NHC Key Laboratory of Drug Addiction Medicine (Kunming Medical University), The First Affiliated Hospital of Kunming Medical University, Kunming, Yunnan 650032, China. Email: kunhuawang1@163.com

Supplemental Figure 1. Characterization of exosomes derived from HCs and Heroin addicts peripheral blood. (A) Representative transmission electron micrograph images of exosomes derived from study participants, scale bar = 200 nm. (B) Representative nanoparticle tracking analysis report of exosomes from study participants. (C) Western blot analysis showing the presence of three common positive exosomal markers (Alix, CD81 and CD63) and one negative exosomal marker (Calnexin) in exosomes isolated from study participants. Ctr positive control, Exo Exosomes experimental group.



Supplemental Table 1. Correlation between Clinical Characteristics and cytokines.

	IL-2	IL-4	IL-5	IL-6	IL-7	IL-8	IL-10	IL-13	IL-17A	Basic-FGF	G-CSF	Eotaxin	MCP-1	MIP-1 α	PDGF-BB	TNF α	VEGF
Drug route	0.23	-0.02	0.16	-0.10	0.13	0.34*	-0.03	0.06	0.04	0.42**	-0.03	-0.20	-0.02	0.34*	0.36*	0.28	-0.10
Drug type	-0.13	-0.07	-0.06	-0.07	-0.19	-0.06	0.10	-0.05	-0.12	-0.34*	-0.06	0.06	-0.23	-0.28	-0.08	-0.05	-0.006
Marriage	-0.04	0.04	-0.25	0.12	0.06	-0.19	0.01	0.002	0.26	-0.11	0.05	0.15	-0.11	-0.36*	-0.06	0.07	0.07
Education	0.11	0.27	0.31	0.005	0.36*	0.13	0.11	0.31	0.30	0.38*	0.18	0.05	0.001	-0.02	0.40*	0.11	0.06
Age	-0.09	-0.29	-0.28	-0.19	-0.34*	-0.13	-0.30	-0.26	-0.23	-0.06	-0.21	-0.28	-0.11	0.11	-0.06	-0.07	-0.18
BMI	-0.004	0.13	0.15	0.03	0.12	0.11	0.12	0.12	0.16	0.15	0.20	0.09	0.05	0.19	0.08	0.07	0.17
Drug years	0.05	-0.07	0.05	-0.13	-0.08	0.09	-0.01	-0.16	0.02	0.25	-0.04	-0.12	0.07	0.27	0.09	-0.02	-0.10

	TNF- α /IL-4	IL-2/IL-4	TNF- α /IL-10	IL-2/IL-10	TNF- α /IL-17A	IL-2/IL-17A	IL-4/IL-17A	IL-10/IL-17A
Drug route	0.13	0.15	0.11	0.07	0.10	0.21	-0.05	0.04
Drug type	0.08	0.05	-0.05	-0.006	0.003	-0.10	-0.04	0.06
Marriage	-0.03	0.05	0.03	0.10	-0.19	-0.12	-0.22	-0.28
Education	-0.15	-0.009	0.007	0.01	0.01	0.02	0.03	-0.05
Age	0.12	-0.008	0.05	0.08	0.19	-0.02	-0.14	-0.24
BMI	-0.10	-0.11	-0.14	-0.16	-0.03	0.06	0.03	-0.02
Drug years	-0.21	-0.007	-0.34*	-0.33*	-0.11	0.03	-0.07	-0.002

* p < 0.05, the first four rows are Spearman's correlation, and the last three rows are Pearson's correlation.

Supplemental Table 2. The characteristics of mRNAs with the largest fold change in two groups of heroin addicts versus the group of healthy controls.

Gene Symbol	AW vs HC	p	Gene Symbol	PW vs AW	p	Gene Symbol	PW vs HC	p
CD3D	-2.814721488	0.0018519	MAFA	-3.743466027	0.0002252	AL133352.1	-2.12071603	0.01348041
CLC	-2.108972099	0.03589759	H2AW	-2.775148463	0.00044147	H2AW	-2.033832622	0.00305922
KLRD1	-1.863037981	0.00061356	EGF	-2.174140003	0.00083505	CLC	-1.88378074	0.02476634
GPR18	-1.852498563	0.00053102	AZU1	-2.170193417	0.00544115	PARL	-1.883129529	0.00877705
KLRC4-KLRK1	-1.767054365	0.01112618	MFAP3L	-2.090923847	0.00102643	CCNB2	-1.853662165	0.00149792
CD3G	-1.746148559	0.00020203	DEFA4	-2.049861319	0.01483743	PFDN6	-1.801627654	0.00946389
FHDC1	-1.734391829	0.0477427	WBP1	-2.037150089	0.00392813	CCDC77	-1.79289857	0.00156027
SH2D1A	-1.601420582	0.00188209	MT1X	-2.012413235	0.009491	PTTG1	-1.785036663	0.01810236
ARL4C	-1.598837066	0.03290972	CCNB2	-1.980150792	0.00322177	RHD	-1.774578734	0.00355547
C12orf42	-1.588090399	0.00042015	ACRBP	-1.961879675	0.01533507	KLRC3	-1.75371719	0.00921878
HOMER2	1.912408335	0.0000301	AAMDC	1.461926341	0.02179978	NFIC	1.39700295	0.00586449
SPX	1.96782632	0.0000153	DNASE1L3	1.462829525	0.00779191	JAM3	1.397697051	0.04214788
STX3	1.989037506	0.00034286	NDUFA7	1.47580543	0.01005825	C11orf24	1.430208502	0.00214423
S100P	1.990360689	0.02687818	SH2D1A	1.538772383	0.00028682	IGFBP4	1.540958939	0.00323664
GP9	2.089445713	0.02568544	HAUS2	1.583187388	0.00851377	TEAD4	1.563891757	0.00802384
ACRBP	2.131116143	0.01546211	SULT1A3	1.666447798	0.00173937	ADIRF	1.567954384	0.01820304
SNCG	2.16056009	0.04164684	TRIM34	1.675228496	0.03805604	SMIM24	1.596202464	0.00427664
NRIP1	2.180488799	0.00066636	INO80B-WBP1	1.87888765	0.00413145	NDRG2	1.596480132	0.0009078
MAFA	2.205464527	0.0148821	CCL21	2.109545567	0.00082991	NRIP1	1.86516547	0.00095734
C19orf33	3.020128756	0.00473678	CD3D	2.24438949	0.00531615	C19orf33	2.054818438	0.02411904

Supplemental Table 3. The characteristics of lncRNAs with the largest fold change in two groups of heroin addicts versus the group of healthy controls.

Gene Symbol	Targeted gene		AW vs HC	p	Gene Symbol	Targeted gene		PW vs AW	p	Gene Symbol	Targeted gene		PW vs HC	p
MSTRG.237243.6	CNGA3;INPP4A	cis	-3.159	2.81E-05	MSTRG.136063.5	RPS29;LRR1;RPL36AL;MGAT2;DNAAF2;POLE2;KLHDC1;KLHDC2;NEMF;ARF6	cis	-5.7	0.004551116	MSTRG.192806.4	SEPTIN9	cis	-3.7229	4.62E-05
MSTRG.116065.8	FBRSL1;LRCOL1;P2RX2;POLR;PXMP2	cis	-2.857	0.001437763	MSTRG.410326.2	SDK1	cis	-3.45	6.43E-06	EIF4A1-207	EIF4A1	cis	-3.5609	0.00436721
MSTRG.274372.465			-2.853	0.000464466	MSTRG.274376.48			-3.05	0.047622607	MSTRG.422578.3	SRRM3;HSPB1;YWHA	cis	-3.2598	0.00291457
EIF4A1-207	EIF4A1	cis	-2.63	0.024316359	MSTRG.22804.2	TENT5C	cis	-2.87	0.000210477	MSTRG.35400.2	SLC26A9;RAB7B;CTSE;RHEX	cis	-2.8207	0.00036048
MSTRG.274378.7			-2.518	0.045336802	MSTRG.409997.2	INTS1;MAFK;TMEM184A;PSMG3	cis	-2.72	0.000541643	MSTRG.45110.2	SFMBT2	cis	-2.7455	0.00684349
RPL23-210	RPL23	cis	-2.482	0.02131207	MSTRG.279447.7	PCP4;DSCAM	cis	-2.67	0.015447039	EEF1G-203	EEF1G	cis	-2.7123	0.02631233
MSTRG.182620.2	MAP2K3;KCNJ12	cis	-2.477	0.017450841	MSTRG.101316.2	KRT2;KRT1;KRT77;KRT76;KRT3;KRT4;KRT79;KRT78	cis	-2.63	0.000223037	MSTRG.78659.2	SCYL1;LTBP3;ZNRD2;FAM89B;EHBP1L1;KCNK7;MAP3K11;PCNX3	cis	-2.6369	0.00584422
OXA1L-207	OXA1L	cis	-2.324	0.019862464	MSTRG.25448.2	TCHH;RPTN;HRNR	cis	-2.6	0.001560047	MSTRG.324272.2	SH3TC1;HTRA3	cis	-2.588	0.00644348

DNAJC7-204	DNAJ7C	cis	-2.262	0.01459 8663	MSTRG.14 8661.3	GOLGA8K	cis	-2.57	0.00212 4975	MSTRG.13 3950.3	EGLN3;SPTSSA;E APP;SNX6	cis	- 2.512 7	0.036 15019
MSTRG. 366349.7	LNPEP;LIX1;RI OK2	cis	-2.241	0.01467 2079	MSTRG.35 400.2	SLC26A9;CTSE; RHEX	cis	-2.52	0.00228 3715	MSTRG.42 6186.3	IFT22;COL26A1	cis	- 2.491 4	0.001 83151
MSTRG. 468402.2			2.186 1	0.00239 438	MSTRG.21 2951.2	TSHZ3	cis	2.07 8	0.02134 0914	MYL6-216	MYL6	cis	1.978 72	0.004 16429
ACRBP-206	ACRBP	cis	2.186 8	0.01057 6816	ARHGAP1 5-209	ARHGAP15	cis	2.08 2	0.01516 2068	CXXC1- 217	CXXC1	cis	2.060 58	0.004 59133
NRIP1-205	NRIP1	cis	2.192 5	0.00640 9114	MYL6-216	MYL6	cis	2.14 4	0.00183 5834	CNDP2- 222	CNDP2	cis	2.083 29	0.028 74254
MSTRG. 148661.3	GOLGA8K	cis	2.263 3	0.00578 2681	MSTRG.13 6063.4	RPS29;LRR1;RP L36AL;MGAT2;D NAAF2;POLE2;K LHDC1;KLHDC2 ;NEMF;ARF6	cis	2.20 4	0.04070 416	MSTRG.46 0211.2			2.149 4	0.007 90498
STX3-205	STX3	cis	2.338 3	0.00159 0537	NAP1L1- 210	NAP1L1	cis	2.23	0.00188 6827	MKRN1- 209	MKRN1	cis	2.262 44	0.029 92848
GATAD2 A-209	GATAD2A	cis	2.341	0.00213 8832	RPL18- 207	RPL18	cis	2.31 6	6.29E- 05	RPL8-214	RPL8	cis	2.391 8	0.000 39393
MSTRG. 81169.2	LRRC32	cis	2.604 8	0.00038 2834	RPLP2- 208	RPLP2	cis	2.50 9	0.04606 8913	RPL18- 207	RPL18	cis	2.724 27	5.92E- 07
PSME1-209	PSME1	cis	3.334	0.01277 4505	RPL23- 210	RPL23	cis	2.51	0.00451 6473	MSTRG.27 4376.37			3.360 27	0.012 70372
MSTRG. 136063.8	RPS29;LRR1;R PL36AL;MGAT 2;DNAAF2;PO LE2;KLHDC1;K LHDC2;NEMF; ARF6	cis	3.651 6	0.03453 3166	RPL8-214	RPL8	cis	2.79 5	3.70E- 07	MSTRG.13 6063.7	RPS29;LRR1;RPL3 6AL;MGAT2;DNAA F2;POLE2;KLHDC1 ;KLHDC2;NEMF;AR F6;VCPKMT;SOS2; L2HGDH	cis	3.724 24	0.003 96484

MSTRG.136063.5	RPS29;LRR1;RPL36AL;MGAT2;DNAAF2;POLE2;KLHDC1;KLHDC2;NEMF;ARF6	cis	3.9088	0.034411535	RIOK3-205	RIOK3	cis	2.801	0.043527386	MSTRG.136063.4	RPS29;LRR1;RPL36AL;MGAT2;DNAAF2;POLE2;KLHDC1;KLHDC2;NEMF;ARF6;VCPKMT;SOS2;L2HGDH	cis	4.06835	0.01851068
-----------------------	---	-----	--------	-------------	-----------	-------	-----	-------	-------------	-----------------------	--	-----	---------	------------
