




SUPPLEMENTARY FIGURES



Supplementary Figure 1. Association of mean arterial pressure with De Backer score.



Supplementary Figure 2. Association of mean arterial pressure with Consensus PPV.



Supplementary Figure 3. Association of mean arterial pressure with Consensus PPV (small).

SUPPLEMENTARY TABLES

Supplementary Table 1. Preoperative and postoperative arterial blood gases

	Preoperatively	Postoperatively	Adjusted p-values
pH	7.38 (0.02)	7.40 (0.03)	<0.001
PaCO ₂ (mmol/L), mean (SD)	38.22 (3.3)	39.88 (2.6)	<0.001
HCO ₃ (mmol/L), mean (SD)	23.72 (2.5)	25.5 (1.8)	<0.001
Lactate (mmol/L), mean (SD)	1.25 (0.4)	0.86 (0.2)	<0.001
SaO ₂ (%), mean (SD)	97.56 (1.8)	99.81 (0.6)	<0.001
SpO ₂ (%), mean (SD)	97.09 (1.9)	98.86 (1.2)	<0.001

Supplementary Table 2. Preoperative and postoperative differences in sublingual macrocirculatory flow

Variable	Preoperative	Postoperative	p-value
De Baker score	5.95 (3.21)	5.89 (3.36)	0.825
Consensus PPV	83.49 (11.5)	81.15 (11.8)	0.005
Consensus PPV (small)	80.87 (13.4)	78.72 (13)	0.021

Data presented as mean (standard deviation)

Supplementary Table 3. Association between De Backer score, Consensus PPV, and Consensus PPV (small) and systemic hemodynamic variables

	Variable	Spearman's rho	Adjusted p-values
De Baker score	Systolic arterial pressure	-0.042	0.428
	Diastolic arterial pressure	0.063	0.174
	Mean arterial pressure	0.026	0.584
	Heart rate	-0.020	0.678
Consensus PPV (%)	Systolic arterial pressure	0.000	0.998
	Diastolic arterial pressure	0.032	0.547
	Mean arterial pressure	0,025	0.588
	Heart rate	-0.085	0.050
Consensus PPV (small) (%)	Systolic arterial pressure	-0.011	0.806
	Diastolic arterial pressure	0.026	0.584
	Mean arterial pressure	0.015	0.760
	Heart rate	-0.085	0.050