



Supplementary Figure 1

(a)




(b)




Supplementary Figure 2


(a)



(b)




(c)




Supplementary Figure 3

(a)




Supplementary Figure 4

(a)




(b)




Supplementary Figure 5


(a)



(b)




Supplementary Figure 6




Supplementary Figure 7

(a)




(b)




Supplementary Figure 8


(a)



(b)




(c)




Supplementary Figure 9

(a) Matrix-associated gene expression_all cells




(b) ECM_Glycoproteins




(c)

Proteoglycans





(d)

Collagens




Supplementary Figure 10



Supplementary Figure 11


(a)

Secreted_Factors



Supplementary Figure 12

(a) Inflammation-associated gene expression_ all cells




(b) Immunology-associated genes in cells of skin and keloid




Supplementary Figure 13

(a)




Supplementary Figure 14

(a)




(b)




Supplementary Figure 15

(a)

SC-Percentage comparison



Supplementary Figure 16



Supplementary Table 1 – donor information

Type	ID	Site	Sex	Race	Source
normal skin	skin_1	Forearm	Male	Caucasian	Tabib ¹
normal skin	skin_2	Forearm	Male	Caucasian	Tabib ¹
normal skin	skin_3	Forearm	Female	Caucasian	Tabib ¹
normal skin	skin_4	Forearm	Female	Asian	Tabib ¹
normal skin	skin_5	Forearm	Female	Caucasian	Tabib ¹
normal skin	skin_6	Forearm	Male	Caucasian	Tabib ¹
normal skin	skin_7	Abdomen	Male	Caucasian	Direder
Keloid	keloid_1	Sternum	Female	Caucasian	Direder
Keloid	keloid_2	Earlobe	Female	African	Direder
Keloid	keloid_3L	Earlobe - left	Male	Caucasian	Direder
Keloid	keloid_3R	Earlobe - right	Male	Caucasian	Direder
normal scar	scar1	Abdomen	Female	Caucasian	Direder
normal scar	scar2	Abdomen	Female	Caucasian	Direder
normal scar	scar3	Abdomen	Male	Caucasian	Direder

Supplementary Table 2 - marker genes information

celltype	abbreviation	marker gene
Fibroblast	FB	PDGFRA ¹ , LUM ² , COL1A1 ^{3,4} , DCN ¹ , FBLN1 ⁵
Smooth muscle cell or pericyte	SMC/PC	ACTA2 ^{2,4} , RGS5 ^{2,4,5}
Keratinocyte	KC	KRT10 ⁶ , KRT1 ^{2,6} , KRT14 ^{2,6} , KRT5 ⁶
Endothelial cell	EC	SELE ² , VWF ⁵
Lymphatic Endothelial cell	LEC	VWF ⁵ , LYVE1 ^{2,4}
T-cell	TC	CD3D ^{4,7} , CD2 ⁵ , CXCR4 ⁸
Macrophage	MAC	CD68 ⁴ , AIF1 ²
Dendritic cell	DC	AIF1 ² , FCER1A ^{7,9}
Schwann cell	SC	S100B ⁴ , NGFR ^{4,5}
Melanocyte	MEL	PMEI ^{2,5} , MLANA ⁵
Erythrocyte	ERY	HBB ⁷ , HBA1 ⁷

Supplementary Table 3 – antibody information

1 st Antibodies					
Antigen	Species	catalog No	company	dilution	comment
S100	rabbit	#Z0311	DAKO	ready to use	4 hr, RT
NGFR	mouse	#sc-13577	SantaCruz	1:100	o.n., 4°C
NGFR	rabbit	#8238	CellSignaling	1:300	4 hr, RT
SOX10	mouse	#sc-365692	SantaCruz	1:33	o.n., 4°C
Nestin	mouse	#MAB5326	Millipore	1:200	o.n., 4°C
Ki67	rabbit	#NB500-170	Novus	1:50	o.n., 4°C
MBP	mouse	#ab62631	Abcam	1:300	o.n., 4°C
CD31	mouse	#M0823	DAKO	1:20	4 hr, RT
IGFBP-5	goat	#AF875-SP	R&D	1:50	o.n., 4°C
JUN	rabbit	#9165S	CellSignaling	1:300	4 hr, RT
CD90	mouse	# 550402	BD Pharmingen	1:50	4 hr, RT
PGP9.5	mouse	#7863-1004	BioRad	1:250	o.n., 4°C
vimentin	chicken	#AB5733	Merck Millipore	1:300	4 hr, RT
SMA	rabbit	#14395-I-AP	Proteintech	1:200	4 hr, RT
CD68	mouse	#333809	BioLegend	1:50	o.n., 4°C
2 nd Antibodies					
Antigen	Species	catalog No	company	dilution	comment
α ch DL650	goat	#SA5-10073	Invitrogen	1:400	1 hr, RT
α rb AF488	goat	#A32731	Invitrogen	1:600	1 hr, RT
α ch AF488	goat	#A-11039	Invitrogen	1:400	1 hr, RT
α rb AF4594	goat	#A11012	Invitrogen	1:400	1 hr, RT
α ms AF594	donkey	#A21203	Invitrogen	1:400	1 hr, RT
α g AF546	donkey	#A11056	Invitrogen	1:400	1 hr, RT