

Patterns of impaired neurocognitive performance on Global Neuropsychological Assessment (GNA), and their brain structural correlates in recent-onset and chronic schizophrenia: A pilot study

Vineeth Mohan¹, Pravesh Parekh^{1, 2,3}, Ammu Lukose^{1*}, Sydney Moirangthem³, Jitender Saini⁴, David J Schretlen^{5, 6}, John P John^{1, 2, 3}

¹ Multimodal Brain Image Analysis Laboratory, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, India

² ADBS Neuroimaging Centre, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, India

³ Department of Psychiatry, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, India

⁴ Department of Neuroimaging and Interventional Radiology, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, India

⁵ Department of Psychiatry and Behavioral Sciences, The Johns Hopkins University School of Medicine, Baltimore, Maryland, United States of America

⁶ Russel M. Morgan Department of Radiology and Radiological Science, The Johns Hopkins University School of Medicine, Baltimore, Maryland, United States of America

*Current affiliation: Department of Counselling Psychology, Loyola College of Social Sciences, Trivandrum, India

Supplementary material

Perceptual comparison test in Global Neuropsychological Assessment (GNA) battery

In the perceptual comparison (PC) test, the examinee is asked to answer whether the sets of geometric shapes given on the two sides of an item are the 'same' or 'different'. The test consists of 54 such items arranged in three columns. The total number of correctly answered items in 45 seconds are summed as the raw score.




Figure S1. Sample of the perceptual comparison test in GNA, showing three items. The correct responses for these are "same," "same," and "different."

Correlation between cognitive domains in the overall sample (n = 47)




Figure S2. Correlation heatmap of the cognitive domains. All the pairwise correlations (Pearson's r) were statistically significant at the Bonferroni corrected threshold of $\alpha_b = 0.05/15 = 0.0033$; VF, Verbal fluency; PC, Perceptual comparison; VSWM, Visuospatial working memory; VDM, Verbal declarative memory; SA, Simple attention; VWM, Verbal working memory.

Age distribution in the three groups

The age distribution of the three groups differed significantly in the order CHSZ > HCS > ROSZ. Due to the poor age overlap between the recent-onset and the chronic schizophrenia samples, a direct comparison between these patient groups adjusting for age as a covariate would be inappropriate due to potential multicollinearity. In such a situation where the covariate is significantly different between groups, the estimated marginal means calculation to find the pairwise differences might not be meaningful (see *Clason, D.L., Mundfrom, D.J., 2012. Adjusted Means in Analysis of Covariance: Are They Meaningful?*).




Figure S3. Violin plots showing the age distributions in the three groups. As the violin plots are based on kernel density estimates, they extend beyond the range of actual values in the sample depicted by the jittered dots.

Effect size estimates using different methods for each domain

Effect sizes were estimated assuming unequal variance between groups. We primarily used Hedge's g which is less affected by sample size bias than Cohen's d , while Glass's Δ uses the standard deviation of the control group (see Lakens, D., 2013. *Calculating and reporting effect sizes to facilitate cumulative science: a practical primer for t-tests and ANOVAs*. *Front. Psychol.*, and Delacre, M, et al., 2021. *Why Hedges' g 's based on the non-pooled standard deviation should be reported with Welch's t-test*)

Table S1. Effect sizes of difference in mean cognitive scores between ROSZ and HCS, estimated using different measures, assuming unequal variance between groups

Domain	Cohen's d [95% CI]	Hedge's g [95% CI]	Glass's Δ [95% CI]
PC	-1.53 [-2.31, -0.73]	-1.49 [-2.25, -0.71]	-2.16 [-3.36, -0.91]
VF	-1.52 [-2.29, -0.73]	-1.49 [-2.24, -0.72]	-1.62 [-2.53, -0.68]
VDM	-1.46 [-2.22, -0.67]	-1.42 [-2.17, -0.65]	-1.38 [-2.17, -0.55]
VWM	-1.15 [-1.88, -0.41]	-1.12 [-1.84, -0.40]	-1.34 [-2.25, -0.40]
VSWM	-1.07 [-1.79, -0.33]	-1.04 [-1.75, -0.32]	-1.16 [-2.00, -0.30]
SA	-0.53 [-1.22, 0.17]	-0.52 [-1.19, 0.16]	-0.60 [-1.38, 0.20]

PC, Perceptual comparison; VF, verbal fluency; VDM, Verbal declarative memory; VWM, Verbal working memory; VSWM, Visuospatial working memory; SA, Simple attention

Table S2. Effect sizes of difference in mean cognitive scores between CHSZ and HCS, estimated using different measures, assuming unequal variance between groups

Domain	Cohen's d [95% CI]	Hedge's g [95% CI]	Glass's Δ [95% CI]
PC	-2.49 [-3.57, -1.39]	-2.39 [-3.42, -1.33]	-4.07 [-5.92, -2.17]
VWM	-2.34 [-3.27, -1.39]	-2.28 [-3.18, -1.35]	-2.08 [-3.03, -1.09]
VF	-2.11 [-3.00, -1.20]	-2.05 [-2.91, -1.16]	-1.94 [-2.88, -0.98]
VSWM	-1.87 [-2.72, -0.99]	-1.82 [-2.65, -0.96]	-1.84 [-2.79, -0.86]
SA	-1.59 [-2.41, -0.75]	-1.54 [-2.34, -0.73]	-1.59 [-2.48, -0.66]
VDM	-1.38 [-2.18, -0.56]	-1.34 [-2.12, -0.55]	-1.44 [-2.33, -0.52]

Voxel-wise correlation results (SPM 12, v7771) for perceptual comparison speed (PC)

Table S3. CAT (version 1727) lookup table using the Hammers atlas, for perceptual comparison (PC) domain

Cluster size (voxels)	Local maxima (MNI coordinates)	TFCE	$p_{FWE-corr}$	Overlap of region (Hammers atlas)	Anatomical location
674	-38, 6, -33	2466.09	0.001	85%	Left anterior medial temporal lobe
				8%	Left fusiform gyrus
				4%	Left inferior middle temporal gyri
				3%	Left anterior lateral temporal lobe
2834	-27, -3, -14	2272.81	0.002	19%	Left ambient and parahippocampal gyri
				16%	Left amygdala
				14%	Left hippocampus
				11%	Left anterior medial temporal lobe
				11%	Left posterior temporal lobe
				8%	Left insula
				8%	Left orbito-frontal gyri
				5%	Background
				5%	Left lingual gyrus
				2%	Left putamen
				1%	Left cerebellum
1%	Left lateral temporal ventricle				
201	-38, -18, -30	1871.35	0.006	77%	Left fusiform gyrus
				23%	Left inferior middle temporal gyri
38	33, 6, -33	1796.28	0.007	100%	Right anterior medial temporal lobe
160	27, 4, -22	1771.74	0.008	46%	Right amygdala
				32%	Right anterior medial temporal lobe
				11%	Background
				6%	Right orbito-frontal gyri
				4%	Right insula

Voxel-wise correlation results (SPM 12, ver 7771) for verbal working memory (VWM)

Table S4. CAT (version 1727) lookup table using the Hammers atlas, for verbal working memory (VWM) domain

Cluster size (voxels)	Local maxima (MNI coordinates)	TFCE	$p_{FWE-corr}$	Overlap of region (Hammers atlas)	Anatomical location
92	48, -2, 3	1825.36	0.005	92% 8%	Right precentral gyrus Right postcentral gyrus
91	-48, 12, -6	1768.57	0.006	56% 29% 9% 7%	Left inferior frontal gyrus Left anterior lateral temporal lobe Left precentral gyrus Background