


Classifying sex with MRI Supplementary Material

Matthis Ebel¹, Martin Lotze², Martin Domin², Nicola Neumann²,
and Mario Stanke¹


¹Institute for Mathematics and Computer Science, University of
Greifswald, Walther-Rathenau-Str. 47, 17489, Greifswald,
Germany

²Institute of Diagnostic Radiology and Neuroradiology, Functional
Imaging, University Medicine Greifswald, 17489, Greifswald,
Germany


April 27, 2022





Supplementary Figure 1: Correlation of voxel sum in each MR image with the TIV (vol). Blue dots represent male samples, red dots female. The straight line shows a linear regression calculated on all images (male and female pooled), 'r' is Pearson's correlation coefficient. A) Correlation for the complete SHIP data set for images that have not been Z-score normalized. B) Correlation for the TIV-matched data set for images that have not been Z-score normalized.





Supplementary Figure 2: Receiver operation characteristic (ROC) curves for BraiNN (CNN) and LogReg on the complete SHIP data set. The ROC curves of each single training run are shown in blue, the black curves are the respective averaged ROC curves. The mean area under the curve (AUC) is shown in the bottom right of the plots. A) ROC and AUC for BraiNN, trained on the complete SHIP data set when predicting the SHIP test data. B) ROC and AUC for BraiNN, trained on the complete SHIP data set when predicting the HCP data set. C) ROC and AUC for LogReg, trained on the complete SHIP data set when predicting the SHIP test data. D) ROC and AUC for LogReg, trained on the complete SHIP data set when predicting the HCP data set. The LogReg in this setting has a tendency to predict values close to 1, even for male images (data not shown), thus the shape of the blue curves here.





Supplementary Figure 3: AUC of LogReg and BraiNN (CNN) for “whole brain” images and images *missing* certain brain regions when predicting the HCP data set. In all cases, the matched SHIP data set was used for training. See Table 2 for the exact values.



Supplementary Figure 4: AUC of LogReg and BraiNN (CNN) for “whole brain” images and images *missing* certain brain regions. Top: Performance on the test data (see Section 2.3). Bottom: Performance on the HCP data set. In all cases, the matched SHIP data set was used for training. See Table 4 for the exact values.



Supplementary Figure 5: AUC of LogReg and BraiNN (CNN) for “whole brain” images and images containing only certain brain regions. Top: Performance on the test data (see Section 2.3). Bottom: Performance on the HCP data set. In all cases, the complete SHIP data set was used for training. See Table 1 for the exact values.



Supplementary Figure 6: AUC of LogReg and BraiNN (CNN) for “whole brain” images and images *missing* certain brain regions. Top: Performance on the test data (see Section 2.3). Bottom: Performance on the HCP data set. In all cases, the complete SHIP data set was used for training. See Table 3 for the exact values.

Supplementary Table 1: Accuracies and AUC for both models trained on the complete SHIP data set when only certain ROIs are visible in the images.

ROI	LogReg						BrainN					
	SHIP			HCP			SHIP			HCP		
	accuracy	AUC	AUC	accuracy	AUC	AUC	accuracy	AUC ↓	AUC ↓	accuracy	AUC	AUC
Cerebellum	0.9108	0.9722	0.6674	0.8625	0.8285	0.9093	0.7151	0.8126	0.8285	0.9093	0.7151	0.8126
Temporal gyri	0.8008	0.8825	0.7271	0.8228	0.7468	0.8239	0.6962	0.7976	0.7468	0.8239	0.6962	0.7976
Amygdala Hippocampus	0.7911	0.8722	0.6480	0.7782	0.7374	0.8158	0.6430	0.7444	0.7374	0.8158	0.6430	0.7444
Occipital lobe	0.7857	0.8708	0.5465	0.7332	0.7267	0.8013	0.5971	0.7281	0.7267	0.8013	0.5971	0.7281
Thalamus	0.8134	0.8969	0.5608	0.7813	0.7265	0.7958	0.5825	0.7046	0.7265	0.7958	0.5825	0.7046
Frontal pole	0.8107	0.8951	0.5698	0.7368	0.6920	0.7580	0.5802	0.6618	0.6920	0.7580	0.5802	0.6618
Lateral parietal lobe	0.7427	0.8174	0.6285	0.7343	0.6863	0.7562	0.6598	0.7183	0.6863	0.7562	0.6598	0.7183
Basalganglia	0.7696	0.8515	0.5513	0.7661	0.6814	0.7502	0.4778	0.6406	0.6814	0.7502	0.4778	0.6406
Frontal gyri	0.7473	0.8280	0.5494	0.6741	0.6822	0.7490	0.5962	0.6360	0.6822	0.7490	0.5962	0.6360
Fusiforme gyri	0.7383	0.8193	0.6501	0.7496	0.6789	0.7454	0.6140	0.7505	0.6789	0.7454	0.6140	0.7505
Paracentral gyri	0.7707	0.8523	0.5537	0.7296	0.6785	0.7453	0.6281	0.6902	0.6785	0.7453	0.6281	0.6902
Medial frontal lobe	0.7816	0.8646	0.5445	0.7586	0.6689	0.7338	0.6211	0.6993	0.6689	0.7338	0.6211	0.6993
Medial parietal lobe	0.7330	0.8118	0.5452	0.6523	0.6565	0.7148	0.5940	0.6556	0.6565	0.7148	0.5940	0.6556
Temporal pole	0.6979	0.7703	0.4810	0.6548	0.6494	0.7052	0.6036	0.6402	0.6494	0.7052	0.6036	0.6402
Medial temporal lobe	0.6797	0.7395	0.5834	0.7318	0.6463	0.7003	0.6060	0.7165	0.6463	0.7003	0.6060	0.7165
Insula	0.7424	0.8216	0.6262	0.7436	0.6297	0.6757	0.5799	0.6254	0.6297	0.6757	0.5799	0.6254
Brainstem	0.6592	0.7199	0.5632	0.5974	0.6177	0.6661	0.4700	0.5554	0.6177	0.6661	0.4700	0.5554
Whole brain	0.9459	0.9880	0.6983	0.9190	0.8978	0.9620	0.8311	0.9270	0.8978	0.9620	0.8311	0.9270

Supplementary Table 2: Accuracies and AUC for both models trained on the volume-matched SHIP data set when only certain ROIs are visible in the images.

ROI	LogReg				BrainN			
	SHIP		HCP		SHIP		HCP	
	accuracy	AUC	accuracy	AUC	accuracy	AUC ↓	accuracy	AUC
Cerebellum	0.8655	0.9431	0.4830	0.8235	0.7700	0.8495	0.6948	0.7592
Temporal gyri	0.7632	0.8506	0.6059	0.7480	0.7364	0.8081	0.6123	0.7143
Occipital lobe	0.7640	0.8491	0.5452	0.6254	0.7259	0.8006	0.5829	0.6688
Thalamus	0.7648	0.8517	0.5938	0.7397	0.6948	0.7697	0.5334	0.6692
Frontal pole	0.7907	0.8802	0.5447	0.5844	0.6896	0.7686	0.4917	0.5075
Amygdala Hippocampus	0.7289	0.8055	0.6037	0.7512	0.6943	0.7582	0.5947	0.7294
Frontal gyri	0.7137	0.7867	0.5462	0.5962	0.6895	0.7547	0.5521	0.5750
Medial temporal lobe	0.6780	0.7397	0.5553	0.6172	0.6559	0.7186	0.5556	0.6231
Paracentral gyri	0.7272	0.8002	0.5629	0.6287	0.6584	0.7156	0.5850	0.6540
Medial frontal lobe	0.7287	0.8064	0.5460	0.5911	0.6463	0.7099	0.5496	0.5427
Lateral parietal lobe	0.6788	0.7453	0.5709	0.6758	0.6498	0.7031	0.6242	0.6717
Fusiforme gyri	0.6694	0.7386	0.5944	0.6357	0.6419	0.6980	0.5709	0.6356
Basalganglia	0.7091	0.7879	0.4719	0.6464	0.6144	0.6678	0.5217	0.5790
Insula	0.6972	0.7733	0.5518	0.5899	0.5893	0.6589	0.5261	0.5018
Medial parietal lobe	0.6822	0.7491	0.5442	0.5451	0.6111	0.6569	0.5384	0.5262
Temporal pole	0.6653	0.7261	0.5316	0.6151	0.6055	0.6559	0.5778	0.6115
Brainstem	0.6167	0.6741	0.5197	0.5212	0.5837	0.6204	0.4989	0.5281
Whole brain	0.9091	0.9690	0.7145	0.8290	0.8615	0.9300	0.7334	0.8430

Supplementary Table 3: Accuracies and AUC for both models trained on the complete SHIP data set when certain ROIs are not visible in the images.

ROI	LogReg				BrainN			
	SHIP		HCP		SHIP		HCP	
	accuracy	AUC	accuracy	AUC	accuracy	AUC ↓	accuracy	AUC
Fusiforme gyri	0.9425	0.9871	0.6005	0.9390	0.9018	0.9649	0.8363	0.9267
Medial temporal lobe	0.9401	0.9871	0.6210	0.9369	0.9014	0.9646	0.8342	0.9250
Medial frontal lobe	0.9429	0.9873	0.6125	0.9366	0.8986	0.9640	0.8271	0.9246
Insula	0.9443	0.9880	0.5969	0.9313	0.8966	0.9632	0.8285	0.9244
Amygdala Hippocampus	0.9446	0.9878	0.6072	0.9465	0.8959	0.9630	0.8394	0.9260
Temporal pole	0.9414	0.9873	0.6049	0.9361	0.8991	0.9628	0.8280	0.9276
Paracentral gyri	0.9446	0.9873	0.6046	0.9373	0.8987	0.9628	0.8351	0.9266
Medial parietal lobe	0.9457	0.9881	0.6391	0.9492	0.8996	0.9625	0.8362	0.9272
Frontal pole	0.9410	0.9876	0.6073	0.9419	0.9001	0.9623	0.8369	0.9269
Lateral parietal lobe	0.9469	0.9881	0.6073	0.9399	0.8975	0.9619	0.8403	0.9282
Frontal gyri	0.9451	0.9888	0.6059	0.9457	0.8985	0.9618	0.8018	0.9286
Basalganglia	0.9436	0.9878	0.6020	0.9446	0.8975	0.9617	0.8349	0.9256
Brainstem	0.9438	0.9881	0.6072	0.9383	0.8990	0.9614	0.8362	0.9262
Occipital lobe	0.9430	0.9870	0.6309	0.9544	0.8982	0.9608	0.8408	0.9255
Thalamus	0.9426	0.9871	0.5771	0.9341	0.8939	0.9597	0.7878	0.9215
Temporal gyri	0.9463	0.9882	0.6055	0.9396	0.8915	0.9590	0.8371	0.9243
Cerebellum	0.9225	0.9784	0.6109	0.9378	0.8827	0.9521	0.8154	0.9051
Whole brain	0.9459	0.9880	0.6983	0.9190	0.8978	0.9620	0.8311	0.9270

Supplementary Table 4: Accuracies and AUC for both models trained on the volume-matched SHIP data set when certain ROIs are not visible in the images.

ROI	LogReg				BrainN			
	SHIP		HCP		SHIP		HCP	
	accuracy	AUC	accuracy	AUC	accuracy	AUC ↓	accuracy	AUC
Fusiforme gyri	0.9042	0.9669	0.6976	0.8245	0.8633	0.9329	0.7166	0.8388
Medial parietal lobe	0.9050	0.9687	0.7266	0.8291	0.8623	0.9323	0.7109	0.8347
Paracentral gyri	0.9094	0.9715	0.6920	0.8380	0.8630	0.9312	0.7057	0.8355
Frontal gyri	0.9075	0.9713	0.7279	0.8472	0.8641	0.9306	0.7018	0.8378
Temporal gyri	0.9086	0.9706	0.7140	0.8184	0.8549	0.9282	0.7128	0.8277
Lateral parietal lobe	0.9039	0.9685	0.7076	0.8295	0.8651	0.9281	0.7233	0.8405
Thalamus	0.9135	0.9705	0.7067	0.8244	0.8611	0.9281	0.6735	0.8140
Medial temporal lobe	0.9005	0.9656	0.7107	0.8253	0.8537	0.9280	0.7108	0.8301
Occipital lobe	0.9111	0.9696	0.7394	0.8377	0.8543	0.9255	0.7174	0.8326
Amygdala Hippocampus	0.9038	0.9687	0.6983	0.8250	0.8526	0.9251	0.7168	0.8282
Brainstem	0.9078	0.9688	0.7143	0.8284	0.8552	0.9242	0.7015	0.8294
Medial frontal lobe	0.9050	0.9703	0.7275	0.8290	0.8598	0.9240	0.7128	0.8313
Frontal pole	0.9157	0.9724	0.7302	0.8384	0.8487	0.9214	0.7212	0.8235
Insula	0.9014	0.9671	0.7042	0.8333	0.8430	0.9213	0.7056	0.8326
Temporal pole	0.9090	0.9687	0.6959	0.8333	0.8496	0.9201	0.7117	0.8297
Basalganglia	0.9072	0.9669	0.6905	0.8307	0.8455	0.9174	0.7077	0.8193
Cerebellum	0.8798	0.9497	0.6494	0.7931	0.8422	0.9170	0.7129	0.8158
Whole brain	0.9091	0.9690	0.7145	0.8290	0.8615	0.9300	0.7334	0.8430