

Supplementary material

Content

Suppl. 1: Image Recognition Movies task: activity during recognition

Suppl. 2: Image Recognition Movies task: activity during the movies


Suppl. 3: FIR ROI analysis for the left and right LOC inferior, without the 3 PSVH+ participants who experienced VH during scanning

Suppl. 1: Image Recognition Movies task: activity during recognition

A: IRM paradigm (see manuscript for description)


B: model for recognition

First, per participant a General Linear Model (GLM) was built, with five conditions entered in the following order: 1) pop out, 2) recognition (pop out until movie end), 3) movie (for overall task-related activity), 4) control movie, 5) static noise at the beginning of each run. Per subject, the contrast 'recognition' versus baseline (red fixation cross on a black screen) was obtained. Next, group means were determined (Suppl. 1 C1). Subsequently, ANOVA compared groups with $p < 0.001$ on voxel level and 0.05 FWE cluster-wise correction (Suppl. 1C2).




C: Activity during recognition

B1: mean group activity




B2: group comparisons


PSVH+ vs PSVH-



PSVH+ vs HC



PSVH- vs HC



D1: per group

Group	Anatomical region	MNI-coord	Voxels (n)	Peak T (voxel)	p-value (FWE cluster corr)
PSVH+	Lingual gyrus l	-26, -53, -8	200	7.52	0.000
	Lingual gyrus l	-14, -53, -5		5.46	
	Lingual gyrus l	-14, -68, -5		4.98	
	Sup temp sulc post r	58, -41, 7	277	6.32	0.000
	Sup temp sulc post r	55, -23, -5		6.14	
	Sup temp gyr post r	67, -32, 4		5.47	
	Lingual gyrus r	13, -44, -8	211	6.18	0.000
	Lingual gyrus r	22, -65, -5		5.85	
	Cerebellum r I-IV	4, -47, -2		4.50	
PSVH-	Sup temp sulc post l	-62, -41, 4	288	8.59	0.000
	Sup temp gyr post l	-53, -23, -2		5.63	
	Angular gyrus l	-47, -50, 13		5.47	
	Lingual gyrus l/intracalc cortex	-17, -71, 1	269	6.41	0.000
	Lingual gyrus r	13, -71, -2		5.53	
	Lingual gyrus l	-20, -47, -2		3.98	
	Inf front gyr, operc r	58, 22, 13	120	5.95	0.001
	Frontal pole lat r	46, 46, -2		5.76	
	Inf front gyr, triang r	49, 28, -2		4.90	
	Mid temp gyr post r	64, -32, -2	135	5.86	0.001
	Sup temp gyr post r	46, -20, -5		5.54	
	Sup temp sulc mid r	64, -14, -8		5.41	
HC	Mid temp gyr post l	-56, -35, -5	232	7.44	0.000
	Sup temp sulc mid l	-47, -17, -11		4.54	
	Sup temp gyrus post WM l	-47, -38, 7		4.17	
	Mid temp gyr post r	46, -32, -5	581	7.34	0.000
	Inferior parietal lobe r	55, -44, 28		6.61	
	Mid temp gyr t-o r	55, -41, 4		5.13	
	Cuneus WM r	22, -68, 16	933	6.10	0.000
	Lingual gyrus l	-14, -59, -8		5.86	
	Cuneal cortex r	10, -77, 25		5.67	
	Supramarginal gyrus post l	-47, -47, 28	140	4.55	0.002
	Inferior parietal lobe l	-56, -44, 37		4.49	
	Angular gyrus l	-56, -50, 16		4.48	


D2: group comparisons

Comparison	Increased activation					Decreased activation				
	Anatomical region	MNI-coord	Voxels (n)	Peak T (voxel)	p-value (FWE cluster corr)	Anatomical region	MNI-coord	Voxels (n)	Peak T (voxel)	p-value (FWE cluster corr)
PSVH+ vs PSVH-	-					-				
PSVH+ vs HC	Lingual gyrus l	-11, -80, -8	83	4.17	0.045	Inferior parietal lobe r	55, -44, 28	83	4.76	0.045
	Lingual gyrus r	7, -80, -8		3.65						
PSVH- vs HC	-					-				

Suppl. 2: Image Recognition Movies task: activity during the movies


A: Activity during the movies

A1: mean group activity




A2: group comparisons


PSVH+ vs PSVH-



PSVH+ vs HC



PSVH- vs HC



B: Activated regions during the movies

B1: per group

Group	Anatomical region	MNI-coord	Voxels (n)	Peak T (voxel level)	p-value (FWE cluster corr)
PSVH+	Cerebellum VI r	31, -47, -26	1302	8.70	0.000
	Occipital fusiform gyrus r	40, -65, -14		7.97	
	Cerebellum I-IV r	7, -53, -17		7.85	
	Cerebellum crus I l	-35, -71, -23	853	8.33	0.000
	Temporo-occipital fusiform cort l	-35, -53, -17		7.62	
	Occipital fusiform gyrus l	-20, -89, -11		6.48	
	Premotor cortex l	-20, -5, 76	70	6.91	0.016
	Central sulcus l	-20, -26, 79		5.69	
	Precentral gyrus l	-29, -11, 70		5.48	
PSVH-	LOC inf l	-38, -71, -5	2358	17.11	0.000
	Occipital fusiform gyrus l	-29, -80, -17		12.40	
	Occipital fusiform gyrus r	19, -86, -11		12.28	
	Superior colliculus r	7, -26, -8	160	7.57	0.000
	Thalamus l WM	-23, -29, -2		6.46	
	Superior colliculus l	-5, -32, -5		5.79	
	Superior parietal lobe r	28, -47, 46	293	6.61	0.000
	Inferior parietal lobe r	46, -41, 46		5.21	
	Inferior parietal lobe r	22, -56, 37		5.09	
	Superior parietal lobe l	-32, -41, 43	381	6.61	0.000
	Superior parietal lobe l	-26, -50, 46		5.77	
	Inferior parietal lobe l	-44, -44, 43		5.64	
	Temporal pole/Frontal orbital cort/Insula r	43, 16, -14	142	6.56	0.000
	Insular cortex ant r	37, 19, 1		5.22	
	Inf front gyr, triang r	34, 34, 4		4.72	
	Superior frontal gyrus post l	-5, 13, 55	266	6.55	0.000
	Medial frontal gyrus r	10, 13, 49		5.59	
	Medial frontal gyrus l	-2, 28, 49		5.45	
	Frontoparietal operculum r	43, 4, 7	213	6.06	0.000
	Precentral sulcus r	40, 7, 31		5.25	
	Precentral sulcus r	37, 1, 43		5.18	
	WM putamen/insular cortex ant l	-23, 22, -8	124	5.74	0.001
	Frontal orbital cortex l	-35, 25, -8		5.37	
HC	Occipital fusiform gyrus l	-32, -77, -17	4150	14.03	0.000
	Lingual gyrus l	-11, -86, -11		13.13	
	Occipital fusiform gyrus l	-23, -86, -11		13.11	
	Superior colliculus r	4, -29, -8	109	7.31	0.002


WM thalamus l	-11, -20, -5		5.40	
Cerebellum I-IV l	-2, -41, -14		4.66	
Frontal pole l	-38, 46, 16	78	6.20	0.009
Inferior parietal lobe l	-26, -41, 40	210	5.59	0.000
Inferior parietal lobe l	-44, -32, 40		5.48	
Superior parietal lobe l	-23, -62, 58		5.35	
Middle frontal gyrus lat r	52, 25, 34	229	5.48	0.000
Precentral gyrus r	46, 4, 28		4.73	
Inferior frontal gyrus, operc r	43, 4, 19		4.31	
Medial frontal gyrus r	7, 10, 58	168	5.42	0.000
SMA l	-5, 1, 55		5.21	
Medial frontal gyrus l	-8, 16, 46		4.33	
Caudate nucleus r	13, 4, 13	61	5.42	0.026
WM putamen r	19, 7, 7		4.76	
Pallidum r	16, -5, -2		4.50	
Insular cortex ant l	-32, 22, 4	72	5.27	0.013
Inf front gyr, triang l	-38, 22, 13		4.58	
Precentral sulcus l	-47, 4, 28	57	5.19	0.034

B2: group comparisons

Comparison	Increased activation			Decreased activation						
	Anatomical region	MNI-coord	Voxels (n)	Peak T (voxel)	p-value (FWE cluster corr)	Anatomical region	MNI-coord	Voxels	Peak T (n)	p-value (voxel) (FWE cluster corr)
PSVH+ vs PSVH-	-					-				
PSVH+ vs HC	Cingulate cortex post r	7, -17, 40	160	4.07	0.001	-				
	Cingulate cortex post r	1, -47, 25		4.06						
	Cingulate cortex post l	-14, -44, 37		3.83						
	Precuneous cortex l	-8, -65, 25	126	3.98	0.003					
	Parietooccipital fissure r	4, -71, 28		3.83						
PSVH- vs HC	Cuneal cortex	13, -80, 34		3.44						
	-					-				

Suppl. 3: FIR ROI analysis for the left and right LOC inferior, without the 3 PSVH+ participants who experienced VH during scanning

A: left



B: right

