FOOD FREQUENCY QUESTIONNAIRE

This questionnaire asks for some background information about you, especially about what you eat.

Please answer every question. If you are uncertain about how to answer a question then do the best you can, but please do not leave a question blank.

1. YOUR DIET LAST YEAR

For each food there is an amount shown, either a "medium serving" or a common household unit such as a slice or teaspoon. Please put a tick () in the box to indicate how often, **on average**, you have eaten the specified amount of each food **during the past year**.

EXAMPLES:

For white bread the amount is one slice, so if you ate 4 or 5 slices a day, you should put a tick in the column headed "4-5 per day".

FOODS AND AMOUNTS	AVERAGE USE LAST YEAR									
BREAD AND SAVOURY BISCUITS (one slice or biscuit)	Never or less than once/month	1-3 per month	Once a week	2-4 per week	5-6 Once per a week day	2-3 per day	4-5 per day	6+ per day		
White bread and rolls					\wedge		1			

For chips, the amount is a "medium serving", so if you had a helping of chips twice a week you should put a tick in the column headed "2-4 per week".

FOODS AND AMOUNTS	AVERAGE USE LAST YEAR								
POTATOES, RICE AND PASTA (medium serving)	Never or 1-3 Once less than per once/month month week	2-4 5-6 per per week week	Once 2-3 a per day day	4-5 6+ per per day day					
Chips		√							

For very seasonal fruits such as strawberries and raspberries you should estimate your average use when the fruits are in season, so if you ate strawberries or raspberries about once a week when they were in season you should put a tick in the column headed "once a week"

FOODS AND AMOUNTS	AVERAGE USE LAST YEAR								
FRUIT (1 fruit or medium serving)	Never or less than once/month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	6+ per day
Strawberries, raspberries, kiwi fruit			√	1				-	

MEAT AND FISH	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	7 per day
Beef: roast, steak, mince,									
stew or casserole (5oz.) Beef burgers (6oz.)									
Pork: roast, chops, stew or slices (5oz.)									
Lamb: roast, chops or stew (5oz.)									
Chicken or other poultry e.g. turkey (5oz.)									
Bacon (2oz. or 4 slices)									
Ham (3oz.)									
Corned beef, Spam, luncheon meats (4oz.)									
Sausages (5oz.)									
Liver (5oz.)									
Fried fish in batter, as in fish and chips (5oz.)									
Fish fingers, fish cakes (5oz.)									
Other white fish, fresh or frozen, e.g. cod, haddock, plaice, sole, halibut (5oz.)									
Oily fish, fresh or canned, e.g. mackerel, kippers, tuna, salmon, sardines, herring (5oz.)									
Shellfish, e.g. crab, prawns, mussels (5oz.)									
Fish roe, taramasalata (2oz.)									
BREAD AND SAVOURY BISCUITS									
White bread and rolls (2 slices)									
Brown bread and rolls (2 slices)									
Whole wheat bread and rolls (2 slices)									
Cream crackers, cheese biscuits (6 crackers)									
Crispbread, e.g. Ryvita (4oz.)									
CERÉALS									
Oatmeal (1/2 cup)									
Breakfast cereal such as cornflakes, muesli etc. (1 cup)									

POTATOES, RICE AND PASTA	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	7 per day
Boiled, mashed potatoes									
(3.5oz.) French Fries (4oz.)									
Roast potatoes (3.5oz.)					1			1	
Potato salad (3.5oz.)									
White rice (1/2 cup)									
Brown rice (1/2 cup)									
White or green pasta, e.g. spaghetti, macaroni, noodles (1 cup) Whole wheat pasta (1									
cup) Lasagna, moussaka (1									
square)								<u> </u>	
Pizza (1 large slice)									
DAIRY PRODUCTS AND FATS		•	·	J	1	I.	1	1	
Sour cream (tablespoon)									
Double or Clotted cream									
(tablespoon)					<u> </u>				
Low fat Greek yogurt (125g/ 4.4oz. carton)									
Full fat Greek yogurt									
(125g/ 4.4 oz. carton) Low fat yogurt, e.g. Vanilla									
(1/2 cup)									
Full fat yogurt, e.g. mixed berries (1/2 cup)									
Low fat, skim or non-fat milk (8oz.)									
Whole milk (8oz.)									
Cheese, e.g. Cheddar, Brie, Edam (medium serving/ 1.3oz.)									
Cottage cheese (2.4oz.)									
Eggs as boiled, scrambled, etc. (one)									
Quiche (3.5oz.)									
Low fat salad cream (tablespoon)									
Mayonnaise, salad cream (tablespoon)									
French dressing (tablespoon)									

PLEASE PUT A TICK (\checkmark) ON EVERY LINE

The following on bread or vegetables	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	7 per day
Butter (teaspoon)									
Block margarine (teaspoon)									
Polyunsaturated margarine, e.g. Flora, sunflower (teaspoon)									
Low fat spread (teaspoon)									
SWEETS AND SNACKS									
Sweet crackers, e.g. Wafer (3 crackers) Cookies, e.g. plain, chocolate, ginger (one) Cake home baked, ready made (one slice/ 1.5oz.)									
Donut home baked, ready made (1.5oz.)									
Fruit pies, tarts, crumbles, home made, ready made (one slice/ 1.8oz.) Chocolate pudding (one									
container)									
Milk pudding (3.5oz.)									
Ice cream (125g carton/ 4.4oz.)									
Chocolates, single or square, e.g. Hershey's Milk Chocolate (4 squares)									
Chocolate snack bars, e.g. Snickers (one bar)									
Candy, sweets, toffees, mints (one pop)									
Sugar added to tea, coffee, cereal (teaspoon)									
Potato chips (one snack size bag) Peanuts or other nuts									
(1oz.)									
SOUPS, SAUCES, AND SPREADS									
Vegetable soups (bowl)									
Beef soups (bowl)									
Gravy (tablespoon)									
Tomato ketchup (tablespoon)									
Pickles (tablespoon)									

SOUPS, SAUCES, AND SPREADS	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	7 per day
Jam, marmalade, honey (teaspoon)									
Peanut butter (teaspoon)									
DRINKS									
Tea (cup)									
Coffee, instant or ground (cup)									
Coffee, decaffeinated (cup)									
Coffee creamer, e.g.									
Coffee-mate (teaspoon)									
Cocoa, hot chocolate (cup)									
Wine (glass)									
Beer (half pint)									
Port, sherry, vermouth, liquors (shot glass)									
Spirits, e.g. gin, brandy, whiskey, vodka (shot glass)									
Low or diet fizzy soft drinks (can)									
Fizzy soft drinks, e.g. Coca cola, lemonade (glass)									
Pure fruit juice (100%) e.g. orange, apple juice (glass)									
Fruit juice from									
concentrate (one can) FRUIT									
Apples (1 fruit)									
Pears (1 fruit)									
Oranges, satsumas, mandarins (1 fruit)									
Grapefruit (half)									
Bananas (1 fruit)									
Grapes (medium serving)									
Melon (1 slice)									
Peaches, plums, apricots (1 fruit)									
Strawberries, raspberries, kiwi fruit (medium serving)									
Canned fruit (medium serving) serving)									
Dried fruit, e.g. raisins, prunes (1/4 cup)									

VEGETABLES	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	7 per day
Carrots (1.8oz.)									
Spinach (1.8oz.)									
Broccoli, spring greens, kale (1.8oz.)									
Brussels sprouts (1.8oz.)									
Cabbage (1.8oz.)									<u> </u>
Peas (1.8oz.)									1
Green beans, broad beans, runner beans (1.8oz.)									
Zucchini (1.8oz.)									
Cauliflower (1.8oz.)									1
Parsnips, turnips, swedes (1.8oz.)									
Leeks (1.8oz.)									
Onions (1.8oz.)									1
Garlic (teaspoon)									
Mushrooms (1.8oz.)									
Sweet pepper, e.g. red, yellow (1.8oz.)									
Bean sprouts (1.8oz.)									1
Green salad, lettuce, cucumber, celery (1.8oz.)									
Watercress (1.8oz.)									
Tomatoes (1.8oz.)									
Sweet corn (1.8oz.)									
Beetroot (1.8oz.)									
Coleslaw (1.8oz.)									
Avocado (1.8oz.)									
Baked beans (1.8oz.)									_
Dried lentils, beans, peas (1.8oz.)									
Tofu, soya meat, TVP, Vegeburger (1.8oz.)									

YOUR DIET LAST YEAR, continued 2. Are there any **OTHER** foods which you ate more than once a week? No Yes If yes, please list below Number of times Food Usual serving size eaten each week 3. What type of milk did you most often use? Select one only Full cream, silver Semi-skimmed, red/white Skimmed/blue Channel Islands, gold Dried milk Sova Other, specify None How much milk did you drink each day, including milk with tea, coffee, cereals etc? 4. None Three quarters of a pint Quarter of a pint One pint Half a pint More than one pint Did you usually eat breakfast cereal (excluding porridge and Ready Brek mentioned earlier)? 5. Yes If yes, which brand and type of breakfast cereal, including muesli, did you usually eat? List the one or two types most often used Brand e.g. Kellogg's Type e.g. cornflakes What kind of fat did you most often use for frying, roasting, grilling etc? 6. Select one only Butter Solid vegetable fat Lard/dripping Margarine Vegetable oil None

If you used vegetable oil, please give type eg. corn, sunflower What kind of fat did you most often use for baking cakes etc? Select one only Butter Solid vegetable fat Lard/dripping Margarine Vegetable oil None If you used margarine, please give name or type eg. Flora, Stork

7.

8.	How often did you eat food that was fried at home?		
	Daily 1-3 times a week		4-6 times a week
	Less than once a week		Never
0	How often did you get fried food away from home?		
9.	How often did you eat fried food away from home?		4-6 times a week
	Daily 1-3 times a week		
	Less than once a week		Never
10.	What did you do with the visible fat on your meat?		
	Ate most of the fat	Ate	e as little as possible
	Ate some of the fat		Did not eat meat
	I I a set a		times a week
11.	How often did you eat grilled or roast meat?		tillies a week
40		20t2	
12.	How well cooked did you usually have grilled or roast m Well done /dark brown	ear	Lightly applyed/rare
			Lightly cooked/rare Did not eat meat
	Medium		Did not eat meat
13.	How often did you add salt to food while cooking?		
13.	Always		Rarely
	Usually		Never
	Sometimes		INCVCI
	Sometimes		
14.	How often did you add salt to any food at the table?		
	Always		Rarely
	Usually		Never
	Sometimes		
15.	Did you regularly use a salt substitute (eg LoSalt)?		Yes No
15.	If yes, which brand?		100 110
	n yes, which brand:		
16.	During the course of last year, on average, how many ti foods?	mes a wee	k did you eat the following
		nes/week	Portion size
	Vegetables (not including potatoes)		medium serving
	Salads		medium serving
	Fruit and fruit products (not including fruit juice)		medium serving or 1 fruit
	Fish and fish products		medium serving
	Meat, meat products and meat dishes		
	(including bacon, ham and chicken)		medium serving

the past year?					Yes	N	10	Don't	t know	
If yes, please complete the t	table be	low. If	you ha	ave tak	cen mo	re tha	n 5 typ	es of s	suppler	nent
please put the most frequent	tly cons	umed	brands	s first.						
Vitamin supplements	THE E						uency		357	
							show ho			
Name and brand Please list full name, brand and strength	Please state number of pills, capsules or teaspoons consumed	Never or less than once a month	1-3 per month	Once a week	2-4 per week	5-6 per week	Once a day	2-3 per day	4-5 per day	6+ per day
			v							
		-								
							Э.			
Medic 2 g g										

17. Have you taken any vitamins, minerals, fish oils, fibre or other food supplements during

Thank you for your help