

Appendix C

Table 1

Sample characteristics for neuropsychological variables

Variable	Control (n =14)		TLE (n =15)		p	r
	Median (Q1,Q3)	Range	Median (Q1,Q3)	Range		
TOPF ^a	0.75 (-0.02, 1.33)	2.25	0.25 (-0.67, 0.67)	3.00	0.06	0.41
WASI-II ^a Matrix Reasoning	0.40 (0.00, 0.92)	6.50	0.00 (-0.33, 0.55)	4.50	0.40	0.19
WASI-II ^a Vocabulary	1.00 (-0.18, 1.25)	3.50	0.55 (0.14, 0.67)	3.67	0.20	0.29
WASI-II ^a FSIQ	0.61 (-0.25, 0.75)	3.17	0.25 (-0.42, 0.55)	4.50	0.26	0.25
WAIS-IV Digits Forward ^a	0.34 (-0.67, 0.92)	3.67	-0.33 (-0.33, 0.17)	2.33	0.47	0.16
WAIS-IV Digits Backward ^a	0.00 (-0.67, 0.33)	3.34	0.00 (-0.33, 0.50)	2.66	0.98	0.01
WMS-IV Logical Memory I ^a	0.67 (-0.16, 1.33)	4.00	0.33 (-0.17, 1.00)	2.33	0.58	0.12
WMS-IV Logical Memory II ^a	1.00 (0.00, 1.00)	3.66	0.33 (-0.33, 1.00)	2.67	0.48	0.16
RAVLT ^a Total ^a	0.59 (-0.09, 1.52)	3.57	0.18 (-0.15, 1.15)	3.01	0.62	0.11
RAVLT ^a Post-Interference Recall ^a	0.22 (-0.58, 1.10)	3.01	0.22 (-0.86, 0.89)	3.76	0.65	0.10
RAVLT ^a Delayed Recall ^a	0.28 (-0.46, 1.26)	4.34	0.32 (-0.77, 0.69)	3.91	0.65	0.10
WMS-R Easy [^]	12.00 (11.00, 12.00)	3.00	11.00 (10.00, 11.50)	3.00	0.18	0.28
WMS-R Hard [^]	8.50 (6.25, 10.00)	10.00	7.00 (6.00, 8.50)	9.00	0.21	0.28
WMS-R Easy Delay [^]	4.00 (4.00, 4.00)	0.00	4.00 (4.00, 4.00)	1.00	0.37	0.07
WMS-R Hard Delay [^]	4.00 (3.25, 4.00)	4.00	4.00 (3.00, 4.00)	2.00	0.60	0.10
Victoria Stroop ^a Dots ^a	-0.83 (-1.25, -0.33)	2.33	-1.33 (-1.33, -1.00)	3.34	0.12	0.34
Victoria Stroop ^a Words ^a	-0.50 (-0.92, -0.33)	1.67	-0.67 (-1.33, -0.33)	2.33	0.31	0.22
Victoria Stroop ^a Colour ^a	0.00 (-0.92, 0.67)	4.00	0.00 (-0.67, 0.33)	2.00	0.60	0.12
Victoria Stoop ^a Interference ^a	0.83 (-0.83, 1.00)	3.33	1.00 (0.50, 1.33)	2.00	0.41	0.18
BNT ^a Total ^a	-0.05 (-0.67, 0.55)	3.03	-0.74 (-1.65, 0.13)	3.84	0.12	0.35
BNT ^a TOT States ^{^a}	17.00 (13.75, 23.50)	22.00	24.00 (21.00, 27.00)	17.00	0.02*	0.48
BNT ^a Proportion TOT ^{^a}	0.28 (0.23, 0.40)	0.37	0.40 (0.35, 0.44)	0.20	0.08	0.39
OLR (COWAT) ^a	-0.53 (-0.98, -0.04)	4.01	-1.17 (-1.58, 0.16)	4.29	0.29	0.23
Animals ^a	0.67 (-0.02, 1.63)	3.34	-0.35 (-0.61, 0.30)	2.39	0.0099**	0.57
ANT ^a Total [^]	48.00 (48.00, 49.00)	5.00	47.00 (45.00, 49.00)	9.00	0.29	0.23
ANT ^a Latency ^{^a}	64.00 (59.50, 69.00)	23.00	84.00 (68.50, 92.00)	60.00	0.02*	0.53
ANT ^a TOT States ^{^a}	11.50 (9.00, 14.50)	18.00	21.00 (13.00, 27.00)	29.00	0.03*	0.47
ANT ^a Proportion TOT ^{^a}	0.23 (0.18, 0.29)	0.36	0.42 (0.26, 0.54)	0.58	0.03*	0.47
WFD Frequency Rating ^{^a}	2.50 (1.25, 3.00)	3.00	3.00 (3.00, 4.00)	5.00	0.04*	0.45
WFD Distress Rating [^]	1.00 (1.00, 1.75)	3.00	4.00 (3.00, 6.00)	6.00	0.0006**	0.74
VGT ^a Correct Dominant [^]	36.50 (34.25, 42.75)	20.00	36.00 (32.00, 38.00)	22.00	0.34	0.21
VGT ^a Correct Other [^]	18.00 (15.00, 21.00)	15.00	19.00 (17.00, 21.25)	14.00	0.46	0.17
VGT ^a Latency [^]	184.50 (164.25, 196.75)	125.00	213.00 (183.50, 308.00)	323.00	0.03*	0.48
HADS ^a Anxiety ^{^a}	7.00 (5.25, 8.50)	10.00	7.00 (6.50, 8.50)	10.00	0.58	0.12
HADS ^a Depression [^]	2.00 (1.00, 3.00)	9.00	4.00 (4.00, 5.50)	16.00	0.022*	0.50

Note. TLE = Temporal Lobe Epilepsy; TOPF = Test of Premorbid Functioning; WASI-II = Wechsler Abbreviated Scale of Intelligence, Second Edition; FSIQ = Full Scale Intelligence Quotient; WAIS-IV = Wechsler Adult Intelligence Scale, Fourth Edition; WMS-IV = Wechsler Memory Scale, Fourth Edition; RAVLT = Rey Auditory Verbal Learning Test; WMS-R = Wechsler Memory Scale-Revised; BNT = Boston Naming Test; TOT = Tip-of-the-tongue; OLR (COWAT) = Orthographic Lexical Retrieval (Controlled Oral Word Association Test); WFD = Word Finding Difficulty; VGT = Verb Generation Task; ANT = Auditory Naming Task; HADS = Hospital Anxiety and Depression Scale. Represented as z-scores where normative data was available, raw data are indicated by[^]. Latencies are expressed in seconds. Group differences computed using Mann-Whitney U test, effect sizes *r*, where * = *p* <.05, ** = *p* <.01. ^aSuggests that data does not violate assumptions of normality on Shapiro-Wilk.

Table 2*Group differences on discourse variables across trials*

Discourse Measure	Trial 1		Trial 2		Trial 3		Trial 4	
	MD [95% CI]	p [RBC]	MD [95% CI]	p [RBC]	MD [95% CI]	p [RBC]	MD [95% CI]	p [RBC]
Sample length	26.50 [-179.00, 300.00]	.71 [0.09]	-12.00 [-228.00, 147.00]	.85 [0.05]	-26.00 [-274.00, 145.00]	.68 [0.10]	-15.74 [-259.00, 154.00]	.79 [0.06]
Spontaneous duration	-12.84 [-112.95, 70.83]	.85 [0.05]	-36.05 [-125.79, 35.54]	.38 [0.20]	-37.76 [-132.72, 26.94]	.19 [0.30]	-31.50 [-123.70, 39.90]	.35 [0.21]
Pause duration	-9.74 [-30.70, 4.34]	.31 [0.23]	-18.53 [-37.50, -1.71]	.026 [0.49]*	-20.50 [-39.10, -4.78]	.0094 [0.57]*†	-20.38 [-42.36, -1.99]	.008 [0.54]*†
Duration (excluding pauses)	-3.96 [-83.87, 65.27]	.92 [0.03]	-14.65 [-86.48, 34.77]	.51 [0.15]	-17.74 [-96.18, 31.88]	.45 [0.17]	-14.06 [-81.09, 44.75]	.53 [0.14]
Production rate (words/second)	0.60 [0.19, 0.99]	.0043 [0.61]*†	0.57 [0.17, 0.90]	.0043 [0.61]*†	0.53 [0.10, 0.89]	.014 [0.53]*†	0.46 [0.02, 0.80]	.032 [0.44]*†
Total statements	5.82 [-24.00, 41.00]	.66 [0.10]	-2.70 [-23.00, 22.00]	.71 [0.09]	-4.18 [-39.00, 19.00]	.57 [0.13]	-3.00 [-37.00, 21.00]	.71 [0.09]
Fluency disruptors^	-0.11 [-0.17, -0.05]	.0006 [0.71]*†	-0.12 [-0.18, -0.07]	<.0001 [0.80]*†	-0.11 [-0.16, -0.76]	<.0001 [0.86]*†	-0.10 [-0.15, -0.06]	<.0001 [0.87]*†
Clarity disruptors^	-0.01 [-0.03, -0.00]	.0068 [0.58]*†	-0.02 [-0.03, -0.01]	.0032 [0.63]*†	-0.01 [-0.02, -0.00]	.0011 [0.69]*†	-0.01 [-0.03, 0.00]	.033 [0.44]*†
False starts^	-0.01 [-0.03, 0.01]	.29 [0.24]	-0.01 [-0.03, 0.00]	.057 [0.42]	-0.01 [-0.03, -0.00]	.033 [0.47]*†	-0.01 [-0.02, 0.01]	.22 [0.28]
Fillers (non-grammatical)^	-0.01 [-0.02, 0.00]	.15 [0.32]	-0.01 [-0.03, 0.00]	.057 [0.42]	-0.01 [-0.03, 0.00]	.016 [0.31]*†	-0.01 [-0.03, 0.00]	.077 [0.39]
Pauses (non-grammatical)^	-0.05 [-0.08, -0.02]	.0019 [0.66]*†	-0.05 [-0.07, -0.02]	.0001 [0.78]*†	-0.04 [-0.06, -0.03]	<.0001 [0.82]*†	-0.05 [-0.07, -0.03]	.0001 [0.79]*†
Hesitations (non-grammatical)^	-0.06 [-0.11, -0.03]	.0008 [0.70]*†	-0.07 [-0.10, -0.03]	.0001 [0.78]*†	-0.06 [-0.08, -0.03]	.0006 [0.75]*†	-0.06 [-0.09, -0.04]	<.0001 [0.83]*†
Other referents^	-0.02 [-0.02, -0.01]	.0003 [0.74]*†	-0.01 [-0.03, 0.00]	.055 [0.42]*	-0.02 [-0.03, -0.01]	.0009 [0.70]*†	-0.01 [-0.02, -0.00]	.019 [0.48]*†
Disrupted Cohesion^	-0.02 [-0.03, -0.01]	.0008 [0.70]*†	-0.01 [-0.03, -0.00]	.040 [0.45]*	-0.02 [-0.03, -0.01]	.0005 [0.72]*†	-0.01 [-0.03, -0.00]	.016 [0.50]*†
Task-on novel units#	0.10 [0.01, 0.18]	.034 [0.47]*	0.15 [0.04, 0.27]	.0007 [0.58]*†	0.15 [0.06, 0.26]	.0006 [0.61]*†	0.19 [0.09, 0.25]	.0001 [0.85]*†
Non-progression units#	-0.08 [-0.15, 0.01]	.081 [0.39]	-0.15 [-0.27, -0.04]	.0008 [0.57]*†	-0.16 [-0.28, -0.08]	.0021 [0.68]*†	-0.16 [-0.23, -0.07]	.0005 [0.77]*†
Non-progression to task-on novel units	-0.21 [-0.38, -0.00]	.045 [0.44]*	-0.29 [-0.61, -0.06]	.0008 [0.57]*†	-0.27 [-0.57, -0.13]	.00028 [0.66]*†	-0.28 [-0.44, -0.12]	.0003 [0.80]*†
Syntactic Simplicity^	-0.02 [-0.04, 0.00]	.057 [0.42]	-0.02 [-0.04, -0.00]	.029 [0.48]*	-0.02 [-0.04, -0.00]	.029 [0.48]*†	-0.02 [-0.04, -0.00]	.038 [0.43]*

Note. TLE = Temporal Lobe Epilepsy; MD = Mean Difference where Control – TLE, CI = Confidence Interval. Metrics marked ^ are expressed relative to sample length, # are expressed relative to total statements. Group differences computed using Mann-Whitney U test, effect sizes expressed as Rank Biserial Correlation, where * = $p < .05$, † = significance holds on false discovery rate (FDR) correction.

