

The Nature of Race in Germany: A systematic literature review of human classifications in German life science

Supplementary Material

Model Selection

sl = sampling location

au = author location

med = medicine

epi = epidemiology

psy = psychology

Model 1: ethnicity

Full model:

$$\text{ethnicity} \sim \text{samplingLocation} + \text{authorLocation} + \text{samplingLocation:authorLocation} + \\ \text{medicine} + \text{epidemiology} + \text{psychology} \quad [\text{model S1a}]$$

Table S1: Model selection output of model S1. Models sorted by delta AIC. All predictors appearing in all models with an AIC weight of ≥ 0.05 are highlighted in **bold**.

Model (predictors)	delta-AIC	AIC weight
sl + au + sl:au + med - epi	0.00	0.16
sl + au + sl:au + med	0.57	0.121
sl + au + med - epi	0.81	0.107
sl + au + sl:au + med - epi + psy	1.40	0.08
sl + au + sl:au + med + psy	1.41	0.079
sl + au + sl:au - epi	1.47	0.077
sl + au + med	1.72	0.068
sl + au + med - epi + psy	1.95	0.06
sl + au + med + psy	2.21	0.053
sl + au + sl:au	2.26	0.052

Final model:

$$\text{ethnicity} \sim \text{samplingLocation} + \text{authorLocation} \quad [\text{model S1b}]$$

adj. R²=0.1




Fig. S1: Interaction plot of the percent of the term ethnicity used across sampling locations and author locations.

Model 2: migration

Full model:

migration ~ samplingLocation + authorLocation + samplingLocation:authorLocation +
medicine + epidemiology + psychology [model S2a]

Model (predictors)	delta-AIC	AIC weight
sl + au + med + epi + psy	0	0.372
sl + au + med + epi	1.13	0.212
sl + au + sl:au + med + epi + psy	1.74	0.156
sl + au + sl:au + med + epi	2.82	0.091
sl + au + epi	3.51	0.064

Final model:

migration ~ samplingLocation + authorLocation + epidemiology [model S2b]

adj. R² = 0.35




Fig. S2: Interaction plot of the percent of the term migration used across sampling locations and author locations.

**Model 3: ancestry-1.04500 + -0.4041 -0.6990 -1.0380 + 8 -282.190
580.6 0.00**

30 -1.22400 + -0.6583 -0.9428 + 7 -283.428 581.1 0.42

Full model:

ancestry ~ samplingLocation + authorLocation + samplingLocation:authorLocation +
medicine + epidemiology + psychology [model S3a]

Model (predictors)	delta-AIC	AIC weight
sl + au - med - epi - psy	0	0.489
sl + au - epi - psy	2.28	0.156
sl + au - med - psy	2.31	0.154
sl + au - psy	4.48	0.052

Final model:

ancestry ~ samplingLocation + authorLocation + psychology [model S3b]

adj. R² = 0.16




Fig. S3: Interaction plot of the percent of the term ancestry used across sampling locations and author locations.

Model 4: race

Full model:

$$\text{race} \sim \text{samplingLocation} + \text{authorLocation} + \text{samplingLocation:authorLocation} + \\ \text{medicine} + \text{epidemiology} + \text{psychology} \quad [\text{model S4a}]$$

Model (predictors)	delta-AIC	AIC weight
sl + au + psy	0.00	0.23
sl + au + sl:au + psy	0.89	0.149
sl + au - med + psy	1.02	0.14
sl + au + sl:au - med + psy	1.93	0.088
sl + au - epi + psy	2.04	0.084
sl + au + sl:au - epi + psy	2.95	0.053
sl + au - med - epi + psy	4.06	0.05

Final model:

$$\text{race} \sim \text{samplingLocation} + \text{authorLocation} + \text{psychology} \quad [\text{model S4b}]$$

adj. R² = 0.32




Fig. S4: Interaction plot of the percent of the term race used across sampling locations and author locations.

Model 5: population

Full model:

$$\text{population} \sim \text{samplingLocation} + \text{authorLocation} + \text{samplingLocation:authorLocation} + \\ \text{medicine} + \text{epidemiology} + \text{psychology} \quad [\text{model S5a}]$$

Model (predictors)	delta-AIC	AIC weight
sl + au - med - epi - psy	0	0.461
sl + au - med - psy	0.42	0.375

Final model:

$$\text{population} \sim \text{samplingLocation} + \text{authorLocation} + \text{medicine} + \text{psychology} \quad [\text{model S5b}]$$

adj. R² = 0.13




Fig. S5: Interaction plot of the percent of the term population used across sampling locations and author locations.

Model 6: origin

Full model:

$$\text{origin} \sim \text{samplingLocation} + \text{authorLocation} + \text{samplingLocation:authorLocation} + \\ \text{medicine} + \text{epidemiology} + \text{psychology} \quad [\text{model S6a}]$$

Model (predictors)	delta-AIC	AIC weight
sl	0	0.196
sl - epi	0.86	0.128
sl - psy	1.08	0.114
sl - epi - psy	1.51	0.092
sl - med	2	0.072
sl +au	2.51	0.056

Final model:

$$\text{origin} \sim \text{sampling Location} \quad [\text{model S6b}]$$

adj. R² = 0.01




Fig. S6: Interaction plot of the percent of the term origin used across sampling locations and author locations.

Model 7: refugee / asylum seeker

Full model:

refugeeAsylumSeeker ~
samplingLocation + authorLocation + samplingLocation:authorLocation +
medicine + epidemiology + psychology [model S7a]

Model (predictors)	delta-AIC	AIC weight
sl+ psy	0	0.245
sl + au + psy	1.41	0.121
sl	1.87	0.096
sl - med + psy	2.03	0.089
sl + epi + psy	2.04	0.088
sl +au	2.8	0.06

Final model:

refugeeAsylumSeeker ~ samplingLocation [model S7b]

adj. R² = 0.07




Fig. S7: Interaction plot of the percent of the terms refugee / asylum seeker used across sampling locations and author locations.

Distribution across disciplines

Most studies were part of the disciplines medicine, epidemiology and psychology. Other disciplines, like industry or archaeogenetics, did not have a balanced enough distribution across sampling locations or author locations. Therefore, only medicine, epidemiology and psychology were analyzed in depth.




Fig. S8: Distribution of studies across disciplines, author locations and sampling locations.

Author networks

Almost all authors appeared only once or very few times either as first- or last authors. This leads us to assume there is little bias in personal styles of word use by authors, although author networks can still play a role.




Fig. S9: Number of appearances of authors as either last- or first author in our dataset.