

The quality assessment, quality rating and explanatory notes for each study, based on the criteria presented in table S3-5

Author (year)	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16	Quality rating	Notes
Curtis (2019)	yes	no	yes	no	NA	no	no	no	yes	no	no	no	NA	NA	no	no	27% Poor	2. Unclear where and in what time period participants were recruited 4. Inclusion/exclusion criteria not consistent across groups and no inclusion criteria provided for the control participants 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding laboratory site, shipping, storage and sequencing methods 11. The gut microbiota was measured only once 12. Lack of detail regarding MRI acquisition 15. Analyses were only corrected for smoking status 16. Unclear which statistical tests were performed, and direction of effects not consistently reported
Cai (2021) / Zhu (2022) / Zhang (2022)	yes	no	yes	yes	NA	no	no	no	yes	no	no	yes	NA	NA	yes	yes	64% Fair	2. Unclear where and in what time period participants were recruited 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding sequencing methods 11. The gut microbiota was measured only once
Hall (2021)	yes	no	yes	yes	NA	yes	no	no	yes	no	no	yes	NA	NA	yes	no	64% Fair	2. No time-period for recruitment reported 10. The used primer is not reported 11. The gut microbiota was measured only once 16. No correction for multiple testing
Kohn (2021)	yes	no	yes	yes	NA	no	no	no	yes	yes	no	yes	NA	NA	no	yes	64% Fair	2. Unclear where and in what time period participants were recruited 6. No sample size justification or reporting of effect size estimates 11. The gut microbiota was measured only once 15. The analyses were not corrected for age and sex, but the sample included only females in a narrow age-range
Tillisch (2017)	yes	no	yes	yes	NA	no	no	no	yes	yes	no	yes	NA	NA	yes	no	64% Fair	2. Unclear where participants were recruited 6. No sample size justification or reporting of effect size estimates 11. The gut microbiota was measured only once 16. Methodological decisions not well described in the context of the sample size
Gao (2019)	yes	no	no	yes	NA	no	no	no	yes	no	no	no	NA	NA	yes	yes	45% Poor	2. No time-period for recruitment reported 3. The rs-fMRI scan was not successful for over 50% of the eligible infants 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding sequencing methods 11. The gut microbiota was measured only once 12. Lack of detail regarding MRI acquisition
Kelsey (2021)	yes	no	yes	yes	NA	yes	no	no	yes	yes	no	yes	NA	NA	yes	yes	82% Good	2. No time-period for recruitment reported 11. The gut microbiota was measured only once

Author (year)	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16	Quality rating	Notes
Wang (2019) / Zheng (2020)	yes	no	yes	no	NR	no	no	no	yes	no	no	yes	no	NA	yes	no	42% Poor	2. No time-period for recruitment reported 4. Unclear whether the inclusion/exclusion criteria are consistently applied across cases and controls. There are inconsistencies in the description of the inclusion/exclusion criteria across the two reports (based on the same sample) 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding laboratory site, shipping and sequencing methods 11. The gut microbiota was measured only once 13. The analyses were not performed blinded to the case/control status of the participants 16. Unclear which tests were corrected for multiple testing
Dong (2022)	yes	no	yes	yes	yes	no	no	no	yes	no	no	yes	no	NA	no	yes	58% Fair	2. Unclear where and in what time period participants were recruited 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding laboratory site, sample collection and shipping 11. The gut microbiota was measured only once 13. The analyses were not performed blinded to the case/control status of the participants 15. The analyses were not corrected for age and sex
Dong (2020)	yes	no	yes	yes	NA	no	yes	yes	yes	no	no	yes	NA	yes	no	no	57% Fair	2. No time-period for recruitment reported 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding laboratory site, sample collection, shipping, storage and primers used 11. The gut microbiota was measured only once before and after the intervention 15. The analyses were not corrected for age and sex 16. Lack of clarity regarding methodological decisions. E.g., it is not explained why data from different timepoint was pooled
Strandwitz (2019)	yes	no	yes	yes	NA	no	no	no	yes	yes	no	no	NA	NA	yes	yes	64% Fair	2. No time-period for recruitment reported 6. No sample size justification or reporting of effect size estimates 11. The gut microbiota was measured only once 12. Lack of detail regarding MRI acquisition
Ahluwalia (2016)	yes	no	yes	yes	NA	no	no	no	yes	no	no	no	NA	NA	no	no	36% Poor	2. No time-period for recruitment reported 6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding laboratory site, sample collection, shipping, storage and sequencing method 11. The gut microbiota was measured only once 12. MRI pre-processing steps not reported 15. The analyses were not corrected for age and sex 16. Lack of clarity regarding statistical approach
Labus (2019)	yes	yes	yes	yes	NR	no	no	no	yes	no	no	yes	no	NA	yes	no	58% Fair	6. No sample size justification or reporting of effect size estimates 10. Lack of clarity regarding sample storage and sequencing method 11. The gut microbiota was measured only once 13. The analyses were not performed blinded to the case/control status of the participants 16. No correction for multiple testing

Author (year)	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16	Quality rating	Notes
Li (2022)	yes	no	yes	yes	NR	yes	no	no	yes	no	no	yes	no	NA	no	no	50% Fair	2. No time-period for recruitment reported 10. Lack of clarity regarding pre-processing steps 15. The analyses were not corrected for age and sex 16. Lack of clarity regarding which statistical tests were used and which variables were used for functional connectivity
Hong (2021)	yes	yes	yes	yes	NA	no	yes	yes	yes	yes	no	yes	NA	no	yes	yes	79% Good	6. No sample size justification or reporting of effect size estimates 11. The gut microbiota was measured only once before and after the intervention 14. Loss to follow-up was more than 20%
Jacobs (2021)	yes	yes	yes	yes	NA	no	yes	yes	yes	yes	no	yes	no	yes	yes	yes	80% Good	6. No sample size justification or reporting of effect size estimates 11. The gut microbiota was measured only once before and after the intervention 13. The analyses were not performed blinded to the response status of the participants

NA: not applicable; NR: not reported

Poor (<50%)	4
Fair (50-74%)	9
Good (≥75%)	3