SUPPLEMENTAL MATERIAL

Table E1: In-hospital events, medications, and discharge location of persons admitted

 to Cleveland Clinic Health System hospitals with COVID-19

Figure E1: Completeness of follow-up. Red x's represent deaths and blue circles living patients positioned at time of last follow-up, with a closing date of 7/1/2022. **A)** Patients treated in Ohio. **B)** Addition of the 2,216 Florida patients, with their last cross-sectional follow-up as of 1/1/2022. **C)** Patients treated in Ohio, zoomed in at 60 days after hospital admission. **D)** Addition of patients treated in Florida, zoomed in at 60 days after hospital admission.

Figure E2: Partial dependency plots of the relationship of predicted 60-day riskadjusted mortality and age at hospital admission for COVID-19 based on the pre– COVID-19 mortality model incorporating demographics, medical history, medications, and vaccination status (red symbols and line), and the at-admission mortality model, also incorporating symptoms and results of routine laboratory tests at hospital admission, reflecting patients' physiologic response to SARS-CoV-2 (blue symbols and line). Note blunting of the age relationship in the at-admission model vs. pre–COVID-19 model when patients' response to the virus is taken into account.

Variable	COVID-19 Admitted (N=13,327)	
	(N=)	No. (%)
In-hospital events		
High-flow oxygen	26,872	4,307 (16)
Mechanical ventilation	26,872	2,555 (9.5)
Admission to intensive care unit	26,872	6,081 (23)
Extracorporeal membrane oxygenation	26,872	13 (0.048)
Medications		
Steroids	26,872	15,821 (59)
Vitamin D	26,872	4,034 (15)
Zinc	26,872	907 (3.4)
Hydroxychloroquine	26,872	637 (2.4)
Tocilizumab	26,872	452 (1.7)
Remdesivir	26,872	211 (0.79)
Lopinavir/Ritonavir	26,872	9 (0.033)
Oral ribavirin	26,872	1 (0.0037)
Discharge Location		
Home	26,164	16,631 (63)
Skilled nursing facility	26,164	3,489 (13)
Other facility	26,164	962 (3.7)
Died in hospital	26,164	1,503 (5.7)

Table E1: In-hospital events, medications, and discharge location of personsadmitted to Cleveland Clinic Health System hospitals with COVID-19

a. Patients with data available.




Figure E1: Completeness of follow-up. Red x's represent deaths and blue circles living patients positioned at time of last follow-up, with a closing date of 7/1/2022. **A)** Patients treated in Ohio. **B)** Addition of the 2,216 Florida patients, with their last cross-sectional follow-up as of 1/1/2022. **C)** Patients treated in Ohio, zoomed in at 60-days post-

hospital admission. **D)** Addition of patients treated in Florida, zoomed in at 60-days post-hospital admission.




Figure E2: Partial dependency plots of the relationship of predicted 60-day riskadjusted mortality and age at hospital admission for COVID-19 based on the pre– COVID-19 mortality model incorporating demographics, medical history, medications, and vaccination status (red symbols and line), and the at-admission mortality model, also incorporating symptoms and results of routine laboratory tests at hospital admission, reflecting patients' physiologic response to SARS-CoV-2 (blue symbols and line). Note blunting of the age relationship in the at-admission model vs. pre–COVID-19 model when patients' response to the virus is taken into account.