

APPENDIX

Supplementary Table 1: Primary and secondary outcomes among all pregnancies in the pre-pandemic, exposure 1 and exposure 2 groups excluding pregnancies with births<24 weeks, terminations of pregnancy and infants with congenital anomalies.

Outcomes	Pre-pandemic		Exposure 1		Exposure 2		Exposure 1 aRR			Exposure 2 aRR		
	n=1120	54%	n=393	19%	n=556	27%	aRR	95% CI	P value	aRR	95% CI	P value
Preterm birth <37 wk												
Total	751	67.1	246	62.6	391	70.3	0.94	0.88-0.99	0.04	1.05	0.98-1.10	0.09
Spontaneous	215	19.2	74	18.8	117	21.0	0.96	0.92-1.01	0.15	1.00	0.96-1.05	0.98
Iatrogenic	536	47.9	172	43.8	274	49.3	0.97	0.91-1.04	0.43	1.05	0.99-1.11	0.12
Preterm birth <34 wk												
Total	224	20.0	71	18.1	135	24.3	0.96	0.91-1.01	0.14	1.06	1.01-1.11	0.01
Spontaneous	103	9.2	37	9.4	59	10.6	0.99	0.95-1.02	0.48	1.02	0.99-1.05	0.22
Iatrogenic	121	10.8	34	8.7	76	13.7	0.98	0.94-1.02	0.24	1.04	1.01-1.07	0.04

Preterm birth <28 wk												
Total	29	2.6	13	3.3	22	4.0	1.00	0.97-1.03	0.96	1.01	0.99-1.04	0.21
Spontaneous	16	1.4	6	1.5	11	2.0	1.00	0.98-1.01	0.91	1.01	1.00-1.03	0.07
Iatrogenic	13	1.2	7	1.8	11	2.0	1.00	0.98-1.01	0.60	1.01	0.99-1.02	0.31
Iatrogenic birth for suspected fetal compromise												
Total	230	20.5	49	12.5	110	19.8	0.93	0.88-0.98	0.00	0.99	0.95-1.04	0.77
≥37 wk	50	13.6	9	6.1	25	15.2	0.93	0.87-1.00	0.05	1.02	0.95-1.09	0.20
<37 wk	180	24.0	40	16.3	85	21.7	0.93	0.87-1.00	0.04	0.98	0.93-1.04	0.71
Mode of birth												
Vaginal	327	29.2	100	25.5	158	28.4	0.93	0.88-0.98	0.01	0.96	0.91-1.01	0.09
Caesarean section after labor onset	378	33.8	131	33.3	208	37.4	0.97	0.91-1.03	0.28	1.02	0.97-1.07	0.49

Caesarean section with no labor	415	37.1	162	41.2	190	34.2	1.11	1.05-1.18	<0.001	1.02	0.97-1.08	0.38
Pregnancy care indicators												
First antenatal visit ≤12 wk	668	59.6	268	68.2	389	70.0	1.04	0.98-1.11	0.18	1.05	0.99-1.10	0.23
Severe PPH > 1000ml	124	11.1	36	9.2	57	10.3	0.95	0.91-0.99	0.01	0.97	0.94-1.00	0.62

aRR, adjusted odds ratio; CI, confidence interval; PPH, post-partum haemorrhage; wk, weeks.

Supplementary Table 2: Infant outcomes in the pre-pandemic, exposure 1 and exposure 2 groups excluding pregnancies with congenital anomalies, terminations of pregnancy and births <24 weeks

Outcomes	Pre-pandemic		Exposure 1		Exposure 2		Exposure 1 aRR			Exposure 2 aRR		
	n=2438	58%	n=866	19%	n=1230	27%	aRR	95%CI	P value	aRR	95%CI	P value
Adjusted stillbirths	21	0.9	9	1.2	9	0.8	1.00	0.99-1.01	0.64	0.99	0.99-1.00	0.15
Fetal growth restriction	133	5.9	43	5.5	59	5.3	1.00	0.98-1.02	0.86	0.99	0.98-1.01	0.58
SCN admissions	998	44.6	316	40.2	415	37.3	0.91	0.87-0.95	<0.001	0.87	0.84-0.91	0.00
NICU admissions	407	18.2	148	18.8	259	23.3	1.00	0.96-1.04	0.99	1.08	1.04-1.11	0.00
5-minute APGAR <7 (term infants)	26	3.5	14	4.8	15	4.6	0.99	0.97-1.02	0.72	1.00	0.97-1.03	0.89

aRR, adjusted risk ratio; *CI*, confidence interval; *SCN*, special care nursery; *NICU*, neonatal intensive care unit.

Supplementary Table 3: Primary and secondary outcomes for sex-concordant twin pregnancies in the pre-pandemic, exposure 1 and exposure 2 groups

Outcomes	Pre-pandemic		Exposure 1		Exposure 2		Exposure 1 aRR			Exposure 2 aRR		
	n=829	54%	n=302	19%	n=448	27%	aRR	95%CI	P value	aRR	95%CI	P value
Preterm birth <37 wk												
Total	607	73.2	207	68.5	340	75.9	0.93	0.87- 0.99	0.03	1.03	0.97-1.09	0.32
Spontaneous	166	20.0	57	18.9	92	20.5	0.95	0.89-1.01	0.07	0.98	0.93-1.03	0.41
Iatrogenic	441	53.2	150	49.7	248	55.4	0.98	0.91-1.06	0.64	1.05	0.99-1.12	0.13
Pre-term birth <34 wk												
Total	205	24.7	68	22.5	133	29.7	0.95	0.89-1.01	0.08	1.04	0.99-1.10	0.13
Spontaneous	86	10.4	34	11.3	49	10.9	0.99	0.94-1.03	0.58	1.00	0.96-1.04	0.85
Iatrogenic	119	14.4	34	11.3	84	18.8	0.96	0.91-1.01	0.10	1.04	1.00-1.09	0.07

Pre-term birth <28 wk												
Total	39	4.7	17	5.6	34	7.6	0.98	0.95-1.01	0.16	1.01	0.98-1.04	0.40
Spontaneous	16	1.9	8	2.7	16	3.6	1.00	0.98-1.02	0.83	1.02	1.00-1.03	0.11
Iatrogenic	23	2.8	9	3.0	18	4.0	0.98	0.95-1.00	0.08	1.00	0.97-1.02	0.72
Iatrogenic birth for fetal compromise												
Total	175	21.1	44	14.6	98	21.9	0.94	0.89- 1.00	0.04	1.01	0.96-1.06	0.77
≥37 Weeks	27	12.2	6	6.3	18	16.7	0.96	0.89-1.05	0.41	1.05	0.97-0.97	0.20
<37 Weeks	148	24.4	38	18.4	80	23.5	0.94	0.87-1.01	0.09	0.99	0.93-1.05	0.71
Mode of birth												
Vaginal	249	30.0	78	25.8	127	28.4	0.92	0.87-0.99	0.02	0.96	0.91-1.01	0.13
Cesarean section after labor onset	287	34.6	99	32.8	176	39.3	0.96	0.89-1.03	0.23	1.02	0.96-1.08	0.58

Cesarean section with no labor	293	35.3	125	41.4	145	32.4	1.13	1.05-1.21	<0.001	1.03	0.97-1.09	0.41
Pregnancy Care Indicators												
First antenatal visit ≤ 12 weeks	491	59.2	204	67.6	311	69.4	1.02	0.95-1.09	0.62	1.04	0.98-1.10	0.23
Severe PPH > 1 L	81	9.8	25	8.3	49	10.9	0.95	0.90-0.99	0.01	0.99	0.95-1.03	0.62

aRR, adjusted odds ratio; *CI*, confidence interval; *PPH*, post-partum haemorrhage; *wk*, weeks.

Supplementary Table 4: Infant outcomes among sex-concordant pregnancies in the pre-pandemic, exposure 1 and exposure 2 groups.

Outcomes	Pre-pandemic		Exposure 1		Exposure 2		Exposure 1 aRR			Exposure 2 aRR		
	n=1658	54%	n=604	19%	n=896	27%	aRR	95%CI	P value	aRR	95%CI	P value
All-cause stillbirth	25	1.5	11	1.8	24	2.7	1.00	0.99-1.02	0.48	1.00	0.99-1.01	0.72
Fetal growth restriction	103	6.2	32	5.3	53	5.9	0.99	0.97-1.02	0.64	1.00	0.98-1.02	0.99
SCN Admission	730	44.1	236	39.1	308	34.4	0.95	0.91-1.00	0.04	0.91	0.88-0.95	<0.001
NICU Admission	357	21.5	139	23.0	238	26.6	1.01	0.97-1.06	0.62	1.07	1.03-1.11	<0.001
5-minute Apgar <7 at term	16	3.6	12	6.3	9	4.2	1.01	0.97-1.05	0.64	1.00	0.97-1.04	0.80

aRR, adjusted risk ratio; *CI*, confidence interval; *SCN*, special care nursery; *NICU*, neonatal intensive care unit.