

Table S1. The demographic, genetic and clinical features of individuals with WBP4-related syndrome in eight families.

Family		Family 1		Family 2	Family 3		Family 4	Family 5		Family 6	Family 7	Family 8
Affected individual		II:1	II:4	II:1	II:2	II:3	II:1	II:3	II:6	II:1	II:1	II:1
Age at <u>last investigation/history taking</u>		6-10	NA	0-5	0-5	NA	6-10	6-10	0-5	0-5	0-5	0-5
Gender		Male	Female fetus	Male	Female	Female	Female	Female	Female	Male	Female	Female
WBP4 Variant (NM_007187.5)		c.499delA p.(Thr167ProfsTer4)	c.499delA p.(Thr167ProfsTer4)	c.562+1278_*7251del	c.499delA p.(Thr167ProfsTer4)	c.499delA p.(Thr167ProfsTer4)	c.499delA p.(Thr167ProfsTer4)	c.499delA p.(Thr167ProfsTer4)	c.499delA p.(Thr167ProfsTer4)	c.668C>G p.(Ser223Ter)	c.944delC p.(Pro315GlnfsTer55)	c.440-1G>A
Zygosity		Hom	Hom	Hom	Hom	Hom	Hom	Hom	Hom	Hom	Hom	Hom
Prenatal issues on fetal scan		No	IUGR, AVC, suspected absence of thymus	IUGR, oligo-hydramnios, bilateral hydro-nephrosis	No	NA	Normal	Part of twins; twin died in infancy	Normal	Mild ventriculo-megaly, polyhydramnios	NA	NA
Growth <u>at birth</u>	Weight	2526 g (-1.8 SD)	NR	1616 g (< -3 SD)	appropriate for gestational age	NA	3000 g (-0.5 SD)	2600 g (-1.5 SD)	3200 g (0 SD)	NA	NA	NA
	Length	NA	NR	40 cm (< -3 SD)	NA	NA	47cm (-1.1 SD)	46cm (-1.7 SD)	46cm (-1.7 SD)	NA	NA	NA
	OFC	NA	NR	29 cm (-3 SD)	35 cm (+0 SD)	NA	33 cm (-1.2 SD)	32.5cm (-1.6 SD)	33 cm (-1.2 SD)	NA	NA	NA
Apgar index		9/10	NR	5/7/7 (neonatal respiratory distress)	NA	NA	9/10	8/10	9/10	NA (depressed at birth)	NA	NA
Growth <u>at last investigation</u>	Weight	24 kg (0.3 SD)	NR	7.8 kg (-2.5 SD)	12 kg (-1.2 SD)	NA	22 kg (-2.4 SD)	20 kg (-2.3 SD)	11.3 kg (-1.7 SD)	NA	NA	NA
	Length/height	118 cm (-0.7 SD)	NR	69 cm (< -3 SD)	not reported	NA	125 cm (-2.1 SD)	118 cm (-2.3 SD)	89 cm (-1.6 SD)	NA	NA	NA
	OFC	50 cm (-1.3 SD)	NR	42 cm (< -3 SD)	46 cm (-1.75 SD)	NA	51.5 cm (-0.3 SD)	51.8 cm (0 SD)	48 cm (-0.3 SD)	NA	NA	postnatal micro-cephaly
Craniofacial features	Hyper-telorism	NA	NR	Yes	No	NA	Yes	Yes	Yes	No	NA	NA

Family		Family 1		Family 2	Family 3		Family 4	Family 5		Family 6	Family 7	Family 8
Affected individual		II:1	II:4	II:1	II:2	II:3	II:1	II:3	II:6	II:1	II:1	II:1
	Palpebral fissures (slant)	NA	NR	downward	No	NA	upward	No	mild upward	No	NA	NA
	Nasal bridge	NA	NR	depressed	No	NA	prominent	depressed	NA	No	NA	NA
	Mouth	No	NR	smooth philtrum, high arched palate	No	NA	No	short philtrum, high arched palate	No	short philtrum, tented upper lip, thick lips, high narrow palate, crowding of teeth	NA	cleft lip and palate
	Ears	abnormal ear morphology	NR	abnormal ear morphology	No	NA	protruding small ears	protruding low-set ears	protruding ears	anteverted and large ears	NA	NA
	Hair	No	NR	No	No	NA	thin hair	thin hair	thin hair	no	NA	NA
	Other			turriccephaly, proptosis	No	NA	flat forehead, arched eyebrows, broad chin			asymmetric skull, prominent metopic ridge, bitemporal narrowing, bilateral epicanthal folds, overhanging columnella	cranio-synostosis	NA
Skeletal		NA	NR	sandal gap	No	NA	NA	NA	NA	pectus deformity, pes planus	NA	bilateral club foot
Develop-mental milestones	Motor delay	Yes	NR	Yes	Yes	NA	Yes	Yes	Yes	Yes	Yes	NA
	Age at independent walking (details)	> 15m (walks, climbs, difficulty running)	NR	not yet	> 15m (ataxic gait, frequent falling)	NA	> 15m (walks well, jumps)	> 15m (walks well)	> 15m (wide-based gait)	> 15m (not yet walking; can take steps with support)	not yet	NA
	Speech delay	Yes	NR	Yes	Yes	NA	Yes	Yes	Yes	Yes	Yes	NA
	Age at first words (details)	not yet (syllables)	NR	not yet	> 1y (<10 meaningful words)	NA	> 1y (few double syllable words)	> 1y (few words)	> 1y (few letters)	not yet	not yet	NA
	Age of complete	not yet	NR	not yet	NA	NA	not yet	> 5y fairly controlled	not yet	NA	NA	NA

Family		Family 1		Family 2	Family 3		Family 4	Family 5		Family 6	Family 7	Family 8
Affected individual		II:1	II:4	II:1	II:2	II:3	II:1	II:3	II:6	II:1	II:1	II:1
	ly toilet trained											
Intellectual disability (IQ)		severe (NA)	NR	severe (NA)	NA	NA	severe (35)	moderate (40)	severe (35)	NA	NA	NA
Autistic features		Yes	NR	No	No	NA	present (CARS: 38)	present (CARS: 35)	present (CARS: 36)	bruxism	NA	NA
Abnormal behaviors (e.g. aggression, hyperactivity, stereotypy, etc.)		Hyperactivity	NR	Stereotypy	No	NA	Stereotypy, hyperactivity	Stereotypy, hyperactivity	Nervousness, hyperactivity, aggression	Hyperactivity	NA	NA
Sleep disturbances		not reported	NR	Sleep-wake cycle disturbance	NA	NA	Sleep-wake cycle disturbance	Sleep-wake cycle disturbance	Sleep-wake cycle disturbance	NA	NA	NA
Seizures	Clinical seizures	No	NR	No	No	NA	apneic spells with tonic; onset in childhood; controlled on oxacarbazepine)	No	No	No	NA	NA
	EEG findings	Normal	NR	Diffuse non-epileptiform abnormal activity, diffuse abnormally slow rhythms	Normal	NA	Left parietal epileptogenic discharges	Normal	Normal	Normal	NA	NA
Hypotonia		Yes	NR	Yes	Yes	NA	Yes	Hypotonia in early infancy	Yes	Yes	NA	NA
Cerebral imaging		Normal	NR	CCA, frontotemporally widened subarachnoid space	Normal	NA	Hypoplastic thin corpus callosum, prominent cortical sulci	Hypoplastic thin corpus callosum	Hypoplastic thin corpus callosum, mild prominent cortical sulci	NA	CCA, abnormal cerebral cortical gyration	Abnormal cerebral cortical gyration
Feeding difficulties and/or FTT		Yes	NR	Yes (gastrostomy	Not reported	NA	Yes	Yes	Yes	Yes	NA	NA

Family	Family 1		Family 2	Family 3		Family 4	Family 5		Family 6	Family 7	Family 8
Affected individual	II:1	II:4	II:1	II:2	II:3	II:1	II:3	II:6	II:1	II:1	II:1
			feeding, frequent vomiting)								
Hearing loss	not reported	NR	Congenital sensorineural hearing impairment	Bilateral conductive hearing loss to mid and high frequencies	NA	No	No	No	NA	NA	NA
Strabismus	No	NR	Yes	NA	NA	Infrequent	No	No	NA	NA	NA
Congenital heart defect	No	AVC	ASD	NA	NA	Mitral regurgitation, small PDA	No	No		NA	Multiple VSDs; cardiac coarctation
Other	-	-	Urogenital abnormalities (hydronephrosis, renal cyst, cryptorchidism, hypospadias, anal atresia with fistula); Frequent infections (bronchitis, otitis)	-	NA	-	-	-	-	Clitoris hypotrophy; Hirschsprung disease	Clitoris hypertrophy

Abbreviations: (*add*): ASD – atrial septal defect; AVC – atrioventricular canal defect; CARS – childhood autism rating scale; CCA – agenesis of corpus callosum, FTT – failure to thrive, Hom – homozygous; IUGR – intrauterine growth retardation; NA – not available; NR – not relevant; OFC – occipitofrontal circumference; PDA – patent ductus arteriosus; VSD – ventricular septal defect