

Supplemental

Table 1. The search space of different hyperparameters of the machine learning models.

Model	Parameter	Range
SVM	C	{0.2, 0.5, 0.8, 1.5, 3, 5, 10, 25, 50}
	Kernel	{linear, poly, rbf, sigmoid}
	Degree	{2, 3, 4, 8}
XGBoost	Number of trees	{100, 250, 500}
	Maximum depth	{5, 7, 12, 15}
	Learning rate	{0.01, 0.1}
	Subsample columns by tree	{0.6, 0.8, 1}
	Gamma	{0, 0.1, 1}
	Scale positive ratio	{1, 1.1, 1.2, 1.5, 2}
Random Forest	Number of trees	{100, 150, 200, 300, 500, 1000, 1500, 3000}
	Maximum depth	{5, 8, 10, 12, 14, 18}
	Minimum samples leaf	{1, 2, 4}
	Minimum samples split	{2, 4, 5, 10}
	Class weight	{1:1, 1:2, 1:5}

Table 2. Distribution analysis of the variables used in the development of the machine learning models. The values from two synthetically generated datasets are compared with those from the original dataset.

Variables	Bhattacharyya Distance		Mann-Whitney U test	
	SMOTE	CTGAN	SMOTE	CTGAN
Sex	0.0964	0.1345	<0.0001	<0.0001
Age	0.0613	0.0785	<0.0001	0.2247
ICU type	0.0377	0.0785	<0.0001	0.0004
APACHE II at 24 hours	0.1134	0.1757	<0.0001	<0.0001
SOFA at 24 hours	0.0760	0.0785	<0.0001	<0.0001
MRC-ICU at 24 hours	0.0130	0.0785	<0.0001	<0.0001
AKI at 24 hours	0.1134	0.0317	0.0003	0.1191
Use of CRRT at 24 hours	0.0371	0.0476	0.0051	<0.0001
Any CRRT	0.0371	0.0785	<0.0001	<0.0001
Mechanical ventilation before 24 hours	0.0371	0.0596	<0.0001	<0.0001
Any mechanical ventilation	0.0384	0.0476	<0.0001	<0.0001
Creatinine	0.0371	0.0615	<0.0001	<0.0001
Sodium	0.0613	0.0785	<0.0001	<0.0001
Chloride	0.0064	0.0317	<0.0001	<0.0001
Potassium	0.0377	0.0615	<0.0001	0.0002
Bicarbonate	0.1513	0.0785	<0.0001	<0.0001
Vasopressor use in first 24 hours	0.0371	0.0785	0.0004	<0.0001
Use of continuous infusion	0.0049	0.0785	0.8084	<0.0001
Number of continuous infusions	0.0613	0.0785	0.0117	<0.0001
Fluid balance at 24 hours	0.0732	0.0785	<0.0001	<0.0001
Length of ICU stay	0.1134	0.2393	<0.0001	<0.0001
Other (coded diagnosis)	0.0444	0.0785	<0.0001	0.5825
Trauma	0.0371	0.0476	0.0001	0.1191
Sepsis	0.0371	0.0785	0.0065	<0.0001
Hepatic	0.0371	0.0785	0.0023	<0.0001
Cardiac	0.0613	0.0476	<0.0001	0.2374
Pulmonary	0.0613	0.0655	<0.0001	<0.0001
Pancreatitis	0.0371	0.0785	0.0384	<0.0001
pulmonary arterial hypertension	0.0233	0.0316	0.4529	<0.0001
Rhabdomyolysis	<0.0001	<0.0001	1.0000	<0.0001
Cirrhosis	<0.0001	<0.0001	1.0000	0.0101
Heart failure	0.0377	0.0476	<0.0001	0.0450
Chronic kidney disease	0.0384	0.0785	<0.0001	<0.0001




Figure 1. The average absolute SHAP values of each first-tier model of the developed meta-learner. a) Trained on the Original+SMOTE+CTGAN datasets. b) Trained on original datasets.




Figure 2. The average absolute SHAP values for each variable across different machine learning models trained on the Original+SMOTE+CTGAN datasets and trained on only the original datasets.