

Supplementary File 3. Supplementary meta-analysis figures

Comparative Immunogenicity, Safety and Efficacy profiles of four COVID-19 Vaccine types in healthy adults: Systematic Review cum Meta-analysis of Clinical Trial data

Si Qi YOONG^a, Priyanka BHOWMIK^b, Debprasad DUTTA^{c,d,*}

Authors Affiliations:

Authors Affiliations:

Si Qi YOONG

^a Alice Lee Centre for Nursing Studies, Yong Yoo Lin School of Medicine
National University of Singapore, Singapore

Priyanka BHOWMIK

^b Tbilisi State Medical University, Georgia

Debprasad DUTTA*

^c Mazumdar Shaw Center for Translational Research (MSCTR), Mazumdar Shaw Medical Foundation, Bangalore, India

^d Institute of Infection, Veterinary and Ecological Sciences (IVES), University of Liverpool, Liverpool, UK

Email: debductta.bio@gmail.com




Figure S1. Funnel plot for publication bias assessment (with reference to Figure 3B. Log-transformed neutralizing antibody levels 14 days after COVID-19 vaccination, measured using live virus neutralization assays)




Figure S2. Funnel plot for publication bias assessment (with reference to Figure 5A. Local adverse events seven days after the first dose of a COVID-19 vaccine)




Figure S3. Funnel plot for publication bias assessment (with reference to Figure 5B. Systematic adverse events seven days after first dose of a COVID-19 vaccine)




Figure S4. Funnel plot for publication bias assessment (with reference to Figure 6A. Local adverse events seven days after second dose of a COVID-19 vaccine)