































## Supplementary information





**Supplementary Table 1.** Summary of Brainnetome-based regions of interest (ROIs) included in the anterior-temporal (AT) mask derived from cognitively unimpaired adults under the age of 40.

ROI	Brainnetome labeling	Brain view
BN_AT_IPL_A39c	Inferior parietal lobule – caudal area 39	
BN_AT_LOcc_IsOccG	Lateral occipital cortex - lateral superior occipital gyrus	
BN_AT_IFG_IFS	Inferior frontal gyrus – inferior frontal sulcus	
BN_AT_IPL_A39rd	Inferior parietal lobule - rostrodorsal area 39	
BN_AT_SPL_A7ip	Superior parietal lobule - intraparietal area 7	
BN_AT_SPL_A7c	Superior parietal lobule - caudal area 7	
BN_AT_ITG_A37vl	Inferior temporal gyrus - ventrolateral area 37	
BN_AT_ITG_A37elv	Inferior temporal gyrus - extreme lateroventral area 37	







BN_AT_FuG_A37lv	Fusiform gyrus - lateroventral area 37	
BN_AT_MTG_A37dl	Middle temporal gyrus - dorsolateral area 37	
BN_AT_PhG_TL	Parahippocampal gyrus - area TL (lateral posterior parahippocampal gyrus)	
BN_AT_OrG_A12_47o	Orbital gyrus - orbital area 12/47	
BN_AT_ITG_A20cl	Inferior temporal gyrus - caudolateral of area 20	
BN_AT_OrG_A11l	Orbital gyrus - lateral area 11	
BN_AT_LOcC_V5_MT	Lateral occipital cortex - area V5/MT+	
BN_AT_Tha_rTtha	Thalamus - rostral temporal thalamus	
BN_AT_MTG_A21c	Middle temporal gyrus - caudal area 21	
BN_AT_Amyg_mAmyg	Amygdala - medial amygdala	











BN_AT_OrG_A13	Orbital gyrus – area 13	
BN_AT_STG_A38l	Superior temporal gyrus - lateral area 38	
BN_AT_Tha_mPFtha	Thalamus - medial pre-frontal thalamus	
BN_AT_STG_A22r	Superior temporal gyrus - rostral area 22	
BN_AT_PhG_A35_36c	Parahippocampal gyrus - caudal area 35/36	
BN_AT_BG_NAC	Basal ganglia – nucleus accumbens	
BN_AT_ITG_A20cv	Inferior temporal gyrus - caudoventral of area 20	
BN_AT_BG_dlPu	Basal ganglia - dorsolateral putamen	
BN_AT_MTG_A21r	Middle temporal gyrus - rostral area 21	
BN_AT_Amyg_lAmyg	Amygdala - lateral amygdala	









BN_AT_BG_vmpu	Basal ganglia - ventromedial putamen	
BN_AT_STG_TE10_TE12	Superior temporal gyrus - TE1.0 and TE1.2	
BN_AT_INS_vld_vlg	Insular gyrus - ventral dysgranular and granular insula	
BN_AT_INS_vla	Insular gyrus - ventral agranular insula	
BN_AT_ITG_A20il	Inferior temporal gyrus - intermediate lateral area 20	
BN_AT_Hipp_rHipp	Hippocampus- rostral hippocampus	
BN_AT_Hipp_cHipp	Hippocampus- caudal hippocampus	
BN_AT_ITG_A20iv	Inferior temporal gyrus - intermediate ventral area 20	
BN_AT_ITG_A20r	Inferior temporal gyrus - rostral area 20	
BN_AT_STG_A38m	Superior temporal gyrus - medial area 38	











BN_AT_FuG_A20rv	Fusiform gyrus - rostroventral area 20	
BN_AT_PhG_A35_36r	Parahippocampal gyrus - rostral area 35/36	
BN_AT_PhG_TI	Parahippocampal gyrus - area TI (temporal agranular insular cortex)	
BN_AT_PhG_A28_34	Parahippocampal gyrus - area 28/34 (entorhinal cortex)	










**Supplementary Table 2.** Summary of Brainnetome-based regions of interest (ROIs) included in the posterior-medial (PM) mask derived from cognitively unimpaired adults under the age of 40.

ROI	Brainnetome labeling	Brain view
BN_PM_PhG_TL	Parahippocampal gyrus - area TL (lateral posterior parahippocampal gyrus)	
BN_PM_FuG_A20rv	Fusiform gyrus - rostroventral area 20	
BN_PM_PhG_TH	Parahippocampal gyrus - area TH (medial posterior parahippocampal gyrus)	
BN_PM_PCun_dmPOS	Precuneus - dorsomedial parietooccipital sulcus	
BN_PM_CG_A23v	Cingulate gyrus - ventral area 23	
BN_PM_OrG_A14m	Orbital gyrus - medial area 14	

BN_PM_PCun_A31	Precuneus - area 31	
BN_PM_SFG_A8dl	Superior frontal gyrus - dorsolateral area 8	
BN_PM_MFG_A9_46d	Middle frontal gyrus - dorsal area 9/46	
BN_PM_MFG_A8vl	Middle frontal gyrus - ventrolateral area 8	
BN_PM_IPL_A39rv	Inferior parietal lobule - rostroventral area 39	
BN_PM_IPL_A39rd	Inferior parietal lobule - rostrodorsal area 39	
BN_PM_OrG_A11m	Orbital gyrus – medial area 11	
BN_PM(CG)_A23c	Cingulate gyrus - caudal area 23	
BN_PM_IPL_A39c	Inferior parietal lobule - caudal area 39	
BN_PM(CG)_A23d	Cingulate gyrus - dorsal area 23	
BN_PM_Hipp_rHipp	Hippocampus – rostral hippocampus	

BN_PM_PhG_A28_34	Parahippocampal gyrus - area 28/34 (entorhinal cortex)	
BN_PM_OrG_A13	Orbital gyrus - area 13	
BN_PM_PCun_A7m	Precuneus - medial area 7	
BN_PM_PhG_A35_36c	Parahippocampal gyrus - caudal area 35/36	
BN_PM_SFG_A10m	Superior frontal gyrus - medial area 10	
BN_PM_MVOcC_rLinG	Medio ventral occipital cortex - rostral lingual gyrus	
BN_PM_MVOcC_vmPOS	Medio ventral occipital cortex - ventromedial parietooccipital sulcus	
BN_PM_MFG_A6vl	Middle frontal gyrus - ventrolateral area 6	
BN_PM_PCun_A5m	Precuneus - medial area 5	
BN_PM_MTG_A37dl	Middle temporal gyrus - dorsolateral area 37	
BN_PM_SPL_A7r	Superior parietal lobule - rostral area 7	

BN_PM(CG)_A32sg	Cingulate gyrus - subgenual area 32	
BN_PM(CG)_A24rv	Cingulate gyrus - rostroventral area 24	
BN_PM(FuG)_A37mv	Fusiform gyrus - medioventral area 37	
BN_PM_Tha_Otha	Thalamus – occipital thalamus	
BN_PM_SFG_A9m	Superior frontal gyrus - medial area 9	
BN_PM_LOcC_IsOccG	Lateral occipital cortex - lateral superior occipital gyrus	
BN_PM_Tha_cTtha	Thalamus - caudal temporal thalamus	
BN_PM_Hipp_cHipp	Hippocampus - caudal hippocampus	
BN_PM_LOcC_msOccG	Lateral occipital cortex - medial superior occipital gyrus	
BN_PM_Tha_PPtha	Thalamus - posterior parietal thalamus	
BN_PM_FuG_A37lv	Fusiform gyrus - lateroventral area 37	

BN_PM_SPL_A7c	Superior parietal lobule - caudal area 7	
BN_PM_PCL_A1_2_3II	Paracentral lobule – area 1/2/3 (lower limb region)	
BN_PM_MVOcC_rCunG	Medioventral occipital cortex - rostral cuneus gyrus	
BN_PM_LOcC_mOccG	Lateral occipital cortex – middle occipital gyrus	
BN_PM_LOcC_V5_MT	Lateral occipital cortex - area V5/MT+	
BN_PM_LOcC_OPc	Lateral occipital cortex - occipital polar cortex	
BN_PM_MVOcC_cLinG	Medioventral occipital cortex - caudal lingual gyrus	
BN_PM_MVOcC_cCunG	Medioventral occipital cortex - caudal cuneus gyrus	
BN_PM_LOcC_iOccG	Lateral occipital cortex - inferior occipital gyrus	

**Supplementary Table 3. Age-related functional changes over the adult lifespan in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of the age term from linear mixed models adjusted for sex and education as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to age. Bolded p-values survived the Holm-Bonferroni correction ( $p < 0.05$ ). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_AT_IPL_A39c	189.51	34.54	-0.0015	0.000	<b>0.000</b>
BN_AT_LOcC_IsOccG	192.20	34.07	-0.0014	0.000	<b>0.000</b>
BN_AT_IFG_IFS	199.44	25.08	-0.0013	0.000	<b>0.000</b>

BN_AT_IPL_A39rd	193.93	34.79	-0.0012	0.000	<b>0.000</b>
BN_AT_SPL_A7ip	192.70	26.60	-0.0012	0.000	<b>0.000</b>
BN_AT_SPL_A7c	190.57	25.26	-0.0011	0.000	<b>0.000</b>
BN_AT_ITG_A37vl	197.43	17.93	-0.0009	0.000	<b>0.001</b>
BN_AT_ITG_A37elv	193.59	15.69	-0.0009	0.000	<b>0.003</b>
BN_AT_FuG_A37lv	190.76	14.90	-0.0008	0.000	<b>0.004</b>
BN_AT_MTG_A37dl	178.00	14.69	-0.0007	0.000	<b>0.004</b>
BN_AT_PhG_TL	199.93	3.13	-0.0006	0.078	1.000
BN_AT_OrG_A12_47o	191.04	7.15	-0.0006	0.008	0.171
BN_AT_ITG_A20cl	184.67	8.40	-0.0005	0.004	0.092
BN_AT_OrG_A11l	204.65	2.77	-0.0003	0.097	1.000
BN_AT_LOcc_V5_MT	191.48	1.85	-0.0003	0.175	1.000
BN_AT_Tha_rTtha	188.44	2.40	-0.0002	0.123	1.000
BN_AT_MTG_A21c	195.70	0.56	-0.0002	0.456	1.000
BN_AT_Amyg_mAmyg	178.74	0.08	-0.0001	0.783	1.000
BN_AT_OrG_A13	196.52	0.04	0.0000	0.841	1.000
BN_AT_STG_A38l	200.78	0.00	0.0000	0.954	1.000
BN_AT_Tha_mPFtha	195.02	0.35	0.0001	0.554	1.000
BN_AT_STG_A22r	200.10	0.65	0.0001	0.421	1.000
BN_AT_PhG_A35_36c	206.45	0.23	0.0002	0.630	1.000
BN_AT_BG_NAC	182.50	2.09	0.0002	0.150	1.000
BN_AT_ITG_A20cv	211.94	0.91	0.0002	0.342	1.000
BN_AT_BG_dIPu	182.52	1.79	0.0002	0.183	1.000
BN_AT_MTG_A21r	197.52	1.42	0.0002	0.234	1.000
BN_AT_Amyg_lAmyg	198.51	1.69	0.0003	0.195	1.000
BN_AT_BG_vmPu	186.96	3.59	0.0003	0.060	1.000
BN_AT_STG_TE10_TE12	181.50	4.27	0.0003	0.040	0.730
BN_AT_INS_vld_vlg	201.08	4.34	0.0003	0.038	0.730
BN_AT_INS_vla	197.75	4.92	0.0005	0.028	0.553
BN_AT_ITG_A20il	204.02	9.50	0.0007	0.002	0.054
BN_AT_Hipp_rHipp	199.23	11.49	0.0008	0.001	<b>0.020</b>
BN_AT_Hipp_cHipp	193.49	15.44	0.0010	0.000	<b>0.003</b>
BN_AT_ITG_A20iv	210.15	14.95	0.0011	0.000	<b>0.004</b>
BN_AT_ITG_A20r	200.09	25.78	0.0011	0.000	<b>0.000</b>
BN_AT_STG_A38m	207.35	22.29	0.0012	0.000	<b>0.000</b>
BN_AT_FuG_A20rv	205.74	18.39	0.0012	0.000	<b>0.001</b>
BN_AT_PhG_A35_36r	203.47	16.82	0.0013	0.000	<b>0.002</b>
BN_AT_PhG_TI	205.42	27.93	0.0015	0.000	<b>0.000</b>
BN_AT_PhG_A28_34	204.90	22.15	0.0016	0.000	<b>0.000</b>



**Supplementary Table 4. Age-related functional changes over the adult lifespan in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of the age term from linear mixed models adjusted for sex and education as F-test result. Trend was calculated as the trend








of the estimated marginal means for functional changes in relation to age. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.





	ddf	F	trend	P	adjusted P
BN_PM_PhG_TL	197,52	43,85	-0,0023	0,000	<b>0,000</b>
BN_PM_FuG_A20rv	199,74	37,71	-0,0022	0,000	<b>0,000</b>
BN_PM_PhG_TH	206,85	35,96	-0,0021	0,000	<b>0,000</b>
BN_PM_PCun_dmPOS	207,55	35,24	-0,0020	0,000	<b>0,000</b>
BN_PM(CG)_A23v	199,35	34,20	-0,0017	0,000	<b>0,000</b>
BN_PM(OrG)_A14m	199,43	27,10	-0,0014	0,000	<b>0,000</b>
BN_PM(PCun)_A31	204,50	28,71	-0,0014	0,000	<b>0,000</b>
BN_PM(SFG)_A8dl	198,94	23,02	-0,0013	0,000	<b>0,000</b>
BN_PM(MFG)_A9_46d	198,43	18,47	-0,0013	0,000	<b>0,001</b>
BN_PM(MFG)_A8vl	206,53	11,44	-0,0012	0,001	<b>0,026</b>
BN_PM(IPL)_A39rv	201,84	24,77	-0,0012	0,000	<b>0,000</b>
BN_PM(IPL)_A39rd	199,95	10,13	-0,0012	0,002	<b>0,049</b>
BN_PM(OrG)_A11m	198,99	18,40	-0,0011	0,000	<b>0,001</b>
BN_PM(CG)_A23c	187,04	26,88	-0,0011	0,000	<b>0,000</b>
BN_PM(IPL)_A39c	202,16	17,77	-0,0011	0,000	<b>0,001</b>
BN_PM(CG)_A23d	204,90	16,35	-0,0011	0,000	<b>0,003</b>
BN_PM(Hipp)_rHipp	209,23	12,01	-0,0010	0,001	<b>0,020</b>
BN_PM_PhG_A28_34	192,73	12,23	-0,0010	0,001	<b>0,019</b>
BN_PM(OrG)_A13	196,38	17,38	-0,0009	0,000	<b>0,002</b>
BN_PM(PCun)_A7m	197,39	9,98	-0,0009	0,002	0,051
BN_PM_PhG_A35_36c	201,77	9,97	-0,0008	0,002	0,051
BN_PM(SFG)_A10m	200,92	12,71	-0,0008	0,000	<b>0,015</b>
BN_PM(MVOcC)_rLinG	202,49	6,12	-0,0007	0,014	0,269
BN_PM(MVOcC)_vmPOS	205,51	7,75	-0,0007	0,006	0,135
BN_PM(MFG)_A6vl	194,29	2,90	-0,0006	0,090	0,972
BN_PM(PCun)_A5m	196,67	8,30	-0,0006	0,004	0,106
BN_PM(MTG)_A37dl	205,16	3,12	-0,0006	0,079	0,947
BN_PM(SPL)_A7r	186,68	5,47	-0,0005	0,020	0,327
BN_PM(CG)_A32sg	197,91	7,21	-0,0005	0,008	0,159
BN_PM(CG)_A24rv	194,46	9,45	-0,0005	0,002	0,063
BN_PM(FuG)_A37mv	207,16	2,93	-0,0005	0,088	0,972
BN_PM(Tha)_Otha	206,26	8,54	-0,0004	0,004	0,096
BN_PM(SFG)_A9m	212,47	2,75	-0,0004	0,099	0,972
BN_PM(LOC)_lsOccG	198,96	2,86	-0,0004	0,093	0,972
BN_PM(Tha)_cTtha	201,25	7,28	-0,0004	0,008	0,159
BN_PM(Hipp)_cHipp	205,14	4,59	-0,0004	0,033	0,466
BN_PM(LOC)_msOccG	187,37	2,05	-0,0004	0,154	1,000
BN_PM(Tha)_PPtha	197,02	5,88	-0,0003	0,016	0,291
BN_PM(FuG)_A37lv	204,24	1,39	-0,0003	0,240	1,000
BN_PM(SPL)_A7c	195,84	1,06	-0,0003	0,304	1,000
BN_PM(PCL)_A1_2_3II	196,60	0,11	-0,0001	0,746	1,000


BN_PM_MVOcC_rCunG	189,41	0,27	0,0001	0,607	1,000
BN_PM_LOcc_mOccG	198,82	0,47	0,0002	0,493	1,000
BN_PM_LOcc_V5_MT	200,03	0,57	0,0002	0,453	1,000
BN_PM_LOcc_OPc	180,70	4,28	0,0004	0,040	0,521
BN_PM_MVOcC_cLinG	191,68	5,44	0,0005	0,021	0,327
BN_PM_MVOcC_cCunG	177,66	5,85	0,0005	0,017	0,291
BN_PM_LOcc_iOccG	192,44	7,73	0,0006	0,006	0,135

**Supplementary Table 1.** Summary of Brainnetome-based regions of interest (ROIs) included in the anterior-temporal (AT) mask derived from A $\beta$ -negative cognitively unimpaired adults over the age of 60.





ROI	Brainnetome labeling	Brain view
BN_AT_ITG_A20il	Inferior temporal gyrus - intermediate lateral area 20	
BN_AT_ITG_A20iv	Inferior temporal gyrus - intermediate ventral area 20	
BN_AT_ITG_A20r	Inferior temporal gyrus - rostral area 20	
BN_AT_STG_TE10_TE12	Superior temporal gyrus - TE1.0 and TE1.2	
BN_AT_MTG_A21r	Middle temporal gyrus - rostral area 21	








BN_AT_Hipp_cHipp	Caudal hippocampus	
BN_AT_FuG_A20rv	Fusiform gyrus - rostroventral area 20	
BN_AT_PhG_A28_34	Parahippocampal gyrus - entorhinal cortex	
BN_AT_PhG_TL	Parahippocampal gyrus – lateral posterior parahippocampal gyrus	
BN_AT_PhG_A35_36r	Parahippocampal gyrus - rostral area 35/36	
BN_AT_Hipp_rHipp	Rostral hippocampus	
BN_AT_STG_A38l	Superior temporal gyrus - lateral area 38	
BN_AT_INS_vld_vlg	Ventral dysgranular and granular insula	









BN_AT_PhG_TI	Parahippocampal gyrus - temporal agranular insular cortex	
BN_AT_STG_A38m	Superior temporal gyrus - medial area 38	
BN_AT_Amyg_mAmyg	Medial amygdala	
BN_AT_PhG_A35_36c	Parahippocampal gyrus - caudal area 35/36	
BN_AT_Amyg_lAmyg	Lateral amygdala	
BN_AT_BG_NAC	Nucleus accumbens	
BN_AT_Org_A12_47o	Orbital gyrus - orbital area 12/47	
BN_AT_ITG_A37elv	Inferior temporal gyrus - extreme lateroventral area 37	










BN_AT_OrG_A11l	Orbital gyrus - lateral area 11	
BN_AT_ITG_A37vl	Inferior temporal gyrus - ventrolateral area 37	
BN_AT_FuG_A37lv	Fusiform gyrus - lateroventral area 37	










**Supplementary Table 2.** Summary of Brainnetome-based regions of interest (ROIs) included in the posterior-medial (PM) mask derived from A $\beta$ -negative cognitively unimpaired adults over the age of 60.


ROI	Brainnetome labeling	Brain view
BN_PM_PhG_A35_36c	Parahippocampal gyrus - caudal area 35/36	
BN_PM_FuG_A37mv	Fusiform gyrus - medioventral area 37	
BN_PM_MVOcC_rLing	Medio ventral occipital cortex - rostral lingual gyrus	
BN_PM_LOccC_iOccG	Lateral occipital cortex - inferior occipital gyrus	

BN_PM_Tha_Otha	Occipital thalamus	
BN_PM_PhG_TH	Parahippocampal gyrus - medial posterior parahippocampal gyrus	
BN_PM_FuG_A37lv	Fusiform gyrus - lateroventral area 37	
BN_PM_MVOcC_cLinG	Medio-ventral occipital cortex - caudal lingual gyrus	
BN_PM_Hipp_cHipp	Caudal hippocampus	
BN_PM_LOcC_OPc	Lateral occipital cortex - occipital polar cortex	
BN_PM_FuG_A20rv	Fusiform gyrus - rostroventral area 20	
BN_PM_MVOcC_cCunG	Medio-ventral occipital cortex - caudal cuneus gyrus	

BN_PM_LoC_mOccG	Lateral occipital cortex - medial superior occipital gyrus	
BN_PM_PhG_TL	Parahippocampal gyrus - lateral posterior parahippocampal gyrus	
BN_PM_ITG_A37vl	Inferior temporal gyrus - ventrolateral area 37	
BN_PM_Hipp_rHipp	Rostral hippocampus	
BN_PM_LoC_V5_MT	Lateral occipital cortex - area V5/MT+	
BN_PM_PCL_A1_2_3II	Paracentral lobule - area 1/2/3 (lower limb region)	
BN_PM_Org_A11m	Orbital gyrus - medial area 11	
BN_PM_MVOcC_rCunG	Medio-ventral occipital cortex - rostral cuneus gyrus	
BN_PM_PCL_A4II	Paracentral lobule - area 4 (lower limb region)	

BN_PM(CG_A23v	Cingulate gyrus - ventral area 23	
BN_PM(CG_A32sg	Cingulate gyrus - subgenual area 32	
BN_PM(PCun_A31	Precuneus - area 31 (Lc1)	
BN_PM(LOC_IsOccG	Lateral occipital cortex - lateral superior occipital gyrus	
BN_PM(PCun_A5m	Precuneus - medial area 5(PEm)	
BN_PM(LOC_msOccG	Lateral occipital cortex - medial superior occipital gyrus	
BN_PM(OrG_A14m	Orbital gyrus - medial area 14	
BN_PM(CG_A23d	Cingulate gyrus - dorsal area 23	
BN_PM(IPL_A39c	Inferior parietal lobule - caudal area 39 (PGp)	

BN_PM_MVOcC_vmPOS	Medio-ventral occipital cortex - ventromedial parietooccipital sulcus	
BN_PM_SPL_A7r	Superior parietal lobule - rostral area 7	
BN_PM_MFG_A6vl	Middle frontal gyrus - ventrolateral area 6	
BN_PM_IPL_A39rv	Inferior parietal lobule - rostroventral area 39 (PGa)	
BN_PM_MFG_A9_46d	Middle frontal gyrus - dorsal area 9/46	
BN_PM_PCun_A7m	Precuneus - medial area 7 (PEp)	
BN_PM_PCun_dmPOS	Precuneus - dorsomedial parietooccipital sulcus (PEr)	
BN_PM_MFG_A8vl	Middle frontal gyrus - ventrolateral area 8	
BN_PM_IPL_A39rd	Inferior parietal lobule - rostrodorsal area 39 (Hip3)	

BN_PM_SFG_A8dl	Superior frontal gyrus - dorsolateral area 8	
BN_PM_SPL_A7c	Superior parietal lobule - caudal area 7	

**Supplementary Table 3. Functional changes related to amyloid uptake in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of amyloid uptake term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to amyloid burden. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_AT_ITG_A20il	130.15	24.61	0.2455	0.000	<b>0.000</b>
BN_AT_ITG_A20iv	128.76	20.32	0.3025	0.000	<b>0.000</b>
BN_AT_ITG_A20r	127.62	16.99	0.1907	0.000	<b>0.001</b>
BN_AT_STG_TE10_TE12	200.00	16.61	0.1390	0.000	<b>0.001</b>
BN_AT_MTG_A21r	129.92	15.29	0.1847	0.000	<b>0.003</b>
BN_AT_Hipp_cHipp	133.03	13.22	0.2295	0.000	<b>0.007</b>
BN_AT_FuG_A20rv	131.96	12.34	0.2052	0.001	<b>0.011</b>
BN_AT_PhG_A28_34	135.20	11.27	0.2533	0.001	<b>0.017</b>
BN_AT_PhG_TL	127.52	9.87	0.1943	0.002	<b>0.033</b>
BN_AT_PhG_A35_36r	131.07	9.87	0.2131	0.002	<b>0.033</b>
BN_AT_Hipp_rHipp	133.17	8.84	0.1673	0.004	<b>0.049</b>
BN_AT_STG_A38l	131.15	7.61	0.1001	0.007	0.086
BN_AT_INS_vld_vlg	135.66	7.56	0.0851	0.007	0.086
BN_AT_PhG_TI	134.29	5.83	0.1555	0.017	0.188
BN_AT_STG_A38m	133.24	5.47	0.1147	0.021	0.209
BN_AT_Amyg_mAmyg	128.82	5.03	0.1134	0.027	0.239
BN_AT_PhG_A35_36c	129.79	4.76	0.1622	0.031	0.248
BN_AT_Amyg_lAmyg	130.88	4.59	0.1107	0.034	0.248
BN_AT_BG_NAC	200.00	1.64	0.0419	0.202	1.000
BN_AT_OrG_A12_47o	131.99	1.53	0.0485	0.218	1.000
BN_AT_ITG_A37elv	132.26	0.18	-0.0192	0.669	1.000
BN_AT_OrG_A11l	129.23	0.15	0.0150	0.695	1.000
BN_AT_ITG_A37vl	134.69	0.13	-0.0166	0.714	1.000
BN_AT_FuG_A37lv	127.41	0.01	-0.0042	0.911	1.000

**Supplementary Table 4. Functional changes related to glucose metabolism in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of glucose metabolism term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to glucose metabolism. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_AT_ITG_A20il	126.67	31.42	-0.1429	0.000	<b>0.000</b>
BN_AT_Hipp_cHipp	132.05	29.30	-0.1663	0.000	<b>0.000</b>
BN_AT_MTG_A21r	125.62	28.14	-0.1212	0.000	<b>0.000</b>
BN_AT_Hipp_rHipp	130.00	22.07	-0.1291	0.000	<b>0.000</b>
BN_AT_STG_TE10_TE12	212.00	21.17	-0.0786	0.000	<b>0.000</b>
BN_AT_ITG_A20r	123.06	20.94	-0.1080	0.000	<b>0.000</b>
BN_AT_Amyg_lAmyg	125.71	18.09	-0.1061	0.000	<b>0.001</b>
BN_AT_PhG_A35_36r	128.64	18.08	-0.1439	0.000	<b>0.001</b>
BN_AT_ITG_A20iv	130.89	15.22	-0.1384	0.000	<b>0.002</b>
BN_AT_Amyg_mAmyg	128.84	14.32	-0.0949	0.000	<b>0.004</b>
BN_AT_PhG_A28_34	133.96	13.86	-0.1409	0.000	<b>0.004</b>
BN_AT_FuG_A20rv	131.37	13.83	-0.1116	0.000	<b>0.004</b>
BN_AT_INS_vld_vlg	129.94	13.74	-0.0574	0.000	<b>0.004</b>
BN_AT_PhG_A35_36c	130.65	12.91	-0.1335	0.000	<b>0.005</b>
BN_AT_STG_A38l	131.28	11.49	-0.0616	0.001	<b>0.009</b>
BN_AT_PhG_TI	133.64	10.05	-0.1048	0.002	<b>0.017</b>
BN_AT_PhG_TL	132.35	10.01	-0.0967	0.002	<b>0.017</b>
BN_AT_STG_A38m	131.58	8.47	-0.0736	0.004	<b>0.030</b>
BN_AT_BG_NAC	212.00	6.43	-0.0410	0.012	0.072
BN_AT_OrG_A12_47o	127.63	4.42	-0.0408	0.037	0.187
BN_AT_OrG_A11l	118.87	4.17	-0.0382	0.043	0.187
BN_AT_FuG_A37lv	124.08	1.61	-0.0242	0.207	0.620
BN_AT_ITG_A37elv	131.65	0.37	-0.0141	0.545	1.000
BN_AT_ITG_A37vl	127.79	0.02	-0.0034	0.884	1.000

**Supplementary Table 5. Functional changes related to hippocampal volume in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of hippocampal volume term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to hippocampal volume. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
--	-----	---	-------	---	------------

BN_AT_Hipp_cHipp	113.39	21.92	-0.1473	0.000	<b>0.000</b>
BN_AT_Amyg_lAmyg	112.80	13.78	-0.0916	0.000	<b>0.007</b>
BN_AT_Amyg_mA Amyg	107.80	11.36	-0.0827	0.001	<b>0.023</b>
BN_AT_PhG_A28_34	118.28	10.67	-0.1271	0.001	<b>0.030</b>
BN_AT_Hipp_rHipp	113.86	10.20	-0.0922	0.002	<b>0.036</b>
BN_AT_STG_A38m	119.52	9.63	-0.0779	0.002	<b>0.045</b>
BN_AT_ITG_A20r	109.43	9.53	-0.0753	0.003	<b>0.046</b>
BN_AT_ITG_A20il	112.32	9.25	-0.0841	0.003	<b>0.050</b>
BN_AT_MTG_A21r	109.51	7.23	-0.0654	0.008	0.133
BN_AT_PhG_A35_36r	112.35	6.86	-0.0923	0.010	0.150
BN_AT_PhG_TL	113.18	6.78	-0.0819	0.010	0.150
BN_AT_STG_TE10_TE12	104.84	6.53	-0.0422	0.012	0.157
BN_AT_PhG_TI	119.84	6.14	-0.0819	0.015	0.175
BN_AT_STG_A38l	116.32	5.36	-0.0434	0.022	0.246
BN_AT_FuG_A20rv	113.84	5.13	-0.0700	0.025	0.253
BN_AT_PhG_A35_36c	114.31	4.45	-0.0822	0.037	0.334
BN_AT_ITG_A20iv	112.18	3.68	-0.0710	0.057	0.460
BN_AT_Org_A11l	115.91	2.13	0.0288	0.147	1.000
BN_AT_INS_vld_vlg	116.88	1.81	-0.0211	0.181	1.000
BN_AT_BG_NAC	103.34	1.25	-0.0178	0.266	1.000
BN_AT_Org_A12_47o	122.12	0.63	0.0168	0.431	1.000
BN_AT_ITG_A37vl	116.40	0.31	0.0126	0.579	1.000
BN_AT_ITG_A37elv	117.39	0.26	0.0116	0.613	1.000
BN_AT_FuG_A37lv	109.80	0.03	-0.0030	0.872	1.000

**Supplementary Table 6. Functional changes related to Mini-Mental Scale Examination score (MMSE) in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of MMSE term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to MMSE. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_AT_ITG_A20il	164.49	28.08	-0.0086	0.000	<b>0.000</b>
BN_AT_MTG_A21r	159.78	23.11	-0.0071	0.000	<b>0.000</b>
BN_AT_STG_TE10_TE12	231.00	16.80	-0.0046	0.000	<b>0.001</b>
BN_AT_Hipp_cHipp	171.10	12.97	-0.0072	0.000	<b>0.009</b>
BN_AT_INS_vld_vlg	160.82	12.37	-0.0035	0.001	<b>0.011</b>
BN_AT_ITG_A20r	158.66	11.62	-0.0053	0.001	<b>0.016</b>
BN_AT_STG_A38l	161.00	11.01	-0.0039	0.001	<b>0.020</b>
BN_AT_ITG_A20iv	163.44	8.80	-0.0068	0.003	0.059

BN_AT_Hipp_rHipp	167.77	8.35	-0.0053	0.004	0.070
BN_AT_PhG_TL	167.26	7.70	-0.0054	0.006	0.092
BN_AT_Amyg_lAmyg	162.07	7.24	-0.0044	0.008	0.110
BN_AT_PhG_A35_36r	165.00	7.00	-0.0058	0.009	0.116
BN_AT_PhG_A28_34	171.31	5.25	-0.0056	0.023	0.278
BN_AT_PhG_A35_36c	166.57	5.19	-0.0055	0.024	0.278
BN_AT_FuG_A20rv	166.23	5.14	-0.0044	0.025	0.278
BN_AT_Amyg_mA Amyg	161.57	4.72	-0.0035	0.031	0.281
BN_AT_PhG_TI	167.47	4.67	-0.0045	0.032	0.281
BN_AT_BG_NAC	150.78	3.68	-0.0020	0.057	0.398
BN_AT_FuG_A37lv	155.68	2.72	-0.0020	0.101	0.607
BN_AT_STG_A38m	166.26	1.99	-0.0024	0.161	0.804
BN_AT_OrG_A12_47o	164.47	1.11	-0.0014	0.294	1.000
BN_AT_ITG_A37vl	161.64	0.89	-0.0014	0.347	1.000
BN_AT_ITG_A37elv	162.16	0.67	-0.0012	0.413	1.000
BN_AT_OrG_A11l	158.82	0.01	-0.0001	0.914	1.000

**Supplementary Table 7. Functional changes related to Mattis Dementia Rating Scale score (MDRS) in each region of interest (ROI) within the anterior-temporal (AT) network.** Statistical summary of MDRS term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to MDRS. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_AT_ITG_A20il	162.93	27.79	-0.0031	0.000	<b>0.000</b>
BN_AT_STG_TE10_TE12	160.11	17.11	-0.0018	0.000	<b>0.001</b>
BN_AT_INS_vld_vlg	161.89	16.81	-0.0016	0.000	<b>0.001</b>
BN_AT_MTG_A21r	159.00	15.90	-0.0022	0.000	<b>0.002</b>
BN_AT_Hipp_cHipp	171.43	13.14	-0.0026	0.000	<b>0.008</b>
BN_AT_ITG_A20r	159.28	12.69	-0.0020	0.000	<b>0.009</b>
BN_AT_Hipp_rHipp	169.42	11.88	-0.0023	0.001	<b>0.013</b>
BN_AT_PhG_A35_36r	166.62	9.92	-0.0025	0.002	<b>0.033</b>
BN_AT_PhG_A28_34	171.82	9.16	-0.0027	0.003	<b>0.046</b>
BN_AT_Amyg_lAmyg	164.36	8.09	-0.0017	0.005	0.075
BN_AT_BG_NAC	158.04	8.08	-0.0011	0.005	0.075
BN_AT_PhG_TL	169.49	6.92	-0.0019	0.009	0.121
BN_AT_ITG_A20iv	160.26	6.59	-0.0022	0.011	0.134
BN_AT_FuG_A20rv	166.83	6.43	-0.0018	0.012	0.134
BN_AT_STG_A38l	158.51	6.22	-0.0011	0.014	0.136
BN_AT_PhG_TI	169.08	6.00	-0.0019	0.015	0.138

BN_AT_Amyg_mA Amyg	165.22	5.50	-0.0014	0.020	0.162
BN_AT_PhG_A35_36c	169.56	5.38	-0.0021	0.022	0.162
BN_AT_FuG_A37lv	158.82	2.39	-0.0007	0.124	0.746
BN_AT_OrG_A12_47o	168.22	1.90	-0.0007	0.170	0.850
BN_AT_STG_A38m	168.02	1.73	-0.0008	0.190	0.850
BN_AT_ITG_A37vl	166.52	1.11	-0.0006	0.295	0.884
BN_AT_ITG_A37elv	166.78	1.02	-0.0006	0.314	0.884
BN_AT_OrG_A11l	162.71	0.51	-0.0004	0.475	0.884

**Supplementary Table 8. Functional changes related to amyloid uptake in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of amyloid uptake term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to amyloid burden. Bolded *p*-values survived the Holm-Bonferroni correction (*p*<0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_PM_PhG_A35_36c	134.23	20.04	0.2364	0.000	<b>0.001</b>
BN_PM_FuG_A37mv	138.89	18.47	0.2137	0.000	<b>0.001</b>
BN_PM_MVOccC_rLinG	133.48	15.13	0.2036	0.000	<b>0.006</b>
BN_PM_Tha_Otha	200.00	11.72	0.1556	0.001	<b>0.029</b>
BN_PM_LOcc_iOccG	129.60	11.67	0.1723	0.001	<b>0.031</b>
BN_PM_FuG_A37lv	132.15	10.96	0.1439	0.001	<b>0.043</b>
BN_PM_SFG_A8dl	124.55	10.63	-0.1161	0.001	0.050
BN_PM_PhG_TH	134.90	9.34	0.1769	0.003	0.092
BN_PM_IPL_A39rd	120.49	7.69	-0.1420	0.006	0.212
BN_PM_SPL_A7c	133.80	7.41	-0.1125	0.007	0.235
BN_PM_LOcc_mOccG	125.04	6.42	0.1236	0.013	0.388
BN_PM_MFG_A8vl	125.18	6.40	-0.1086	0.013	0.388
BN_PM_MVOccC_cLinG	125.87	5.81	0.1207	0.017	0.505
BN_PM_FuG_A20rv	136.13	5.68	0.1372	0.019	0.521
BN_PM_Hipp_cHipp	133.19	4.20	0.0950	0.042	1.000
BN_PM_MFG_A9_46d	130.76	3.17	-0.0819	0.077	1.000
BN_PM_IPL_A39rv	112.62	2.77	-0.0712	0.099	1.000
BN_PM_LOcc_OPc	133.69	2.72	0.0874	0.101	1.000
BN_PM_PhG_TL	130.49	2.43	0.0871	0.121	1.000
BN_PM_MFG_A6vl	128.77	2.26	-0.0625	0.135	1.000
BN_PM_MVOccC_cCunG	129.00	2.09	0.0760	0.151	1.000
BN_PM_Hipp_rHipp	135.93	1.82	0.0851	0.179	1.000
BN_PM_PCL_A1_2_3II	125.28	1.43	0.0418	0.233	1.000
BN_PM_IPL_A39c	129.61	1.33	-0.0469	0.250	1.000

BN_PM_ITG_A37vl	130.56	1.19	0.0635	0.278	1.000
BN_PM_LOcc_V5_MT	132.13	1.18	0.0500	0.280	1.000
BN_PM_CG_A32sg	127.64	1.05	-0.0489	0.306	1.000
BN_PM_OrG_A14m	131.88	1.00	-0.0447	0.320	1.000
BN_PM_PCun_A31	120.65	0.91	-0.0384	0.342	1.000
BN_PM_PCun_dmPOS	133.23	0.77	-0.0469	0.382	1.000
BN_PM_MVOcC_rCunG	132.12	0.73	0.0364	0.393	1.000
BN_PM_PCun_A7m	134.58	0.57	-0.0315	0.450	1.000
BN_PM_SPL_A7r	129.51	0.49	0.0256	0.485	1.000
BN_PM_CG_A23v	131.20	0.48	-0.0359	0.488	1.000
BN_PM_CG_A23d	126.57	0.33	-0.0247	0.565	1.000
BN_PM_LOcc_lsOccG	129.19	0.30	-0.0230	0.588	1.000
BN_PM_PCun_A5m	132.03	0.07	-0.0077	0.794	1.000
BN_PM_OrG_A11m	129.01	0.04	0.0092	0.844	1.000
BN_PM_MVOcC_vmPOS	132.75	0.03	0.0072	0.865	1.000
BN_PM_PCL_A4II	200.00	0.00	0.0015	0.960	1.000
BN_PM_LOcc_msOccG	127.25	0.00	0.0006	0.989	1.000

**Supplementary Table 9. Functional changes related to glucose metabolism in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of glucose metabolism term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to glucose metabolism. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_PM_MVOcC_rLinG	126.98	17.31	-0.1070	0.000	<b>0.002</b>
BN_PM_FuG_A37mv	130.95	13.31	-0.0914	0.000	<b>0.015</b>
BN_PM_FuG_A37lv	124.01	12.24	-0.0752	0.001	<b>0.025</b>
BN_PM_Tha_Otha	117.73	11.58	-0.0776	0.001	<b>0.035</b>
BN_PM_LOcc_mOccG	119.74	11.38	-0.0822	0.001	<b>0.037</b>
BN_PM_LOcc_iOccG	124.90	10.38	-0.0834	0.002	0.058
BN_PM_LOcc_V5_MT	127.36	9.39	-0.0707	0.003	0.093
BN_PM_PhG_A35_36c	135.92	9.25	-0.0854	0.003	0.096
BN_PM_MVOcC_cLinG	119.94	9.13	-0.0751	0.003	0.101
BN_PM_FuG_A20rv	130.70	9.06	-0.0867	0.003	0.101
BN_PM_PhG_TL	128.11	8.29	-0.0793	0.005	0.145
BN_PM_PhG_TH	134.74	8.24	-0.0841	0.005	0.145
BN_PM_SFG_A8dl	122.41	7.72	0.0539	0.006	0.183
BN_PM_MFG_A8vl	121.70	5.73	0.0512	0.018	0.510
BN_PM_Hipp_cHipp	130.69	4.57	-0.0505	0.034	0.928

BN_PM_LOcc_OPc	126.21	3.93	-0.0529	0.050	1.000
BN_PM_IPL_A39rd	125.45	3.45	0.0532	0.066	1.000
BN_PM_PCL_A1_2_3II	123.12	3.17	-0.0318	0.078	1.000
BN_PM_SPL_A7c	137.20	2.06	0.0324	0.153	1.000
BN_PM_MFG_A6vl	125.56	1.69	0.0282	0.196	1.000
BN_PM_MVOcc_cCunG	119.97	1.52	-0.0324	0.221	1.000
BN_PM_PCL_A4II	212.00	1.42	-0.0180	0.235	1.000
BN_PM_CG_A23d	127.75	1.42	0.0264	0.236	1.000
BN_PM_MVOcc_rCunG	122.39	1.25	-0.0234	0.266	1.000
BN_PM_Hipp_rHipp	135.04	1.23	-0.0356	0.269	1.000
BN_PM_MFG_A9_46d	128.51	1.02	0.0242	0.314	1.000
BN_PM_PCun_A7m	130.08	0.75	0.0187	0.387	1.000
BN_PM_ITG_A37vl	124.45	0.65	-0.0229	0.423	1.000
BN_PM_LOcc_msOccG	128.60	0.56	-0.0185	0.457	1.000
BN_PM_Org_A14m	133.81	0.25	0.0119	0.619	1.000
BN_PM_CG_A32sg	128.43	0.23	0.0122	0.635	1.000
BN_PM_PCun_A5m	128.30	0.14	-0.0057	0.708	1.000
BN_PM_CG_A23v	127.65	0.13	-0.0091	0.724	1.000
BN_PM_SPL_A7r	131.11	0.11	0.0066	0.736	1.000
BN_PM_LOcc_lsOccG	134.20	0.11	-0.0072	0.742	1.000
BN_PM_Org_A11m	135.29	0.08	-0.0071	0.781	1.000
BN_PM_IPL_A39rv	116.68	0.07	0.0061	0.786	1.000
BN_PM_IPL_A39c	128.09	0.07	-0.0055	0.794	1.000
BN_PM_MVOcc_vmpOS	125.89	0.03	-0.0038	0.859	1.000
BN_PM_PCun_A31	122.91	0.03	0.0035	0.870	1.000
BN_PM_PCun_dmPOS	132.11	0.00	0.0013	0.961	1.000

**Supplementary Table 10. Functional changes related to hippocampal volume in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of hippocampal volume term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to hippocampal volume. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_PM_LOcc_iOccG	115.80	7.73	-0.0707	0.006	0.260
BN_PM_PhG_TL	113.94	5.77	-0.0669	0.018	0.698
BN_PM_MVOcc_rLinG	116.32	5.98	-0.0665	0.016	0.640
BN_PM_LOcc_mOccG	114.41	4.66	-0.0554	0.033	1.000
BN_PM_MVOcc_cLinG	110.68	4.77	-0.0534	0.031	1.000
BN_PM_FuG_A37mv	121.28	3.97	-0.0524	0.048	1.000

BN_PM_Tha_Otha	114.40	4.54	-0.0505	0.035	1.000
BN_PM_PhG_A35_36c	119.70	2.96	-0.0486	0.088	1.000
BN_PM_PhG_TH	119.38	1.45	-0.0368	0.230	1.000
BN_PM_LOcc_OPc	114.82	1.97	-0.0368	0.164	1.000
BN_PM_Hipp_rHipp	119.40	1.12	-0.0336	0.292	1.000
BN_PM_Hipp_cHipp	115.70	2.01	-0.0333	0.159	1.000
BN_PM_FuG_A20rv	118.69	1.26	-0.0330	0.264	1.000
BN_PM_LOcc_V5_MT	118.58	1.67	-0.0305	0.199	1.000
BN_PM_MVOcC_cCunG	110.29	1.35	-0.0294	0.248	1.000
BN_PM_PCL_A1_2_3II	113.48	2.59	-0.0288	0.110	1.000
BN_PM_FuG_A37lv	114.67	0.86	-0.0206	0.357	1.000
BN_PM_LOcC_msOccG	113.27	0.30	-0.0139	0.584	1.000
BN_PM_PCL_A4II	122.22	0.46	-0.0098	0.501	1.000
BN_PM_ITG_A37vl	106.13	0.08	-0.0081	0.778	1.000
BN_PM_LOcC_lsOccG	117.62	0.03	-0.0036	0.868	1.000
BN_PM_OrG_A11m	119.69	0.01	-0.0021	0.933	1.000
BN_PM_SPL_A7r	116.21	0.00	0.0014	0.945	1.000
BN_PM_MVOcC_rCunG	115.66	0.01	0.0022	0.918	1.000
BN_PM_OrG_A14m	122.05	0.05	0.0051	0.830	1.000
BN_PM_PCun_A5m	118.06	0.13	0.0055	0.715	1.000
BN_PM_CG_A32sg	116.13	0.12	0.0086	0.734	1.000
BN_PM_MFG_A6vl	111.50	0.25	0.0111	0.620	1.000
BN_PM_CG_A23d	113.10	0.49	0.0156	0.486	1.000
BN_PM_MVOcC_vmpOS	122.27	0.53	0.0158	0.468	1.000
BN_PM_PCun_dmPOS	118.69	0.41	0.0175	0.522	1.000
BN_PM_IPL_A39c	116.49	0.74	0.0184	0.391	1.000
BN_PM_MFG_A8vl	116.18	1.02	0.0223	0.315	1.000
BN_PM_PCun_A31	111.04	1.44	0.0251	0.232	1.000
BN_PM_CG_A23v	120.35	1.12	0.0273	0.293	1.000
BN_PM_MFG_A9_46d	119.88	1.43	0.0294	0.234	1.000
BN_PM_IPL_A39rv	107.48	2.14	0.0325	0.146	1.000
BN_PM_IPL_A39rd	115.51	1.36	0.0329	0.245	1.000
BN_PM_PCun_A7m	117.58	3.11	0.0375	0.080	1.000
BN_PM_SFG_A8dl	116.79	3.85	0.0391	0.052	1.000
BN_PM_SPL_A7c	121.76	3.96	0.0448	0.049	1.000

**Supplementary Table 11. Functional changes related to Mini-Mental Scale Examination score (MMSE) in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of MMSE term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in

relation to MMSE. Bolded  $p$ -values survived the Holm-Bonferroni correction ( $p < 0.05$ ). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_PM_FuG_A37mv	163.71	18.94	-0.0071	0.000	<b>0.001</b>
BN_PM_MVOC_rLinG	158.80	14.06	-0.0064	0.000	<b>0.009</b>
BN_PM_LOcc_iOccG	158.41	14.53	-0.0062	0.000	<b>0.008</b>
BN_PM_PhG_A35_36c	162.54	11.31	-0.0059	0.001	<b>0.036</b>
BN_PM_FuG_A20rv	162.90	9.65	-0.0057	0.002	0.076
BN_PM_FuG_A37lv	158.19	16.46	-0.0056	0.000	<b>0.003</b>
BN_PM_Tha_Otha	160.87	11.31	-0.0052	0.001	<b>0.036</b>
BN_PM_MVOC_cLinG	155.37	9.76	-0.0050	0.002	0.074
BN_PM_PhG_TH	165.32	5.98	-0.0046	0.016	0.451
BN_PM_LOcc_mOccG	157.07	7.97	-0.0045	0.005	0.172
BN_PM_LOcc_OPc	158.31	6.81	-0.0044	0.010	0.297
BN_PM_PhG_TL	159.37	5.37	-0.0041	0.022	0.589
BN_PM_Hipp_cHipp	160.63	7.04	-0.0040	0.009	0.272
BN_PM_Hipp_rHipp	164.75	3.29	-0.0036	0.071	1.000
BN_PM_LOcc_V5_MT	161.16	3.97	-0.0030	0.048	1.000
BN_PM_MVOC_cCunG	154.04	2.78	-0.0028	0.098	1.000
BN_PM_ITG_A37vl	153.48	2.02	-0.0026	0.157	1.000
BN_PM_PCL_A1_2_3II	157.06	4.01	-0.0024	0.047	1.000
BN_PM_OrG_A11m	166.93	0.42	-0.0010	0.519	1.000
BN_PM_MVOC_rCunG	159.34	0.51	-0.0010	0.474	1.000
BN_PM_PCL_A4II	167.72	0.59	-0.0008	0.444	1.000
BN_PM_CG_A23v	163.45	0.03	-0.0003	0.867	1.000
BN_PM_PCun_A31	158.37	0.01	-0.0001	0.941	1.000
BN_PM_CG_A32sg	163.39	0.02	0.0002	0.888	1.000
BN_PM_LOcc_lsOccG	172.49	0.03	0.0002	0.856	1.000
BN_PM_LOcc_msOccG	165.95	0.03	0.0003	0.864	1.000
BN_PM_OrG_A14m	169.94	0.05	0.0003	0.817	1.000
BN_PM_PCun_A5m	161.35	0.20	0.0004	0.657	1.000
BN_PM_IPL_A39c	161.69	0.19	0.0006	0.661	1.000
BN_PM_MVOC_vmPOS	165.52	0.26	0.0007	0.612	1.000
BN_PM_SPL_A7r	160.57	0.57	0.0009	0.451	1.000
BN_PM_CG_A23d	158.27	0.49	0.0010	0.486	1.000
BN_PM_IPL_A39rv	153.63	0.96	0.0014	0.330	1.000
BN_PM_PCun_dmPOS	163.50	1.04	0.0018	0.308	1.000
BN_PM_MFG_A6vl	158.11	1.93	0.0019	0.166	1.000
BN_PM_MFG_A9_46d	164.11	1.55	0.0020	0.215	1.000

BN_PM_PCun_A7m	160.56	2.84	0.0023	0.094	1.000
BN_PM_MFG_A8vl	160.31	4.04	0.0029	0.046	1.000
BN_PM_SPL_A7c	166.27	5.50	0.0034	0.020	0.565
BN_PM_IPL_A39rd	160.78	3.93	0.0036	0.049	1.000
BN_PM_SFG_A8dl	160.47	9.20	0.0039	0.003	0.093

**Supplementary Table 12. Functional changes related to Mattis Dementia Rating Scale score (MDRS) in each region of interest (ROI) within the posterior-medial (PM) network.** Statistical summary of MDRS term from linear mixed models adjusted for age, sex, education and time as F-test result. Trend was calculated as the trend of the estimated marginal means for functional changes in relation to MDRS. Bolded *p*-values survived the Holm-Bonferroni correction (*p* < 0.05). Ddf: approximate denominator degrees of freedom.

	ddf	F	trend	P	adjusted P
BN_PM_PhG_A35_36c	158.56	9.62	-0.0021	0.002	0.089
BN_PM_FuG_A37mv	166.43	10.36	-0.0020	0.002	0.064
BN_PM_MVOC_rLinG	162.86	9.17	-0.0020	0.003	0.100
BN_PM_LOCC_iOccG	157.78	9.49	-0.0019	0.002	0.090
BN_PM_Tha_Otha	155.58	8.91	-0.0018	0.003	0.112
BN_PM_PhG_TH	164.05	5.96	-0.0017	0.016	0.504
BN_PM_FuG_A37lv	162.23	10.26	-0.0017	0.002	0.066
BN_PM_MVOC_cLinG	155.78	7.64	-0.0017	0.006	0.211
BN_PM_Hipp_cHipp	158.24	5.81	-0.0014	0.017	0.530
BN_PM_LOCC_OPc	156.52	4.49	-0.0014	0.036	1.000
BN_PM_FuG_A20rv	163.02	3.63	-0.0014	0.058	1.000
BN_PM_MVOC_cCunG	152.40	3.22	-0.0011	0.075	1.000
BN_PM_LOCC_mOccG	158.91	3.12	-0.0011	0.079	1.000
BN_PM_PhG_TL	160.22	2.20	-0.0010	0.140	1.000
BN_PM_ITG_A37vl	157.01	1.24	-0.0008	0.267	1.000
BN_PM_Hipp_rHipp	164.89	0.97	-0.0008	0.325	1.000
BN_PM_LOCC_V5_MT	160.97	1.06	-0.0006	0.304	1.000
BN_PM_PCL_A1_2_3II	162.93	1.54	-0.0005	0.216	1.000
BN_PM_OrG_A11m	167.88	0.26	-0.0003	0.611	1.000
BN_PM_MVOC_rCunG	160.00	0.33	-0.0003	0.567	1.000
BN_PM_PCL_A4II	173.39	0.00	0.0000	0.989	1.000
BN_PM_CG_A23v	165.72	0.00	0.0000	0.963	1.000
BN_PM(CG)_A32sg	164.88	0.04	0.0001	0.845	1.000
BN_PM_PCun_A31	162.19	0.22	0.0002	0.643	1.000
BN_PM_LOCC_lsOccG	170.57	0.37	0.0003	0.543	1.000
BN_PM_PCun_A5m	167.05	1.06	0.0004	0.306	1.000
BN_PM_LOCC_msOccG	163.58	0.52	0.0004	0.474	1.000

BN_PM_OrG_A14m	170.72	0.54	0.0004	0.465	1.000
BN_PM(CG)_A23d	163.18	0.88	0.0005	0.348	1.000
BN_PM(IPL)_A39c	161.79	1.07	0.0005	0.303	1.000
BN_PM(MVOcC)_vmPOS	161.25	1.06	0.0006	0.304	1.000
BN_PM(SPL)_A7r	162.31	1.53	0.0006	0.218	1.000
BN_PM(MFG)_A6vl	162.50	2.36	0.0008	0.126	1.000
BN_PM(IPL)_A39rv	158.52	2.36	0.0008	0.126	1.000
BN_PM(MFG)_A9_46d	168.23	2.17	0.0009	0.142	1.000
BN_PM(PCun)_A7m	164.66	2.83	0.0009	0.095	1.000
BN_PM(PCun)_dmPOS	164.64	2.08	0.0009	0.151	1.000
BN_PM(MFG)_A8vl	164.78	5.33	0.0012	0.022	0.666
BN_PM(IPL)_A39rd	163.89	3.34	0.0013	0.070	1.000
BN_PM(SFG)_A8dl	165.21	9.59	0.0015	0.002	0.089
BN_PM(SPL)_A7c	168.36	9.32	0.0016	0.003	0.095

**Supplementary Table 13.** Statistical summary of replication analyses across the whole sample, covering the entire adult lifespan and the entire cognitive continuum from normal to dementia, using connectivity values extracted from young adults' masks. The *group* term was derived from generalized additive models on baseline data. Visual inspection of the smooth term indicates similar trajectories to those illustrated in Fig. 6. The *time x group* interaction term was derived from mixed models using longitudinal data. Visual inspection of post-hoc predictions indicates similar effects to those depicted in Fig. 6.

Group			
	edf	F	P
AT	1.56	13	<b>&lt;0.001</b>
PM	2.27	9.28	<b>&lt;0.001</b>
Time * Group			
	ddf	F	P
AT	310.13	4.64	<b>0.032</b>
PM	325.87	1.03	0.312

**Supplementary Table 14.** Statistical summary of complementary analyses including both networks in the same model. All outputs were consistent with statistics reported in Results.

	Interaction with network			Post-hoc		
	ddf	F	P	AT		
				trend	t	P
Age	624.8	42.6	<b>&lt;0.001</b>	2.99e <sup>-4</sup>	2.3	<b>0.023</b>
Amyloid uptake	304.8	8.6	<b>0.004</b>	1.62e <sup>-1</sup>	4.8	<b>&lt;0.001</b>

Glucose metabolism	328.7	15.3	<b>&lt;0.001</b>	-1.07e <sup>-1</sup>	-6.5	<b>&lt;0.001</b>	-2.54e <sup>-2</sup>	-1.5	0.127
Hippocampal volume	356.6	25.9	<b>&lt;0.001</b>	-8.64e <sup>-2</sup>	-5.1	<b>&lt;0.001</b>	1.21e <sup>-2</sup>	0.7	0.472
MMSE	359.5	5.3	<b>0.022</b>	-4.95e <sup>-3</sup>	-4.4	<b>&lt;0.001</b>	-1.79e <sup>-3</sup>	-1.6	0.109
MDRS	334.5	8.0	<b>0.005</b>	-1.87e <sup>-3</sup>	-4.5	<b>&lt;0.001</b>	-4.11e <sup>-4</sup>	-0.98	0.329
MCI-to-AD time	69	13.0	<b>&lt;0.001</b>	-1.56e <sup>-2</sup>	-3.3	<b>0.002</b>	7.11e <sup>-3</sup>	1.5	0.141