

## Supplementary Material

### S1. Multilevel models of asthma symptom control (linear) and exacerbation occurrence (logistic)

		Asthma symptom control		Exacerbation occurrence	
		Model A	Model B	Model A	Model B
		b (SE)		OR (SE)	
<b>Intercept</b>		0.206 (0.221)	0.084 (0.177)	0.49 (0.54)	1.30 (0.60)
<b>Time (years)</b>		0.003 (0.003)	0.001 (0.002)	0.98 (0.01) *	0.98 (0.01) **
<b>ADHERENCE</b>					
Average adherence		0.002 (0.002)	0.001 (0.002)	1.00 (0.01)	0.99 (0.01)
Current fluctuation of adherence		0.001 (0.001)	0.001 (0.001)	1.00 (0.00)	1.00 (0.00)
Prior fluctuation of adherence		-0.003 (0.001) *	-0.001 (0.001)	0.99 (0.00)	0.99 (0.00)
<b>INHALATION TECHNIQUE</b>					
Average IT		0.039 (0.038)	0.011 (0.030)	1.17 (0.09)	1.15 (0.10)
Current fluctuation of IT		0.014 (0.035)	-0.003 (0.031)	0.99 (0.11)	0.96 (0.11)
Prior fluctuation of IT		-0.036 (0.040)	-0.045 (0.035)	1.16 (0.12)	1.15 (0.13)
<b>Treatment</b>					
	ICS plus LABA	Ref.	Ref.	Ref.	Ref.
	ICS	0.127 (0.088)	0.091 (0.071)	0.93 (0.22)	0.84 (0.23)
<b>Sex</b>					
	Male	Ref.	Ref.	Ref.	Ref.
	Female	0.173 (0.082) *	0.133 (0.064) *	0.97 (0.19)	0.82 (0.20)
<b>Age</b>					
	< 8 years	Ref.	Ref.	Ref.	Ref.
	8 – 11	-0.079 (0.101)	-0.045 (0.080)	0.43 (0.23) ***	0.39 (0.24) ***
	≥12	-0.038 (0.115)	-0.003 (0.091)	0.38 (0.26) ***	0.31 (0.28) ***
<b>Reliever use</b>					
	Almost never		Ref.		Ref.
	Usually		0.876 (0.061) ***		3.30 (0.21) ***
<b>Exacerbation</b>					
	No		Ref.		
	Yes		0.327 (0.064) ***		
<b>Asthma symptom control</b>					
	Not well controlled				Ref.
	Intermediate				0.33 (0.35) **
	Well controlled				0.37 (0.25) ***
ICC (linear); VPC (logistic)		0.2332	0.1498	0.0112	0.0109
logLikelihood		-1194.0	-1074.5		
AIC		2418.0	2183.1		
BIC		2489.9	2264.5		
-2 Res Log Pseudo-Likelihood				4149.65	4291.46
Generalized Chi-Square				751.82	748.04
Generalized Chi-Square / DF				0.85	0.85

The p-values corresponding to each coefficient or OR provided by the models were marked with asterisks: \*(p<0.05); \*\*(p<0.01); \*\*\* (p<0.001).

ANOVA p-values for each independent variable were marked with § ( $p < 0.05$ ). ICS: Inhaled Corticosteroids; ICS plus LABA: Inhaled Corticosteroids plus Long-Acting Beta-Agonists; ICC: Intraclass Correlation Coefficient; VPC: Variance Partition Coefficients; AIC: Akaike Information Criterion; BIC: Bayesian Information Criterion.

## S2. Multilevel models of Health-Related Quality of Life measured with the EQ-5D and PROMIS-PAIS (linear)

		EQ-5D		PROMIS-PAIS	
		Model A	Model B	Model A	Model B
		b (SE)		b (SE)	
<b>Intercept</b>		0.964 (0.038) ***	0.970 (0.040) ***	11.425 (2.006) ***	12.441 (2.028) ***
<b>Time (years)</b>		0.000 (0.001)	0.000 (0.001)	-0.026 (0.028)	-0.023 (0.027)
<b>ADHERENCE</b>					
Average adherence		0.000 (0.000)	0.000 (0.000)	0.023 (0.020)	0.023 (0.018)
Current fluctuation of adherence		0.000 (0.000)	0.000 (0.000)	0.000 (0.009)	-0.004 (0.009)
Prior fluctuation of adherence		0.000 (0.000)	0.000 (0.000)	-0.015 (0.010)	-0.006 (0.010)
<b>INHALATION TECHNIQUE</b>					
Average IT		0.005 (0.006)	0.006 (0.006)	-0.528 (0.356)	-0.558 (0.334)
Current fluctuation of IT		-0.013 (0.006) *	-0.012 (0.006) *	-0.323 (0.316)	-0.363 (0.312)
Prior fluctuation of IT		0.017 (0.007) *	0.017 (0.007) *	-0.054 (0.350)	0.051 (0.346)
<b>Treatment</b>					
	ICS plus LABA	Ref.	Ref.	Ref.	Ref.
	ICS	-0.001 (0.016)	-0.001 (0.016)	-0.133 (0.863)	-0.033 (0.814)
<b>Sex</b>					
	Male	Ref.	Ref.	Ref.	Ref.
	Female	-0.032 (0.014) *	-0.033 (0.014) *	2.384 (0.779) **	2.512 (0.729) ***
<b>Age</b>					
	< 8 years	Ref.	Ref.	Ref.	Ref.
	8 - 11	0.001 (0.017)	-0.004 (0.017)	-0.400 (0.931)	-0.140 (0.879)
	≥ 12	0.002 (0.020)	-0.002 (0.020)	2.462 (1.111) *	2.727 (1.051) *
<b>Asthma symptom control</b>					
	Not well controlled		Ref.		Ref.
	Intermediate		-0.006 (0.018)		0.181 (0.995)
	Well controlled		0.009 (0.014)		-2.250 (0.800) **
<b>Reliever use</b>					
	No		Ref.		Ref.
	Yes		-0.017 (0.011)		1.386 (0.621) *
<b>Exacerbation</b>					
	No		Ref.		Ref.
	Yes		-0.018 (0.011)		-0.154 (0.570)
ICC (linear)		0.6223	0.6192	0.5512	0.5130
logLikelihood		350.6	341.8	-1518.3	-1518.3
AIC		-667.2	-641.5	3104.2	3078.6
BIC		-596.6	-554.5	3175.4	3166.3

The p-values corresponding to each coefficient provided by the models were marked with asterisks: \*(p<0.05); \*\*(p<0.01); \*\*\*(p<0.001). ANOVA p-values for each independent variable were marked with § (p<0.05).

ICS: Inhaled Corticosteroids; ICS plus LABA: Inhaled Corticosteroids plus Long-Acting Beta-Agonists; ICC: Intraclass Correlation Coefficient; VPC: Variance Partition Coefficients; AIC: Akaike Information Criterion; BIC: Bayesian Information Criterion.