

Supplemental information

FIGURE S1: GENOMIC NEWBORN SCREENING PROGRAMS IN FEBRUARY 2024



Notes: World map indicating the location of various genomic newborn screening research studies and commercial programs. Gene lists from 26 of these programs were included in the analysis (program names denoted with an asterisk).

FIGURE S2: OVERLAP BETWEEN PROGRAM GENE LISTS AND PREVIOUSLY PUBLISHED RESEARCH LISTS




FIGURE S3: GENE INCLUSION DISTRIBUTION






FIGURE S4: GENE LIST CONCORDANCE

A. Gene list concordance composition



B. Gene list overview



Notes: (A) Bar chart shows the distribution of the number of programs that include the genes of each program's gene list. (B) Gene map which has all 1,750 genes on the x-axis. A corresponding cell is colored if a gene is included on a given list.

FIGURE S5: GENE LIST VENN DIAGRAMS






FIGURE S6: JACCARD HEAT PLOTS BY CLINICAL AREA


A. Metabolism



B. Immunology



C. Neurology



D. Endocrinology




FIGURE S7: CORRELATION OF GENE LIST INCLUSION AND DIFFERENT CATEGORIES






FIGURE S8: CORRELATION OF GENE LIST INCLUSION AND PREVIOUSLY PUBLISHED METRICS

A. Rare disease expert recommendation from Gold et al. (2023)



B. ASQM Score from Milko et al. (2019)




Notes: For each bin of genes with the same concordance level, these graphs show a box plot depicting (A) the distribution of experts recommending screening for these genes, and (B) the distribution of ASQM scores of these genes.


FIGURE S9: PREDICTION MODEL GRAPHS

A. Out-of-sample predictions vs observed gene list inclusion

A1. Linear regression




A2. Random forest




B. Distribution of predicted gene list inclusion

B1. Linear regression



B2. Random forest



Notes: (A) Scatter plot of predicted and observed gene list inclusion, where perfect predictions would follow a 45 degree line. (B) Histogram of predicted gene list inclusion for 1,750 genes.

TABLE S1: INCLUSION CRITERIA

Program name	Inclusion criteria
	Six mandatory criteria <ol style="list-style-type: none"> 1. Disease has to start in pediatric age (<5yo) 2. Severe, significant disability if not treated 3. Approved treatment or trial 4. Good technique 5. Clear pathogenic mutations 6. Highly penetrant mutations
BabyDetect	
	Four mandatory criteria <ol style="list-style-type: none"> 1. Screening can be performed with confidence using currently available technology 2. The condition associated with the gene has a serious impact on health and/or is life-limiting 3. The condition associated with the gene usually affects children under 5 years of age 4. There is available treatment that prevents, cures or significantly reduces the severity of the condition
BabyScreen+	
	Two mandatory criteria <ol style="list-style-type: none"> 1. Severe, childhood-onset disease 2. Effective therapeutic intervention available
BeginNGS	
	One of the following criteria <ol style="list-style-type: none"> A. Diseases in the current NBS program in China B. Diseases on the first national list of rare diseases in China C. Diseases on the list of major rare diseases in Shanghai (2016 Edition) D. Diseases in the NBS program recommended by the American College of Medical Genetics and Genomics E. Treatable inherited disorders with a high carrier frequency in Southeast Asia
Chen et al. 2023	
	Four mandatory criteria <ol style="list-style-type: none"> 1. There is strong evidence that the genetic variant(s) causes the condition and can be reliably detected 2. A high proportion of individuals who have the genetic variant(s) would be expected to have symptoms that would have a debilitating impact on quality of life if left undiagnosed 3. Early or pre-symptomatic intervention for the condition has been shown to lead to substantially improved outcomes in children, compared to intervention after the onset of symptoms 4. Conditions screened for are only those for which the interventions are equitably accessible for all
Generation Study	

Notes: Inclusion criteria employed by various programs for selecting gene-disease associations for genomic newborn screening, as documented in their published materials.

TABLE S2: GENE-DISEASE CHARACTERISTIC DESCRIPTIONS

Number of Gene-Disease Pairs					
Name of Dataset	Disease Pairs	Characteristic	Values	Description	Source
ASQM	747	ASQM score	0-15	Total score of ratings on severity, likelihood, efficacy, acceptability and knowledge	
			1	Pediatric conditions with high actionability	
		NC Nexus category	2	Pediatric conditions with low or no actionability	
			3	Adult conditions with high actionability	
			4	Adult conditions with low or no actionability	
		Severity	0-3, recoded to 0-1	Rating to question 'What is the effect on morbidity or mortality to an individual carrying a pathogenic variant in this gene?'	
		Likelihood	0-3, recoded to 0-1	Rating to question 'What is the chance that a threat will materialize?'	
		Efficacy	0-3, recoded to 0-1	Rating to question 'How effective are interventions for preventing the harm?'	
		Acceptability	0-3, recoded to 0-1	Rating to question 'How acceptable are the interventions in terms of the burdens or risks placed on the individual?'	Milko et al. 2019; DeCristo et al. 2021
		Knowledge	0-3, recoded to 0-1	Rating to question 'What is the evidence base for decisions about the natural history of the disease, and interventions used for preventing serious outcomes?'	
BabySeq	1,390	Inheritance	Autosomal dominant, recessive, x-linked, or other		
		Age of Onset	Adolescent/adult	Disease presents at age 11 and beyond	
			Childhood	Disease presents at age 2 to 10	
			Infant/neonatal	Disease presents between birth and age 2	
			Birth	Disease presents at birth	
		BabySeq category	A	Genes included in the newborn genomic sequencing report with definitive or strong evidence to cause a highly penetrant childhood-onset disorder	
			B	Genes included in the newborn genomic sequencing report based on actionability during childhood	
			C	Genes that did not meet criteria to be returned in the newborn genomic sequencing report	
		Evidence	Conflicting, limited, moderate, strong, definitive, or no evidence	Evidence that the gene has a causal role in disease	Ceyhan et al. 2017
		Penetrance	High	≥80% of individuals were symptomatic	
			Moderate	20–80% of individuals were symptomatic	
			Low	<20% of individuals were symptomatic	
Gold et al. 2023	649	Inheritance	Autosomal dominant, autosomal recessive, autosomal recessive digene, complex inheritance, imprinting, mitochondrial inheritance, unknown inheritance, x-linked dominant, x-linked recessive		
		Recommendation fraction	Fraction	Fraction of rare disease experts that responds yes to the question "Would you recommend screening for this gene?"	
		Prevalence	Disease frequency per 100,000	Disease frequency per 100,000	Gold et al. 2023
		Existence of orthogonal test	Yes/No	Existence of an orthogonal test	

TABLE S3: GENE LIST SUMMARY STATISTICS

	Genes included in at least one gene	Average across list	pilots	BabyDetect	BabyScreen+	BabySeq2	BeginNGS	Chen et al.	Early Check	FORESITE	FirstSteps	360	Fulgent	Generation	gnSTAR	GUARDIAN
All genes	1750	344	405	605	889	357	142	169	385	306	255	479	134	148		
Clinical area																
Cardiovascular	122	16	20	18	78	11	1	4	11	34	8	18	0	6		
Dermatology	28	2	0	2	24	0	0	0	0	1	0	0	0	0	0	
ENT/Dental	100	15	1	54	52	0	0	33	0	15	16	1	2	2		
Endocrinology	155	41	44	105	59	42	15	22	43	40	38	90	14	13		
Gastroenterology	39	8	13	16	15	4	4	4	4	7	6	19	4	0		
Hematology	134	28	55	55	53	54	8	8	58	13	8	44	3	2		
Immunology	198	46	63	122	35	69	12	10	70	26	26	106	11	16		
Medical Genetics	168	16	8	21	112	7	1	5	7	12	11	9	4	1		
Metabolism	292	109	129	138	168	108	87	67	119	99	98	89	90	93		
Nephrology	58	11	9	17	31	11	4	7	14	10	10	17	0	3		
Neurology	279	33	51	36	178	47	8	5	54	20	18	37	3	9		
Oncology	51	7	2	16	27	1	1	2	1	23	11	14	2	0		
Ophthalmology	57	4	8	2	24	0	0	0	1	4	3	1	0	1		
Orthopedics	23	2	0	2	15	1	0	0	1	1	1	0	1	1		
Pulmonology	46	4	2	1	18	2	1	2	2	1	1	34	0	1		
RUSP																
Core	48	41	46	45	41	43	35	40	42	44	44	46	38	45		
Secondary	39	27	33	24	27	28	21	14	27	27	25	18	28	29		
ASQM																
Genes	662		240	340	430	194	114	168	211	269	225	255	112	133		
Average ASQM score	10.62		11.15	11.52	10.95	11.49	11.57	12.42	11.41	11.62	11.68	11.50	11.62	11.45		
BabySeq																
Genes	1089		253	365	889	230	130	151	253	263	221	281	116	124		
Genes in 3 categories																
A	827		204	300	827	172	120	135	192	217	204	228	104	104		
B	59		11	8	59	11	3	7	11	29	5	5	5	7		
C	203		38	57	3	47	7	9	50	17	12	48	7	13		
Gold et al. 2023																
Genes	593		257	388	240	274	74	65	305	139	122	317	50	60		
Avg recommendation %	57.36		63	61	62	60	71	73	61	67	68	60	71	71		

Table continues on next page.

	Igenomix	Jian et al.	Lee et al.	Luo et al.	Mendelics	NeoExome	NeoSeq	NESTS	NewbornsIn	Prog.	Wang et al.			
									SA	Nurture	PerkinElmer	Puglia	Sema4	
All genes	237	251	198	463	284	601	135	465	613	412	268	404	167	162
Clinical area														
Cardiovascular	2	11	12	29	7	50	0	23	21	14	18	11	3	1
Dermatology	0	1	0	8	0	7	0	6	2	0	0	0	0	0
ENT	12	8	3	22	2	6	2	84	53	0	15	3	0	10
Endocrinology	37	8	23	35	47	73	14	23	106	53	38	52	27	14
Gastroenterology	6	2	3	10	17	17	4	5	16	10	7	6	6	4
Hematology	6	6	5	54	15	58	3	28	56	65	7	54	8	8
Immunology	24	118	4	34	52	39	11	29	122	77	26	73	13	12
Medical Genetics	1	17	21	46	0	39	4	38	21	6	13	5	1	3
Metabolism	126	66	81	140	107	171	91	87	139	135	99	138	86	90
Nephrology	6	0	7	15	11	25	0	34	18	17	10	10	8	4
Neurology	14	6	23	50	23	82	3	40	36	22	16	45	12	13
Oncology	0	5	2	3	1	12	2	4	16	9	14	5	2	1
Ophthalmology	1	1	9	2	1	14	0	32	3	1	3	1	0	0
Orthopedics	1	1	2	9	0	5	1	4	3	1	1	0	0	1
Pulmonology	1	1	3	6	1	3	0	28	1	2	1	1	1	1
RUSP														
Core	43	45	27	42	33	44	38	33	45	39	41	44	44	35
Secondary	34	34	20	33	21	38	29	29	24	20	25	37	27	21
ASQM														
Genes	196	136	126	281	168	301	113	277	346	235	236	242	167	125
Average ASQM score	11.26	11.12	11.23	10.97	11.54	10.82	11.59	11.09	11.51	11.23	11.67	11.32	11.69	11.66
BabySeq														
Genes	190	129	168	386		415	117	364	373	256	233	268	142	142
Genes in 3 categories														
A	166	106	139	317	155	312	104	278	304	209	204	215	129	130
B	5	5	10	18	3	29	5	15	10	10	16	10	4	3
C	19	18	19	51	19	74	8	71	58	37	13	43	9	9
Gold et al. 2023														
Genes	111	88	57	155	183	233	50	119	393	347	125	313	85	79
Avg recommendation %	70	57	67	65	65	61	71	62	61	65	68	64	70	70

Notes: Upper part of the table shows the number of genes by clinical area. The ASQM, BabySeq and Gold et al. 2023 parts of the table show the number of genes each program has in common with these datasets, as well as summary statistics related to these datasets.

TABLE S4: UNIVARIATE GENE LIST REGRESSIONS RESULTS

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Dependent variable: gene list inclusion fraction									
RUSP (base: not in RUSP)									
Core	0.702*** (0.025)	0.536*** (0.033)	0.587*** (0.034)	0.621*** (0.033)	0.603*** (0.033)	0.619*** (0.033)	0.555*** (0.031)	0.341*** (0.066)	0.301*** (0.059)
Secondary	0.551*** (0.028)	0.378*** (0.036)	0.461*** (0.037)	0.471*** (0.037)	0.473*** (0.037)	0.472*** (0.037)	0.461*** (0.037)	0.296*** (0.034)	0.345*** (0.092)
Gene-disease characteristics									
Neonatal or infant onset		0.143*** (0.023)							
Severity			0.152*** (0.032)						
Penetrance				0.160*** (0.029)					
Efficacy					0.164*** (0.024)				
Acceptability						0.149*** (0.024)			
Evidence base							0.314*** (0.025)		
Existence of an orthogonal test								0.131*** (0.023)	
Expert recommendations									
≥80% Yes								0.440*** (0.031)	
Constant	0.132*** (0.004)	0.195*** (0.019)	0.145*** (0.019)	0.086*** (0.027)	0.118*** (0.018)	0.115*** (0.020)	0.047*** (0.016)	0.159*** (0.021)	0.242*** (0.008)
Observations	2,180	747	749	749	749	749	749	637	649
R-squared	0.344	0.470	0.400	0.407	0.418	0.413	0.493	0.102	0.281

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Notes: Coefficients and associated standard errors of linear regressions with as dependent variable the inclusion proportion (between 0 and 1) of a gene, which is the proportion of programs including this gene.

TABLE S5: UNIVARIATE GENE LIST REGRESSION RESULTS BY PROGRAM

	BabyDetect	BabyScreen+	BabySeq2	BeginNGS	Chen et al.	Early Check	FirstSteps	Generation	gnSTAR	GUARDIAN	Jian et al.	Lee et al.	Luo et al.	NeoExome	NeoSeq
Gene-disease characteristics															
Neonatal or infant onset	0.241*** (0.043)	0.354*** (0.050)	-0.038 (0.054)	0.209*** (0.041)	0.041 (0.034)	0.185*** (0.042)	0.199*** (0.044)	0.335*** (0.046)	0.114*** (0.031)	0.044 (0.032)	0.105*** (0.031)	-0.016 (0.039)	0.068 (0.050)	0.022 (0.049)	0.115*** (0.031)
Severity	0.265*** (0.059)	0.199*** (0.069)	0.303*** (0.070)	0.222*** (0.056)	0.077* (0.045)	0.089 (0.056)	0.226*** (0.059)	0.132** (0.064)	0.076* (0.041)	0.175*** (0.042)	0.120*** (0.041)	0.061 (0.051)	0.113* (0.065)	0.291*** (0.064)	0.079* (0.041)
Penetrance	0.112** (0.053)	0.261*** (0.061)	0.325*** (0.062)	0.188*** (0.050)	0.071* (0.040)	0.239*** (0.049)	0.222*** (0.052)	0.205*** (0.057)	0.078** (0.036)	0.047 (0.038)	-0.009 (0.037)	0.042 (0.045)	0.207*** (0.058)	0.157*** (0.058)	0.065* (0.036)
Efficacy	0.167*** (0.045)	0.489*** (0.049)	0.005 (0.053)	0.137*** (0.042)	0.038 (0.034)	0.382*** (0.040)	0.111** (0.045)	0.346*** (0.047)	0.071** (0.031)	0.074** (0.032)	0.091*** (0.031)	0.006 (0.038)	-0.016 (0.049)	-0.049 (0.049)	0.076** (0.031)
Acceptability	0.134*** (0.044)	0.376*** (0.050)	0.047 (0.052)	0.178*** (0.041)	0.053 (0.033)	0.295*** (0.040)	0.166*** (0.043)	0.219*** (0.047)	0.056* (0.030)	0.053* (0.032)	0.035 (0.030)	0.079** (0.038)	0.013 (0.049)	-0.056 (0.048)	0.059** (0.030)
Evidence base	0.140*** (0.049)	0.411*** (0.055)	0.739*** (0.052)	0.195*** (0.046)	0.261*** (0.036)	0.373*** (0.044)	0.241*** (0.048)	0.275*** (0.052)	0.216*** (0.033)	0.151*** (0.035)	0.055 (0.034)	0.251*** (0.041)	0.510*** (0.051)	0.417*** (0.052)	0.212*** (0.033)
Existence of an orthogonal test	0.338*** (0.052)	0.256*** (0.053)	0.090* (0.053)	0.189*** (0.054)	0.069** (0.035)	0.085*** (0.033)	0.222*** (0.055)	0.279*** (0.054)	0.061** (0.029)	0.095*** (0.030)	0.033 (0.037)	-0.012 (0.031)	0.099** (0.047)	0.106** (0.053)	0.061** (0.029)
Expert recommendations	0.511*** (0.079)	0.331*** (0.081)	0.508*** (0.078)	0.187** (0.082)	0.526*** (0.049)	0.468*** (0.046)	0.358*** (0.082)	0.271*** (0.083)	0.412*** (0.041)	0.376*** (0.043)	-0.136** (0.055)	0.333*** (0.044)	0.437*** (0.069)	0.509*** (0.078)	0.412*** (0.041)
≥80% Yes															

Table continues on next page.

	NESTS	NewbornsInSA	Prog. Puglia	Wang et al.	ORESITE 36	Fulgent	Igenomix	Mendelics	Nurture	PerkinElmer	Sema4
Gene-disease characteristics											
Neonatal or infant onset	0.021 (0.050)	0.333*** (0.051)	0.198*** (0.044)	0.050 (0.037)	0.015 (0.049)	0.228*** (0.045)	0.173*** (0.041)	0.228*** (0.042)	0.167*** (0.047)	0.142*** (0.047)	0.182*** (0.038)
Severity	-0.312*** (0.067)	0.216*** (0.069)	0.267*** (0.059)	0.045 (0.048)	0.286*** (0.064)	0.171*** (0.061)	0.109** (0.055)	0.154*** (0.056)	0.197*** (0.064)	0.245*** (0.062)	0.142*** (0.051)
Penetrance	0.221*** (0.060)	0.268*** (0.061)	0.198*** (0.053)	0.093** (0.043)	0.154*** (0.058)	0.191*** (0.054)	0.153*** (0.049)	0.143*** (0.050)	0.230*** (0.057)	0.181*** (0.056)	0.115** (0.046)
Efficacy	0.285*** (0.050)	0.485*** (0.050)	0.145*** (0.045)	0.066* (0.036)	0.266*** (0.048)	0.230*** (0.045)	0.097** (0.041)	0.192*** (0.042)	0.141*** (0.048)	0.239*** (0.047)	0.188*** (0.038)
Acceptability	0.278*** (0.049)	0.375*** (0.050)	0.174*** (0.044)	0.085** (0.035)	0.272*** (0.047)	0.227*** (0.044)	0.080** (0.041)	0.143*** (0.042)	0.142*** (0.047)	0.230*** (0.046)	0.167*** (0.038)
Evidemce base	0.314*** (0.055)	0.434*** (0.055)	0.273*** (0.049)	0.315*** (0.038)	0.539*** (0.050)	0.440*** (0.048)	0.283*** (0.044)	0.205*** (0.046)	0.194*** (0.053)	0.479*** (0.049)	0.240*** (0.041)
Existence of an orthogonal test	0.056 (0.043)	0.265*** (0.053)	0.274*** (0.054)	0.067* (0.036)	-0.030 (0.045)	0.040 (0.043)	0.109*** (0.041)	0.199*** (0.049)	0.369*** (0.053)	0.021 (0.043)	0.077** (0.036)
Expert recommendations	0.313*** (0.063)	0.351*** (0.081)	0.544*** (0.081)	0.518*** (0.050)	0.652*** (0.062)	0.620*** (0.059)	0.753*** (0.055)	0.584*** (0.072)	0.438*** (0.082)	0.643*** (0.060)	0.514*** (0.050)
≥80% Yes											

Notes: Coefficients and associated standard errors of 26x8 linear regressions with as dependent variable the inclusion (either 0 or 1) of a gene in a specific program. In each regression, there are three independent variables: the two RUSP categories, and one of the eight gene-disease characteristics (or expert recommendation proportion) listed here.

TABLE S6: MULTIVARIATE GENE LIST INCLUSION REGRESSIONS

	(1)	(2)	(3)	(4)	(5)
RUSP (base: not in RUSP)					
Core	0.702*** (0.025)	0.284*** (0.058)	0.740*** (0.029)	0.418*** (0.029)	0.256*** (0.080)
Secondary	0.551*** (0.028)	0.325*** (0.091)	0.557*** (0.032)	0.383*** (0.031)	0.060 (0.087)
Expert recommendation					
≥80% Yes		0.423*** (0.030)			0.231*** (0.035)
Penetrance (base: low or unknown)					
High			0.148*** (0.013)		0.212*** (0.061)
Moderate			0.093*** (0.021)		0.145** (0.068)
Gene-disease characteristics					
Severity				0.138*** (0.029)	0.167*** (0.060)
Penetrance				0.020 (0.027)	-0.058 (0.088)
Efficacy				0.056* (0.031)	0.081 (0.050)
Acceptability				0.145*** (0.031)	0.127** (0.055)
Evidence base				0.258*** (0.024)	0.166*** (0.052)
Existence of orthogonal test	0.108*** (0.020)				0.139*** (0.041)
Inheritance (base: other)					
AD				-0.033 (0.036)	-0.049 (0.063)
AR				0.058 (0.035)	0.024 (0.063)
X-linked				0.112** (0.044)	0.014 (0.069)
Age of onset (base: variable)					
Adolescent/adult				-0.065*** (0.025)	-0.189*** (0.053)
Birth				-0.039 (0.024)	-0.009 (0.052)
Childhood				0.013 (0.025)	-0.090** (0.044)
Neonatal or infant				0.103*** (0.021)	0.027 (0.037)
Constant	0.132*** (0.004)	0.154*** (0.018)	0.030** (0.012)	-0.202*** (0.048)	-0.212 (0.132)
Observations	2,180	637	1,390	747	181
R-squared	0.344	0.312	0.446	0.626	0.651

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Notes: Coefficients and associated standard errors of linear regressions with as dependent variable the inclusion proportion (between 0 and 1) of a gene, which is the proportion of programs including this gene.

TABLE S7: MULTIVARIATE GENE LIST INCLUSION REGRESSIONS OF 747 GENES FROM ASQM FROM MILKO ET AL. (2019)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	All Pilots Together	BabyDetect	BabyScreen+	BabySeq2	BeginNGS	Chen et al.	Early Check	FirstSteps	Generation	gnSTAR	GUARDIAN	Jian et al.	Lee et al.	Luo et al.	Mendelics	
RUSP (base: not in RUSP)																
Core	0.506*** (0.031)	0.418*** (0.029)	0.459*** (0.061)	0.160** (0.066)	0.114 (0.070)	0.525*** (0.059)	0.518*** (0.049)	0.412*** (0.054)	0.461*** (0.062)	0.373*** (0.064)	0.579*** (0.044)	0.699*** (0.046)	0.749*** (0.045)	0.362*** (0.055)	0.361*** (0.068)	0.392*** (0.069)
Secondary	0.480*** (0.033)	0.353*** (0.031)	0.498*** (0.066)	0.115 (0.070)	0.137* (0.075)	0.493*** (0.063)	0.377*** (0.052)	0.145** (0.058)	0.422*** (0.066)	0.053 (0.069)	0.562*** (0.047)	0.593*** (0.049)	0.736*** (0.048)	0.343*** (0.059)	0.425*** (0.073)	0.554*** (0.073)
ASQM Scores																
Severity	0.179*** (0.031)	0.138*** (0.029)	0.275*** (0.061)	0.281*** (0.065)	0.190*** (0.069)	0.259*** (0.058)	0.012 (0.048)	0.173*** (0.054)	0.247*** (0.061)	0.168*** (0.064)	0.025 (0.043)	0.175*** (0.046)	0.117*** (0.045)	0.007 (0.055)	-0.037 (0.067)	0.143** (0.068)
Penetrance	0.076*** (0.027)	0.020 (0.027)	0.029 (0.056)	0.026 (0.060)	0.098 (0.064)	0.141*** (0.053)	-0.056 (0.044)	0.059 (0.049)	0.148*** (0.056)	0.050 (0.059)	-0.031 (0.040)	-0.021 (0.042)	-0.032 (0.041)	-0.056 (0.050)	-0.061 (0.062)	0.015 (0.063)
Efficacy	0.090*** (0.033)	0.056* (0.031)	0.100 (0.064)	0.353*** (0.069)	-0.115 (0.073)	-0.035 (0.061)	-0.047 (0.051)	0.285*** (0.057)	-0.081 (0.065)	0.322*** (0.068)	0.015 (0.046)	0.045 (0.049)	0.127*** (0.048)	-0.150*** (0.058)	-0.156** (0.071)	-0.046 (0.072)
Acceptability	0.113*** (0.033)	0.145*** (0.031)	0.148** (0.065)	0.208*** (0.069)	0.153** (0.073)	0.272*** (0.061)	0.097* (0.051)	0.140** (0.057)	0.297*** (0.065)	0.027 (0.068)	0.054 (0.046)	0.063 (0.049)	-0.035 (0.048)	0.186*** (0.058)	0.128* (0.071)	-0.007 (0.072)
Evidence Base	0.251*** (0.026)	0.258*** (0.024)	0.043 (0.050)	0.291*** (0.054)	0.682*** (0.057)	0.084* (0.048)	0.269*** (0.040)	0.283*** (0.044)	0.129** (0.051)	0.168*** (0.053)	0.208*** (0.036)	0.116*** (0.038)	0.032 (0.037)	0.263*** (0.045)	0.526*** (0.056)	0.370*** (0.056)
Inheritance (base: other)																
AD	-0.033 (0.036)	-0.047 (0.076)	0.069 (0.081)	-0.025 (0.086)	0.067 (0.072)	-0.051 (0.060)	-0.008 (0.067)	-0.003 (0.076)	-0.115 (0.079)	-0.068 (0.054)	0.011 (0.057)	-0.097* (0.056)	-0.008 (0.068)	-0.053 (0.084)	-0.083 (0.085)	
AR	0.058 (0.035)	0.066 (0.075)	0.239*** (0.080)	-0.039 (0.085)	0.039 (0.071)	0.036 (0.059)	0.142** (0.066)	0.016 (0.075)	0.019 (0.078)	0.026 (0.053)	0.123** (0.056)	-0.058 (0.055)	-0.000 (0.067)	0.135 (0.083)	-0.061 (0.083)	
X-linked	0.112** (0.044)	0.125 (0.094)	0.169* (0.100)	0.143 (0.107)	0.141 (0.089)	0.140* (0.074)	0.176** (0.083)	0.159* (0.094)	-0.032 (0.098)	0.049 (0.098)	0.108 (0.067)	-0.128* (0.071)	0.171** (0.069)	0.137 (0.084)	0.026 (0.104)	
Age of Onset (base: variable)																
Adolescent/Adult	-0.065*** (0.025)	-0.130** (0.053)	-0.038 (0.056)	-0.113* (0.060)	-0.068 (0.050)	-0.039 (0.042)	-0.008 (0.047)	-0.077 (0.053)	-0.057 (0.055)	-0.002 (0.038)	-0.074* (0.040)	0.023 (0.039)	-0.085* (0.047)	-0.068 (0.058)	-0.231*** (0.059)	
Birth	-0.039 (0.024)	-0.105** (0.051)	0.078 (0.055)	-0.079 (0.058)	0.012 (0.049)	-0.088** (0.040)	0.080* (0.045)	-0.036 (0.051)	0.097* (0.054)	-0.051 (0.036)	-0.068* (0.039)	-0.009 (0.038)	-0.048 (0.046)	-0.145** (0.057)	-0.210*** (0.057)	
Childhood	0.013 (0.025)	0.124** (0.053)	0.165*** (0.057)	-0.010 (0.061)	0.111** (0.051)	-0.012 (0.042)	0.026 (0.047)	0.117** (0.054)	0.011 (0.056)	-0.021 (0.038)	-0.076* (0.040)	0.019 (0.039)	-0.076 (0.048)	-0.024 (0.059)	-0.056 (0.060)	
Infant/Neonatal	0.103*** (0.021)	0.186*** (0.045)	0.269*** (0.048)	-0.049 (0.051)	0.208*** (0.043)	0.017 (0.035)	0.109*** (0.040)	0.183*** (0.045)	0.265*** (0.054)	0.080** (0.047)	-0.009 (0.032)	0.086*** (0.034)	-0.000 (0.033)	0.005 (0.040)	0.002 (0.050)	
Constant	-0.223*** (0.036)	-0.202*** (0.048)	-0.197* (0.102)	-0.608*** (0.109)	0.005 (0.116)	-0.436*** (0.097)	-0.051 (0.081)	-0.565*** (0.090)	-0.365*** (0.080)	-0.241** (0.070)	-0.089 (0.073)	-0.166** (0.077)	0.018 (0.075)	0.005 (0.092)	0.072 (0.113)	0.213* (0.114)
Observations	749	747	747	747	747	747	747	747	747	747	747	747	747	747	747	
R-squared	0.547	0.626	0.362	0.360	0.263	0.343	0.328	0.380	0.310	0.320	0.448	0.462	0.492	0.202	0.273	0.279

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Table continues on next page.

	(17) NeoExome	(18) NeoSeq	(19) NESTS	(20) NewbornsInSA	(21) Prog. Puglia	(22) Want et al.	(23) FORESITE 360	(24) Fulgent	(25) Igenomix	(26) Nurture	(27) PerkinElmer	(28) Sema4
RUSP (base: not in RUSP)												
Core	0.576*** (0.043)	0.327*** (0.070)	0.150** (0.066)	0.423*** (0.061)	0.492*** (0.051)	0.363*** (0.065)	0.421*** (0.062)	0.489*** (0.057)	0.263*** (0.059)	0.321*** (0.067)	0.323*** (0.064)	0.553*** (0.053)
Secondary	0.587*** (0.046)	0.419*** (0.075)	0.112 (0.070)	0.597*** (0.065)	0.361*** (0.054)	0.376*** (0.069)	0.333*** (0.066)	0.561*** (0.061)	0.247*** (0.063)	0.141** (0.071)	0.321*** (0.068)	0.458*** (0.057)
ASQM Scores												
Severity	0.027 (0.043)	-0.245*** (0.070)	0.292*** (0.065)	0.272*** (0.060)	-0.012 (0.050)	0.292*** (0.064)	0.152** (0.061)	0.061 (0.057)	0.156*** (0.058)	0.201*** (0.066)	0.223*** (0.063)	0.141*** (0.053)
Penetrance	-0.047 (0.040)	0.013 (0.064)	0.031 (0.060)	0.112** (0.056)	-0.074 (0.046)	0.034 (0.059)	-0.011 (0.056)	-0.029 (0.052)	0.025 (0.053)	0.148** (0.061)	0.011 (0.058)	0.009 (0.049)
Efficacy	0.019 (0.046)	0.111 (0.074)	0.353*** (0.069)	-0.016 (0.064)	-0.053 (0.053)	0.092 (0.068)	0.041 (0.065)	-0.003 (0.060)	0.119* (0.062)	0.030 (0.070)	0.075 (0.067)	0.079 (0.056)
Acceptability	0.056 (0.046)	0.147** (0.074)	0.207*** (0.069)	0.262*** (0.064)	0.130** (0.053)	0.234*** (0.068)	0.238*** (0.065)	0.120** (0.060)	0.110* (0.062)	0.194*** (0.070)	0.211*** (0.067)	0.144** (0.056)
Evidence Base	0.209*** (0.036)	0.302*** (0.058)	0.311*** (0.054)	0.158*** (0.050)	0.329*** (0.042)	0.468*** (0.053)	0.387*** (0.051)	0.257*** (0.047)	0.134*** (0.048)	0.087 (0.048)	0.409*** (0.055)	0.181*** (0.052)
Inheritance (base: other)												
AD	-0.065 (0.054)	-0.052 (0.087)	0.092 (0.081)	-0.031 (0.075)	-0.045 (0.063)	-0.122 (0.080)	0.002 (0.076)	-0.054 (0.071)	-0.127* (0.072)	0.134 (0.082)	-0.023 (0.079)	-0.153** (0.066)
AR	0.032 (0.053)	0.003 (0.085)	0.246*** (0.080)	0.018 (0.074)	0.065 (0.062)	-0.094 (0.079)	0.083 (0.075)	0.167** (0.069)	0.063 (0.071)	0.231*** (0.081)	0.038 (0.078)	-0.036 (0.065)
X-linked	0.052 (0.066)	0.134 (0.107)	0.197* (0.100)	0.234** (0.093)	0.153** (0.078)	-0.072 (0.099)	0.127 (0.094)	0.211** (0.087)	0.100 (0.089)	0.340*** (0.089)	0.049 (0.102)	-0.005 (0.097)
Age of Onset (base: variable)												
Adolescent/Adult	-0.001 (0.037)	-0.084 (0.060)	-0.064 (0.057)	-0.139*** (0.052)	-0.031 (0.044)	-0.078 (0.056)	-0.010 (0.053)	-0.039 (0.049)	-0.034 (0.050)	-0.135** (0.057)	-0.084 (0.055)	-0.037 (0.046)
Birth	-0.049 (0.036)	0.237*** (0.058)	0.060 (0.055)	-0.092* (0.051)	-0.033 (0.042)	-0.143*** (0.054)	0.049 (0.051)	-0.070 (0.048)	-0.083* (0.049)	-0.201*** (0.056)	-0.055 (0.053)	-0.054 (0.044)
Childhood	-0.018 (0.038)	-0.021 (0.061)	0.164*** (0.057)	0.045 (0.053)	-0.016 (0.044)	-0.145** (0.056)	0.051 (0.054)	-0.024 (0.050)	-0.001 (0.051)	0.086 (0.058)	-0.071 (0.055)	-0.023 (0.046)
Infant/Neonatal	0.083*** (0.032)	0.018 (0.051)	0.252*** (0.048)	0.169*** (0.044)	0.021 (0.037)	0.000 (0.047)	0.199*** (0.045)	0.087** (0.042)	0.147*** (0.043)	0.105** (0.049)	0.114** (0.047)	0.139*** (0.039)
Constant	-0.087 (0.072)	0.063 (0.117)	-0.621*** (0.109)	-0.308*** (0.101)	-0.092 (0.085)	-0.228** (0.108)	-0.397*** (0.103)	-0.149 (0.095)	-0.192** (0.097)	-0.365*** (0.111)	-0.330*** (0.106)	-0.152* (0.088)
Observations	747	747	747	747	747	747	747	747	747	747	747	747
R-squared	0.457	0.221	0.358	0.376	0.314	0.328	0.334	0.378	0.274	0.236	0.306	0.399

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Notes: Coefficients and associated standard errors of linear regressions with as dependent variable the inclusion (either 0 or 1) of a gene in a specific program.

TABLE S8: MULTIVARIATE GENE LIST INCLUSION REGRESSIONS OF 649 GENES FROM GOLD ET AL. (2023)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	All Pilots Together	BabyDetect	BabyScreen+	BabySeq2	BeginNGS	Chen et al.	Early Check	FirstSteps	Generation	gnSTAR	GUARDIAN	Jian et al.	Lee et al.	Luo et al.		
RUSP (base: not in RUSP)																
Primary	0.301*** (0.059)	0.284*** (0.058)	0.210*** (0.064)	0.496*** (0.146)	0.219 (0.152)	-0.048 (0.149)	0.229 (0.156)	0.009 (0.093)	0.332*** (0.088)	0.254 (0.156)	0.439*** (0.155)	0.264*** (0.079)	0.756*** (0.083)	0.592*** (0.106)	-0.026 (0.085)	0.298** (0.131)
Secondary	0.345*** (0.092)	0.325*** (0.091)	0.181* (0.102)	0.339 (0.229)	-0.372 (0.238)	0.652*** (0.234)	0.311 (0.245)	0.663*** (0.147)	0.174 (0.138)	0.269 (0.244)	-0.264 (0.243)	0.195 (0.124)	0.179 (0.130)	0.614*** (0.166)	0.941*** (0.133)	0.534*** (0.206)
Expert Recommendations																
≥80% Survey Recommendation	0.440*** (0.031)	0.423*** (0.030)	0.409*** (0.036)	0.466*** (0.077)	0.294*** (0.080)	0.498*** (0.079)	0.159* (0.082)	0.519*** (0.049)	0.461*** (0.046)	0.327*** (0.082)	0.233*** (0.082)	0.406*** (0.042)	0.365*** (0.044)	-0.140** (0.056)	0.336*** (0.045)	0.428*** (0.069)
Existence of Orthogonal Test																
	0.108*** (0.020)	0.124*** (0.032)	0.312*** (0.051)	0.239*** (0.053)	0.062 (0.052)	0.180*** (0.054)	0.040 (0.054)	0.060* (0.033)	0.203*** (0.031)	0.266*** (0.054)	0.038 (0.054)	0.074*** (0.028)	0.041 (0.029)	-0.031 (0.037)	0.075 (0.030)	
Prevalence					-0.000 (0.000)											
Constant	0.242*** (0.008)	0.154*** (0.018)	0.209*** (0.030)	0.099** (0.047)	0.382*** (0.048)	0.286*** (0.048)	0.259*** (0.050)	0.047 (0.030)	0.016 (0.028)	0.278*** (0.050)	0.248*** (0.049)	0.017 (0.025)	-0.004 (0.026)	0.095*** (0.034)	0.090*** (0.027)	0.141*** (0.042)
Observations	649	637	303	637	637	637	637	637	637	637	637	637	637	637	637	
R-squared	0.281	0.312	0.377	0.138	0.064	0.074	0.032	0.177	0.170	0.057	0.070	0.158	0.223	0.075	0.141	0.083

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Table continues on next page.

	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	Mendelics	NeoExome	NeoSeq	NESTS	NewbornsIn	Prog.	FORESITE						
RUSP (base: not in RUSP)					SA	Puglia	Want et al.	360	Fulgent	Igenomix	Nurture	PerkinElmer	Sema4
Primary	0.167 (0.148)	0.264*** (0.079)	-0.032 (0.122)	0.207 (0.151)	0.209 (0.152)	0.003 (0.097)	0.513*** (0.119)	0.532*** (0.115)	0.419*** (0.105)	0.212 (0.136)	-0.049 (0.152)	0.526*** (0.115)	0.603*** (0.096)
Secondary	0.417* (0.232)	0.195 (0.124)	0.579*** (0.191)	-0.380 (0.237)	0.510** (0.238)	0.655*** (0.152)	0.841*** (0.187)	0.355** (0.180)	0.117 (0.165)	-0.276 (0.214)	-0.072 (0.238)	0.355** (0.181)	0.905*** (0.150)
Expert Recommendations													
≥80% Survey Recommendation	0.503*** (0.078)	0.406*** (0.042)	0.305*** (0.064)	0.313*** (0.079)	0.505*** (0.080)	0.511*** (0.051)	0.658*** (0.063)	0.617*** (0.060)	0.742*** (0.055)	0.559*** (0.072)	0.387*** (0.080)	0.643*** (0.061)	0.506*** (0.050)
Existence of Orthogonal Test	0.078 (0.051)	0.038 (0.028)	0.039 (0.042)	0.248*** (0.053)	0.245*** (0.053)	0.038 (0.034)	-0.067 (0.041)	0.006 (0.040)	0.068* (0.037)	0.167*** (0.047)	0.347*** (0.053)	-0.015 (0.040)	0.049 (0.033)
Prevalence													
Constant	0.255*** (0.047)	0.017 (0.025)	0.132*** (0.039)	0.382*** (0.048)	0.245*** (0.048)	0.057* (0.031)	0.222*** (0.038)	0.139*** (0.037)	0.065* (0.034)	0.109** (0.043)	0.225*** (0.048)	0.160*** (0.037)	0.047 (0.031)
Observations	637	637	637	637	637	637	637	637	637	637	637	637	637
R-squared	0.076	0.158	0.050	0.070	0.108	0.162	0.196	0.180	0.253	0.120	0.103	0.186	0.232

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Notes: Coefficients and associated standard errors of linear regressions with as dependent variable the inclusion (either 0 or 1) of a gene in a specific program.

TABLE S9: MULTIVARIATE GENE LIST INCLUSION REGRESSIONS OF 1,390 GENES FROM BABYSEQ LIST FROM CEYHAN-BIRSOY ET AL. (2017)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	All Pilots Together	BabyDetect	BabyScreen+	BabySeq2	BeginNGS	Chen et al.	Early Check	FirstSteps	Generation	gnSTAR	GUARDIAN	Jian et al.	Lee et al.	Luo et al.	Mendelics	NeoExome	NeoSeq
RUSP (base: not in RUSP)																	
Core	0.650*** (0.028)	0.701*** (0.055)	0.566*** (0.066)	0.064* (0.034)	0.760*** (0.054)	0.700*** (0.039)	0.803*** (0.044)	0.693*** (0.057)	0.659*** (0.060)	0.794*** (0.034)	0.881*** (0.035)	0.911*** (0.035)	0.481*** (0.048)	0.480*** (0.064)	0.576*** (0.067)	0.795*** (0.034)	0.423*** (0.067)
Secondary	0.531*** (0.030)	0.654*** (0.060)	0.330*** (0.072)	0.017 (0.037)	0.569*** (0.059)	0.497*** (0.043)	0.317*** (0.047)	0.511*** (0.062)	0.306*** (0.065)	0.696*** (0.037)	0.692*** (0.038)	0.796*** (0.038)	0.478*** (0.052)	0.558*** (0.052)	0.655*** (0.070)	0.725*** (0.073)	0.519*** (0.073)
Evidence (base: conflicting)																	
Definitive	0.125 (0.176)	0.075 (0.346)	0.093 (0.413)	0.415* (0.212)	0.018 (0.338)	0.140 (0.245)	0.017 (0.272)	0.029 (0.357)	0.089 (0.374)	-0.001 (0.212)	0.028 (0.217)	0.093 (0.219)	0.187 (0.301)	0.461 (0.402)	0.286 (0.420)	0.045 (0.211)	0.341 (0.419)
Limited	-0.001 (0.172)	-0.022 (0.338)	0.003 (0.404)	0.014 (0.208)	0.012 (0.331)	-0.024 (0.240)	-0.025 (0.266)	0.009 (0.350)	-0.014 (0.366)	-0.027 (0.207)	-0.025 (0.212)	0.038 (0.214)	-0.027 (0.295)	-0.014 (0.394)	0.059 (0.411)	-0.028 (0.206)	0.086 (0.410)
Moderate	-0.056 (0.176)	-0.035 (0.345)	-0.110 (0.413)	-0.434** (0.212)	-0.030 (0.338)	0.005 (0.245)	-0.082 (0.272)	-0.051 (0.357)	-0.045 (0.374)	-0.087 (0.212)	-0.025 (0.217)	0.036 (0.219)	0.036 (0.301)	0.117 (0.402)	0.020 (0.420)	-0.042 (0.211)	0.107 (0.419)
Strong	0.029 (0.176)	0.012 (0.346)	0.015 (0.413)	0.417** (0.212)	-0.019 (0.338)	0.026 (0.245)	-0.030 (0.272)	-0.030 (0.357)	0.039 (0.374)	-0.065 (0.212)	-0.011 (0.217)	0.074 (0.219)	0.043 (0.301)	0.238 (0.402)	0.122 (0.420)	-0.017 (0.211)	0.176 (0.419)
Penetrance (base: Low)																	
High	0.086** (0.038)	0.063 (0.075)	0.187** (0.090)	0.562*** (0.046)	0.102 (0.073)	-0.023 (0.053)	0.081 (0.059)	0.111 (0.077)	0.067 (0.081)	0.064 (0.046)	0.023 (0.047)	-0.019 (0.048)	0.021 (0.065)	-0.102 (0.087)	0.063 (0.091)	0.016 (0.046)	0.008 (0.091)
Moderate	0.065 (0.041)	0.052 (0.081)	0.097 (0.097)	0.259*** (0.050)	0.171** (0.079)	-0.054 (0.057)	0.049 (0.064)	0.172** (0.084)	0.035 (0.087)	0.070 (0.049)	0.053 (0.051)	-0.031 (0.051)	-0.009 (0.070)	-0.128 (0.094)	0.216** (0.098)	0.023 (0.049)	-0.032 (0.098)
Inheritance (base: AD)																	
AR	0.061*** (0.011)	0.115*** (0.021)	0.121*** (0.026)	-0.029** (0.013)	0.067*** (0.015)	0.041*** (0.017)	0.057*** (0.022)	0.091*** (0.023)	0.144*** (0.013)	0.047*** (0.013)	0.044*** (0.014)	-0.005 (0.014)	-0.022 (0.019)	0.128*** (0.025)	0.075*** (0.026)	0.048*** (0.013)	0.041 (0.026)
AR-DIGENIC	-0.007 (0.100)	-0.011 (0.196)	-0.052 (0.234)	-0.090 (0.120)	-0.052 (0.192)	0.020 (0.139)	0.009 (0.154)	-0.043 (0.203)	-0.010 (0.212)	0.024 (0.120)	0.009 (0.123)	-0.024 (0.124)	-0.047 (0.171)	-0.005 (0.228)	-0.076 (0.238)	0.027 (0.120)	-0.105 (0.238)
COMPLEX	-0.073 (0.087)	-0.052 (0.172)	-0.081 (0.205)	-0.463*** (0.106)	-0.149 (0.168)	0.034 (0.122)	-0.006 (0.135)	-0.136 (0.178)	-0.053 (0.186)	0.000 (0.105)	-0.038 (0.108)	-0.034 (0.109)	-0.032 (0.150)	-0.079 (0.200)	-0.313 (0.209)	0.001 (0.105)	-0.127 (0.209)
IMP	-0.035 (0.099)	0.232 (0.196)	0.121 (0.234)	-0.027 (0.120)	-0.104 (0.192)	-0.072 (0.139)	-0.065 (0.154)	-0.114 (0.202)	-0.111 (0.212)	-0.035 (0.120)	-0.034 (0.123)	-0.055 (0.124)	0.175 (0.171)	0.089 (0.228)	0.406* (0.238)	-0.032 (0.119)	-0.271 (0.237)
MITOCHONDRIAL	-0.177* (0.100)	-0.128 (0.198)	-0.190 (0.236)	-0.673*** (0.121)	-0.189 (0.193)	-0.086 (0.140)	-0.066 (0.155)	-0.201 (0.204)	-0.124 (0.214)	-0.069 (0.121)	-0.081 (0.124)	-0.063 (0.125)	-0.178 (0.172)	-0.333 (0.230)	-0.502** (0.240)	-0.068 (0.121)	-0.309 (0.240)
UNKNOWN	0.014 (0.100)	0.022 (0.196)	-0.003 (0.234)	-0.014 (0.121)	-0.012 (0.192)	0.024 (0.139)	0.025 (0.154)	-0.009 (0.203)	0.014 (0.212)	0.027 (0.120)	0.025 (0.123)	-0.038 (0.124)	-0.027 (0.171)	0.014 (0.228)	-0.059 (0.239)	0.028 (0.120)	-0.086 (0.238)
XLD	-0.061* (0.035)	-0.087 (0.069)	-0.120 (0.082)	0.016 (0.042)	-0.086 (0.067)	-0.037 (0.049)	-0.041 (0.054)	-0.053 (0.071)	-0.093 (0.074)	-0.056 (0.042)	-0.058 (0.043)	0.025 (0.044)	0.193*** (0.060)	-0.061 (0.080)	-0.056 (0.083)	-0.055 (0.042)	-0.084 (0.083)
XLR	0.086*** (0.022)	0.145*** (0.044)	0.052 (0.053)	0.005 (0.027)	0.116*** (0.043)	0.110*** (0.031)	0.037 (0.035)	0.153*** (0.046)	0.120** (0.048)	0.080*** (0.048)	0.048* (0.048)	-0.041 (0.041)	0.026 (0.027)	0.165*** (0.039)	0.139*** (0.051)	0.081*** (0.054)	0.120** (0.054)
Constant	-0.000 (0.171)	-0.000 (0.337)	-0.000 (0.403)	-0.000 (0.207)	0.000 (0.330)	0.000 (0.239)	0.000 (0.265)	-0.000 (0.349)	-0.000 (0.365)	-0.000 (0.206)	0.000 (0.212)	-0.000 (0.214)	0.000 (0.294)	0.000 (0.392)	-0.000 (0.410)	0.000 (0.206)	0.000 (0.409)
Observations	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	
R-squared	0.521	0.246	0.173	0.816	0.221	0.333	0.283	0.194	0.185	0.450	0.455	0.464	0.197	0.242	0.208	0.458	0.146

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Table continues on next page.

	(18) NESTS	(19) NewbornsInSA	(20) Prog. Puglia	(21) Want et al.	(22) FORESITE 360	(23) Fulgent	(24) Igenomix	(25) Nurture	(26) PerkinElmer	(27) Sema4
RUSP (base: not in RUSP)										
Core	0.555*** (0.067)	0.722*** (0.056)	0.680*** (0.041)	0.636*** (0.055)	0.672*** (0.051)	0.768*** (0.046)	0.517*** (0.050)	0.631*** (0.058)	0.590*** (0.053)	0.830*** (0.039)
Secondary	0.323*** (0.072)	0.777*** (0.061)	0.482*** (0.045)	0.582*** (0.059)	0.546*** (0.055)	0.743*** (0.049)	0.437*** (0.054)	0.375*** (0.063)	0.537*** (0.058)	0.676*** (0.043)
Evidence (base: conflicting)										
Definitive	0.099 (0.416)	0.085 (0.349)	0.147 (0.259)	0.215 (0.341)	0.121 (0.317)	0.051 (0.284)	-0.005 (0.310)	0.078 (0.362)	0.136 (0.332)	0.005 (0.245)
Limited	0.002 (0.407)	-0.004 (0.342)	-0.030 (0.253)	0.010 (0.334)	-0.009 (0.310)	-0.039 (0.278)	-0.019 (0.303)	0.004 (0.354)	-0.003 (0.324)	-0.012 (0.240)
Moderate	-0.115 (0.415)	-0.030 (0.349)	-0.006 (0.259)	-0.080 (0.341)	-0.126 (0.316)	-0.085 (0.284)	-0.109 (0.309)	-0.079 (0.361)	-0.125 (0.331)	-0.089 (0.245)
Strong	0.014 (0.416)	0.015 (0.349)	0.023 (0.259)	-0.004 (0.341)	-0.069 (0.317)	-0.046 (0.285)	-0.053 (0.310)	-0.008 (0.362)	-0.056 (0.332)	-0.039 (0.245)
Penetrance (base: Low)										
High	0.188** (0.090)	0.082 (0.076)	-0.019 (0.056)	0.117 (0.074)	0.145** (0.069)	0.062 (0.062)	0.109 (0.067)	0.103 (0.078)	0.150** (0.072)	0.083 (0.053)
Moderate	0.123 (0.097)	0.074 (0.082)	-0.046 (0.061)	0.204** (0.080)	0.043 (0.074)	0.047 (0.067)	0.031 (0.072)	0.078 (0.085)	0.136* (0.078)	0.052 (0.057)
Inheritance (base: AD)										
AR	0.123*** (0.026)	0.085*** (0.022)	0.053*** (0.016)	-0.006 (0.021)	0.031 (0.020)	0.099*** (0.018)	0.091*** (0.019)	0.093*** (0.022)	0.017 (0.020)	0.037** (0.015)
AR-DIGENIC	-0.049 (0.236)	-0.033 (0.198)	0.027 (0.147)	-0.028 (0.193)	-0.010 (0.179)	0.028 (0.161)	0.006 (0.175)	-0.017 (0.205)	0.318* (0.188)	0.008 (0.139)
COMPLEX	-0.105 (0.207)	-0.077 (0.174)	0.030 (0.129)	-0.180 (0.170)	0.040 (0.157)	0.009 (0.142)	0.037 (0.154)	-0.053 (0.180)	-0.063 (0.165)	-0.000 (0.122)
IMP	0.118 (0.235)	-0.129 (0.198)	-0.076 (0.147)	-0.233 (0.193)	-0.184 (0.179)	-0.068 (0.161)	-0.069 (0.175)	-0.129 (0.205)	-0.198 (0.188)	-0.057 (0.139)
MITOCHONDRIAL	-0.222 (0.238)	-0.159 (0.200)	0.233 (0.148)	-0.418** (0.195)	-0.164 (0.181)	-0.098 (0.163)	-0.026 (0.177)	-0.157 (0.207)	-0.272 (0.190)	-0.057 (0.140)
UNKNOWN	-0.002 (0.236)	0.004 (0.198)	0.030 (0.147)	0.324* (0.194)	0.009 (0.180)	0.039 (0.162)	0.019 (0.176)	-0.004 (0.205)	0.003 (0.188)	0.012 (0.139)
XLD	-0.124 (0.083)	-0.080 (0.069)	-0.041 (0.051)	-0.201*** (0.068)	-0.105* (0.063)	-0.050 (0.057)	-0.087 (0.061)	-0.028 (0.072)	-0.163** (0.066)	-0.047 (0.049)
XLR	0.062 (0.053)	0.173*** (0.045)	0.106*** (0.033)	0.004 (0.044)	0.046 (0.041)	0.133*** (0.036)	0.129*** (0.040)	0.149*** (0.046)	0.030 (0.042)	0.052* (0.031)
Constant	-0.000 (0.405)	-0.000 (0.341)	0.000 (0.253)	0.000 (0.333)	-0.000 (0.309)	-0.000 (0.278)	-0.000 (0.302)	0.000 (0.353)	-0.000 (0.323)	0.000 (0.239)
Observations	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390	1,390
R-squared	0.172	0.263	0.312	0.287	0.296	0.355	0.190	0.182	0.259	0.385

Standard errors in parentheses

*** p<0.01, ** p<0.05, * p<0.1

Notes: Coefficients and associated standard errors of linear regressions with as dependent variable the inclusion (either 0 or 1) of a gene in a specific program.

TABLE S10: LIST OF GENES, RANKED BY OBSERVED AND PREDICTED GENE LIST INCLUSION

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
1	<i>HADHA</i>	LCHAD deficiency	Metabolism	Core	A	15		95%	26
2	<i>ACADM</i>	Acyl-CoA dehydrogenase, medium chain, deficiency of	Metabolism	Core	A	15		94%	26
3	<i>IVD</i>	Isovaleric acidemia	Metabolism	Core	A	13		93%	26
4	<i>BTD</i>	Biotinidase deficiency	Metabolism	Core	A	13		92%	26
5	<i>PCCB</i>	Propionic acidemia	Metabolism	Core	A	13		92%	26
6	<i>PCCA</i>	Propionic acidemia	Metabolism	Core	A	13		92%	26
7	<i>MMUT</i>	Methylmalonic aciduria, mut(0) type	Metabolism	Core	A	13		92%	26
8	<i>PAH</i>	Phenylketonuria	Metabolism	Core	A	13		92%	26
9	<i>ASL</i>	Argininosuccinic aciduria	Metabolism	Core	A	12		91%	26
10	<i>HADHB</i>	Mitochondrial trifunctional protein deficiency 2	Metabolism	Core	A	13		90%	26
11	<i>HLCs</i>	Holocarboxylase synthetase deficiency	Metabolism	Core	A	13		90%	26
12	<i>ACADVL</i>	VLCAD deficiency	Metabolism	Core	A	15		90%	26
13	<i>SLC22A5</i>	Carnitine deficiency, systemic primary	Metabolism	Core	A	10		88%	26
14	<i>GCDH</i>	Glutaric aciduria, type I	Metabolism	Core	A	13		87%	26
15	<i>HMGCL</i>	HMG-CoA lyase deficiency	Metabolism	Core	A	11		87%	26
16	<i>PTS</i>	Hyperphenylalaninemia, BH4-deficient, A	Metabolism	Secondary	A	13		86%	26
17	<i>QDPR</i>	Hyperphenylalaninemia, BH4-deficient, C	Metabolism	Secondary	A	13		86%	26
18	<i>ACAT1</i>	Alpha-methylacetoadipic aciduria	Metabolism	Core	A	13	57%	95%	25
19	<i>MMAA</i>	Methylmalonic aciduria, vitamin B12-responsive, cblA type	Metabolism	Core	A	13		93%	25
20	<i>GAA</i>	Glycogen storage disease II	Metabolism	Core	A	14		93%	25
21	<i>MMAB</i>	Methylmalonic aciduria, vitamin B12-responsive, cblB type	Metabolism	Core	A	13		92%	25
22	<i>GALT</i>	Galactosemia	Metabolism	Core	A	13		92%	25
23	<i>FAH</i>	Tyrosinemia, type I	Metabolism	Core	A	13		92%	25
24	<i>ASS1</i>	Citrullinemia	Metabolism	Core	A	12		88%	25
25	<i>MMACHC</i>	Methylmalonic aciduria and homocystinuria, cblC type	Metabolism	Secondary	A	13		87%	25
26	<i>OTC</i>	Ornithine transcarbamoylase deficiency	Metabolism		A	14	98%	87%	25
27	<i>IDUA</i>	Mucopolysaccharidosis I	Metabolism	Core	A	11		86%	25
28	<i>G6PC1</i>	Glycogen storage disease Ia	Metabolism		A	13	93%	84%	25
29	<i>CPT2</i>	CPT II deficiency, infantile	Metabolism	Secondary	A	13		82%	25
30	<i>CPT1A</i>	CPT deficiency, hepatic, type IA	Metabolism	Secondary	A	12		81%	25
31	<i>ARG1</i>	Argininemia	Metabolism	Secondary	A	10		80%	25
32	<i>IDS</i>	Mucopolysaccharidosis II	Metabolism	Core	A	11	89%	94%	24
33	<i>BCKDHA</i>	Maple syrup urine disease, type Ia	Metabolism	Core	A	12		91%	24
34	<i>BCKDHB</i>	Maple syrup urine disease, type Ib	Metabolism	Core	A	12		91%	24
35	<i>DBT</i>	Maple syrup urine disease, type II	Metabolism	Core	A	12		91%	24
36	<i>IL2RG</i>	Combined immunodeficiency, X-linked, moderate	Immunology	Core	A	15		88%	24
37	<i>GALK1</i>	Galactokinase deficiency with cataracts	Metabolism	Secondary	A	13		87%	24
38	<i>CBS</i>	Homocystinuria, B6-responsive and nonresponsive types	Metabolism	Core	A	13		87%	24
39	<i>SLC25A20</i>	Carnitine-acylcarnitine translocase deficiency	Metabolism	Secondary	A	13		86%	24
40	<i>SLC37A4</i>	Glycogen storage disease Ib	Metabolism		A	13	93%	84%	24
41	<i>SLC25A13</i>	Citrullinemia, type II, neonatal-onset	Metabolism	Secondary	A	10		82%	24
42	<i>HBB</i>	Sickle cell disease	Hematology	Core	A	12		81%	24
43	<i>CFTTR</i>	Cystic fibrosis	Pulmonology	Core	A	12		79%	24
44	<i>CPS1</i>	Carbamoylphosphate synthetase I deficiency	Metabolism		A	13	86%	79%	24
45	<i>ETFDH</i>	Glutaric acidemia IIC	Metabolism	Secondary	A	9		77%	24
46	<i>SLC25A15</i>	Hyperornithinemia-hyperammonemia-homocitrullinemia syndrome	Metabolism		A	10	85%	67%	24
47	<i>CYBB</i>	Chronic granulomatous disease, X-linked	Immunology		A	12	74%	64%	24
48	<i>HADH</i>	3-hydroxyacyl-CoA dehydrogenase deficiency	Metabolism	Secondary	C	13		86%	23
49	<i>MTR</i>	Homocystinuria-megaloblastic anemia, cblG complementation type	Metabolism	Secondary	A	12		83%	23
50	<i>MTRR</i>	Homocystinuria-megaloblastic anemia, cbl E type	Metabolism	Secondary	A	12		83%	23
51	<i>TAT</i>	Tyrosinemia, type II	Metabolism	Secondary	A	11		82%	23
52	<i>TSHR</i>	Hypothyroidism, congenital, nongoitrous, 1	Endocrinology		A	12		55%	23
53	<i>RAG1</i>	Severe combined immunodeficiency, B cell-negative	Immunology	Core	A	14		85%	22
54	<i>ALDOB</i>	Fructose intolerance, hereditary	Metabolism		A	14	84%	76%	22
55	<i>AGL</i>	Glycogen storage disease IIIa	Metabolism		A	12	85%	73%	22
56	<i>GCH1</i>	Hyperphenylalaninemia, BH4-deficient, B	Metabolism	Secondary	B	11		72%	22
57	<i>GALNS</i>	Mucopolysaccharidosis IVA	Metabolism		A	9	87%	69%	22
58	<i>MMADHC</i>	Methylmalonic aciduria, cblD type, variant 2	Metabolism	Secondary	A	10		67%	22
59	<i>MCCC1</i>	3-Methylcrotonyl-CoA carboxylase 1 deficiency	Metabolism	Core	B	8		65%	22
60	<i>MCCC2</i>	3-Methylcrotonyl-CoA carboxylase 2 deficiency	Metabolism	Core	B	4		65%	22
61	<i>G6PD</i>	Hemolytic anemia, G6PD deficient (favism)	Hematology		A	12	80%	61%	22
62	<i>ALPL</i>	Hypophosphatasia, infantile	Endocrinology		A	11	71%	59%	22
63	<i>BTK</i>	Agammaglobulinemia, X-linked 1	Immunology		A		81%	50%	22
64	<i>RAG2</i>	Severe combined immunodeficiency, B cell-negative	Immunology	Core	A	13	71%	89%	21
65	<i>MLYCD</i>	Malonyl-CoA decarboxylase deficiency	Metabolism	Secondary	A	11	63%	88%	21
66	<i>ADA</i>	Severe combined immunodeficiency due to ADA deficiency	Immunology	Core	A	14		85%	21
67	<i>LMBRD1</i>	Methylmalonic aciduria and homocystinuria, cblF type	Metabolism	Secondary	A	11		81%	21
68	<i>SMN1</i>	Spinal muscular atrophy-1	Neurology	Core	A	13		80%	21
69	<i>NAGS</i>	N-acetylglutamate synthase deficiency	Metabolism		A	14	85%	78%	21
70	<i>ETFA</i>	Glutaric acidemia IIA	Metabolism	Secondary	A	9		77%	21
71	<i>ETFB</i>	Glutaric acidemia IIB	Metabolism	Secondary	A	9		77%	21
72	<i>GALE</i>	Galactose epimerase deficiency	Metabolism	Secondary		6		70%	21
73	<i>ARSB</i>	Mucopolysaccharidosis type VI (Maroteaux-Lamy)	Metabolism		A	11	92%	68%	21

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)	
74	<i>F9</i>	Hemophilia B	Hematology	A	14	90%	67%	21		
75	<i>ABCD1</i>	Adrenoleukodystrophy	Neurology	Core	A	9	73%	20		
76	<i>ATP7B</i>	Wilson disease	Metabolism	A	12	81%	69%	20		
77	<i>CYP11B1</i>	Adrenal hyperplasia, congenital, due to 11-beta-hydroxylase deficiency	Endocrinology	A	11	92%	69%	20		
78	<i>GLA</i>	Fabry disease	Metabolism	A	12	83%	68%	20		
79	<i>PCBD1</i>	Hyperphenylalaninemia, BH4-deficient, D	Metabolism	Secondary	4		58%	20		
80	<i>PAX8</i>	Hypothyroidism, congenital, due to thyroid dysgenesis or hypoplasia	Endocrinology	A	12		51%	20		
81	<i>DUOX2</i>	Thyroid dyshormonogenesis 6	Endocrinology	A	13		51%	20		
82	<i>JAK3</i>	SCID, autosomal recessive, T-negative/B-positive type	Immunology	A	15		51%	20		
83	<i>DCLRE1C</i>	Severe combined immunodeficiency, Athabascan type	Immunology	Core	A	13	71%	89%	19	
84	<i>ABCC8</i>	Hyperinsulinemic hypoglycemia, familial, 1	Endocrinology	A	14	81%	71%	19		
85	<i>RB1</i>	Retinoblastoma	Oncology	A	13	89%	67%	19		
86	<i>ALDH7A1</i>	Epilepsy, early-onset, 4, vitamin B6-dependent	Neurology	A	12	86%	65%	19		
87	<i>CTNS</i>	Cystinosis, nephropathic	Nephrology	A	14	80%	64%	19		
88	<i>SMPD1</i>	Niemann-Pick disease	Metabolism	A	9	85%	63%	19		
89	<i>HPD</i>	Tyrosinemia, type III	Metabolism	Secondary	C	4		61%	19	
90	<i>TH</i>	Segawa syndrome, recessive	Neurology	A	13	70%	60%	19		
91	<i>SPR</i>	Dystonia, dopa-responsive, due to sepiapterin reductase deficiency	Neurology	A	12	70%	58%	19		
92	<i>IL7R</i>	Immunodeficiency 104, severe combined	Immunology	A	13		44%	19		
93	<i>WAS</i>	Wiskott-Aldrich syndrome	Immunology	A		68%	37%	19		
94	<i>SLC2A1</i>	GLUT1 deficiency syndrome 1, infantile onset, severe	Metabolism	A	11	90%	70%	18		
95	<i>CYBA</i>	Chronic granulomatous disease 4, autosomal recessive	Immunology	A	12	74%	64%	18		
96	<i>ATP7A</i>	Menkes disease	Metabolism	A	12	84%	64%	18		
97	<i>PYGL</i>	Glycogen storage disease VI	Metabolism	A	10	83%	59%	18		
98	<i>NPC1</i>	Niemann-Pick disease	Metabolism	A	12	69%	57%	18		
99	<i>GUSB</i>	Mucopolysaccharidosis VII	Metabolism	A	9	89%	56%	18		
100	<i>AVPR2</i>	Diabetes insipidus, nephrogenic, 1	Endocrinology	A	11	60%	54%	18		
101	<i>PRF1</i>	Hemophagocytic lymphohistiocytosis, familial, 2	Immunology	A	12	58%	52%	18		
102	<i>GALC</i>	Krabbe disease	Metabolism	A	9	61%	48%	18		
103	<i>LIPA</i>	Wolman disease	Metabolism	A	7	80%	46%	18		
104	<i>MTHFR</i>	Homocystinuria due to MTHFR deficiency	Metabolism	B	13	53%	45%	18		
105	<i>ELANE</i>	Neutropenia, severe congenital 1, autosomal dominant	Immunology	A		64%	41%	18		
106	<i>PHEX</i>	Hypophosphatemic rickets, X-linked dominant	Endocrinology			74%	39%	18		
107	<i>GJB2</i>	Deafness, autosomal recessive 1A	ENT/Dental	A	13		31%	18		
108	<i>ACAD8</i>	Isobutyryl-CoA dehydrogenase deficiency	Metabolism	A			10%	18		
109	<i>GAMT</i>	Cerebral creatine deficiency syndrome 2	Metabolism	Core	A	10	84%	84%	17	
110	<i>GLUD1</i>	Hyperinsulinism-hyperammonemia syndrome	Metabolism	A	11	87%	61%	17		
111	<i>KCNJ11</i>	Diabetes mellitus, transient neonatal 3	Endocrinology	A	12	76%	60%	17		
112	<i>PNPO</i>	Pyridoxamine 5'-phosphate oxidase deficiency	Metabolism	A	14	68%	60%	17		
113	<i>HSD3B7</i>	Bile acid synthesis defect, congenital, 1	Gastroenterology	A	13	58%	53%	17		
114	<i>TG</i>	Thyroid dyshormonogenesis 3	Endocrinology	A	14		53%	17		
115	<i>TPO</i>	Thyroid dyshormonogenesis 2A	Endocrinology	A	14		53%	17		
116	<i>TSHB</i>	Hypothyroidism, congenital, nongenitrous 4	Endocrinology	A	13		52%	17		
117	<i>CYP17A1</i>	17,20-lyase deficiency, isolated	Endocrinology			90%	51%	17		
118	<i>ETHE1</i>	Ethylmalonic encephalopathy	Metabolism	A	11	48%	44%	17		
119	<i>ARSA</i>	Metachromatic leukodystrophy	Neurology	A	9	60%	40%	17		
120	<i>CD3D</i>	Immunodeficiency 19, severe combined	Immunology	Core	A	12	52%	68%	16	
121	<i>FBP1</i>	Fructose-1,6-bisphosphatase deficiency	Metabolism	A	13	80%	64%	16		
122	<i>COL4A5</i>	Alport syndrome 1, X-linked	Nephrology	A	13	70%	60%	16		
123	<i>PROP1</i>	Pituitary hormone deficiency, combined, 2	Endocrinology	A	13	66%	57%	16		
124	<i>TCN2</i>	Transcobalamin II deficiency	Metabolism	A	11	72%	57%	16		
125	<i>MAT1A</i>	Methionine adenosyltransferase deficiency, autosomal recessive	Metabolism	Secondary	C	5		56%	16	
126	<i>AQP2</i>	Diabetes insipidus, nephrogenic, 2	Endocrinology	A	11	63%	53%	16		
127	<i>COL4A3</i>	Alport syndrome 3B, autosomal recessive	Nephrology	A	13	59%	52%	16		
128	<i>COL4A4</i>	Alport syndrome 2, autosomal recessive	Nephrology	A	13	59%	52%	16		
129	<i>DUOXA2</i>	Thyroid dyshormonogenesis 5	Endocrinology	C	13		51%	16		
130	<i>SCNN1B</i>	Pseudohypoaldosteronism, type IB2, autosomal recessive	Endocrinology	A	14	49%	50%	16		
131	<i>SLC5A5</i>	Thyroid dyshormonogenesis 1	Endocrinology	A	13		49%	16		
132	<i>HAX1</i>	Neutropenia, severe congenital 3, autosomal recessive	Immunology	A	12	58%	47%	16		
133	<i>CYP27A1</i>	Cerebrotendinous xanthomatosis	Metabolism	A	13	64%	46%	16		
134	<i>NCF2</i>	Chronic granulomatous disease 2, autosomal recessive	Immunology	A		70%	41%	16		
135	<i>ADAMTS13</i>	Thrombotic thrombocytopenic purpura, hereditary	Hematology	A		68%	40%	16		
136	<i>SLC26A4</i>	Pendred syndrome	Medical Genetics	A	13		40%	16		
137	<i>UGT1A1</i>	Crigler-Najjar syndrome, type I	Gastroenterology	A	11		39%	16		
138	<i>CYP21A2</i>	Adrenal hyperplasia, congenital, due to 21-hydroxylase deficiency	Endocrinology	Core	A	14		79%	15	
139	<i>HSD3B2</i>	Adrenal hyperplasia, congenital, due to 3-beta-hydroxysteroid dehydrogenase deficiency	Endocrinology	A	14	84%	70%	15		
140	<i>ABCD4</i>	Methylmalonic aciduria and homocystinuria, cblI type	Metabolism	Secondary	C	11		63%	15	
141	<i>GBA1</i>	Gaucher disease, type I	Metabolism	A	13	83%	63%	15		
142	<i>PHKB</i>	Phosphorylase kinase deficiency of liver and muscle, autosomal recessive	Metabolism	A	13	76%	60%	15		
143	<i>CYP27B1</i>	Vitamin D-dependent rickets, type I	Endocrinology	A	13	68%	58%	15		
144	<i>STAR</i>	Lipoid adrenal hyperplasia	Endocrinology	A	14	73%	58%	15		
145	<i>GATM</i>	Cerebral creatine deficiency syndrome 3	Metabolism	A	10	85%	56%	15		
146	<i>CD40LG</i>	Immunodeficiency, X-linked, with hyper-IgM	Immunology	A	11	74%	56%	15		

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)	
							Expert rec.	list inclusion		
147	<i>SCNN1A</i>	Pseudohypoaldosteronism, type IB1, autosomal recessive	Endocrinology	A	15	47%	54%	15		
148	<i>NPC2</i>	Niemann-pick disease, type C2	Metabolism	A	11	69%	53%	15		
149	<i>CYP11B2</i>	Hypoadosteronism, congenital, due to CMO I deficiency	Endocrinology		13	59%	53%	15		
150	<i>UNC13D</i>	Hemophagocytic lymphohistiocytosis, familial, 3	Immunology	A	12	61%	52%	15		
151	<i>POU1F1</i>	Pituitary hormone deficiency, combined or isolated, 1	Endocrinology	A	12	66%	51%	15		
152	<i>DOCK8</i>	Hyper-IgE syndrome 2, autosomal recessive, with recurrent infections	Immunology	A	11	61%	48%	15		
153	<i>VDR</i>	Rickets, vitamin D-resistant, type IIA	Endocrinology	A		68%	43%	15		
154	<i>DLD</i>	Dihydrolipoamide dehydrogenase deficiency	Metabolism	A	7	63%	42%	15		
155	<i>KCNQ1</i>	Jervell and Lange-Nielsen syndrome	Cardiovascular	A	13		38%	15		
156	<i>PKLR</i>	Pyruvate kinase deficiency	Metabolism	A		55%	37%	15		
157	<i>THRA</i>	Hypothyroidism, congenital, nongoitrous, 6	Endocrinology	A	9		29%	15		
158	<i>FOXP3</i>	Immunodysregulation, polyendocrinopathy, and enteropathy, X-linked	Immunology	A		65%	26%	15		
159	<i>HBA1</i>	Thalassemia, alpha-	Hematology	Secondary	A	12	67%	70%	14	
160	<i>CD3E</i>	Immunodeficiency 18, SCID variant	Immunology	Core		12	50%	67%	14	
161	<i>F8</i>	Hemophilia A	Hematology	A	14	90%	67%	14		
162	<i>SLC7A7</i>	Lysinuric protein intolerance	Metabolism	A	12	85%	67%	14		
163	<i>ZAP70</i>	Immunodeficiency 48	Immunology	A	14	71%	57%	14		
164	<i>OAT</i>	Gyrata atrophy of choroid and retina with or without ornithinemia	Metabolism		11	72%	53%	14		
165	<i>LHX3</i>	Pituitary hormone deficiency, combined, 3	Endocrinology	A	13	66%	51%	14		
166	<i>WT1</i>	Wilms tumor, type 1	Oncology	B	12	76%	51%	14		
167	<i>DMD</i>	Duchenne muscular dystrophy	Neurology	A	11	88%	50%	14		
168	<i>AUH</i>	3-methylglutaconic aciduria, type I	Metabolism	Secondary	A		49%	14		
169	<i>LDLR</i>	Hypercholesterolemia, familial, 1	Cardiovascular	A	14	70%	49%	14		
170	<i>TSC1</i>	Tuberous sclerosis-1	Neurology	A	12	58%	48%	14		
171	<i>TSC2</i>	Tuberous sclerosis-2	Neurology	A	12	58%	46%	14		
172	<i>RFXANK</i>	Bare lymphocyte syndrome, type II, complementation group B	Immunology		12	52%	40%	14		
173	<i>MCEE</i>	Methylmalonyl-CoA epimerase deficiency	Metabolism	C	9		31%	14		
174	<i>STX11</i>	Hemophagocytic lymphohistiocytosis, familial, 4	Immunology	A		61%	27%	14		
175	<i>SH2D1A</i>	Lymphoproliferative syndrome, X-linked, 1	Immunology	A		58%	24%	14		
176	<i>TAFazzin</i>	Barth syndrome	Cardiovascular	Secondary	A	12	78%	72%	13	
177	<i>HBA2</i>	Thalassemia, alpha-	Hematology	Secondary	A	12	66%	69%	13	
178	<i>MPI</i>	Congenital disorder of glycosylation, type Ib	Metabolism	A	13	78%	61%	13		
179	<i>ACADS</i>	Acyl-CoA dehydrogenase, short-chain, deficiency of	Metabolism	Secondary	C	7	55%	13		
180	<i>PHKG2</i>	Glycogen storage disease IXc	Metabolism	A	11	76%	49%	13		
181	<i>SLC39A4</i>	Acrodermatitis enteropathica	Metabolism	A	13	57%	49%	13		
182	<i>RPS19</i>	Diamond-Blackfan anemia 1	Hematology	A	12	69%	49%	13		
183	<i>TPPA</i>	Ataxia with isolated vitamin E deficiency	Neurology	A	13	65%	48%	13		
184	<i>AKR1D1</i>	Bile acid synthesis defect, congenital, 2	Gastroenterology	A	11	58%	47%	13		
185	<i>INS</i>	Diabetes mellitus, insulin-dependent, 2	Endocrinology		13	42%	45%	13		
186	<i>RPL11</i>	Diamond-Blackfan anemia 7	Hematology	A	11	69%	44%	13		
187	<i>FANCA</i>	Fanconi anemia, complementation group A	Hematology	A	12	68%	43%	13		
188	<i>NAGLU</i>	Mucopolysaccharidosis type IIIB (Sanfilippo B)	Metabolism	A	8	70%	43%	13		
189	<i>RPS26</i>	Diamond-Blackfan anemia 10	Hematology	A	11	66%	42%	13		
190	<i>XIAP</i>	Lymphoproliferative syndrome, X-linked, 2	Immunology			61%	30%	13		
191	<i>STXBP2</i>	Hemophagocytic lymphohistiocytosis, familial, 5, with or without microdeletion	Immunology	A		60%	28%	13		
192	<i>ACVRL1</i>	Telangiectasia, hereditary hemorrhagic, type 2	Medical Genetics	A	12		28%	13		
193	<i>CASR</i>	Hypocalcemia, autosomal dominant	Endocrinology		11		28%	13		
194	<i>SCN1A</i>	Dravet syndrome	Neurology	A		48%	25%	13		
195	<i>NR0B1</i>	Adrenal hypoplasia, congenital	Endocrinology	A			11%	13		
196	<i>ACADSB</i>	2-methylbutyrylglycinuria	Metabolism	Secondary	C	9	61%	12		
197	<i>AHCY</i>	Hypermethioninemia with deficiency of S-adenosylhomocysteine hydrolase	Metabolism	Secondary		10	56%	12		
198	<i>PHKA2</i>	Glycogen storage disease	Metabolism	A	12	78%	53%	12		
199	<i>TCIRG1</i>	Osteopetrosis, autosomal recessive 1	Endocrinology	A	12	56%	45%	12		
200	<i>GRHPR</i>	Hyperoxaluria, primary, type II	Nephrology	A	12	66%	43%	12		
201	<i>AGXT</i>	Hyperoxaluria, primary, type 1	Nephrology	A	12	61%	42%	12		
202	<i>LYST</i>	Chediak-Higashi syndrome	Hematology	A	10	69%	42%	12		
203	<i>FOLR1</i>	Neurodegeneration due to cerebral folate transport deficiency	Neurology		11	71%	41%	12		
204	<i>MOCs1</i>	Molybdenum cofactor deficiency A	Metabolism	A		75%	38%	12		
205	<i>TPP1</i>	Ceroid lipofuscinosis, neuronal, 2	Neurology	A	9	62%	38%	12		
206	<i>RFXAP</i>	Bare lymphocyte syndrome, type II, complementation group D	Immunology		11	55%	38%	12		
207	<i>RFX5</i>	Bare lymphocyte syndrome, type II	Immunology		11	55%	38%	12		
208	<i>IGSF1</i>	Hypothyroidism, central, and testicular enlargement	Endocrinology	A	9		36%	12		
209	<i>LPL</i>	Lipase deficiency, combined	Cardiovascular		10	68%	36%	12		
210	<i>COL1A2</i>	Osteogenesis imperfecta, type II	Endocrinology	A	11		35%	12		
211	<i>NCF4</i>	Chronic granulomatous disease 3, autosomal recessive	Immunology	C		71%	34%	12		
212	<i>SBDS</i>	Shwachman-Diamond syndrome 1	Hematology	A		71%	34%	12		
213	<i>CDH23</i>	Usher syndrome, type 1D	ENT/Dental	A	13		33%	12		
214	<i>GYS2</i>	Glycogen storage disease 0, liver	Metabolism	A	11		31%	12		
215	<i>USH2A</i>	Usher syndrome, type 2A	ENT/Dental	A	12		29%	12		
216	<i>G6PC3</i>	Neutropenia, severe congenital 4, autosomal recessive	Immunology	A		61%	27%	12		
217	<i>HMGCS2</i>	HMG-CoA synthase-2 deficiency	Metabolism	Core		12	66%	72%	11	
218	<i>AK2</i>	Reticular dysgenesis	Immunology	Core		11	65%	69%	11	
219	<i>PTPRC</i>	Immunodeficiency 105, severe combined	Immunology	Core		12	60%	60%	11	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion		Observed list inclusion (/26)
220	<i>NHEJ1</i>	Severe combined immunodeficiency with microcephaly	Immunology	Core	A	9		59%	11	
221	<i>RET</i>	Multiple endocrine neoplasia IIB	Oncology		A	13	80%	50%	11	
222	<i>GCK</i>	Diabetes mellitus, permanent neonatal	Endocrinology		A	13	67%	48%	11	
223	<i>SLC4A1</i>	Distal renal tubular acidosis 4 with hemolytic anemia	Nephrology		A	10	66%	46%	11	
224	<i>SCNN1G</i>	Pseudohypoaldosteronism, type IB3, autosomal recessive	Endocrinology		C	14	47%	46%	11	
225	<i>ATP6V1B1</i>	Distal renal tubular acidosis 2 with progressive sensorineural hearing loss	Nephrology		A	12	66%	46%	11	
226	<i>FOXN1</i>	T-cell immunodeficiency, congenital alopecia, and nail dystrophy	Immunology		C	12	65%	45%	11	
227	<i>RPL5</i>	Diamond-Blackfan anemia 6	Hematology		A	11	69%	44%	11	
228	<i>RPS17</i>	Diamond-Blackfan anemia 4	Hematology		A	11	68%	42%	11	
229	<i>RPS24</i>	Diamond-Blackfan anemia 3	Hematology		A	11	68%	42%	11	
230	<i>HOGA1</i>	Hyperoxaluria, primary, type III	Nephrology			11	66%	41%	11	
231	<i>RMRP</i>	Cartilage-hair hypoplasia	Orthopedics		A	12	61%	41%	11	
232	<i>COL1A1</i>	Osteogenesis imperfecta, type I	Endocrinology		A	11		39%	11	
233	<i>GLIS3</i>	Diabetes mellitus, neonatal, with congenital hypothyroidism	Endocrinology		C	10		37%	11	
234	<i>IYD</i>	Thyroid dyshormonogenesis 4	Endocrinology		C	12		36%	11	
235	<i>MEFV</i>	Familial Mediterranean fever, AR	Immunology		A	12	45%	36%	11	
236	<i>MC2R</i>	Glucocorticoid deficiency, due to ACTH unresponsiveness	Endocrinology				79%	35%	11	
237	<i>SLC34A3</i>	Hypophosphatemic rickets with hypercalcuria	Endocrinology		A		71%	35%	11	
238	<i>SLC5A1</i>	Glucose/galactose malabsorption	Metabolism				61%	34%	11	
239	<i>KCNQ2</i>	Developmental and epileptic encephalopathy 7	Neurology		C	11	49%	33%	11	
240	<i>PHGDH</i>	Phosphoglycerate dehydrogenase deficiency	Metabolism			10	49%	33%	11	
241	<i>SLC19A3</i>	Thiamine metabolism dysfunction syndrome 2 (biotin/thiamine-respon	Metabolism		A	13		32%	11	
242	<i>FBN1</i>	Marfan syndrome	Medical Genetics		A	13		31%	11	
243	<i>RPE65</i>	Leber congenital amaurosis 2	Ophthalmology				68%	29%	11	
244	<i>MYH7</i>	Cardiomyopathy, hypertrophic, 1	Cardiovascular		B	12		29%	11	
245	<i>KCNH2</i>	Long QT syndrome 2	Cardiovascular		B	12		28%	11	
246	<i>PGM1</i>	Congenital disorder of glycosylation, type I	Metabolism				64%	27%	11	
247	<i>POR</i>	Antley-Bixler syndrome with genital anomalies and disordered steroidogenesis	Metabolism		A		46%	26%	11	
248	<i>GLB1</i>	GM1-gangliosidosis, type I	Metabolism		A	7		25%	11	
249	<i>TMPRSS3</i>	Deafness, autosomal recessive 8/10	ENT/Dental		A	12		25%	11	
250	<i>NKX2-5</i>	Atrial septal defect 7, with or without AV conduction defects	Cardiovascular		B	8		21%	11	
251	<i>HCFC1</i>	Methylmalonic aciduria and homocysteine, cblX type	Metabolism	Secondary		6		52%	10	
252	<i>RPL35A</i>	Diamond-Blackfan anemia 5	Hematology		C	11	68%	42%	10	
253	<i>RPS10</i>	Diamond-Blackfan anemia 9	Hematology		C	11	66%	42%	10	
254	<i>PLPBP</i>	Epilepsy, early-onset, 1, vitamin B6-dependent	Neurology				86%	41%	10	
255	<i>MPL</i>	Thrombocytopenia, congenital amegakaryocytic	Hematology		A	12	58%	40%	10	
256	<i>FANCC</i>	Fanconi anemia, complementation group C	Hematology		A	12	65%	39%	10	
257	<i>SLC46A1</i>	Folate malabsorption, hereditary	Hematology		A	11	62%	38%	10	
258	<i>FANCG</i>	Fanconi anemia, complementation group G	Hematology		A	12	64%	38%	10	
259	<i>OXCT1</i>	Succinyl CoA:3-oxoacid CoA transferase deficiency	Metabolism				74%	36%	10	
260	<i>DDC</i>	Aromatic L-amino acid decarboxylase deficiency	Metabolism		A		72%	35%	10	
261	<i>USH1C</i>	Usher syndrome, type 1C	ENT/Dental		A	13		33%	10	
262	<i>EFL1</i>	Shwachman-Diamond syndrome 2	Hematology				69%	33%	10	
263	<i>JAG1</i>	Alagille syndrome 1	Gastroenterology		A	11		33%	10	
264	<i>MTTP</i>	Abetalipoproteinemia	Gastroenterology		A	10	53%	31%	10	
265	<i>DPAGT1</i>	Congenital disorder of glycosylation, type I	Metabolism		A		56%	31%	10	
266	<i>KCNJ1</i>	Barter syndrome, type 2	Nephrology		A		69%	30%	10	
267	<i>LIG4</i>	LIG4 syndrome	Immunology		A	9	61%	30%	10	
268	<i>MVK</i>	Mevalonic aciduria	Metabolism		A		58%	28%	10	
269	<i>CHRNA1</i>	Myasthenic syndrome, congenital, 1A, slow-channel	Neurology		A		57%	28%	10	
270	<i>PRKDC</i>	Immunodeficiency 26, with or without neurologic abnormalities	Immunology			3	58%	28%	10	
271	<i>TNFRSF11A</i>	Osteopetrosis, autosomal recessive 7	Endocrinology				54%	28%	10	
272	<i>ABCG5</i>	Sitosterolemia 2	Metabolism		A	11	35%	28%	10	
273	<i>SCN5A</i>	Long QT syndrome 3	Cardiovascular		B	12		28%	10	
274	<i>NBN</i>	Nijmegen breakage syndrome	Medical Genetics		A		57%	27%	10	
275	<i>SLC52A3</i>	Brown-Vialetto-Van Laere syndrome 1	Neurology				52%	27%	10	
276	<i>SLC52A2</i>	Brown-Vialetto-Van Laere syndrome 2	Neurology				52%	27%	10	
277	<i>RPS7</i>	Diamond-Blackfan anemia 8	Hematology		C	9	66%	26%	10	
278	<i>TECTA</i>	Deafness, autosomal recessive 21	ENT/Dental		A	12		25%	10	
279	<i>RAPSN</i>	Myasthenic syndrome, congenital, 11, associated with acetylcholine receptor	Neurology		A		53%	24%	10	
280	<i>DOK7</i>	Myasthenic syndrome, congenital, 10	Neurology		A		55%	24%	10	
281	<i>CHAT</i>	Myasthenic syndrome, congenital, 6, presynaptic	Neurology		A		55%	24%	10	
282	<i>CLCN7</i>	Osteopetrosis, autosomal recessive 4	Endocrinology		C		43%	23%	10	
283	<i>TRIOBP</i>	Deafness, autosomal recessive 28	ENT/Dental		A	12		23%	10	
284	<i>TMIE</i>	Deafness, autosomal recessive 6	ENT/Dental		A	12		23%	10	
285	<i>MYO15A</i>	Deafness, autosomal recessive 3	ENT/Dental		A	12		23%	10	
286	<i>TRHR</i>	Hypothyroidism, congenital, nongoitrous, 7	Endocrinology		C	9		21%	10	
287	<i>RAB27A</i>	Griselli syndrome, type 2	Immunology		A		52%	18%	10	
288	<i>CITTA</i>	Bare lymphocyte syndrome, type II, complementation group A	Immunology				55%	18%	10	
289	<i>ATP8B1</i>	Cholestasis, progressive familial intrahepatic 1	Gastroenterology		A			12%	10	
290	<i>ABC11</i>	Cholestasis, progressive familial intrahepatic 2	Gastroenterology		A			12%	10	
291	<i>TBX19</i>	Adrenocorticotrophic hormone deficiency	Endocrinology			13	66%	48%	9	
292	<i>F13B</i>	Factor XIIIa deficiency	Hematology			12	73%	46%	9	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)
							Expert rec.	list inclusion	
293	<i>F13A1</i>	Factor XIIIa deficiency	Hematology		A	12	73%	45%	9
294	<i>SLC19A2</i>	Thiamine-responsive megaloblastic anemia syndrome	Endocrinology		A	12	69%	43%	9
295	<i>CYP11A1</i>	Adrenal insufficiency, congenital, with 46XY sex reversal, partial or complete	Endocrinology		A	87%	41%	9	
296	<i>SLC26A3</i>	Diarrhea 1, secretory chloride, congenital	Gastroenterology		A	85%	39%	9	
297	<i>BCKDK</i>	Branched-chain keto acid dehydrogenase kinase deficiency	Metabolism			79%	39%	9	
298	<i>DGAT1</i>	Diarrhea 7, protein-losing enteropathy type	Gastroenterology			79%	36%	9	
299	<i>MAN2B1</i>	Mannosidosis, alpha-, types I and II	Metabolism		A	9	62%	36%	9
300	<i>DHCR7</i>	Smith-Lemli-Opitz syndrome	Metabolism		A	8	57%	35%	9
301	<i>NCF1</i>	Chronic granulomatous disease 1, autosomal recessive	Immunology		A	71%	34%	9	
302	<i>PDHA1</i>	Pyruvate dehydrogenase E1-alpha deficiency	Metabolism		A	73%	34%	9	
303	<i>SGSH</i>	Mucopolysaccharidosis type IIIA (Sanfilippo A)	Metabolism		A	7	68%	34%	9
304	<i>OTOF</i>	Deafness, autosomal recessive 9	ENT/Dental		A	13		31%	9
305	<i>ENG</i>	Telangiectasia, hereditary hemorrhagic, type 1	Medical Genetics		A	12		31%	9
306	<i>NNT</i>	Glucocorticoid deficiency 4, with or without mineralocorticoid deficiency	Endocrinology				66%	30%	9
307	<i>MRAP</i>	Glucocorticoid deficiency 2	Endocrinology				66%	30%	9
308	<i>SI</i>	Sucrase-isomaltase deficiency, congenital	Metabolism				57%	30%	9
309	<i>SLC12A1</i>	Bartter syndrome, type 1	Nephrology		A	69%	30%	9	
310	<i>SRP54</i>	Neutropenia, severe congenital, 8, autosomal dominant	Immunology				67%	29%	9
311	<i>PMM2</i>	Congenital disorder of glycosylation, type Ia	Metabolism		A	60%	29%	9	
312	<i>COQ4</i>	Coenzyme Q10 deficiency, primary, 7	Metabolism				66%	29%	9
313	<i>NEUROG3</i>	Diarrhea 4, malabsorptive, congenital	Gastroenterology		C	63%	28%	9	
314	<i>ATP6VOA4</i>	Distal renal tubular acidosis 3, with or without sensorineural hearing loss	Nephrology				66%	27%	9
315	<i>USH1G</i>	Usher syndrome, type 1G	ENT/Dental		A	12		26%	9
316	<i>PKD2</i>	Polycystic kidney disease 2	Nephrology		A		55%	26%	9
317	<i>GLDC</i>	Glycine encephalopathy 1	Metabolism		A	53%	25%	9	
318	<i>MUSK</i>	Myasthenic syndrome, congenital, 9, associated with acetylcholine receptor	Neurology		A	53%	24%	9	
319	<i>CHRNE</i>	Myasthenic syndrome, congenital, 4B, fast-channel	Neurology		A	53%	24%	9	
320	<i>CHRND</i>	Myasthenic syndrome, congenital, 3B, fast-channel	Neurology		A	53%	24%	9	
321	<i>COLQ</i>	Myasthenic syndrome, congenital, 5	Neurology		A	55%	24%	9	
322	<i>AGRN</i>	Myasthenic syndrome, congenital, 8, with pre- and postsynaptic defects	Neurology		A	55%	24%	9	
323	<i>ENPP1</i>	Arterial calcification, generalized, of infancy, 1	Cardiovascular		A	58%	24%	9	
324	<i>PIK3R1</i>	Immunodeficiency 36	Immunology				58%	24%	9
325	<i>PTF1A</i>	Pancreatic and cerebellar agenesis	Medical Genetics				51%	23%	9
326	<i>IL10RA</i>	Inflammatory bowel disease 28, early onset, autosomal recessive	Gastroenterology		A	40%	22%	9	
327	<i>FGA</i>	Afibrinogenemia, congenital	Hematology		A	50%	21%	9	
328	<i>CUBN</i>	Imerslund-Grasbeck syndrome 1	Immunology		A	45%	19%	9	
329	<i>AMN1</i>	Imerslund-Grasbeck syndrome 2	Immunology		A	48%	18%	9	
330	<i>PKHD1</i>	Polyclastic kidney disease 4, with or without hepatic disease	Nephrology		A		8%	9	
331	<i>TRMU</i>	Liver failure, transient infantile	Gastroenterology		A	9	58%	36%	8
332	<i>BSND</i>	Bartter syndrome, type 4a	Nephrology		A	11	68%	35%	8
333	<i>COQ6</i>	Coenzyme Q10 deficiency, primary, 6	Metabolism		C	11	67%	35%	8
334	<i>PCSK9</i>	Hypercholesterolemia, familial, 3	Cardiovascular		B	13	66%	34%	8
335	<i>GHR</i>	Growth hormone insensitivity, partial	Endocrinology				69%	34%	8
336	<i>COQ2</i>	Coenzyme Q10 deficiency, primary, 1	Metabolism		C	68%	34%	8	
337	<i>BRCA2</i>	Fanconi anemia, complementation group D1	Hematology		A	11	67%	32%	8
338	<i>FANCB</i>	Fanconi anemia, complementation group B	Hematology		A	11	67%	32%	8
339	<i>CYBC1</i>	Chronic granulomatous disease 5, autosomal recessive	Immunology				74%	32%	8
340	<i>LMNA</i>	Cardiomyopathy, dilated, 1A	Cardiovascular		B	13	55%	32%	8
341	<i>NF1</i>	Neurofibromatosis, type 1	Neurology		A	10	44%	32%	8
342	<i>VPS45</i>	Neutropenia, severe congenital, 5, autosomal recessive	Immunology				68%	32%	8
343	<i>HNF4A</i>	Fanconi renotubular syndrome 4, with maturity-onset diabetes of the young	Endocrinology		C	11	55%	31%	8
344	<i>MYO7A</i>	Deafness, autosomal recessive 2	ENT/Dental		A	13		31%	8
345	<i>PAX3</i>	Waardenburg syndrome, type 1	ENT/Dental		A	13		31%	8
346	<i>HESX1</i>	Pituitary hormone deficiency, combined, 5	Endocrinology		C		66%	30%	8
347	<i>AMT</i>	Glycine encephalopathy 2	Metabolism		A		57%	30%	8
348	<i>CBLIF</i>	Intrinsic factor deficiency	Hematology			13	51%	29%	8
349	<i>RYR1</i>	Malignant hyperthermia susceptibility 1	Medical Genetics		B	12		29%	8
350	<i>DKC1</i>	Dyskeratosis congenita, X-linked	Hematology		B	10	65%	29%	8
351	<i>FANCI</i>	Fanconi anemia, complementation group I	Hematology		A	11	64%	29%	8
352	<i>FANCD2</i>	Fanconi anemia, complementation group D2	Hematology		A	11	64%	29%	8
353	<i>ITGB2</i>	Leukocyte adhesion deficiency	Immunology				60%	28%	8
354	<i>CA2</i>	Osteopetrosis, autosomal recessive 3, with renal tubular acidosis	Endocrinology		A		54%	28%	8
355	<i>SCN8A</i>	Developmental and epileptic encephalopathy 13	Neurology			10	47%	28%	8
356	<i>CD79B</i>	Agammaglobulinemia 6	Immunology				65%	26%	8
357	<i>BLNK</i>	Agammaglobulinemia 4	Immunology				65%	26%	8
358	<i>CD79A</i>	Agammaglobulinemia 3	Immunology				65%	26%	8
359	<i>SCN2A</i>	Developmental and epileptic encephalopathy 11	Neurology			10	45%	26%	8
360	<i>RPL15</i>	Diamond-Blackfan anemia 12	Hematology			9	66%	26%	8
361	<i>FLAD1</i>	Lipid storage myopathy due to flavin adenine dinucleotide synthetase deficiency	Neurology				52%	26%	8
362	<i>ACAD9</i>	Mitochondrial complex I deficiency, nuclear type 20	Metabolism		A		58%	25%	8
363	<i>TGFBR1</i>	Loeys-Dietz syndrome 1	Medical Genetics		A	11		25%	8
364	<i>TGFBR2</i>	Loeys-Dietz syndrome 2	Medical Genetics		A	11		25%	8
365	<i>GJB6</i>	Deafness, autosomal recessive 1B	ENT/Dental			12		25%	8

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)
							Expert rec.	list inclusion	
366	<i>CHRNB1</i>	Myasthenic syndrome, congenital, 2C, associated with acetylcholine receptor deficiency	Neurology	C		53%	24%	8	
367	<i>GFPT1</i>	Myasthenia, congenital, 12, with tubular aggregates	Neurology	A		53%	24%	8	
368	<i>COL13A1</i>	Myasthenic syndrome, congenital, 19	Neurology			53%	24%	8	
369	<i>SLC18A3</i>	Myasthenic syndrome, congenital, 21, presynaptic	Neurology			53%	24%	8	
370	<i>TCF3</i>	Agammaglobulinemia 8B, autosomal recessive	Immunology			58%	24%	8	
371	<i>NF2</i>	Neurofibromatosis, type 2	Medical Genetics	A	11		24%	8	
372	<i>ANK1</i>	Spherocytosis, type 1	Hematology	A	10		23%	8	
373	<i>ABCC6</i>	Arterial calcification, generalized, of infancy, 2	Cardiovascular	A		56%	23%	8	
374	<i>TPRN</i>	Defeasness, autosomal recessive 79	ENT/Dental	C	12		23%	8	
375	<i>IL10RB</i>	Inflammatory bowel disease 25, early onset, autosomal recessive	Gastroenterology	C		40%	22%	8	
376	<i>ERCC4</i>	Xeroderma pigmentosum, group F	Oncology	C	9	61%	22%	8	
377	<i>FGB</i>	Afibrinogenemia, congenital	Hematology	A		50%	21%	8	
378	<i>FGG</i>	Afibrinogenemia, congenital	Hematology	A		50%	21%	8	
379	<i>EIF2AK3</i>	Wolcott-Rallison syndrome	Endocrinology	A		37%	20%	8	
380	<i>MYSM1</i>	Bone marrow failure syndrome 4	Hematology			58%	20%	8	
381	<i>GATA4</i>	Atrioventricular septal defect 4	Cardiovascular	A		50%	19%	8	
382	<i>C3</i>	Complement factor I deficiency	Immunology	C		39%	19%	8	
383	<i>CFP</i>	Properdin deficiency, X-linked	Immunology	A		39%	19%	8	
384	<i>ARPC1B</i>	Immunodeficiency 71 with inflammatory disease and congenital thrombopenia	Immunology			45%	19%	8	
385	<i>WHRN</i>	Usher syndrome, type 2D	ENT/Dental	C	10		17%	8	
386	<i>KCNE1</i>	Long QT syndrome 5	Cardiovascular	B	10		17%	8	
387	<i>RYR2</i>	Ventricular arrhythmias due to cardiac ryanodine receptor calcium release	Cardiovascular	A	11		17%	8	
388	<i>PGM3</i>	Immunodeficiency 23	Immunology			48%	15%	8	
389	<i>IRAK4</i>	Immunodeficiency 67	Immunology			48%	15%	8	
390	<i>GLRA1</i>	Hyperekplexia 1	Neurology	A		36%	12%	8	
391	<i>ABCB4</i>	Cholestasis, progressive familial intrahepatice 3	Gastroenterology	A			12%	8	
392	<i>FGFR3</i>	Achondroplasia	Orthopedics	A			6%	8	
393	<i>GH1</i>	Growth hormone deficiency, isolated, type IA	Endocrinology		12	74%	50%	7	
394	<i>SLC6A8</i>	Cerebral creatine deficiency syndrome 1	Metabolism	A	6	84%	46%	7	
395	<i>HSD17B10</i>	HSD10 mitochondrial disease	Metabolism	Secondary	A	1		46%	7
396	<i>NADK2</i>	2,4-dienoyl-CoA reductase deficiency	Metabolism			7	45%	7	
397	<i>STAT3</i>	Autoimmune disease, multisystem, infantile-onset, 1	Immunology	A	12	68%	43%	7	
398	<i>GHRHR</i>	Growth hormone deficiency, isolated, type IV	Endocrinology			74%	39%	7	
399	<i>APOB</i>	Hypercholesterolemia, familial, 2	Cardiovascular	A	13	69%	36%	7	
400	<i>PNP</i>	Immunodeficiency due to purine nucleoside phosphorylase deficiency	Immunology		11	61%	35%	7	
401	<i>SCN4A</i>	Myasthenic syndrome, congenital, 16	Neurology	A	12	55%	34%	7	
402	<i>PCDH15</i>	Usher syndrome, type 1F	ENT/Dental	A	13		33%	7	
403	<i>SMAD4</i>	Juvenile polyposis/hereditary hemorrhagic telangiectasia syndrome	Cardiovascular	A	12	43%	33%	7	
404	<i>TTC7A</i>	Gastrointestinal defects and immunodeficiency syndrome	Immunology	A		72%	32%	7	
405	<i>SOX10</i>	Waardenburg syndrome, type 2E, with or without neurologic involvement	ENT/Dental	A	13		31%	7	
406	<i>COL2A1</i>	Stickler syndrome, type I	Medical Genetics	A	13		30%	7	
407	<i>WIPF1</i>	Wiskott-Aldrich syndrome 2	Immunology			71%	30%	7	
408	<i>NR5A1</i>	Adrenocortical insufficiency	Endocrinology			66%	30%	7	
409	<i>LHX4</i>	Pituitary hormone deficiency, combined, 4	Endocrinology			66%	30%	7	
410	<i>TPK1</i>	Thiamin metabolism dysfunction syndrome 5 (episodic encephalopathy)	Metabolism			67%	29%	7	
411	<i>DSP</i>	Arrhythmogenic right ventricular dysplasia 8	Cardiovascular	B	12		29%	7	
412	<i>CORO1A</i>	Immunodeficiency 8	Immunology		11	53%	29%	7	
413	<i>AP3B1</i>	Hermansky-Pudlak syndrome 2	Medical Genetics	A	10	54%	28%	7	
414	<i>HPS4</i>	Hermansky-Pudlak syndrome 4	Medical Genetics	A	13		28%	7	
415	<i>HPS1</i>	Hermansky-Pudlak syndrome 1	Medical Genetics	A	13		28%	7	
416	<i>GATA1</i>	Thrombocytopenia, X-linked, with or without dyserythropoietic anemia	Hematology	A	10	65%	27%	7	
417	<i>CASA</i>	Hyperammonemia due to carbonic anhydrase VA deficiency	Metabolism			62%	27%	7	
418	<i>IGLL1</i>	Agammaglobulinemia 2	Immunology			61%	27%	7	
419	<i>IGHM</i>	Agammaglobulinemia 1	Immunology			61%	27%	7	
420	<i>CSF3R</i>	Neutropenia, severe congenital, 7, autosomal recessive	Immunology			61%	27%	7	
421	<i>PTCH1</i>	Basal cell nevus syndrome 1	Oncology	A	8	53%	26%	7	
422	<i>PKD1</i>	Polyzystic kidney disease 1	Nephrology	A		55%	26%	7	
423	<i>SLC39A8</i>	Congenital disorder of glycosylation, type IIb	Metabolism			52%	24%	7	
424	<i>ALG14</i>	Myasthenic syndrome, congenital, 15, without tubular aggregates	Neurology			53%	24%	7	
425	<i>F2</i>	Hypoprothrombinemia	Hematology	A	12		24%	7	
426	<i>SLC5A7</i>	Myasthenic syndrome, congenital, 20, presynaptic	Neurology			55%	24%	7	
427	<i>FERMT3</i>	Leukocyte adhesion deficiency, type III	Immunology			58%	24%	7	
428	<i>BRIP1</i>	Fanconi anemia, complementation group J	Hematology		10	63%	23%	7	
429	<i>GSS</i>	Glutathione synthetase deficiency	Metabolism	A	10		22%	7	
430	<i>SLX4</i>	Fanconi anemia, complementation group P	Hematology		9	61%	20%	7	
431	<i>UBE2T</i>	Fanconi anemia, complementation group T	Hematology		9	61%	20%	7	
432	<i>PRRT2</i>	Convulsions, familial infantile, with paroxysmal choreoathetosis	Neurology		11	32%	20%	7	
433	<i>CTPS1</i>	Immunodeficiency 24	Immunology			45%	19%	7	
434	<i>IL2RB</i>	Immunodeficiency 63 with lymphoproliferation and autoimmunity	Immunology			52%	18%	7	
435	<i>CXCR4</i>	WHIM syndrome 1	Immunology			52%	18%	7	
436	<i>VHL</i>	von Hippel-Lindau syndrome	Oncology	A	12		18%	7	
437	<i>SMAD3</i>	Loeys-Dietz syndrome 3	Medical Genetics	A	12		18%	7	
438	<i>HK1</i>	Hemolytic anemia due to hexokinase deficiency	Hematology	C		53%	18%	7	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)
							Expert rec.	list inclusion	
439	<i>NR3C2</i>	Pseudohypoaldosteronism type I, autosomal dominant	Endocrinology			47%	17%	7	
440	<i>CDKN1C</i>	IMAGE syndrome	Medical Genetics	A		40%	17%	7	
441	<i>GOT2</i>	Developmental and epileptic encephalopathy 82	Neurology			46%	17%	7	
442	<i>CHD7</i>	CHARGE syndrome	Medical Genetics	A		38%	16%	7	
443	<i>VAMP1</i>	Myasthenic syndrome, congenital, 25	Neurology	C		41%	15%	7	
444	<i>CFH</i>	Hemolytic uremic syndrome, atypical, susceptibility to, 1	Nephrology	C		36%	14%	7	
445	<i>CFI</i>	Hemolytic uremic syndrome, atypical, susceptibility to, 3	Nephrology	C		36%	14%	7	
446	<i>LRP5</i>	Osteoporosis-pseudoglioma syndrome	Endocrinology	A		11%	7		
447	<i>FGFR1</i>	Pfeiffer syndrome	Endocrinology	A		11%	7		
448	<i>PRDX1</i>	Methylmalonic aciduria and homocystinuria, cblC type, digenic	Metabolism			10%	7		
449	<i>XPA</i>	Xeroderma pigmentosum, group A	Oncology	A		6%	7		
450	<i>XPC</i>	Xeroderma pigmentosum, group C	Oncology	A		6%	7		
451	<i>SPTB</i>	Spherocytosis, type 2	Hematology	A		5%	7		
452	<i>UROS</i>	Porphyria, congenital erythropoietic	Hematology	A		5%	7		
453	<i>CD247</i>	Immunodeficiency 25	Immunology	Core	8	50%	57%	6	
454	<i>OPA3</i>	3-methylglutaconic aciduria, type III	Metabolism	Secondary	A	6	47%	6	
455	<i>ATM</i>	Ataxia-telangiectasia	Neurology	A	11	58%	37%	6	
456	<i>HNF1A</i>	Diabetes mellitus, insulin-dependent, 20	Endocrinology		12	55%	35%	6	
457	<i>PDHB</i>	Pyruvate dehydrogenase E1-beta deficiency	Metabolism			73%	34%	6	
458	<i>CYP2R1</i>	Rickets due to defect in vitamin D 25-hydroxylation deficiency	Endocrinology			71%	32%	6	
459	<i>MITF</i>	Waardenburg syndrome, type 2A	ENT/Dental	A	13		31%	6	
460	<i>CACNA1D</i>	Primary aldosteronism, seizures, and neurologic abnormalities	Endocrinology	C	11	59%	30%	6	
461	<i>COQ8A</i>	Coenzyme Q10 deficiency, primary, 4	Metabolism		9	66%	29%	6	
462	<i>TP53</i>	Li-Fraumeni syndrome	Oncology	A	11	69%	29%	6	
463	<i>SLC5A6</i>	Peripheral motor neuropathy, childhood-onset, biotin-responsive	Neurology			74%	29%	6	
464	<i>PYGM</i>	McArdle disease	Metabolism		12		29%	6	
465	<i>SLC25A19</i>	Thiamine metabolism dysfunction syndrome 4 (progressive polyneuropathy)	Metabolism		9	67%	29%	6	
466	<i>SP110</i>	Hepatic venoocclusive disease with immunodeficiency	Immunology	A		60%	28%	6	
467	<i>HGSNAT</i>	Mucopolysaccharidosis type IIIC (Sanfilippo C)	Metabolism	A	7	64%	28%	6	
468	<i>THR8</i>	Thyroid hormone resistance	Endocrinology	A	8		28%	6	
469	<i>SLC12A3</i>	Gitelman syndrome	Nephrology	A		66%	27%	6	
470	<i>COQ8B</i>	Nephrotic syndrome, type 9	Nephrology			66%	27%	6	
471	<i>FOXE1</i>	Bamforth-Lazarus syndrome	Endocrinology	C	11	45%	27%	6	
472	<i>COL11A1</i>	Stickler syndrome, type II	Medical Genetics	A	13		26%	6	
473	<i>PTPN11</i>	Noonan syndrome 1	Cardiovascular	A	12		26%	6	
474	<i>SLC16A1</i>	Monocarboxylate transporter 1 deficiency	Endocrinology	C		54%	25%	6	
475	<i>CYP7B1</i>	Bile acid synthesis defect, congenital, 3	Gastroenterology	C		56%	25%	6	
476	<i>ALDH4A1</i>	Hyperprolinemia, type II	Metabolism	C	8	46%	24%	6	
477	<i>LRP4</i>	Cenani-Lenz syndactyly syndrome	Neurology	A		53%	24%	6	
478	<i>MAGT1</i>	Immunodeficiency, X-linked, with magnesium defect, Epstein-Barr virus	Immunology		2	70%	24%	6	
479	<i>PREPL</i>	Myasthenic syndrome, congenital, 22	Neurology	C		55%	24%	6	
480	<i>CD40</i>	Immunodeficiency with hyper-IgM, type 3	Immunology			58%	24%	6	
481	<i>DOCK2</i>	Immunodeficiency 40	Immunology			58%	24%	6	
482	<i>GFI1</i>	Neutropenia, severe congenital 2, autosomal dominant	Immunology			58%	24%	6	
483	<i>GNAS</i>	Pseudohypoparathyroidism Ia	Endocrinology	A		62%	23%	6	
484	<i>TNNT2</i>	Cardiomyopathy, dilated, 1D	Cardiovascular	B	13		23%	6	
485	<i>MBPCC3</i>	Cardiomyopathy, hypertrophic, 4	Cardiovascular	B	13		23%	6	
486	<i>CLDN14</i>	Deafness, autosomal recessive 29	ENT/Dental	A	12		23%	6	
487	<i>TMCI</i>	Deafness, autosomal recessive 7	ENT/Dental	A	12		23%	6	
488	<i>AAAS</i>	Achala-saddisonianism-alacrima syndrome	Endocrinology	A		53%	23%	6	
489	<i>SNX10</i>	Osteopetrosis, autosomal recessive 8	Endocrinology			51%	22%	6	
490	<i>SERPINA1</i>	Emphysema due to AAT deficiency	Pulmonology	C	12	55%	22%	6	
491	<i>NKX2-1</i>	Choreoathetosis, hypothyroidism, and neonatal respiratory distress	Neurology	A	12		21%	6	
492	<i>FECH</i>	Protoporphyrin, erythropoietic, 1	Hematology			50%	21%	6	
493	<i>TRPM6</i>	Hypomagnesemia 1, intestinal	Gastroenterology			48%	21%	6	
494	<i>DNAJC21</i>	Bone marrow failure syndrome 3	Hematology			58%	20%	6	
495	<i>SLC7A9</i>	Cystinuria	Nephrology	A	10		19%	6	
496	<i>GBE1</i>	Glycogen storage disease IV	Metabolism	A	8		19%	6	
497	<i>MYO6</i>	Deafness, autosomal recessive 37	ENT/Dental	A	12		18%	6	
498	<i>SGPL1</i>	RENI syndrome	Nephrology			50%	18%	6	
499	<i>C5</i>	C5 deficiency	Immunology			42%	18%	6	
500	<i>LHFPL5</i>	Deafness, autosomal recessive 67	ENT/Dental	A	11		18%	6	
501	<i>ABCG8</i>	Sitosterolemia 1	Metabolism			35%	17%	6	
502	<i>C7</i>	C7 deficiency	Immunology			36%	15%	6	
503	<i>C9</i>	C9 deficiency	Immunology			36%	15%	6	
504	<i>C8B</i>	C8 deficiency, type II	Immunology			36%	15%	6	
505	<i>CFD</i>	Complement factor D deficiency	Immunology	C		36%	15%	6	
506	<i>C6</i>	C6 deficiency	Immunology			36%	15%	6	
507	<i>SLC6A5</i>	Hyperekplexia 3	Neurology	A		35%	13%	6	
508	<i>AMACR</i>	Bile acid synthesis defect, congenital, 4	Gastroenterology	C		12%	6		
509	<i>PJVK</i>	Deafness, autosomal recessive 59	ENT/Dental	A	11		12%	6	
510	<i>DMP1</i>	Hypophosphatemic rickets, AR	Endocrinology	A			11%	6	
511	<i>PC</i>	Pyruvate carboxylase deficiency	Metabolism	A			10%	6	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)	
512	DNAJC12	Hyperphenylalaninemia, mild, non-BH4-deficient	Metabolism					10%	6	
513	SLC18A2	Parkinsonism-dystonia, infantile, 2	Neurology			29%	9%	9%	6	
514	PLG	Plasminogen deficiency, type I	Ophthalmology	A	A	29%	9%	9%	6	
515	MECP2	Rett syndrome	Neurology				7%	7%	6	
516	MT-RNR1	Aminoglycoside sensitivity	Medical Genetics				6%	6%	6	
517	SLC45A2	Albinism, oculocutaneous, type IV	Ophthalmology	A			6%	6%	6	
518	GPR143	Ocular albinism, type I, Nettleship-Falls type	Ophthalmology	A			6%	6%	6	
519	GJB3	Deafness, autosomal recessive	ENT/Dental				6%	6%	6	
520	ERCC2	Xeroderma pigmentosum, group D	Oncology		A		6%	6%	6	
521	ADK	Hypermethioninemia due to adenosine kinase deficiency	Metabolism	Secondary	A	10		53%	5	
522	HSD11B2	Apparent mineralocorticoid excess	Endocrinology			13	61%	38%	5	
523	LRBA	Immunodeficiency, common variable, 8, with autoimmunity	Immunology				68%	37%	5	
524	POMC	Obesity, adrenal insufficiency, and red hair due to POMC deficiency	Endocrinology	C			79%	35%	5	
525	PHKA1	Muscle glycogenosis	Metabolism	C	9	76%	35%	5		
526	CLCNKB	Bartter syndrome, type 3	Nephrology			12	68%	35%	5	
527	CARD11	Immunodeficiency 11A	Immunology			12	61%	33%	5	
528	PDXH	Lacticacidemia due to PDX1 deficiency	Metabolism	A			70%	31%	5	
529	IGF1	Insulin-like growth factor I deficiency	Endocrinology	C			66%	30%	5	
530	AIRE	Autoimmune polyendocrinopathy syndrome, type I, with or without re	Endocrinology	A			68%	29%	5	
531	DLAT	Pyruvate dehydrogenase E2 deficiency	Metabolism				68%	29%	5	
532	PDSS2	Coenzyme Q10 deficiency, primary, 3	Metabolism	C			66%	29%	5	
533	FANCF	Fanconi anemia, complementation group F	Hematology	C	11	64%	29%	5		
534	FANCE	Fanconi anemia, complementation group E	Hematology	C	11	64%	29%	5		
535	RPS29	Diamond-Blackfan anemia 13	Hematology			10	66%	27%	5	
536	DNMT3B	Immunodeficiency-centromeric instability-facial anomalies syndrome 1	Immunology	A	12	50%	27%	5		
537	TK2	Mitochondrial DNA depletion syndrome 2 (myopathic type)	Metabolism	A			64%	27%	5	
538	F10	Factor X deficiency	Hematology			13		26%	5	
539	DHFR	Megaloblastic anemia due to dihydrofolate reductase deficiency	Metabolism				61%	26%	5	
540	AICDA	Immunodeficiency with hyper-IgM, type 2	Immunology				65%	26%	5	
541	ADA2	Vasculitis, autoinflammation, immunodeficiency, and hematologic defi	Immunology				65%	26%	5	
542	RPS27	Diamond-Blackfan anemia 17	Hematology		A	9	66%	26%	5	
543	RPL26	Diamond-Blackfan anemia 11	Hematology			9	66%	26%	5	
544	RPL27	Diamond-Blackfan anemia 16	Hematology			9	66%	26%	5	
545	SLC35A2	Congenital disorder of glycosylation, type IIIm	Metabolism	C			53%	25%	5	
546	ALDH5A1	Succinic semialdehyde dehydrogenase deficiency	Metabolism	A			58%	25%	5	
547	GIPC3	Deafness, autosomal recessive 15	ENT/Dental	A	12		25%	5		
548	SAMD9	MIRAGE syndrome	Endocrinology				62%	25%	5	
549	SYT2	Myasthenic syndrome, congenital, 7B, presynaptic, autosomal recessive	Neurology				53%	24%	5	
550	SNAP25	Myasthenic syndrome, congenital, 18	Neurology				53%	24%	5	
551	MYO9A	Myasthenic syndrome, congenital, 24, presynaptic	Neurology				55%	24%	5	
552	SLC25A1	Myasthenic syndrome, congenital, 23, presynaptic	Neurology				55%	24%	5	
553	JAGN1	Neutropenia, severe congenital, 6, autosomal recessive	Immunology				58%	24%	5	
554	ICOS	Immunodeficiency, common variable, 1	Immunology				58%	24%	5	
555	RPS28	Diamond Blackfan anemia 15 with mandibulofacial dysostosis	Hematology			9	65%	23%	5	
556	TSR2	Diamond-Blackfan anemia 14 with mandibulofacial dysostosis	Hematology			9	65%	23%	5	
557	TNNI3	Cardiomyopathy, hypertrophic, 7	Cardiovascular	B	13		23%	5		
558	IKBKB	Immunodeficiency 15B	Immunology				59%	23%	5	
559	FANCL	Fanconi anemia, complementation group L	Hematology	C	10	63%	23%	5		
560	MARVELD2	Deafness, autosomal recessive 49	ENT/Dental	A	12		23%	5		
561	ILDR1	Deafness, autosomal recessive 42	ENT/Dental	A	12		23%	5		
562	LRTOMT	Deafness, autosomal recessive 63	ENT/Dental	A	12		23%	5		
563	EDN3	Waardenburg syndrome, type 4B	ENT/Dental	C	11		23%	5		
564	ITK	Lymphoproliferative syndrome 1	Immunology			9	52%	22%	5	
565	STK4	T-cell immunodeficiency, recurrent infections, autoimmunity, and card	Immunology				59%	22%	5	
566	FOXA2	Combined pituitary hormone deficiencies, genetic form	Endocrinology				51%	22%	5	
567	EPB42	Spherocytosis, type 5	Hematology	C	10		21%	5		
568	GATA6	Atrioventricular septal defect 5	Cardiovascular	C			56%	21%	5	
569	BMPR2	Pulmonary hypertension, familial primary, 1, with or without HHT	Cardiovascular	B	10		21%	5		
570	RPS15A	Diamond-Blackfan anemia 20	Hematology				66%	21%	5	
571	RPL35	Diamond-Blackfan anemia 19	Hematology				66%	21%	5	
572	RPL18	Diamond-Blackfan anemia 18	Hematology				66%	21%	5	
573	GALM	Galactosemia IV	Metabolism				51%	19%	5	
574	PSPH	Phosphoserine phosphatase deficiency	Metabolism				42%	19%	5	
575	PSAT1	Phosphoserine aminotransferase deficiency	Metabolism	C			44%	19%	5	
576	SLC3A1	Cystinuria	Nephrology	A	10		19%	5		
577	CD3G	Immunodeficiency 17, CD3 gamma deficient	Immunology			8		18%	5	
578	ALAS2	Protoporphyrin, erythropoietic, X-linked	Hematology	A			53%	18%	5	
579	RAC2	Immunodeficiency 73B with defective neutrophil chemotaxis and lympl	Immunology			9		18%	5	
580	ITGB3	Glanzmann thrombasthenia 2	Hematology			12		18%	5	
581	COL11A2	Deafness, autosomal recessive 53	ENT/Dental	A	11		18%	5		
582	ESPN	Deafness, autosomal recessive 36	ENT/Dental	C	11		18%	5		
583	RFWD3	Fanconi anemia, complementation group W	Hematology				61%	18%	5	
584	MAD2L2	Fanconi anemia, complementation group V	Hematology				61%	18%	5	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)
							Expert rec.	list inclusion	
585	<i>CACNA1C</i>	Brugada syndrome 3	Cardiovascular	B	11		17%	5	
586	<i>BSCL2</i>	Lipodystrophy, congenital generalized, type 2	Endocrinology	A		49%	17%	5	
587	<i>C2</i>	Mitochondrial complex I deficiency, nuclear type 36	Metabolism			36%	17%	5	
588	<i>ACSF3</i>	Combined malonic and methylmalonic aciduria	Metabolism	A	9		15%	5	
589	<i>MYD88</i>	Immunodeficiency 68	Immunology			48%	15%	5	
590	<i>MTHFD1</i>	Combined immunodeficiency and megaloblastic anemia with or without	Immunology			48%	15%	5	
591	<i>COL9A1</i>	Stickler syndrome, type IV	Medical Genetics	C	11		15%	5	
592	<i>GPIHBP1</i>	Hyperlipoproteinemia, type 1D	Cardiovascular			40%	14%	5	
593	<i>OTOG</i>	Deafness, autosomal recessive 84B	ENT/Dental	A	11		13%	5	
594	<i>COCH</i>	Deafness, autosomal recessive 110	ENT/Dental	A	12		13%	5	
595	<i>CAD</i>	Developmental and epileptic encephalopathy 50	Neurology			43%	13%	5	
596	<i>CFB</i>	Complement factor B deficiency	Immunology	C		36%	13%	5	
597	<i>GLRB</i>	Hyperekplexia 2	Neurology	C		38%	12%	5	
598	<i>LOXHD1</i>	Deafness, autosomal recessive 77	ENT/Dental	A	11		12%	5	
599	<i>TBL1X</i>	Hypothyroidism, congenital, nongoitrous, 8	Endocrinology				11%	5	
600	<i>IRS4</i>	Hypothyroidism, congenital, nongoitrous, 9	Endocrinology				11%	5	
601	<i>FGF23</i>	Hypophosphatemic rickets, autosomal dominant	Endocrinology				11%	5	
602	<i>P3H1</i>	Osteogenesis imperfecta, type VIII	Endocrinology				11%	5	
603	<i>PROKR2</i>	Hypogonadotropic hypogonadism 3 with or without anosmia	Endocrinology	A			11%	5	
604	<i>CRTAP</i>	Osteogenesis imperfecta, type VII	Endocrinology	A			11%	5	
605	<i>INSR</i>	Hyperinsulinemic hypoglycemia, familial, 5	Endocrinology	A			11%	5	
606	<i>PRODH</i>	Hyperprolinemia, type I	Metabolism	C			10%	5	
607	<i>NPHS1</i>	Nephrotic syndrome, type 1	Nephrology	A			8%	5	
608	<i>LAT</i>	Immunodeficiency 52	Immunology				7%	5	
609	<i>PSAP</i>	Metachromatic leukodystrophy due to SAP-b deficiency	Neurology	A			7%	5	
610	<i>CEP290</i>	Joubert syndrome 5	Medical Genetics	A			6%	5	
611	<i>RAF1</i>	Noonan syndrome 5	Cardiovascular	A			6%	5	
612	<i>KRAS</i>	Noonan syndrome 3	Cardiovascular	A			6%	5	
613	<i>ZIC3</i>	Heterotaxy, visceral, 1, X-linked	Cardiovascular	A			6%	5	
614	<i>BRAF</i>	Cardiofaciocutaneous syndrome	Cardiovascular	A			6%	5	
615	<i>ERCC5</i>	Xeroderma pigmentosum, group G	Oncology	A			6%	5	
616	<i>DNAJC19</i>	3-methylglutaconic aciduria, type V	Metabolism	Secondary	C	10	59%	4	
617	<i>GNMT</i>	Glycine N-methyltransferase deficiency	Metabolism	Secondary		3	38%	4	
618	<i>HEXA</i>	Tay-Sachs disease	Metabolism	A	9	63%	37%	4	
619	<i>SLC9A3</i>	Diarrhea 8, secretory sodium, congenital	Gastroenterology			80%	33%	4	
620	<i>CIB2</i>	Deafness, autosomal recessive 48	ENT/Dental		13		31%	4	
621	<i>APC</i>	Adenomatous polyposis coli	Oncology	A	13	66%	30%	4	
622	<i>NFKBIA</i>	Ectodermal dysplasia and immunodeficiency 2	Immunology				61%	30%	4
623	<i>MAGED2</i>	Bartter syndrome, type 5, antenatal, transient	Nephrology				69%	30%	4
624	<i>PHOX2B</i>	Central hypoventilation syndrome, congenital, 1, with or without Hirsc	Pulmonology	B	14	58%	29%	4	
625	<i>F7</i>	Factor VII deficiency	Hematology		13		29%	4	
626	<i>FUCA1</i>	Fucosidosis	Metabolism	A	10	50%	28%	4	
627	<i>IL2RA</i>	Immunodeficiency 41 with lymphoproliferation and autoimmunity	Immunology		11	56%	28%	4	
628	<i>NFKB2</i>	Immunodeficiency, common variable, 10	Immunology		10	61%	28%	4	
629	<i>PDSS1</i>	Coenzyme Q10 deficiency, primary, 2	Metabolism	C		64%	27%	4	
630	<i>COQ9</i>	Coenzyme Q10 deficiency, primary, 5	Metabolism			64%	27%	4	
631	<i>GGCX</i>	Vitamin K-dependent clotting factors, combined deficiency of, 1	Hematology		11	61%	27%	4	
632	<i>CD19</i>	Immunodeficiency, common variable, 3	Immunology			61%	27%	4	
633	<i>IKZF1</i>	Immunodeficiency, common variable, 13	Immunology			65%	26%	4	
634	<i>COQ7</i>	Coenzyme Q10 deficiency, primary, 8	Metabolism			66%	26%	4	
635	<i>TINF2</i>	Dyskeratosis congenita, autosomal dominant 3	Hematology	B	10	64%	24%	4	
636	<i>ALG2</i>	Myasthenic syndrome, congenital, 14, with tubular aggregates	Neurology	C		55%	24%	4	
637	<i>SERPING1</i>	Angioedema, hereditary, 1 and 2	Immunology			58%	24%	4	
638	<i>LEPR</i>	Obesity, morbid, due to leptin receptor deficiency	Endocrinology	A		61%	23%	4	
639	<i>GRXCR1</i>	Deafness, autosomal recessive 25	ENT/Dental	C	12		23%	4	
640	<i>POU3F4</i>	Deafness, X-linked 2	ENT/Dental	A	12		23%	4	
641	<i>EDNRB</i>	Waardenburg syndrome, type 4A	ENT/Dental	C	11		23%	4	
642	<i>LEP</i>	Obesity, morbid, due to leptin deficiency	Endocrinology			61%	22%	4	
643	<i>RNPC3</i>	Pituitary hormone deficiency, combined or isolated, 7	Endocrinology			61%	22%	4	
644	<i>MNX1</i>	Currarino syndrome	Endocrinology			61%	22%	4	
645	<i>STAT5B</i>	Growth hormone insensitivity with immune dysregulation 1, autosoma	Immunology			62%	21%	4	
646	<i>VWF</i>	von Willebrand disease, type 3	Hematology	B	13		20%	4	
647	<i>SAMD9L</i>	Ataxia-pancytopenia syndrome	Hematology			63%	20%	4	
648	<i>PDP1</i>	Pyruvate dehydrogenase phosphatase deficiency	Metabolism	C		58%	20%	4	
649	<i>KCNJ2</i>	Andersen syndrome	Metabolism	A	10		20%	4	
650	<i>MYH9</i>	Macrothrombocytopenia and granulocyte inclusions with or without	Hematology	A	12		19%	4	
651	<i>ELN</i>	Supravalvar aortic stenosis	Cardiovascular	A	13		19%	4	
652	<i>IRF8</i>	Immunodeficiency 32B, monocyte and dendritic cell deficiency, autoso	Immunology			45%	19%	4	
653	<i>CD70</i>	Lymphoproliferative syndrome 3	Immunology			52%	18%	4	
654	<i>VKORC1</i>	Vitamin K-dependent clotting factors, combined deficiency of, 2	Hematology			62%	18%	4	
655	<i>LIG1</i>	Immunodeficiency 96	Immunology			55%	18%	4	
656	<i>STAT1</i>	Immunodeficiency 31B, mycobacterial and viral infections, autosomal r	Immunology			55%	18%	4	
657	<i>NRAS</i>	Noonan syndrome 6	Cardiovascular		12		18%	4	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion	Observed list inclusion (/26)	
								Expert rec.	list inclusion
658	<i>IL10</i>	Interleukin-10 deficiency	Gastroenterology			48%	18%	4	
659	<i>ITGA2B</i>	Glanzmann thrombasthenia 1	Hematology		12		18%	4	
660	<i>OTOG</i>	Deafness, autosomal recessive 18B	ENT/Dental	C	11		18%	4	
661	<i>MT-TL1</i>	MELAS	Metabolism			51%	18%	4	
662	<i>KLHL3</i>	Pseudohypoaldosteronism, type IID	Endocrinology			47%	17%	4	
663	<i>WNK1</i>	Pseudohypoaldosteronism, type IIC	Endocrinology	C		47%	17%	4	
664	<i>CUL3</i>	Pseudohypoaldosteronism, type IIE	Endocrinology			47%	17%	4	
665	<i>MEN1</i>	Multiple endocrine neoplasia 1	Oncology	A	13		17%	4	
666	<i>UCP2</i>	Obesity, susceptibility to, BMIQ4	Endocrinology	C		49%	17%	4	
667	<i>KCNT1</i>	Developmental and epileptic encephalopathy 14	Neurology			47%	17%	4	
668	<i>BMPR1A</i>	Polyposis, juvenile intestinal	Oncology	A	11	42%	17%	4	
669	<i>PRKAG2</i>	Cardiomyopathy, hypertrophic 6	Cardiovascular	B	11		17%	4	
670	<i>ORA11</i>	Immunodeficiency 9	Immunology		8	44%	17%	4	
671	<i>TERC</i>	Dyskeratosis congenita, autosomal dominant 1	Hematology	B	7	65%	17%	4	
672	<i>TBX1</i>	DiGeorge syndrome	Medical Genetics	A	10		16%	4	
673	<i>SLC30A10</i>	Hypermanganesemia with dystonia 1	Metabolism			50%	16%	4	
674	<i>CAVIN1</i>	Lipodystrophy, congenital generalized, type 4	Endocrinology	A		45%	16%	4	
675	<i>C8A</i>	C8 deficiency, type I	Immunology			36%	15%	4	
676	<i>CAV1</i>	Lipodystrophy, congenital generalized, type 3	Endocrinology		8	46%	15%	4	
677	<i>OPA1</i>	Optic atrophy 1	Ophthalmology	A	10		15%	4	
678	<i>LAMTOR2</i>	Immunodeficiency due to defect in MAPBP-interacting protein	Immunology			48%	15%	4	
679	<i>KCNQ4</i>	Deafness, autosomal dominant 2A	ENT/Dental	A	12		15%	4	
680	<i>LAMP2</i>	Danon disease	Cardiovascular	A	11		15%	4	
681	<i>TMEM43</i>	Arrhythmogenic right ventricular dysplasia 5	Cardiovascular	A	11		14%	4	
682	<i>PKP2</i>	Arrhythmogenic right ventricular dysplasia 9	Cardiovascular	B	11		14%	4	
683	<i>COL3A1</i>	Ehlers-Danlos syndrome, vascular type	Cardiovascular	A	11		14%	4	
684	<i>ACTC1</i>	Cardiomyopathy, hypertrophic, 11	Cardiovascular	B	12		14%	4	
685	<i>ACTA2</i>	Aortic aneurysm, familial thoracic 6	Cardiovascular	B	12		14%	4	
686	<i>DNAH5</i>	Ciliary dyskinesia, primary, 3, with or without situs inversus	Pulmonology	A	11		14%	4	
687	<i>DNAI1</i>	Ciliary dyskinesia, primary, 1, with or without situs inversus	Pulmonology	A	11		14%	4	
688	<i>STK11</i>	Peutz-Jeghers syndrome	Oncology	A	12		14%	4	
689	<i>CDC42</i>	Immunodeficiency-centromeric instability-facial anomalies syndrome 3	Immunology			43%	13%	4	
690	<i>HELLS</i>	Immunodeficiency-centromeric instability-facial anomalies syndrome 4	Immunology			43%	13%	4	
691	<i>ESRRB</i>	Deafness, autosomal recessive 35	ENT/Dental	A	11		13%	4	
692	<i>PTPRQ</i>	Deafness, autosomal recessive 84A	ENT/Dental		11		13%	4	
693	<i>OTOA</i>	Deafness, autosomal recessive 22	ENT/Dental	A	11		13%	4	
694	<i>RDX</i>	Deafness, autosomal recessive 24	ENT/Dental	C	11		13%	4	
695	<i>HSD17B4</i>	D-bifunctional protein deficiency	Neurology	A	8		13%	4	
696	<i>CLN3</i>	Ceroid lipofuscinosi, neuronal, 3	Neurology	A	8		13%	4	
697	<i>SKIC3</i>	Trichohepatenteric syndrome 1	Gastroenterology	A			12%	4	
698	<i>SLC25A38</i>	Anemia, sideroblastic, 2, pyridoxine-refractory	Hematology	A		47%	12%	4	
699	<i>IFITM5</i>	Osteogenesis imperfecta, type V	Endocrinology				11%	4	
700	<i>ANOS1</i>	Hypogonadotropic hypogonadism 1 with or without anosmia (Kallmann syndrome)					11%	4	
701	<i>OSTM1</i>	Osteopetrosis, autosomal recessive 5	Endocrinology	A			11%	4	
702	<i>GCM2</i>	Hyperparathyroidism 4	Endocrinology				11%	4	
703	<i>PPOX</i>	Variegate porphyria, childhood-onset	Hematology	C		46%	11%	4	
704	<i>CPOX</i>	Coproporphyrin	Hematology	C		46%	11%	4	
705	<i>GNS</i>	Mucopolysaccharidosis type IIID	Metabolism	A	7		11%	4	
706	<i>SURF1</i>	Leigh syndrome	Metabolism	A			10%	4	
707	<i>DSC2</i>	Arrhythmogenic right ventricular dysplasia 11	Cardiovascular	B	9		9%	4	
708	<i>POLE</i>	IMAGE syndrome	Medical Genetics		11		9%	4	
709	<i>CLCN5</i>	Dent disease 1	Nephrology	A			8%	4	
710	<i>SLC39A7</i>	Agammaglobulinemia 9, autosomal recessive	Immunology				7%	4	
711	<i>FCHO1</i>	Immunodeficiency 76	Immunology				7%	4	
712	<i>FAS</i>	Autoimmune lymphoproliferative syndrome, type IA	Immunology				7%	4	
713	<i>NTRK1</i>	Insensitivity to pain, congenital, with anhidrosis	Neurology	A			7%	4	
714	<i>LAMA2</i>	Muscular dystrophy, congenital, merosin deficient or partially deficient	Neurology	A			7%	4	
715	<i>PMP22</i>	Charcot-Marie-Tooth disease, type 1A	Neurology	A			7%	4	
716	<i>OCRL</i>	Lowe syndrome	Medical Genetics	A			6%	4	
717	<i>FGFR2</i>	Crouzon syndrome	Medical Genetics	A			6%	4	
718	<i>SLC26A2</i>	Achondrogenesis Ib	Medical Genetics	A			6%	4	
719	<i>COL9A2</i>	Stickler syndrome, type V	Medical Genetics	C			6%	4	
720	<i>CRLF1</i>	Cold-induced sweating syndrome 1	Medical Genetics	A			6%	4	
721	<i>COL9A3</i>	Stickler syndrome, type VI	Medical Genetics	A			6%	4	
722	<i>ANKH</i>	Craniometaphyseal dysplasia	Orthopedics	A			6%	4	
723	<i>CYP1B1</i>	Glaucoma 3A, primary open angle, congenital, juvenile, or adult onset	Ophthalmology				6%	4	
724	<i>NDP</i>	Norrie disease	Ophthalmology	A			6%	4	
725	<i>GYS1</i>	Glycogen storage disease 0, muscle	Metabolism		3		6%	4	
726	<i>SOS1</i>	Noonan syndrome 4	Cardiovascular				6%	4	
727	<i>CASQ2</i>	Ventricular tachycardia, catecholaminergic polymorphic, 2	Cardiovascular	A	9		5%	4	
728	<i>MYO3A</i>	Deafness, autosomal recessive 30	ENT/Dental	A	9		4%	4	
729	<i>GATA2</i>	Immunodeficiency 21	Immunology		12	58%	34%	3	
730	<i>WFS1</i>	Wolfram syndrome 1	Endocrinology	A	11	66%	34%	3	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion		Observed list inclusion (/26)
							Expert rec.	Inclusion	
731	PDX1	Pancreatic agenesis 1	Gastroenterology			13	44%	32%	3
732	HEXB	Sandhoff disease, infantile, juvenile, and adult forms	Metabolism	A		9	57%	32%	3
733	BRCA1	Fanconi anemia, complementation group S	Hematology	C		13	63%	29%	3
734	ADGRV1	Usher syndrome, type 2C	ENT/Dental	A		12		29%	3
735	GNPTAB	Mucolipidosis II alpha/beta	Metabolism	A		7	61%	28%	3
736	PIK3CD	Immunodeficiency 14B, autosomal recessive	Immunology			12	53%	27%	3
737	LCK	Immunodeficiency 22	Immunology			9	48%	26%	3
738	CACNA1S	Malignant hyperthermia susceptibility 5	Medical Genetics	C		11	52%	26%	3
739	LDLRAP1	Hypercholesterolemia, familial, 4	Cardiovascular			12	65%	25%	3
740	STRC	Deafness, autosomal recessive 16	ENT/Dental	A		12		25%	3
741	AVP	Diabetes insipidus, neurohypophyseal	Endocrinology				65%	25%	3
742	UMPS	Orotic aciduria	Metabolism				58%	23%	3
743	PPT1	Ceroid lipofuscinoses, neuronal, 1	Neurology	A		9	53%	22%	3
744	WDR1	Periodic fever, immunodeficiency, and thrombocytopenia syndrome	Immunology				62%	21%	3
745	FGF3	Deafness, congenital with inner ear agenesis, microtia, and microdontia	ENT/Dental	A		12		20%	3
746	PALB2	Fanconi anemia, complementation group N	Hematology	C		10	64%	19%	3
747	ABCC9	Hypertrichotic osteochondrodysplasia (Cantu syndrome)	Medical Genetics	A		11	41%	19%	3
748	SMARD2	Specific granule deficiency 2	Immunology				45%	19%	3
749	PROC	Thrombophilia 3 due to protein C deficiency, autosomal recessive	Hematology	A		11		19%	3
750	ACTG1	Deafness, autosomal dominant 20/26	ENT/Dental	A		12		18%	3
751	CD27	Lymphoproliferative syndrome 2	Immunology				52%	18%	3
752	CD320	Methylmalonic aciduria, transient, due to transcobalamin receptor defect	Metabolism			10		18%	3
753	AGA	Aspartylglucosaminuria	Metabolism	A		9	40%	18%	3
754	WDR72	Amelogenesis imperfecta, type IIA3	ENT/Dental				62%	18%	3
755	ECHS1	Mitochondrial short-chain enoyl-CoA hydratase 1 deficiency	Metabolism				51%	18%	3
756	RTEL1	Dyskeratosis congenita, autosomal recessive 5	Hematology				61%	18%	3
757	STIM1	Immunodeficiency 10	Immunology			8	47%	18%	3
758	TCOF1	Treacher Collins syndrome 1	Medical Genetics	A		11		17%	3
759	WNK4	Pseudohypoaldosteronism, type IIB	Endocrinology				47%	17%	3
760	SLC19A1	Megaloblastic anemia, folate-responsive	Hematology				60%	17%	3
761	SIX1	Branchiootic syndrome 3	Ophthalmology	A		12		17%	3
762	TRNT1	Sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and	Immunology				50%	17%	3
763	PFKM	Glycogen storage disease VII	Metabolism	A		9		17%	3
764	SAR1B	Chylomicron retention disease	Gastroenterology				37%	16%	3
765	HFE	Hemochromatosis, type 1	Hematology	C		12	30%	16%	3
766	IKBKG	Incontinentia pigmenti	Medical Genetics	A		6		16%	3
767	HIBCH	3-hydroxyisobutryl-CoA hydrolase deficiency	Metabolism	C			49%	16%	3
768	HGD	Alkaptonuria	Metabolism	A		7		16%	3
769	RFX6	Mitchell-Riley syndrome	Endocrinology	C			44%	15%	3
770	FAM111A	Kenny-Caffey syndrome, type 2	Endocrinology				44%	15%	3
771	RASGRP1	Immunodeficiency 64	Immunology				47%	15%	3
772	HPS3	Hermansky-Pudlak syndrome 3	Medical Genetics	A		11		15%	3
773	PEX1	Peroxisome biogenesis disorder 1A (Zellweger)	Metabolism	A		7		15%	3
774	ASPA	Canavan disease	Neurology	A		9		15%	3
775	TRDN	Cardiac arrhythmia syndrome, with or without skeletal muscle weakness	Cardiovascular	C		10		15%	3
776	TNFRSF13B	Immunodeficiency, common variable, 2	Immunology				48%	15%	3
777	MUTYH	Adenomas, multiple colorectal	Oncology	A		13	35%	15%	3
778	MT-ND5	Leigh syndrome	Metabolism				48%	15%	3
779	SDHB	Pheochromocytoma/paraganglioma syndrome 4	Oncology	B		13		15%	3
780	MYL2	Cardiomyopathy, hypertrophic, 10	Cardiovascular	B		11		14%	3
781	CFHR1	Hemolytic uremic syndrome, atypical, susceptibility to	Nephrology	C			45%	14%	3
782	MCOLN1	Mucolipidosis IV	Metabolism	A		7		14%	3
783	CD46	Hemolytic uremic syndrome, atypical, susceptibility to, 2	Nephrology	C			36%	14%	3
784	THBD	Hemolytic uremic syndrome, atypical, susceptibility to, 6	Nephrology	C			36%	14%	3
785	HBG2	Cyanosis, transient neonatal	Hematology			11		14%	3
786	IL21R	Immunodeficiency 56	Immunology			10	45%	14%	3
787	UNG	Immunodeficiency with hyper IgM, type 5	Immunology				53%	14%	3
788	TPM1	Cardiomyopathy, hypertrophic, 3	Cardiovascular	B		12		14%	3
789	MYL3	Cardiomyopathy, hypertrophic, 8	Cardiovascular	B		12		14%	3
790	DNAH11	Ciliary dyskinesia, primary, 7, with or without situs inversus	Pulmonology	A		11		14%	3
791	CCDC39	Ciliary dyskinesia, primary, 14	Pulmonology	A		11		14%	3
792	KRT5	Epidermolysis bullosa simplex 2A, generalized severe	Dermatology	A			48%	13%	3
793	KRT14	Epidermolysis bullosa simplex 1A, generalized severe	Dermatology	A			48%	13%	3
794	DICER1	DICER1-related tumor predisposition	Oncology				55%	13%	3
795	CLPP	Perrault syndrome 3	ENT/Dental	C		11		13%	3
796	TGFB3	Loeys-Dietz syndrome 5	Cardiovascular	C		12		13%	3
797	EYA1	Branchiootorenal syndrome 1, with or without cataracts	Ophthalmology	A		11		13%	3
798	COL7A1	Epidermolysis bullosa dystrophica inversa	Dermatology	A		8	45%	12%	3
799	MSH6	Lynch syndrome 5	Oncology	C		13	28%	12%	3
800	MSH2	Lynch syndrome 1	Oncology	C		13	28%	12%	3
801	BAAT	Bile acid conjugation defect 1	Gastroenterology	A				12%	3
802	SKI2	Trichohepatoenteric syndrome 2	Gastroenterology					12%	3
803	TJP2	Cholestasis, progressive familial intrahepatic 4	Gastroenterology	C				12%	3

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion		Observed list inclusion (/26)
804	<i>LCT</i>	Lactase deficiency, congenital	Gastroenterology					12%	3	
805	<i>PROS1</i>	Thrombophilia 5 due to protein S deficiency, autosomal recessive	Hematology	A	10			12%	3	
806	<i>FH</i>	Fumarase deficiency	Neurology	A	7			12%	3	
807	<i>PTEN</i>	Cowden syndrome 1	Oncology	A	12			12%	3	
808	<i>UROD</i>	Porphyria, hepatocerebral	Hematology	A		49%		12%	3	
809	<i>TNFSF11</i>	Osteopetrosis, autosomal recessive 2	Endocrinology	A				11%	3	
810	<i>PLS3</i>	Bone mineral density QTL18, osteoporosis	Endocrinology					11%	3	
811	<i>GALNT3</i>	Tumoral calcinosis, hyperphosphatemic, familial, 1	Endocrinology					11%	3	
812	<i>OTX2</i>	Pituitary hormone deficiency, combined, 6	Endocrinology					11%	3	
813	<i>FKBP10</i>	Osteogenesis imperfecta, type XI	Endocrinology					11%	3	
814	<i>SLC26A7</i>	Congenital hypothyroidism*	Endocrinology					11%	3	
815	<i>STX16</i>	Pseudohypoparathyroidism Ib	Endocrinology					11%	3	
816	<i>SECISBP2</i>	Thyroid hormone metabolism, abnormal, 1	Endocrinology					11%	3	
817	<i>TMEM38B</i>	Osteogenesis imperfecta, type XIV	Endocrinology					11%	3	
818	<i>PSTPIP1</i>	Pyogenic sterile arthritis, pyoderma gangrenosum, and acne	Immunology			45%		11%	3	
819	<i>MALT1</i>	Immunodeficiency 12	Immunology			44%		11%	3	
820	<i>GP1BA</i>	Bernard-Soulier syndrome, type A1 (recessive)	Hematology			11		11%	3	
821	<i>HP55</i>	Hermansky-Pudlak syndrome 5	Medical Genetics	A	10			11%	3	
822	<i>ALDOA</i>	Glycogen storage disease XII	Metabolism	C				10%	3	
823	<i>PEX12</i>	Peroxisome biogenesis disorder 3A (Zellweger)	Metabolism	A				10%	3	
824	<i>BCAT2</i>	Hypervalinemia or hyperleucine-isovaleric aciduria	Metabolism					10%	3	
825	<i>MOCSD2</i>	Molybdenum cofactor deficiency B	Metabolism	A				10%	3	
826	<i>SLC2A2</i>	Fanconi-Bickel syndrome	Metabolism					10%	3	
827	<i>TANGO2</i>	Metabolic encephalomyopathic crises, recurrent, with rhabdomyolysis, metabolic	Metabolism					10%	3	
828	<i>TF</i>	Atranferrinemia	Hematology			44%		10%	3	
829	<i>GNPTG</i>	Mucolipidosis III gamma	Metabolism	A	6			10%	3	
830	<i>GPD1L</i>	Brugada syndrome 2	Cardiovascular	B	9			9%	3	
831	<i>DNAAF11</i>	Ciliary dyskinesia, primary, 19	Pulmonology	A	10			9%	3	
832	<i>RSPH4A</i>	Ciliary dyskinesia, primary, 11	Pulmonology	A	10			9%	3	
833	<i>ODAD2</i>	Ciliary dyskinesia, primary, 23	Pulmonology	A	10			9%	3	
834	<i>DNAAF1</i>	Ciliary dyskinesia, primary, 13	Pulmonology	A	10			9%	3	
835	<i>CCDC40</i>	Ciliary dyskinesia, primary, 15	Pulmonology	A	10			9%	3	
836	<i>NIPAL4</i>	Ichthyosis, congenital, autosomal recessive 6	Dermatology	A		39%		9%	3	
837	<i>ALDH3A2</i>	Sjogren-Larsson syndrome	Neurology	A	6			9%	3	
838	<i>SDHD</i>	Pheochromocytoma/paraganglioma syndrome 1	Oncology	A	10			8%	3	
839	<i>PDZD7</i>	Deafness, autosomal recessive 57	ENT/Dental		6			8%	3	
840	<i>MYH11</i>	Aortic aneurysm, familial thoracic 4	Cardiovascular	B	11			8%	3	
841	<i>CLNS1</i>	Ceroid lipofuscinosis, neuronal, 5	Neurology	A	7			8%	3	
842	<i>LMX1B</i>	Nail-patella syndrome	Nephrology	A				8%	3	
843	<i>CLDN19</i>	Hypomagnesemia 5, renal, with ocular involvement	Nephrology	A				8%	3	
844	<i>NPHP1</i>	Nephronophthisis 1, juvenile	Nephrology	A				8%	3	
845	<i>OFD1</i>	Orofaciodigital syndrome I	Medical Genetics	A	6			8%	3	
846	<i>BCL11B</i>	Immunodeficiency 49, severe combined	Immunology					7%	3	
847	<i>CD55</i>	Complement hyperactivation, angiopathic thrombosis, and protein-losi immunodeficiency	Immunology					7%	3	
848	<i>TAP1</i>	Bare lymphocyte syndrome, type I	Immunology					7%	3	
849	<i>CEBPE</i>	Specific granule deficiency	Immunology					7%	3	
850	<i>TAPBP</i>	Bare lymphocyte syndrome, type I	Immunology					7%	3	
851	<i>OAS1</i>	Immunodeficiency 100 with pulmonary alveolar proteinosis and hypogammaglobulinemia	Immunology					7%	3	
852	<i>SCN3A</i>	Developmental and epileptic encephalopathy 62	Neurology			33%		7%	3	
853	<i>IL36RN</i>	Psoriasis 14, pustular	Dermatology			32%		7%	3	
854	<i>AR</i>	Spinal and bulbar muscular atrophy, X-linked 1	Neurology	C				7%	3	
855	<i>EGR2</i>	Charcot-Marie-Tooth disease, type 1D	Neurology	A				7%	3	
856	<i>L1CAM</i>	Hydrocephalus, congenital, X-linked	Neurology	A				7%	3	
857	<i>PRX</i>	Charcot-Marie-Tooth disease, type 4F	Neurology	A				7%	3	
858	<i>PCDH19</i>	Developmental and epileptic encephalopathy 9	Neurology					7%	3	
859	<i>ATL1</i>	Spastic paraparesis 3A, autosomal dominant	Neurology					7%	3	
860	<i>MFN2</i>	Charcot-Marie-Tooth disease, axonal, type 2A2A	Neurology	A				7%	3	
861	<i>PLEC</i>	Muscular dystrophy, limb-girdle, autosomal recessive 17	Neurology	A				7%	3	
862	<i>MPZ</i>	Charcot-Marie-Tooth disease, type 1B	Neurology	A				7%	3	
863	<i>TPMT</i>	Thiopurine, poor metabolism of, 1	Medical Genetics					6%	3	
864	<i>EDA</i>	Ectodermal dysplasia 1, hypohidrotic, X-linked	Medical Genetics	A				6%	3	
865	<i>BBS1</i>	Bardet-Biedl syndrome 1	Medical Genetics	A				6%	3	
866	<i>SMARCAL1</i>	Schimke immunoosseous dysplasia	Medical Genetics	A				6%	3	
867	<i>MKS1</i>	Meckel syndrome 1	Medical Genetics	A				6%	3	
868	<i>BBS10</i>	Bardet-Biedl syndrome 10	Medical Genetics	A				6%	3	
869	<i>MAFB</i>	Multicentric carpotarsal osteolysis syndrome	Medical Genetics	A				6%	3	
870	<i>EDAR</i>	Ectodermal dysplasia 10B, hypohidrotic/hair/tooth type, autosomal recessive	Medical Genetics	A				6%	3	
871	<i>UBR1</i>	Johanson-Blizzard syndrome	Medical Genetics	A				6%	3	
872	<i>EDARADD</i>	Ectodermal dysplasia 11A, hypohidrotic/hair/tooth type, autosomal dominant	Medical Genetics	A				6%	3	
873	<i>SALL1</i>	Townes-Brooks syndrome 1	Medical Genetics	A				6%	3	
874	<i>H19</i>	Beckwith-Wiedemann syndrome*	Medical Genetics	A				6%	3	
875	<i>RPS6KA3</i>	Coffin-Lowry syndrome	Medical Genetics	A				6%	3	
876	<i>COMP</i>	Epiphyseal dysplasia, multiple, 1	Orthopedics					6%	3	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion		Observed list inclusion (/26)
877	PAX6	Aniridia	Ophthalmology	A				6%	3	
878	OCA2	Albinism, oculocutaneous	Ophthalmology	A				6%	3	
879	RS1	Retinoschisis	Ophthalmology	A				6%	3	
880	TYR	Albinism, oculocutaneous, type IA	Ophthalmology	A				6%	3	
881	LAMA3	Epidermolysis bullosa, junctional 2A, intermediate	Dermatology	A				6%	3	
882	LAMB3	Epidermolysis bullosa, junctional 1B, severe	Dermatology	A				6%	3	
883	LAMC2	Epidermolysis bullosa, junctional 3B, severe	Dermatology	A				6%	3	
884	TGM1	Ichthyosis, congenital, autosomal recessive 1	Dermatology	A				6%	3	
885	COL17A1	Epidermolysis bullosa, junctional 4, intermediate	Dermatology	A				6%	3	
886	STS	Ichthyosis, X-linked	Dermatology	A				6%	3	
887	CALM3	Long QT syndrome 16	Cardiovascular					6%	3	
888	ZFPM2	Tetralogy of Fallot	Cardiovascular	C				6%	3	
889	CABP2	Deafness, autosomal recessive 93	ENT/Dental					6%	3	
890	EPS8	Deafness, autosomal recessive 102	ENT/Dental					6%	3	
891	PRKAR1A	Carney complex, type 1	Oncology	A				6%	3	
892	TRIM28	TRIM28 related Wilms tumour predisposition*	Oncology					6%	3	
893	REST	Wilms tumor 6, susceptibility to	Oncology					6%	3	
894	SPTA1	Elliptocytosis-2	Hematology	A				5%	3	
895	TUBB1	Macrothrombocytopenia, isolated, 1, autosomal dominant	Hematology					5%	3	
896	APOC2	Hyperlipoproteinemia, type Ib	Cardiovascular			26%		4%	3	
897	RSPH9	Ciliary dyskinesia, primary, 12	Pulmonology	A	9			4%	3	
898	APOA5	Hypertriglyceridemia, susceptibility to	Cardiovascular			25%		4%	3	
899	LMF1	Lipase deficiency, combined	Cardiovascular			25%		4%	3	
900	TERT	Dyskeratosis congenita, autosomal dominant 2	Hematology	B	4			3%	3	
901	JUP	Naxos disease	Cardiovascular	A	12			28%	2	
902	IL21	Immunodeficiency, common variable, 11	Immunology			61%		27%	2	
903	NFKB1	Immunodeficiency, common variable, 12	Immunology			65%		26%	2	
904	NLRP3	Familial cold inflammatory syndrome 1	Immunology			10	42%	26%	2	
905	SLTRK6	Deafness and myopia	ENT/Dental			12		25%	2	
906	ALMS1	Alstrom syndrome	Medical Genetics	A	12			23%	2	
907	KCNJ5	Hyperaldosteronism, familial, type III	Endocrinology	C	11	53%		23%	2	
908	HNF1B	Renal cysts and diabetes syndrome	Endocrinology	C	9	55%		23%	2	
909	SOX3	Panhypopituitarism, X-linked	Endocrinology			58%		21%	2	
910	RPL31	Diamond-Blackfan anemia*	Hematology			9	67%	21%	2	
911	SLC4A4	Renal tubular acidosis, proximal, with ocular abnormalities	Nephrology	C		61%		21%	2	
912	CP	Aceruloplasminemia	Metabolism	B	10	55%		20%	2	
913	GATA3	Hypoparathyroidism, sensorineural deafness, and renal dysplasia	Endocrinology			12		20%	2	
914	F5	Factor V deficiency	Hematology	C	12			19%	2	
915	TTN	Cardiomyopathy, familial hypertrophic, 9	Cardiovascular	B	11			19%	2	
916	NOTCH2	Hajdu-Cheney syndrome*	Medical Genetics	A	11			19%	2	
917	BCHE	Butyrylcholinesterase deficiency	Medical Genetics			9		19%	2	
918	IFNGR1	Immunodeficiency 27A, mycobacteriosis, AR	Immunology				55%	18%	2	
919	CLRN1	Usher syndrome, type 3A	ENT/Dental	A	11			18%	2	
920	S1PR2	Deafness, autosomal recessive 68	ENT/Dental			11		18%	2	
921	RUNX1	Platelet disorder, familial, with associated myeloid malignancy	Hematology			10		17%	2	
922	KCNJ10	SESAME syndrome	Medical Genetics			11		17%	2	
923	PLP1	Pelizaeus-Merzbacher disease	Neurology	A	9			17%	2	
924	AGPAT2	Lipodystrophy, congenital generalized, type 1	Endocrinology				49%	17%	2	
925	ANK2	Long QT syndrome 4	Cardiovascular	B	10			17%	2	
926	FOXI1	Enlarged vestibular aqueduct	ENT/Dental				59%	17%	2	
927	APRT	Adenine phosphoribosyltransferase deficiency	Metabolism	C		50%		16%	2	
928	TMEM165	Congenital disorder of glycosylation, type IIk	Metabolism				50%	16%	2	
929	POLR1D	Treacher Collins syndrome 2	Medical Genetics			10		15%	2	
930	DSG2	Arrhythmogenic right ventricular dysplasia 10	Cardiovascular	B	12			15%	2	
931	PEX6	Peroxisome biogenesis disorder 4A (Zellweger)	Metabolism	A	7			15%	2	
932	ZBTB24	Immunodeficiency-centromeric instability-facial anomalies syndrome 2	Immunology				48%	15%	2	
933	MT-TH	MELAS	Metabolism				48%	15%	2	
934	SUCLA2	Mitochondrial DNA depletion syndrome 5 (encephalomyopathic with o	Metabolism	A	7			14%	2	
935	GP1BB	Bernard-Soulier syndrome, type B	Hematology			11		14%	2	
936	BCS1L	Mitochondrial complex III deficiency, nuclear type 1	Metabolism	A	8			14%	2	
937	IFNGR2	Immunodeficiency 28, mycobacteriosis	Immunology				53%	14%	2	
938	MFS8	Ceroid lipofuscinosid, neuronal, 7	Neurology	A	7	48%		14%	2	
939	TNNC1	Cardiomyopathy, dilated, 1Z	Cardiovascular	B	12			14%	2	
940	DES	Cardiomyopathy, dilated, 1I	Cardiovascular	B	12			14%	2	
941	PIGA	Paroxysmal nocturnal hemoglobinuria, somatic	Medical Genetics	C		48%	13%	2		
942	MCM4	Immunodeficiency 54	Immunology				43%	13%	2	
943	HGF	Deafness, autosomal recessive 39	ENT/Dental	C	11			13%	2	
944	TBC1D24	Deafness, autosomal recessive 86	ENT/Dental	A	11			13%	2	
945	CA12	Hyperchlorhidrosis, isolated	Nephrology				45%	13%	2	
946	POU4F3	Deafness, autosomal dominant 15	ENT/Dental	A	12			13%	2	
947	ABCA3	Surfactant metabolism dysfunction, pulmonary, 3	Pulmonology	A	11			13%	2	
948	ELP1	Dysautonomia, familial	Neurology	A	10			12%	2	
949	MLH1	Lynch syndrome 2	Oncology	C	13	28%		12%	2	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
950	<i>HPS6</i>	Hermansky-Pudlak syndrome 6	Medical Genetics	C	10			12%	2
951	<i>GSDME</i>	Deafness, autosomal dominant 5	ENT/Dental	A	11			12%	2
952	<i>TTR</i>	Amyloidosis, hereditary, transthyretin-related	Cardiovascular	A		43%		12%	2
953	<i>ABCC2</i>	Dubin-Johnson syndrome	Gastroenterology	C				12%	2
954	<i>ACOX2</i>	Bile acid synthesis defect, congenital, 6	Gastroenterology					12%	2
955	<i>HMBS</i>	Porphyria, acute intermittent	Hematology	C		49%		12%	2
956	<i>SMPX</i>	Deafness, X-linked 4	ENT/Dental	A	11			12%	2
957	<i>HSD17B3</i>	Pseudohermaphroditism, male, with gynecomastia	Endocrinology	A				11%	2
958	<i>KDELR2</i>	Osteogenesis imperfecta, type XXI	Endocrinology					11%	2
959	<i>CDC48</i>	Congenital hypothyroidism*	Endocrinology					11%	2
960	<i>PTH1R</i>	Metaphyseal chondrodysplasia, Murk Jansen type	Endocrinology	A				11%	2
961	<i>BMP1</i>	Osteogenesis imperfecta, type XIII	Endocrinology					11%	2
962	<i>MESD</i>	Osteogenesis imperfecta, type XX	Endocrinology					11%	2
963	<i>SERPINH1</i>	Osteogenesis imperfecta, type X	Endocrinology					11%	2
964	<i>SERPINF1</i>	Osteogenesis imperfecta, type VI	Endocrinology					11%	2
965	<i>PLEKHM1</i>	Osteopetrosis, autosomal recessive 6	Endocrinology					11%	2
966	<i>TRH</i>	Thyrotropin-releasing hormone deficiency	Endocrinology	C				11%	2
967	<i>CLCN1</i>	Myotonia congenita, dominant	Neurology	C		44%		11%	2
968	<i>PRPS1</i>	Arts syndrome	Neurology	C	11	31%		11%	2
969	<i>NEU1</i>	Sialidosis	Metabolism	A	7			11%	2
970	<i>SUCLG1</i>	Mitochondrial DNA depletion syndrome 9 (encephalomyopathic type w	Metabolism	A	7			11%	2
971	<i>ALAD</i>	Porphyria, acute hepatic	Hematology				46%	11%	2
972	<i>SLC13A5</i>	Developmental and epileptic encephalopathy 25, with amelogenesis im	Neurology				45%	11%	2
973	<i>GP9</i>	Bernard-Soulier syndrome, type C	Hematology		11			11%	2
974	<i>PGAM2</i>	Glycogen storage disease X	Metabolism		9			10%	2
975	<i>IL1RN</i>	Interleukin 1 receptor antagonist deficiency	Immunology				39%	10%	2
976	<i>GFM1</i>	Combined oxidative phosphorylation deficiency 1	Metabolism	A				10%	2
977	<i>HAL</i>	Histidinemia	Metabolism					10%	2
978	<i>THAP11</i>	Methylmalonic acidemia and homocysteinemia cblX	Metabolism					10%	2
979	<i>PEX3</i>	Peroxisome biogenesis disorder 10A (Zellweger)	Metabolism	A				10%	2
980	<i>CLPB</i>	3-methylglutaconic aciduria, type VIIA, autosomal dominant	Metabolism					10%	2
981	<i>CTH</i>	Cystathioninuria	Metabolism					10%	2
982	<i>HPRT1</i>	Lesch-Nyhan syndrome	Metabolism	A				10%	2
983	<i>PEX26</i>	Peroxisome biogenesis disorder 7A (Zellweger)	Metabolism	A				10%	2
984	<i>ENO3</i>	Glycogen storage disease XIII	Metabolism					10%	2
985	<i>PEX2</i>	Peroxisome biogenesis disorder 5A (Zellweger)	Metabolism	A				10%	2
986	<i>BCAT1</i>	Hyperleucinemia-isoleucinemia or hypervalinemia*	Metabolism					10%	2
987	<i>PPM1K</i>	Maple syrup urine disease, mild variant	Metabolism					10%	2
988	<i>DPYD</i>	Dihydroxyimidine dehydrogenase deficiency	Metabolism	C				10%	2
989	<i>PEX10</i>	Peroxisome biogenesis disorder 6A (Zellweger)	Metabolism	A				10%	2
990	<i>PEX5</i>	Peroxisome biogenesis disorder 2A (Zellweger)	Metabolism	A				10%	2
991	<i>MPV17</i>	Mitochondrial DNA depletion syndrome 6 (hepatocerebral type)	Metabolism	A				10%	2
992	<i>GCSH</i>	Multiple mitochondrial dysfunctions syndrome 7	Metabolism	C				10%	2
993	<i>D2HGDH</i>	D-2-hydroxyglutaric aciduria	Metabolism	A				10%	2
994	<i>PEX7</i>	Peroxisome biogenesis disorder 9B	Metabolism	A				10%	2
995	<i>ALG1</i>	Congenital disorder of glycosylation, type Iк	Metabolism	A				10%	2
996	<i>LDHA</i>	Glycogen storage disease XI	Metabolism					10%	2
997	<i>SLC35C1</i>	Congenital disorder of glycosylation, type IIc	Metabolism	C				10%	2
998	<i>PEX13</i>	Peroxisome biogenesis disorder 11A (Zellweger)	Metabolism	A				10%	2
999	<i>SUOX</i>	Sulfite oxidase deficiency	Metabolism	A				10%	2
1000	<i>ITGB4</i>	Epidermolysis bullosa, junctional 5B, with pyloric atresia	Dermatology	A	9			10%	2
1001	<i>BLM</i>	Bloom syndrome	Oncology	A	9			10%	2
1002	<i>TFR2</i>	Hemochromatosis, type 3	Hematology	C	12	32%		9%	2
1003	<i>ODAD1</i>	Ciliary dyskinesia, primary, 20	Pulmonology		10			9%	2
1004	<i>RSPH1</i>	Ciliary dyskinesia, primary, 24	Pulmonology		10			9%	2
1005	<i>ZMYND10</i>	Ciliary dyskinesia, primary, 22	Pulmonology		10			9%	2
1006	<i>CCDC103</i>	Ciliary dyskinesia, primary, 17	Pulmonology	C	10			9%	2
1007	<i>SPAG1</i>	Ciliary dyskinesia, primary, 28	Pulmonology		10			9%	2
1008	<i>DNAAF2</i>	Ciliary dyskinesia, primary, 10	Pulmonology	C	10			9%	2
1009	<i>DNAI2</i>	Ciliary dyskinesia, primary, 9, with or without situs inversus	Pulmonology	C	10			9%	2
1010	<i>AIFM1</i>	Deafness, X-linked 5	ENT/Dental	A	9			9%	2
1011	<i>APTX</i>	Ataxia, early-onset, with oculomotor apraxia and hypoalbuminemia	Neurology	A	9			9%	2
1012	<i>OTULIN</i>	Autoinflammation, panniculitis, and dermatosis syndrome	Immunology				37%	9%	2
1013	<i>KCNAS5</i>	Atrial fibrillation, familial, 7	Cardiovascular	B	11			9%	2
1014	<i>MVH14</i>	Deafness, autosomal dominant 4A	ENT/Dental	A	10			9%	2
1015	<i>SFTPB</i>	Surfactant metabolism dysfunction, pulmonary, 1	Pulmonology	A	10			9%	2
1016	<i>CAV3</i>	Myopathy, distal, Tateyama type	Neurology	A	7			9%	2
1017	<i>SIX5</i>	Branchiootorenal syndrome 2	Ophthalmology	C	10			8%	2
1018	<i>CTSD</i>	Ceroid lipofuscinosi, neuronal, 10	Neurology	A	7			8%	2
1019	<i>CLN6</i>	Ceroid lipofuscinosi, neuronal, 6A	Neurology	A	7			8%	2
1020	<i>CLN8</i>	Ceroid lipofuscinosi, neuronal, 8	Neurology	A	7			8%	2
1021	<i>INVS</i>	Nephronophthisis 2, infantile	Nephrology	A				8%	2
1022	<i>NPHP4</i>	Nephronophthisis 4	Nephrology	A				8%	2

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
1023	<i>CLCNKA</i>	Bartter syndrome, type 4b, digenic	Nephrology					8%	2
1024	<i>PLCE1</i>	Nephrotic syndrome, type 3	Nephrology	A				8%	2
1025	<i>CLDN16</i>	Hypomagnesemia 3, renal	Nephrology					8%	2
1026	<i>ACTN4</i>	Glomerulosclerosis, focal segmental, 1	Nephrology	A				8%	2
1027	<i>NPHP3</i>	Nephronophthisis 3	Nephrology	A				8%	2
1028	<i>KDSR</i>	Erythrokeratoderma variabilis et progressiva 4	Immunology			33%		8%	2
1029	<i>POLR1C</i>	Leukodystrophy, hypomyelinating, 11	Neurology	6				7%	2
1030	<i>ZNF341</i>	Hyper-IgE syndrome 3, autosomal recessive, with recurrent infections	Immunology					7%	2
1031	<i>SPINK5</i>	Netherton syndrome	Immunology	A				7%	2
1032	<i>TAP2</i>	Bare lymphocyte syndrome, type I, due to TAP2 deficiency	Immunology					7%	2
1033	<i>GRIN2A</i>	Epilepsy, focal, with speech disorder and with or without impaired intel	Neurology	C		33%		7%	2
1034	<i>TGFB2</i>	Loeys-Dietz syndrome 4	Cardiovascular	11				7%	2
1035	<i>MTM1</i>	Myopathy, centronuclear, X-linked	Neurology	A				7%	2
1036	<i>GJB1</i>	Charcot-Marie-Tooth neuropathy, X-linked dominant, 1	Neurology	A				7%	2
1037	<i>UNC13A</i>	Myasthenic syndrome*	Neurology					7%	2
1038	<i>CTC1</i>	Cereboretinal microangiopathy with calcifications and cysts	Neurology	A				7%	2
1039	<i>SLC12A6</i>	Agenesis of the corpus callosum with peripheral neuropathy	Neurology	A				7%	2
1040	<i>ARX</i>	Developmental and epileptic encephalopathy 1	Neurology	A				7%	2
1041	<i>FXN</i>	Friedreich ataxia	Neurology	A				7%	2
1042	<i>SACS</i>	Spastic ataxia, Charlevoix-Saguenay type	Neurology	A				7%	2
1043	<i>NOTCH3</i>	Cerebral arteriopathy with subcortical infarcts and leukoencephalopathy	Neurology	A				7%	2
1044	<i>NHLRC1</i>	Myoclonic epilepsy of Lafora 2	Neurology	A				7%	2
1045	<i>PINK1</i>	Parkinson disease 6, early onset	Neurology	A				7%	2
1046	<i>LITAF</i>	Charcot-Marie-Tooth disease, type 1C	Neurology	A				7%	2
1047	<i>REEP1</i>	Spastic paraparesis 31, autosomal dominant	Neurology					7%	2
1048	<i>PDXK</i>	Neuropathy, hereditary motor and sensory, type VIC, with optic atrophy	Neurology					7%	2
1049	<i>FHL1</i>	Emery-Dreifuss muscular dystrophy 6, X-linked	Neurology	A				7%	2
1050	<i>SPAST</i>	Spastic paraparesis 4, autosomal dominant	Neurology					7%	2
1051	<i>DCX</i>	Lissencephaly, X-linked	Neurology	A				7%	2
1052	<i>RBCK1</i>	Polyglucosan body myopathy 1 with or without immunodeficiency	Neurology					7%	2
1053	<i>KIF1B</i>	Charcot-Marie-Tooth disease, type 2A1	Neurology	C				7%	2
1054	<i>GDPAP1</i>	Charcot-Marie-Tooth disease, type 4A	Neurology	A				7%	2
1055	<i>ARFGEF2</i>	Periventricular heterotopia with microcephaly	Neurology	A				7%	2
1056	<i>SPG11</i>	Spastic paraparesis 11, autosomal recessive	Neurology					7%	2
1057	<i>EPM2A</i>	Myoclonic epilepsy of Lafora 1	Neurology	A				7%	2
1058	<i>NEFH</i>	Charcot-Marie-Tooth disease, axonal, type 2CC	Neurology					7%	2
1059	<i>DYSF</i>	Muscular dystrophy, limb-girdle, autosomal recessive 2	Neurology	A				7%	2
1060	<i>NEFL</i>	Charcot-Marie-Tooth disease, type 1F	Neurology	A				7%	2
1061	<i>PANK2</i>	Neurodegeneration with brain iron accumulation 1	Neurology	A				7%	2
1062	<i>CDKL5</i>	Developmental and epileptic encephalopathy 2	Neurology	A				7%	2
1063	<i>CAPN3</i>	Muscular dystrophy, limb-girdle, autosomal recessive 1	Neurology	A				7%	2
1064	<i>SMN2</i>	Spinal muscular atrophy, type III, modifier of	Neurology					7%	2
1065	<i>GYG1</i>	Polyglycosan body myopathy 2	Neurology	C				7%	2
1066	<i>FTL</i>	Hyperferritinemia-cataract syndrome	Neurology	A				7%	2
1067	<i>HSPB8</i>	Charcot-Marie-Tooth disease, axonal, type 2L	Neurology	A				7%	2
1068	<i>BBS2</i>	Bardet-Biedl syndrome 2	Medical Genetics	A				6%	2
1069	<i>KAT6B</i>	Genitopatellar syndrome	Medical Genetics	A				6%	2
1070	<i>FRAS1</i>	Fraser syndrome 1	Medical Genetics	A				6%	2
1071	<i>BBS12</i>	Bardet-Biedl syndrome 12	Medical Genetics	A				6%	2
1072	<i>VPS33B</i>	Arthrogryposis, renal dysfunction, and cholestasis 1	Medical Genetics	A				6%	2
1073	<i>EVC</i>	Ellis-van Creveld syndrome	Medical Genetics	A				6%	2
1074	<i>CC2D2A</i>	Joubert syndrome 9	Medical Genetics	A				6%	2
1075	<i>KMT2D</i>	Kabuki syndrome 1	Medical Genetics	A				6%	2
1076	<i>NUDT15</i>	Thiopurines, poor metabolism of, 2	Medical Genetics					6%	2
1077	<i>ERCC8</i>	Cockayne syndrome, type A	Medical Genetics	A				6%	2
1078	<i>RPGRIP1L</i>	Joubert syndrome 7	Medical Genetics	A				6%	2
1079	<i>KDM6A</i>	Kabuki syndrome 2	Medical Genetics	A				6%	2
1080	<i>LAMB2</i>	Pierson syndrome	Medical Genetics	A				6%	2
1081	<i>MYO5A</i>	Griscelli syndrome, type 1	Medical Genetics	C				6%	2
1082	<i>MKKS</i>	Bardet-Biedl syndrome 6	Medical Genetics	A				6%	2
1083	<i>IER3IP1</i>	Microcephaly, epilepsy, and diabetes syndrome	Medical Genetics					6%	2
1084	<i>ZMPSTE24</i>	Restrictive dermopathy 1	Medical Genetics	A				6%	2
1085	<i>GPC3</i>	Simpson-Golabi-Behmel syndrome, type 1	Medical Genetics	A				6%	2
1086	<i>TMEM67</i>	Joubert syndrome 6	Medical Genetics	A				6%	2
1087	<i>GJA1</i>	Oculodentodigital dysplasia	Medical Genetics	A				6%	2
1088	<i>EVC2</i>	Ellis-van Creveld syndrome	Medical Genetics	A				6%	2
1089	<i>TRAPPC2</i>	Spondyloepiphyseal dysplasia tarda	Orthopedics	A				6%	2
1090	<i>ACVR1</i>	Fibrodysplasia ossificans progressiva	Orthopedics	A				6%	2
1091	<i>EXT1</i>	Exostoses, multiple, type 1	Orthopedics	A				6%	2
1092	<i>EXT2</i>	Exostoses, multiple, type 2	Orthopedics	A				6%	2
1093	<i>MATN3</i>	Spondyloepiphyseal dysplasia, Borochowitz-Cormier-Daire type	Orthopedics					6%	2
1094	<i>DNAAF4</i>	Ciliary dyskinesia, primary, 25	Pulmonology	9				6%	2
1095	<i>GUCY2D</i>	Leber congenital amaurosis 1	Ophthalmology					6%	2

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
1096	<i>ABCA4</i>	Stargardt disease 1	Ophthalmology	A				6%	2
1097	<i>TYRP1</i>	Albinism, oculocutaneous, type III	Ophthalmology					6%	2
1098	<i>FZD4</i>	Exudative vitreoretinopathy 1	Ophthalmology					6%	2
1099	<i>LTBP2</i>	Glaucoma 3, primary congenital, D	Ophthalmology					6%	2
1100	<i>RPGR</i>	Retinitis pigmentosa 3	Ophthalmology	A				6%	2
1101	<i>TSPAN12</i>	Exudative vitreoretinopathy 5	Ophthalmology					6%	2
1102	<i>SLC24A5</i>	Albinism, oculocutaneous, type VI	Ophthalmology					6%	2
1103	<i>CCDC65</i>	Ciliary dyskinesia, primary, 27	Pulmonology		9			6%	2
1104	<i>CFC1</i>	Heterotaxy, visceral, 2, autosomal	Cardiovascular	A				6%	2
1105	<i>COL5A2</i>	Ehlers-Danlos syndrome, classic type, 2	Cardiovascular	A				6%	2
1106	<i>MAP2K1</i>	Cardiofaciocutaneous syndrome 3	Cardiovascular	A				6%	2
1107	<i>COL5A1</i>	Ehlers-Danlos syndrome, classic type, 1	Cardiovascular	A				6%	2
1108	<i>GDF1</i>	Congenital heart defects, multiple types, 6	Cardiovascular	C				6%	2
1109	<i>SMAD2</i>	Loeys-Dietz syndrome 6	Cardiovascular					6%	2
1110	<i>TBX5</i>	Holt-Oram syndrome	Cardiovascular	A				6%	2
1111	<i>TECRL</i>	Ventricular tachycardia, catecholaminergic polymorphic, 3	Cardiovascular					6%	2
1112	<i>TFAP2B</i>	Char syndrome	Cardiovascular	A				6%	2
1113	<i>CDC14A</i>	Deafness, autosomal recessive 32, with or without immotile sperm	ENT/Dental					6%	2
1114	<i>ATP2B2</i>	Deafness, autosomal recessive 12, modifier of	ENT/Dental					6%	2
1115	<i>GREB1L</i>	Deafness, autosomal dominant 80	ENT/Dental					6%	2
1116	<i>FLNA</i>	Heterotopia, periventricular, 1	ENT/Dental	A				6%	2
1117	<i>DDB2</i>	Xeroderma pigmentosum, group E, DDB-negative subtype	Oncology	A				6%	2
1118	<i>POLH</i>	Xeroderma pigmentosum, variant type	Oncology	A				6%	2
1119	<i>ERCC3</i>	Xeroderma pigmentosum, group B	Oncology	C				6%	2
1120	<i>CRYAB</i>	Myopathy, myofibrillar, 2	Neurology	A	7			6%	2
1121	<i>BLOC1S6</i>	Hermansky-Pudlak syndrome 9	Medical Genetics	C	9			5%	2
1122	<i>DTNBP1</i>	Hermansky-Pudlak syndrome 7	Medical Genetics	C	9			5%	2
1123	<i>BLOC1S3</i>	Hermansky-Pudlak syndrome 8	Medical Genetics	C	9			5%	2
1124	<i>WRAP53</i>	Dyskeratosis congenita, autosomal recessive 3	Hematology	C				5%	2
1125	<i>NHP2</i>	Dyskeratosis congenita, autosomal recessive 2	Hematology	C				5%	2
1126	<i>JAK2</i>	Polycythemia vera, somatic	Hematology					5%	2
1127	<i>RBM8A</i>	Thrombocytopenia-absent radius syndrome	Hematology	A				5%	2
1128	<i>NOP10</i>	Dyskeratosis congenita, autosomal recessive 1	Hematology	C				5%	2
1129	<i>CDAN1</i>	Dyserythropoietic anemia, congenital, type Ia	Hematology	A				5%	2
1130	<i>LBR</i>	Pelger-Huet anomaly	Hematology	A				5%	2
1131	<i>DNASE2</i>	Autoinflammatory-pancytopenia syndrome	Hematology					5%	2
1132	<i>DNAAF3</i>	Ciliary dyskinesia, primary, 2	Pulmonology	C	9			4%	2
1133	<i>DRC1</i>	Ciliary dyskinesia, primary, 21	Pulmonology		9			4%	2
1134	<i>HYDIN</i>	Ciliary dyskinesia, primary, 5	Pulmonology	C	9			4%	2
1135	<i>DNAAF5</i>	Ciliary dyskinesia, primary, 18	Pulmonology	C	9			4%	2
1136	<i>HYAL1</i>	Mucopolysaccharidosis type IX	Metabolism		4			4%	2
1137	<i>SDHC</i>	Pheochromocytoma/paraganglioma syndrome 3	Oncology	B	9			4%	2
1138	<i>CYB561</i>	Orthostatic hypotension 2	Cardiovascular			18%		3%	2
1139	<i>SDHAF2</i>	Pheochromocytoma/paraganglioma syndrome 2	Oncology	B	8			3%	2
1140	<i>SLC34A2</i>	Pulmonary alveolar microlithiasis	Pulmonology	A				2%	2
1141	<i>IRF2BP2</i>	Immunodeficiency, common variable, 14	Immunology			58%		24%	1
1142	<i>AIP</i>	Pituitary adenoma predisposition	Endocrinology	B	12			23%	1
1143	<i>GPSM2</i>	Chudley-McCullough syndrome	ENT/Dental	A	12			23%	1
1144	<i>COQ5</i>	Coenzyme Q10 deficiency, primary, 9	Metabolism			58%		20%	1
1145	<i>CR2</i>	Immunodeficiency, common variable, 7	Immunology	C		52%		18%	1
1146	<i>TNFRSF13C</i>	Immunodeficiency, common variable, 4	Immunology			52%		18%	1
1147	<i>CALM1</i>	Long QT syndrome 14	Cardiovascular		12			18%	1
1148	<i>NFE2L2</i>	Immunodeficiency, developmental delay, and hypohomocysteinemia	Immunology			48%		18%	1
1149	<i>CD81</i>	Immunodeficiency, common variable, 6	Immunology			55%		18%	1
1150	<i>HJV</i>	Hemochromatosis, type 2A	Hematology	C	14	38%		18%	1
1151	<i>GPR101</i>	Pituitary adenoma 2, GH-secreting	Endocrinology			47%		17%	1
1152	<i>RIT1</i>	Noonan syndrome 8	Cardiovascular		11			17%	1
1153	<i>CALM2</i>	Long QT syndrome 15	Cardiovascular		11			17%	1
1154	<i>CACNA1H</i>	Hyperaldosteronism, familial, type IV	Endocrinology			50%		17%	1
1155	<i>HRAS</i>	Costello syndrome	Cardiovascular	A	12			16%	1
1156	<i>SFTPC</i>	Surfactant metabolism dysfunction, pulmonary, 2	Pulmonology	C	10	56%		16%	1
1157	<i>SLC39A14</i>	Hypermanganessemia with dystonia 2	Metabolism			50%		16%	1
1158	<i>SLC17A5</i>	Sialic acid storage disorder, infantile	Metabolism	A	8			16%	1
1159	<i>CTSK</i>	Pycnodysostosis	Endocrinology	A	10			16%	1
1160	<i>RASA1</i>	Capillary malformation-arteriovenous malformation 1	Medical Genetics	A	11			16%	1
1161	<i>RAB23</i>	Carpenter syndrome	Neurology	A	11			16%	1
1162	<i>TYK2</i>	Immunodeficiency 35	Immunology			48%		15%	1
1163	<i>MAP3K14</i>	Immunodeficiency 112	Immunology			48%		15%	1
1164	<i>PAX1</i>	Otofaciocervical syndrome 2	Immunology			48%		15%	1
1165	<i>NLRC4</i>	Autoinflammation with infantile enterocolitis	Immunology			48%		15%	1
1166	<i>RELB</i>	Immunodeficiency 53	Immunology			48%		15%	1
1167	<i>GDNF</i>	Hirschsprung disease, susceptibility to, 3	Gastroenterology	C	8			15%	1
1168	<i>MT-ND4</i>	Leigh syndrome	Metabolism	C		48%		15%	1

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion		Observed list inclusion (/26)
1169	<i>RAD51C</i>	Fanconi anemia, complementation group O	Hematology		A	9	62%	14%	1	
1170	<i>ACTG2</i>	Megacystis-microcolon-intestinal hypoperistalsis syndrome 5	Gastroenterology		C	10		14%	1	
1171	<i>MS4A1</i>	Immunodeficiency, common variable, 5	Immunology		B		53%	14%	1	
1172	<i>BAG3</i>	Cardiomyopathy, dilated, 1HH	Cardiovascular		B	12		14%	1	
1173	<i>CDKN2A</i>	Melanoma-pancreatic cancer syndrome	Oncology		B	12		14%	1	
1174	<i>PRKCD</i>	Autoimmune lymphoproliferative syndrome, type III	Immunology				48%	13%	1	
1175	<i>HAMP</i>	Hemochromatosis, type 2B	Hematology		C	13	41%	13%	1	
1176	<i>MSRB3</i>	Deafness, autosomal recessive 74	ENT/Dental		C	11		13%	1	
1177	<i>KARS1</i>	Deafness, autosomal recessive 89	ENT/Dental		C	11		13%	1	
1178	<i>KCNJ8</i>	KCNJ8 associated hypertrichotic osteochondrodysplasia*	Endocrinology		C		41%	13%	1	
1179	<i>SUFU</i>	Basal cell nevus syndrome 2	Oncology				54%	13%	1	
1180	<i>SORD</i>	Neuronopathy, distal hereditary motor, autosomal recessive 8	Neurology				47%	13%	1	
1181	<i>LTPB4</i>	Cutis laxa, autosomal recessive, type IC	Medical Genetics		A	8		13%	1	
1182	<i>FXYD2</i>	Hypomagnesemia 2, renal	Nephrology				47%	13%	1	
1183	<i>CACNA1A</i>	Episodic ataxia, type 2	Neurology		A		36%	12%	1	
1184	<i>PMS2</i>	Lynch syndrome 4	Oncology		C	12	28%	12%	1	
1185	<i>SPINT2</i>	Diarrhea 3, secretory sodium, congenital, syndromic	Gastroenterology					12%	1	
1186	<i>MYCN</i>	Feingold syndrome 1	Gastroenterology		A			12%	1	
1187	<i>SLC27A5</i>	Bile acid amidation defect*	Gastroenterology		C			12%	1	
1188	<i>MYO5B</i>	Cholestasis, progressive familial intrahepatic, 10	Gastroenterology					12%	1	
1189	<i>NR1H4</i>	Cholestasis, progressive familial intrahepatic, 5	Gastroenterology		C			12%	1	
1190	<i>WWTR1</i>	Steatohepatitis *	Gastroenterology					12%	1	
1191	<i>ABCD3</i>	Bile acid synthesis defect, congenital, 5	Gastroenterology					12%	1	
1192	<i>PRSS1</i>	Pancreatitis, hereditary	Gastroenterology					12%	1	
1193	<i>SLCO1B1</i>	Hyperbilirubinemia, Rotor type, digenic	Gastroenterology		C			12%	1	
1194	<i>NKX2-6</i>	Persistent truncus arteriosus	Cardiovascular			10		12%	1	
1195	<i>CCDC50</i>	Deafness, autosomal dominant 44	ENT/Dental		C	11		12%	1	
1196	<i>DIAPH1</i>	Deafness, autosomal dominant 1, with or without thrombocytopenia	ENT/Dental		C	11		12%	1	
1197	<i>CDH1</i>	Diffuse gastric and lobular breast cancer syndrome with or without cleft	Oncology		B	11		12%	1	
1198	<i>SLC34A1</i>	Hypercalcemia, infantile, 2	Endocrinology					11%	1	
1199	<i>FAM20C</i>	Raine syndrome	Endocrinology		A			11%	1	
1200	<i>SOX9</i>	Campomelic dysplasia	Endocrinology		A			11%	1	
1201	<i>MKRN3</i>	Precocious puberty, central, 2	Endocrinology					11%	1	
1202	<i>NSMF</i>	Hypogonadotropic hypogonadism 9 with or without anosmia	Endocrinology					11%	1	
1203	<i>PCNT</i>	Microcephalic osteodysplastic primordial dwarfism, type II	Endocrinology		A			11%	1	
1204	<i>SEMA3A</i>	Hypogonadotropic hypogonadism 16 with or without anosmia	Endocrinology		C			11%	1	
1205	<i>IL17RD</i>	Hypogonadotropic hypogonadism 18 with or without anosmia	Endocrinology					11%	1	
1206	<i>SRDS5A2</i>	Pseudovaginal perineosrotal hypospadias	Endocrinology					11%	1	
1207	<i>DUOX1</i>	Congenital hypothyroidism*	Endocrinology					11%	1	
1208	<i>TNFRSF11B</i>	Paget disease of bone 5, juvenile-onset	Endocrinology		A			11%	1	
1209	<i>DUOXA1</i>	Congenital hypothyroidism*	Endocrinology					11%	1	
1210	<i>SLC16A2</i>	Allan-Herndon-Dudley syndrome	Endocrinology		A			11%	1	
1211	<i>WDR11</i>	Hypogonadotropic hypogonadism 14 with or without anosmia	Endocrinology					11%	1	
1212	<i>PDE4D</i>	Acrodyostosis 2, with or without hormone resistance	Endocrinology		A			11%	1	
1213	<i>HHEX</i>	Congenital hypothyroidism*	Endocrinology					11%	1	
1214	<i>TGFBI</i>	Camurati-Engelmann disease	Endocrinology		C			11%	1	
1215	<i>KISS1R</i>	Hypogonadotropic hypogonadism 8 with or without anosmia	Endocrinology					11%	1	
1216	<i>PROK2</i>	Hypogonadotropic hypogonadism 4 with or without anosmia	Endocrinology					11%	1	
1217	<i>TIMM8A</i>	Mohr-Tranebaerg syndrome	Neurology		A	7		11%	1	
1218	<i>FKTN</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye	Neurology		A	7		11%	1	
1219	<i>TNFRSF1A</i>	Periodic fever, familial	Immunology				45%	11%	1	
1220	<i>GM2A</i>	GM2-gangliosidosis, AB variant	Metabolism			7		11%	1	
1221	<i>SUMF1</i>	Multiple sulfatase deficiency	Metabolism			7		11%	1	
1222	<i>NARS2</i>	Combined oxidative phosphorylation deficiency 24	Metabolism			7		11%	1	
1223	<i>ACTN2</i>	Cardiomyopathy, hypertrophic, 23, with or without LVNC	Cardiovascular		B	11		11%	1	
1224	<i>ALB</i>	Analbuminemia	Cardiovascular		A	9		11%	1	
1225	<i>MECOM</i>	Radioulnar synostosis with amegakaryocytic thrombocytopenia 2	Hematology				54%	11%	1	
1226	<i>HOXA11</i>	Radioulnar synostosis with amegakaryocytic thrombocytopenia 1	Hematology				54%	11%	1	
1227	<i>MIR96</i>	Deafness, autosomal dominant 50	ENT/Dental		C	11		11%	1	
1228	<i>MAX</i>	Pheochromocytoma, susceptibility to	Oncology			11		11%	1	
1229	<i>ASCL1</i>	Congenital central hypoventilation*	Neurology		C	8		10%	1	
1230	<i>PARN</i>	Dyskeratosis congenita, autosomal recessive 6	Hematology				45%	10%	1	
1231	<i>EPCAM</i>	Lynch syndrome 8	Oncology		C	13	21%	10%	1	
1232	<i>RBM20</i>	Cardiomyopathy, dilated, 1DD	Cardiovascular		B	12		10%	1	
1233	<i>PLN</i>	Cardiomyopathy, dilated, 1P	Cardiovascular		B	12		10%	1	
1234	<i>TWNK</i>	Mitochondrial DNA depletion syndrome 7 (hepatocerebral type)	Metabolism		A	9		10%	1	
1235	<i>RRM2B</i>	Mitochondrial DNA depletion syndrome 8A (encephalomyopathic type)	Metabolism		A			10%	1	
1236	<i>COX10</i>	Mitochondrial complex IV deficiency, nuclear type 3	Metabolism					10%	1	
1237	<i>TYMP</i>	Mitochondrial DNA depletion syndrome 1 (MNGIE type)	Metabolism		A			10%	1	
1238	<i>MT-ND3</i>	Leigh syndrome	Metabolism					10%	1	
1239	<i>ACAD10</i>	Isobutyryl-CoA dehydrogenase deficiency*	Metabolism					10%	1	
1240	<i>SLC6A19</i>	Hartnup disorder	Metabolism		C			10%	1	
1241	<i>YARS2</i>	Myopathy, lactic acidosis, and sideroblastic anemia 2	Metabolism		C			10%	1	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)	
1242	<i>GPHN</i>	Molybdenum cofactor deficiency C	Metabolism	C				10%	1	
1243	<i>ALG3</i>	Congenital disorder of glycosylation, type Id	Metabolism	A				10%	1	
1244	<i>PEX19</i>	Peroxisome biogenesis disorder 12A (Zellweger)	Metabolism	C				10%	1	
1245	<i>NGLY1</i>	Congenital disorder of deglycosylation 1	Metabolism	A				10%	1	
1246	<i>SUGCT</i>	Glutaric aciduria III	Metabolism					10%	1	
1247	<i>ALG8</i>	Congenital disorder of glycosylation, type Ia	Metabolism	A				10%	1	
1248	<i>NDUFS4</i>	Mitochondrial complex I deficiency, nuclear type 1	Metabolism					10%	1	
1249	<i>MOGS</i>	Congenital disorder of glycosylation, type Ib	Metabolism	C				10%	1	
1250	<i>FCGR2A</i>	GM2-gangliosidosis, AB variant	Metabolism					10%	1	
1251	<i>COX15</i>	Mitochondrial complex IV deficiency, nuclear type 6	Metabolism					10%	1	
1252	<i>IDH2</i>	D-2-hydroxyglutaric aciduria 2	Metabolism					10%	1	
1253	<i>MRE11</i>	Ataxia-telangiectasia-like disorder 1	Metabolism					10%	1	
1254	<i>POLG</i>	Mitochondrial recessive ataxia syndrome (includes SANDO and SCAE)	Metabolism	A				10%	1	
1255	<i>ZNF143</i>	Methylmalonic aciduria and homocystinuria	Metabolism					10%	1	
1256	<i>L2HGDH</i>	L-2-hydroxyglutaric aciduria	Metabolism					10%	1	
1257	<i>PHYH</i>	Refsum disease	Metabolism	A				10%	1	
1258	<i>ALG6</i>	Congenital disorder of glycosylation, type Ic	Metabolism	A				10%	1	
1259	<i>DGUOK</i>	Mitochondrial DNA depletion syndrome 3 (hepatocerebral type)	Metabolism					10%	1	
1260	<i>POLG2</i>	Progressive external ophthalmoplegia with mitochondrial DNA deletion	Metabolism					10%	1	
1261	<i>SCO2</i>	Mitochondrial complex IV deficiency, nuclear type 2	Metabolism	A				10%	1	
1262	<i>SLC25A4</i>	Progressive external ophthalmoplegia with mitochondrial DNA deletion	Metabolism					10%	1	
1263	<i>DNM1L</i>	Encephalopathy, lethal, due to defective mitochondrial peroxisomal fission	Metabolism					10%	1	
1264	<i>COX6B1</i>	Mitochondrial complex IV deficiency, nuclear type 7	Metabolism					10%	1	
1265	<i>LRPPRC</i>	Mitochondrial complex IV deficiency, nuclear type 5, (French-Canadian)	Metabolism	A				10%	1	
1266	<i>SLC52A1</i>	Riboflavin deficiency	Metabolism					10%	1	
1267	<i>PHKG1</i>	Glycogen Storage Disease*	Metabolism					10%	1	
1268	<i>SCO1</i>	Mitochondrial complex IV deficiency, nuclear type 4	Metabolism	C				10%	1	
1269	<i>ACOX1</i>	Peroxisomal acyl-CoA oxidase deficiency	Metabolism	A				10%	1	
1270	<i>DEC R1</i>	2,4-Dienoyl-CoA reductase deficiency*	Metabolism	C				10%	1	
1271	<i>PEX14</i>	Peroxisome biogenesis disorder 13A (Zellweger)	Metabolism	C				10%	1	
1272	<i>SERAC1</i>	3-methylglutaconic aciduria with deafness, encephalopathy, and Leigh-I	Metabolism					10%	1	
1273	<i>PUS1</i>	Myopathy, lactic acidosis, and sideroblastic anemia 1	Metabolism					10%	1	
1274	<i>PCK1</i>	Phosphoenolpyruvate carboxykinase deficiency, cytosolic	Metabolism					10%	1	
1275	<i>SLC25A32</i>	Exercise intolerance, riboflavin responsive	Metabolism					10%	1	
1276	<i>TIMM50</i>	3-methylglutaconic aciduria, type IX	Metabolism					10%	1	
1277	<i>FASTKD2</i>	Combined oxidative phosphorylation deficiency 44	Metabolism					10%	1	
1278	<i>PEX16</i>	Peroxisome biogenesis disorder 8A (Zellweger)	Metabolism	C				10%	1	
1279	<i>ALDH6A1</i>	Methylmalonate semialdehyde dehydrogenase deficiency	Metabolism					10%	1	
1280	<i>HTRA2</i>	3-methylglutaconic aciduria, type VIII	Metabolism					10%	1	
1281	<i>ALG12</i>	Congenital disorder of glycosylation, type Ig	Metabolism	A				10%	1	
1282	<i>MT-ATP6</i>	Leigh syndrome	Metabolism					10%	1	
1283	<i>LIAS</i>	Hyperglycinemia, lactic acidosis, and seizures	Metabolism					10%	1	
1284	<i>MANBA</i>	Mannosidosis, beta	Metabolism		6			10%	1	
1285	<i>RNASEH2A</i>	Aicardi-Goutieres syndrome 4	Neurology	A		42%		10%	1	
1286	<i>DNAJC5</i>	Ceroid lipofuscinosis, neuronal, 4 (Kufs type), autosomal dominant	Neurology	C	8			10%	1	
1287	<i>FOXF1</i>	Alveolar capillary dysplasia with misalignment of pulmonary veins	Pulmonology	A	9			9%	1	
1288	<i>ODAD3</i>	Ciliary dyskinesia, primary, 30	Pulmonology		10			9%	1	
1289	<i>SERPINC1</i>	Thrombophilia 7 due to antithrombin III deficiency	Hematology	C	11			9%	1	
1290	<i>NOD2</i>	Blau syndrome	Immunology			37%		9%	1	
1291	<i>GJAS5</i>	Atrial fibrillation, familial, 11	Cardiovascular	B	11			9%	1	
1292	<i>DSPP</i>	Deafness, autosomal dominant 39, with dentinogenesis	ENT/Dental		5			9%	1	
1293	<i>KCNE2</i>	Long QT syndrome 6	Cardiovascular	B	8			9%	1	
1294	<i>CEL</i>	Maturity-onset diabetes of the young, type VII	Endocrinology		9	35%		9%	1	
1295	<i>TCAP</i>	Muscular dystrophy, limb-girdle, autosomal recessive 7	Neurology	A	11			8%	1	
1296	<i>REN</i>	Renal tubular dysgenesis	Nephrology	A				8%	1	
1297	<i>PAX2</i>	Glomerulosclerosis, focal segmental, 7	Nephrology					8%	1	
1298	<i>SLC5A2</i>	Renal glucosuria	Nephrology	A				8%	1	
1299	<i>ACE</i>	Renal tubular dysgenesis	Nephrology	A				8%	1	
1300	<i>UMOD</i>	Tubulointerstitial kidney disease, autosomal dominant, 1	Nephrology	A				8%	1	
1301	<i>NPHS2</i>	Nephrotic syndrome, type 2	Nephrology					8%	1	
1302	<i>CFHR3</i>	Hemolytic uremic syndrome, atypical, susceptibility to	Nephrology	C				8%	1	
1303	<i>CFHR5</i>	Nephropathy due to CFHR5 deficiency	Nephrology	C				8%	1	
1304	<i>EGF</i>	Hypomagnesemia 4, renal*	Nephrology					8%	1	
1305	<i>KANK2</i>	Nephrotic syndrome, type 16	Nephrology					8%	1	
1306	<i>DGKE</i>	Hemolytic uremic syndrome, atypical, susceptibility to, 7	Nephrology	C				8%	1	
1307	<i>LAMAS</i>	Nephrotic syndrome, type 26	Nephrology					8%	1	
1308	<i>MYO1E</i>	Glomerulosclerosis, focal segmental, 6	Nephrology	C				8%	1	
1309	<i>PTPRO</i>	Nephrotic syndrome, type 6	Nephrology					8%	1	
1310	<i>PIGT</i>	Paroxysmal nocturnal hemoglobinuria 2	Nephrology					8%	1	
1311	<i>TREX1</i>	Aicardi-Goutieres syndrome 1, dominant and recessive	Neurology	A		40%		8%	1	
1312	<i>RNASEH2B</i>	Aicardi-Goutieres syndrome 2	Neurology	A		40%		8%	1	
1313	<i>ADAR</i>	Aicardi-Goutieres syndrome 6	Neurology	A		40%		8%	1	
1314	<i>RNASEH2C</i>	Aicardi-Goutieres syndrome 3	Neurology	A		40%		8%	1	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
1315	<i>FBLN5</i>	Cutis laxa, autosomal recessive, type IA	Medical Genetics	A	7			7%	1
1316	<i>SAMHD1</i>	Aicardi-Goutieres syndrome 5	Neurology	A		39%	7%	7%	1
1317	<i>CYP4F22</i>	Ichthyosis, congenital, autosomal recessive 5	Dermatology	A	6		7%	7%	1
1318	<i>STXBP1</i>	Developmental and epileptic encephalopathy 4	Neurology	A	6		7%	7%	1
1319	<i>RNF31</i>	Immunodeficiency 115 with autoinflammation	Immunology					7%	1
1320	<i>TOP2B</i>	B-cell immunodeficiency, distal limb anomalies, and urogenital malform	Immunology					7%	1
1321	<i>TFRC</i>	Immunodeficiency 46	Immunology					7%	1
1322	<i>ARHGEF1</i>	Immunodeficiency 62	Immunology					7%	1
1323	<i>NSMCE3</i>	Lung disease, immunodeficiency, and chromosome breakage syndrome	Immunology					7%	1
1324	<i>TNFRSF4</i>	Immunodeficiency 16	Immunology					7%	1
1325	<i>RNF168</i>	RIDDLE syndrome	Immunology					7%	1
1326	<i>TRAC</i>	Immunodeficiency 7, TCR-alpha/beta deficient	Immunology					7%	1
1327	<i>LRRK8A</i>	Agammaglobulinemia 5	Immunology					7%	1
1328	<i>IL6R</i>	Hyper-IgE syndrome 5, autosomal recessive, with recurrent infections	Immunology					7%	1
1329	<i>IL6ST</i>	Hyper-IgE syndrome 4B, autosomal recessive, with recurrent infections	Immunology					7%	1
1330	<i>IGKC</i>	Kappa light chain deficiency	Immunology					7%	1
1331	<i>RNU4ATAC</i>	Roifman syndrome	Immunology					7%	1
1332	<i>ICOSLG</i>	Combined immunodeficiency	Immunology					7%	1
1333	<i>POLE2</i>	POLE2 deficiency*	Immunology					7%	1
1334	<i>MSN</i>	Immunodeficiency 50	Immunology					7%	1
1335	<i>SEC61A1</i>	Immunodeficiency, common variable, 15	Immunology					7%	1
1336	<i>CD8A</i>	Immunodeficiency 116	Immunology					7%	1
1337	<i>REL</i>	Immunodeficiency 92	Immunology					7%	1
1338	<i>RELA</i>	Autoinflammatory disease, familial, Behcet-like-3	Immunology					7%	1
1339	<i>TNFSF12</i>	TWEAK deficiency	Immunology					7%	1
1340	<i>GINS1</i>	Immunodeficiency 55	Immunology					7%	1
1341	<i>ERBIN</i>	ERBIN deficiency	Immunology					7%	1
1342	<i>BCL10</i>	Immunodeficiency 37	Immunology					7%	1
1343	<i>CD59</i>	Hemolytic anemia, CD59-mediated, with or without immune-mediated	Immunology					7%	1
1344	<i>INO80</i>	INO80 deficiency*	Immunology					7%	1
1345	<i>MPO</i>	Myeloperoxidase deficiency	Immunology					7%	1
1346	<i>IL12B</i>	Immunodeficiency 29, mycobacteriosis	Immunology					7%	1
1347	<i>SH3KBP1</i>	Immunodeficiency 61	Immunology					7%	1
1348	<i>CXCR2</i>	WHIM syndrome 2	Immunology					7%	1
1349	<i>B2M</i>	Immunodeficiency 43	Immunology					7%	1
1350	<i>POLD2</i>	Non-severe combined immunodeficiency due to polymerase delta defici	Immunology					7%	1
1351	<i>RORC</i>	Immunodeficiency 42	Immunology					7%	1
1352	<i>ATP6AP1</i>	Immunodeficiency 47	Immunology					7%	1
1353	<i>ADCY1</i>	Deafness, autosomal recessive 44	ENT/Dental		9			7%	1
1354	<i>SLC6A6</i>	Hypotaurinemic retinal degeneration and cardiomyopathy	Ophthalmology			35%	7%	7%	1
1355	<i>TSPEAR</i>	Deafness, autosomal recessive 98	ENT/Dental	C	10			7%	1
1356	<i>NAXE</i>	Encephalopathy, progressive, early-onset, with brain edema and/or leuk	Neurology			36%	7%	7%	1
1357	<i>GRIN2B</i>	Intellectual developmental disorder, autosomal dominant 6, with or wi	Neurology			33%	7%	7%	1
1358	<i>SCARB2</i>	Epilepsy, progressive myoclonic 4, with or without renal failure	Neurology			37%	7%	7%	1
1359	<i>CSRP3</i>	Cardiomyopathy, hypertrophic, 12	Cardiovascular	B	11			7%	1
1360	<i>ANKRD1</i>	Cardiomyopathy, dilated	Cardiovascular	B	11			7%	1
1361	<i>VCL</i>	Cardiomyopathy, dilated, 1W	Cardiovascular	B	11			7%	1
1362	<i>DMPK</i>	Myotonic dystrophy 1	Neurology	A				7%	1
1363	<i>ATXN2</i>	Spinocerebellar ataxia 2	Neurology					7%	1
1364	<i>ANXA11</i>	Amyotrophic lateral sclerosis 23	Neurology					7%	1
1365	<i>HSPB1</i>	Charcot-Marie-Tooth disease, axonal, type 2F	Neurology					7%	1
1366	<i>GMPPB</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye	Neurology					7%	1
1367	<i>ACTB</i>	Baraitser-Winter syndrome 1	Neurology	A				7%	1
1368	<i>ZFYVE26</i>	Spastic paraparesis 15, autosomal recessive	Neurology					7%	1
1369	<i>INF2</i>	Charcot-Marie-Tooth disease, dominant intermediate E	Neurology					7%	1
1370	<i>KBTBD13</i>	Nemaline myopathy 6, autosomal dominant	Neurology	A				7%	1
1371	<i>TPM3</i>	Congenital myopathy 4B, autosomal recessive	Neurology	A				7%	1
1372	<i>EIF2B3</i>	Leukoencephalopathy with vanishing white matter 3, with or without o	Neurology					7%	1
1373	<i>UCHL1</i>	Parkinson disease 5, susceptibility to	Neurology					7%	1
1374	<i>BICD2</i>	Spinal muscular atrophy, lower extremity-predominant, 2A, autosomal	Neurology	A				7%	1
1375	<i>CASK</i>	Intellectual developmental disorder and microcephaly with pontine an-	Neurology	A				7%	1
1376	<i>PNKD</i>	Paroxysmal nonkinetic dyskinesia 1	Neurology	A				7%	1
1377	<i>MAGI2</i>	Infantile spasms*	Neurology	A				7%	1
1378	<i>EFHC1</i>	Epilepsy, juvenile absence, susceptibility to, 1	Neurology	A				7%	1
1379	<i>SNCA</i>	Parkinson disease 1	Neurology					7%	1
1380	<i>CFL2</i>	Nemaline myopathy 7, autosomal recessive	Neurology	A				7%	1
1381	<i>COL6A1</i>	Ullrich congenital muscular dystrophy 1A	Neurology	A				7%	1
1382	<i>TRIM32</i>	Muscular dystrophy, limb-girdle, autosomal recessive 8	Neurology	A				7%	1
1383	<i>POMT2</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye	Neurology	A				7%	1
1384	<i>IGHMBP2</i>	Neuronopathy, distal hereditary motor, autosomal recessive 1	Neurology	A				7%	1
1385	<i>CNNM2</i>	Hypomagnesemia, seizures, and impaired intellectual development 1	Neurology					7%	1
1386	<i>PARK7</i>	Parkinson disease 7, autosomal recessive early-onset	Neurology					7%	1
1387	<i>EIF2B4</i>	Leukoencephalopathy with vanishing white matter 4, with or without o	Neurology					7%	1

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion	Observed list inclusion (/26)
								Expert rec.
1388	<i>TUBA1A</i>	Lissencephaly 3	Neurology				7%	1
1389	<i>CHKB</i>	Muscular dystrophy, congenital, megaconial type	Neurology		A		7%	1
1390	<i>SIL1</i>	Marinesco-Sjogren syndrome	Neurology		A		7%	1
1391	<i>LARGE1</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye)	Neurology		A		7%	1
1392	<i>MLC1</i>	Megalencephalic leukoencephalopathy with subcortical cysts 1	Neurology		A		7%	1
1393	<i>SIX3</i>	Holoprosencephaly 2	Neurology		A		7%	1
1394	<i>KIF11</i>	Microcephaly with or without chorioretinopathy, lymphedema, or limb anomalies	Neurology				7%	1
1395	<i>MEGF10</i>	Congenital myopathy 10A, severe variant	Neurology		A		7%	1
1396	<i>SCN9A</i>	Neuropathy, hereditary sensory and autonomic, type IID	Neurology				7%	1
1397	<i>PHF6</i>	Borjeson-Forssman-Lehmann syndrome	Neurology		A		7%	1
1398	<i>ZIC2</i>	Holoprosencephaly 5	Neurology		A		7%	1
1399	<i>ITPA</i>	Developmental and epileptic encephalopathy 35	Neurology				7%	1
1400	<i>GAN</i>	Giant axonal neuropathy 1	Neurology		A		7%	1
1401	<i>CSTB</i>	Epilepsy, progressive myoclonic 1A (Unverricht and Lundborg)	Neurology		A		7%	1
1402	<i>UBA1</i>	Spinal muscular atrophy, X-linked 2, infantile	Neurology		C		7%	1
1403	<i>VPS13A</i>	Choreoacanthocytosis	Neurology		A		7%	1
1404	<i>POMT1</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye)	Neurology		A		7%	1
1405	<i>VCP</i>	Inclusion body myopathy with early-onset Paget disease and frontotemporal dementia	Neurology		A		7%	1
1406	<i>FGD4</i>	Charcot-Marie-Tooth disease, type 4H	Neurology		A		7%	1
1407	<i>SGCA</i>	Muscular dystrophy, limb-girdle, autosomal recessive 3	Neurology		A		7%	1
1408	<i>ANOS</i>	Muscular dystrophy, limb-girdle, autosomal recessive 12	Neurology		A		7%	1
1409	<i>ABC8</i>	Anemia, sideroblastic, with ataxia	Neurology		C		7%	1
1410	<i>HYCC1</i>	Leukodystrophy, hypomyelinating, 5	Neurology		A		7%	1
1411	<i>PAK3</i>	Intellectual developmental disorder, X-linked 30	Neurology		A		7%	1
1412	<i>DNAJB6</i>	Muscular dystrophy, limb-girdle, autosomal dominant 1	Neurology		A		7%	1
1413	<i>RAB7A</i>	Charcot-Marie-Tooth disease, type 2B	Neurology		A		7%	1
1414	<i>SELENON</i>	Congenital myopathy 3 with rigid spine	Neurology		A		7%	1
1415	<i>SHANK3</i>	Phelan-McDermid syndrome	Neurology		A		7%	1
1416	<i>ELP3</i>	Amyotrophic lateral sclerosis*	Neurology				7%	1
1417	<i>ATP2A1</i>	Brody myopathy	Neurology		A		7%	1
1418	<i>NEB</i>	Nemaline myopathy 2, autosomal recessive	Neurology		A		7%	1
1419	<i>ATP1A2</i>	Migraine, familial hemiplegic, 2	Neurology		A		7%	1
1420	<i>AFF2</i>	Intellectual developmental disorder, X-linked 109	Neurology				7%	1
1421	<i>SLC9A6</i>	Intellectual developmental disorder, X-linked syndromic, Christianson syndrome	Neurology		A		7%	1
1422	<i>PON3</i>	Amyotrophic lateral sclerosis*	Neurology				7%	1
1423	<i>AARS1</i>	Charcot-Marie-Tooth disease, axonal, type 2N	Neurology		A		7%	1
1424	<i>REEP2</i>	Spastic paraparesis 72A, autosomal dominant	Neurology				7%	1
1425	<i>MED12</i>	Lujan-Fryns syndrome	Neurology		A		7%	1
1426	<i>SH3TC2</i>	Charcot-Marie-Tooth disease, type 4C	Neurology		A		7%	1
1427	<i>RBMX</i>	Intellectual developmental disorder, X-linked syndromic, Shashi type	Neurology				7%	1
1428	<i>SHH</i>	Holoprosencephaly 3	Neurology		A		7%	1
1429	<i>PQBP1</i>	Renpenning syndrome	Neurology		A		7%	1
1430	<i>GFAP</i>	Alexander disease	Neurology		A		7%	1
1431	<i>COL6A2</i>	Ullrich congenital muscular dystrophy 1B	Neurology		A		7%	1
1432	<i>HSPG2</i>	Schwartz-Jampel syndrome, type 1	Neurology		A		7%	1
1433	<i>SETX</i>	Spinocerebellar ataxia, autosomal recessive, with axonal neuropathy 2	Neurology		A		7%	1
1434	<i>KCNC3</i>	Spinocerebellar ataxia 13	Neurology				7%	1
1435	<i>PLA2G6</i>	Infantile neuroaxonal dystrophy 1	Neurology		A		7%	1
1436	<i>CRPPA</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye)	Neurology		A		7%	1
1437	<i>SGCB</i>	Muscular dystrophy, limb-girdle, autosomal recessive 4	Neurology		A		7%	1
1438	<i>CHD2</i>	Developmental and epileptic encephalopathy 94	Neurology		A		7%	1
1439	<i>KMT2A</i>	Wiedemann-Steiner syndrome	Neurology				7%	1
1440	<i>ANO10</i>	Spinocerebellar ataxia, autosomal recessive 10	Neurology		A		7%	1
1441	<i>KCTD7</i>	Epilepsy, progressive myoclonic 3, with or without intracellular inclusions	Neurology		A		7%	1
1442	<i>ATP13A2</i>	Kufor-Rakeb syndrome	Neurology				7%	1
1443	<i>EMD</i>	Emery-Dreifuss muscular dystrophy 1, X-linked	Neurology		A		7%	1
1444	<i>KLHL40</i>	Nemaline myopathy 8, autosomal recessive	Neurology		A		7%	1
1445	<i>TFG</i>	Herdeditary motor and sensory neuropathy, Okinawa type	Neurology		A		7%	1
1446	<i>FKRP</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye)	Neurology		A		7%	1
1447	<i>TNT1</i>	Nemaline myopathy 5A, autosomal recessive, severe infantile	Neurology		A		7%	1
1448	<i>VLDLR</i>	Cerebellar hypoplasia, impaired intellectual development, and dyskinetic gait	Neurology		A		7%	1
1449	<i>EIF2B1</i>	Leukoencephalopathy with vanishing white matter 1, with or without oculomotor palsies	Neurology		C		7%	1
1450	<i>POMGNT1</i>	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye)	Neurology		A		7%	1
1451	<i>DNM2</i>	Charcot-Marie-Tooth disease, axonal type 2M	Neurology		A		7%	1
1452	<i>CNBP</i>	Myotonic dystrophy 2	Neurology				7%	1
1453	<i>SPG7</i>	Spastic paraparesis 7, autosomal recessive	Neurology				7%	1
1454	<i>HINT1</i>	Neuromyotonia and axonal neuropathy, autosomal recessive	Neurology				7%	1
1455	<i>SLC1A4</i>	Spastic tetraparesis, thin corpus callosum, and progressive microcephaly	Neurology				7%	1
1456	<i>RPH3A</i>	Myasthenic syndrome, congenital*	Neurology				7%	1
1457	<i>GRN</i>	Frontotemporal lobar degeneration with ubiquitin-positive inclusions	Neurology				7%	1
1458	<i>WDR62</i>	Microcephaly 2, primary, autosomal recessive, with or without cortical tuberous calcifications	Neurology		A		7%	1
1459	<i>LMOD3</i>	Nemaline myopathy 10	Neurology		A		7%	1
1460	<i>COL6A3</i>	Ullrich congenital muscular dystrophy 1C	Neurology		A		7%	1

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion	Observed list inclusion (/26)	
								Expert	rec.
1461	<i>CTSF</i>	Ceroid lipofuscinoses, neuronal, 13 (Kufs type)	Neurology				7%	1	
1462	<i>MACF1</i>	Lissencephaly 9 with complex brainstem malformation	Neurology				7%	1	
1463	<i>KIF5A</i>	Spastic paraparesis 10, autosomal dominant	Neurology				7%	1	
1464	<i>LRSAM1</i>	Charcot-Marie-Tooth disease, axonal, type 2P	Neurology		A		7%	1	
1465	<i>SGCG</i>	Muscular dystrophy, limb-girdle, autosomal recessive 5	Neurology		A		7%	1	
1466	<i>EIF2B5</i>	Leukoencephalopathy with vanishing white matter 5, with or without o	Neurology				7%	1	
1467	<i>SEPTIN9</i>	Amyotrophy, hereditary neuralgic	Neurology		A		7%	1	
1468	<i>TSEN54</i>	Pontocerebellar hypoplasia type 4	Neurology		A		7%	1	
1469	<i>GJC2</i>	Spastic paraparesis 44, autosomal recessive	Neurology		A		7%	1	
1470	<i>ADGRG1</i>	Cortical dysplasia, complex, with other brain malformations 14A, (bilat)	Neurology		A		7%	1	
1471	<i>LRRK2</i>	Parkinson disease 8	Neurology		C		7%	1	
1472	<i>PRKN</i>	Parkinson disease, juvenile, type 2	Neurology				7%	1	
1473	<i>SOD1</i>	Amyotrophic lateral sclerosis 1	Neurology		C		7%	1	
1474	<i>ALS2</i>	Amyotrophic lateral sclerosis 2, juvenile	Neurology		A		7%	1	
1475	<i>MTMR2</i>	Charcot-Marie-Tooth disease, type 4B1	Neurology				7%	1	
1476	<i>PNKP</i>	Microcephaly, seizures, and developmental delay	Neurology		A		7%	1	
1477	<i>DEPDC5</i>	Epilepsy, familial focal, with variable foci 1	Neurology				7%	1	
1478	<i>ACTA1</i>	Congenital myopathy 2B, severe infantile, autosomal recessive	Neurology		C		7%	1	
1479	<i>EIF2B2</i>	Leukoencephalopathy with vanishing white matter 2, with or without o	Neurology				7%	1	
1480	<i>FLNC</i>	Myopathy, myofibrillar, 5	Neurology		C		7%	1	
1481	<i>ATAD1</i>	Hyperekplexia 4	Neurology				7%	1	
1482	<i>BIN1</i>	Centronuclear myopathy 2	Neurology		A		7%	1	
1483	<i>MYH2</i>	Congenital myopathy 6 with ophthalmoplegia	Neurology		A		7%	1	
1484	<i>KLHL41</i>	Nemaline myopathy 9	Neurology		A		7%	1	
1485	<i>DAO</i>	Amyotrophic lateral sclerosis*	Neurology				7%	1	
1486	<i>SBF2</i>	Charcot-Marie-Tooth disease, type 4B2	Neurology				7%	1	
1487	<i>MED13L</i>	Impaired intellectual development and distinctive facial features with o	Neurology		C		7%	1	
1488	<i>SCN11A</i>	Neuropathy, hereditary sensory and autonomic, type VII	Neurology		A		7%	1	
1489	<i>VPS54</i>	Amyotrophic lateral sclerosis*	Neurology				7%	1	
1490	<i>MCPH1</i>	Microcephaly 1, primary, autosomal recessive	Neurology		A		7%	1	
1491	<i>KANSL1</i>	Koolen-De Vries syndrome	Neurology		A		7%	1	
1492	<i>RAB3GAP1</i>	Warburg micro syndrome 1	Neurology		A		7%	1	
1493	<i>ASA1H</i>	Farber lipogranulomatosis	Metabolism		6		7%	1	
1494	<i>KCNK3</i>	Pulmonary hypertension, primary, 4	Cardiovascular		9		7%	1	
1495	<i>NEUROD1</i>	Maturity-onset diabetes of the young 6	Endocrinology		5	43%	7%	1	
1496	<i>F11</i>	Factor XI deficiency	Hematology		A	7	7%	1	
1497	<i>POLD1</i>	Colorectal cancer, susceptibility to, 10	Oncology			11	6%	1	
1498	<i>SNRPN</i>	Prader-Willi syndrome*	Medical Genetics				6%	1	
1499	<i>ALX4</i>	Parietal foramina 2	Medical Genetics		A		6%	1	
1500	<i>BBS9</i>	Bardet-Biedl syndrome 9	Medical Genetics		A		6%	1	
1501	<i>LRP2</i>	Donnai-Barrow syndrome	Medical Genetics		A		6%	1	
1502	<i>VPS13B</i>	Cohen syndrome	Medical Genetics		A		6%	1	
1503	<i>SPRED1</i>	Legius syndrome	Medical Genetics		A		6%	1	
1504	<i>TNNT3</i>	Arthrogryposis, distal, type 2B2	Medical Genetics		A		6%	1	
1505	<i>CYB5A</i>	Methemoglobinemia and ambiguous genitalia	Medical Genetics				6%	1	
1506	<i>SLC17A3</i>	Uric acid concentration, serum, QTL4	Medical Genetics				6%	1	
1507	<i>CHRNG</i>	Multiple pterygium syndrome, lethal type	Medical Genetics		A		6%	1	
1508	<i>AHI1</i>	Joubert syndrome 3	Medical Genetics		A		6%	1	
1509	<i>ADAMTS10</i>	Weill-Marchesani syndrome 1, recessive	Medical Genetics				6%	1	
1510	<i>DDX59</i>	Orofaciodigital syndrome V	Medical Genetics				6%	1	
1511	<i>B9D1</i>	Meckel syndrome 9	Medical Genetics				6%	1	
1512	<i>ZEB2</i>	Mowat-Wilson syndrome	Medical Genetics				6%	1	
1513	<i>BBS5</i>	Bardet-Biedl syndrome 5	Medical Genetics		A		6%	1	
1514	<i>B9D2</i>	Meckel syndrome 10	Medical Genetics		C		6%	1	
1515	<i>BBS4</i>	Bardet-Biedl syndrome 4	Medical Genetics		A		6%	1	
1516	<i>CPLANE1</i>	Joubert syndrome 17	Medical Genetics				6%	1	
1517	<i>LIFR</i>	Stuve-Wiedemann syndrome/Schwartz-Jampel type 2 syndrome	Medical Genetics		A		6%	1	
1518	<i>RECQL4</i>	Rothmund-Thomson syndrome, type 2	Medical Genetics		A		6%	1	
1519	<i>NIPBL</i>	Cornelia de Lange syndrome 1	Medical Genetics		A		6%	1	
1520	<i>RAI1</i>	Smith-Magenis syndrome	Medical Genetics		A		6%	1	
1521	<i>SRCAP</i>	Floating-Harbor syndrome	Medical Genetics		A		6%	1	
1522	<i>FREM2</i>	Fraser syndrome 2	Medical Genetics		C		6%	1	
1523	<i>UBE3A</i>	Angelman syndrome	Medical Genetics				6%	1	
1524	<i>IGF2</i>	Silver-Russell syndrome 3	Medical Genetics				6%	1	
1525	<i>MAF</i>	Aymé-Gripp syndrome	Medical Genetics				6%	1	
1526	<i>ESCO2</i>	Roberts-SC phocomelia syndrome	Medical Genetics				6%	1	
1527	<i>CCBE1</i>	Hennekam lymphangiectasia-lymphedema syndrome 1	Medical Genetics				6%	1	
1528	<i>WDPCP</i>	Bardet-Biedl syndrome 15	Medical Genetics				6%	1	
1529	<i>SDCCAG8</i>	Bardet-Biedl syndrome 16	Medical Genetics				6%	1	
1530	<i>SKI</i>	Shprintzen-Goldberg syndrome	Medical Genetics		A		6%	1	
1531	<i>SLC35D1</i>	Schneckenbecken dysplasia	Medical Genetics		A		6%	1	
1532	<i>ERCC6</i>	Cockayne syndrome, type B	Medical Genetics		A		6%	1	
1533	<i>CEP152</i>	Seckel syndrome 5	Medical Genetics		A		6%	1	

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion	Observed list inclusion (/26)	
								Expert rec.	
1534	<i>HIRA</i>	DiGeorge syndrome*	Medical Genetics				6%		1
1535	<i>FAT4</i>	Hennekam lymphangiectasia-lymphedema syndrome 2	Medical Genetics				6%		1
1536	<i>FBN2</i>	Contractural arachnodactyly, congenital	Medical Genetics	A			6%		1
1537	<i>WNT10A</i>	Ectodermal dysplasia 16 (odontonychodermal dysplasia)	Medical Genetics	A			6%		1
1538	<i>TNNI2</i>	Arthrogryposis, distal, type 2B1	Medical Genetics	A			6%		1
1539	<i>FKBP6</i>	Williams syndrome*	Medical Genetics				6%		1
1540	<i>EXTL3</i>	Immunoskeletal dysplasia with neurodevelopmental abnormalities	Medical Genetics				6%		1
1541	<i>EPGS</i>	Vici syndrome	Medical Genetics				6%		1
1542	<i>EZH2</i>	Weaver syndrome	Medical Genetics	A			6%		1
1543	<i>VIPAS39</i>	Arthrogryposis, renal dysfunction, and cholestasis 2	Medical Genetics	A			6%		1
1544	<i>AP3D1</i>	Hermansky-Pudlak syndrome 10	Medical Genetics				6%		1
1545	<i>HDAC8</i>	Cornelia de Lange syndrome 5	Medical Genetics	A			6%		1
1546	<i>ATP6VOA2</i>	Cutis laxa, autosomal recessive, type IIA	Medical Genetics	A			6%		1
1547	<i>NSD1</i>	Sotos syndrome	Medical Genetics	A			6%		1
1548	<i>CCNQ</i>	STAR syndrome	Medical Genetics	A			6%		1
1549	<i>ALDH18A1</i>	Cutis laxa, autosomal recessive, type IIIA	Medical Genetics	A			6%		1
1550	<i>NSDHL</i>	CHILD syndrome	Medical Genetics	A			6%		1
1551	<i>TCTN3</i>	Joubert syndrome 18	Medical Genetics	C			6%		1
1552	<i>GTF2I</i>	Williams syndrome*	Medical Genetics				6%		1
1553	<i>ORC1</i>	Meier-Gorlin syndrome 1	Medical Genetics	A			6%		1
1554	<i>WNT3</i>	Tetra-amelia syndrome 1	Medical Genetics	C			6%		1
1555	<i>TMEM216</i>	Meckel syndrome 2	Medical Genetics	C			6%		1
1556	<i>GTF2H5</i>	Trichothiodystrophy 3, photosensitive	Medical Genetics	C			6%		1
1557	<i>MAGEL2</i>	Schaaf-Yang syndrome	Medical Genetics				6%		1
1558	<i>ODC1</i>	Bachmann-Bupp syndrome	Medical Genetics				6%		1
1559	<i>IQCB1</i>	Senior-Loken syndrome 5	Medical Genetics	A			6%		1
1560	<i>NPAP1</i>	Prader-Willi-Like Syndrome*	Medical Genetics				6%		1
1561	<i>GRIP1</i>	Fraser syndrome 3	Medical Genetics				6%		1
1562	<i>DGCR2</i>	DiGeorge syndrome*	Medical Genetics				6%		1
1563	<i>CREBBP</i>	Rubinstein-Taybi syndrome 1	Medical Genetics	A			6%		1
1564	<i>MYH3</i>	Arthrogryposis, distal, type 2A (Freeman-Sheldon)	Medical Genetics	A			6%		1
1565	<i>ARID1B</i>	Coffin-Siris syndrome 1	Medical Genetics	A			6%		1
1566	<i>SMC1A</i>	Cornelia de Lange syndrome 2	Medical Genetics	A			6%		1
1567	<i>APEX1</i>	Nijmegen breakage syndrome*	Medical Genetics				6%		1
1568	<i>CDSN</i>	Hypotrichosis 2	Medical Genetics	A			6%		1
1569	<i>ROR2</i>	Brachydactyly, type B1	Medical Genetics	A			6%		1
1570	<i>CLTC1</i>	DiGeorge syndrome*	Medical Genetics				6%		1
1571	<i>NDN</i>	Prader-Willi Syndrome*	Medical Genetics				6%		1
1572	<i>MSX2</i>	Parietal foramina 1	Medical Genetics	A			6%		1
1573	<i>MID1</i>	Opitz GBBB syndrome	Medical Genetics				6%		1
1574	<i>TWIST1</i>	Saethre-Chotzen syndrome with or without eyelid anomalies	Medical Genetics	A			6%		1
1575	<i>SEMA3E</i>	CHARGE syndrome*	Medical Genetics				6%		1
1576	<i>FOXC2</i>	Lymphedema-distichiasis syndrome	Medical Genetics	A			6%		1
1577	<i>PIEZ02</i>	Arthrogryposis, distal, type 5	Medical Genetics	A			6%		1
1578	<i>BBS7</i>	Bardet-Biedl syndrome 7	Medical Genetics	A			6%		1
1579	<i>C2CD3</i>	Orofaciodigital syndrome XIV	Medical Genetics				6%		1
1580	<i>SETBP1</i>	Schinzel-Giedion midface retraction syndrome	Medical Genetics	A			6%		1
1581	<i>STR46</i>	Microphthalmia, syndromic 9	Medical Genetics	A			6%		1
1582	<i>ANTXR2</i>	Hyaline fibromatosis syndrome	Medical Genetics	A			6%		1
1583	<i>KCNA1</i>	Episodic ataxia/myokymia syndrome	Neurology	A		30%	6%		1
1584	<i>CEACAM16</i>	Deafness, autosomal dominant 4B	ENT/Dental	C	11		6%		1
1585	<i>P2RX2</i>	Deafness, autosomal dominant 41	ENT/Dental	C	11		6%		1
1586	<i>EY44</i>	Deafness, autosomal dominant 10	ENT/Dental	A	11		6%		1
1587	<i>FLCN</i>	Birt-Hogg-Dube syndrome	Pulmonology	A	10		6%		1
1588	<i>CCN6</i>	Progressive pseudorheumatoid dysplasia	Orthopedics				6%		1
1589	<i>TPM2</i>	Arthrogryposis, distal, type 1A	Orthopedics	A			6%		1
1590	<i>CUL7</i>	3-M syndrome 1	Orthopedics	A			6%		1
1591	<i>FGD1</i>	Aarskog-Scott syndrome	Orthopedics	A			6%		1
1592	<i>DLL3</i>	Spondylocostal dysostosis 1, autosomal recessive	Orthopedics	A			6%		1
1593	<i>GLI3</i>	Grieg cephalopolysyndactyly syndrome	Orthopedics	A			6%		1
1594	<i>OBSL1</i>	3-M syndrome 2	Orthopedics	A			6%		1
1595	<i>DYNC2H1</i>	Short-rib thoracic dysplasia 3 with or without polydactyly	Orthopedics				6%		1
1596	<i>AGPS</i>	Rhizomelic chondrodysplasia punctata, type 3	Orthopedics	C			6%		1
1597	<i>NEK1</i>	Short-rib thoracic dysplasia 6 with or without polydactyly	Orthopedics	C			6%		1
1598	<i>RUNX2</i>	Cleidocranial dysplasia	Orthopedics	A			6%		1
1599	<i>IFT80</i>	Short-rib thoracic dysplasia 2 with or without polydactyly	Orthopedics	C			6%		1
1600	<i>TBX6</i>	Spondylocostal dysostosis 5	Orthopedics				6%		1
1601	<i>SLCO2A1</i>	Hypertrophic osteoarthropathy, primary, autosomal dominant	Orthopedics	A			6%		1
1602	<i>B3GLCT</i>	Peters-plus syndrome	Ophthalmology	A			6%		1
1603	<i>CRB1</i>	Leber congenital amaurosis 8	Ophthalmology				6%		1
1604	<i>RPGRIP1</i>	Leber congenital amaurosis 6	Ophthalmology				6%		1
1605	<i>FOXC1</i>	Anterior segment dysgenesis 3, multiple subtypes	Ophthalmology	A			6%		1
1606	<i>MIP</i>	Cataract 15, multiple types	Ophthalmology				6%		1

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Predicted list inclusion	Observed list inclusion (/26)
								Expert rec.
1607	<i>GJA3</i>	Cataract 14, multiple types	Ophthalmology				6%	1
1608	<i>CRYAA</i>	Cataract 9, multiple types	Ophthalmology				6%	1
1609	<i>CHM</i>	Choroideremia	Ophthalmology		A		6%	1
1610	<i>KIF21A</i>	Fibrosis of extraocular muscles, congenital, 1	Ophthalmology		A		6%	1
1611	<i>ZNF469</i>	Brittle cornea syndrome 1	Ophthalmology		A		6%	1
1612	<i>CRYGD</i>	Cataract 4, multiple types	Ophthalmology				6%	1
1613	<i>CRYBB1</i>	Cataract 17, multiple types	Ophthalmology				6%	1
1614	<i>AIP1</i>	Leber congenital amaurosis 4	Ophthalmology				6%	1
1615	<i>CACNA1F</i>	Night blindness, congenital stationary (incomplete), 2A, X-linked	Ophthalmology		A		6%	1
1616	<i>CNGB3</i>	Achromatopsia 3	Ophthalmology		A		6%	1
1617	<i>CYP4V2</i>	Bietti crystalline corneoretinal dystrophy	Ophthalmology				6%	1
1618	<i>WDR36</i>	Glaucoma 1, open angle, G	Ophthalmology		C		6%	1
1619	<i>CRYBA1</i>	Cataract 10, multiple types	Ophthalmology				6%	1
1620	<i>PITX3</i>	Cataract 11, multiple types	Ophthalmology				6%	1
1621	<i>BFSP2</i>	Cataract 12, multiple types	Ophthalmology				6%	1
1622	<i>CRYBB2</i>	Cataract 3, multiple types	Ophthalmology				6%	1
1623	<i>FAM161A</i>	Retinitis pigmentosa 28	Ophthalmology		A		6%	1
1624	<i>ZNF408</i>	Exudative vitreoretinopathy 6	Ophthalmology				6%	1
1625	<i>MYOC</i>	Glaucoma 1A, primary open angle	Ophthalmology				6%	1
1626	<i>POLA1</i>	Pigmentary disorder, reticulate, with systemic manifestations, X-linked	Ophthalmology				6%	1
1627	<i>CRYGC</i>	Cataract 2, multiple types	Ophthalmology				6%	1
1628	<i>TFAP2A</i>	Branchiooculofacial syndrome	Ophthalmology		A		6%	1
1629	<i>VCAN</i>	Wagner syndrome 1	Ophthalmology		A		6%	1
1630	<i>SPATA7</i>	Leber congenital amaurosis 3	Ophthalmology				6%	1
1631	<i>LRMDA</i>	Albinism, oculocutaneous, type VII	Ophthalmology				6%	1
1632	<i>RCBTB1</i>	Retinal dystrophy with or without extraocular anomalies	Ophthalmology				6%	1
1633	<i>HSF4</i>	Cataract 5, multiple types	Ophthalmology				6%	1
1634	<i>SLC4A11</i>	Corneal endothelial dystrophy, autosomal recessive	Ophthalmology		A		6%	1
1635	<i>GIA8</i>	Cataract 1, multiple types	Ophthalmology				6%	1
1636	<i>SLC27A4</i>	Ichthyosis prematurity syndrome	Dermatology		A		6%	1
1637	<i>RHOH</i>	Epidermodysplasia verruciformis, susceptibility to, 4	Dermatology				6%	1
1638	<i>KRT17</i>	Pachyonychia congenita 2	Dermatology		A		6%	1
1639	<i>TGMS</i>	Peeling skin syndrome 2	Dermatology		A		6%	1
1640	<i>CTNNB1</i>	Pilomatricoma, somatic	Dermatology				6%	1
1641	<i>PORCN</i>	Focal dermal hypoplasia	Dermatology		A		6%	1
1642	<i>KRT6A</i>	Pachyonychia congenita 3	Dermatology		A		6%	1
1643	<i>MBTPS2</i>	IFAP syndrome with or without BRESHECK syndrome	Dermatology		A		6%	1
1644	<i>ALOXE3</i>	Ichthyosis, congenital, autosomal recessive 3	Dermatology		A		6%	1
1645	<i>FLG</i>	Ichthyosis vulgaris	Dermatology		C		6%	1
1646	<i>OSMR</i>	Amyloidosis, primary localized cutaneous, 1	Dermatology		A		6%	1
1647	<i>KIT</i>	Piebaldism	Dermatology		A		6%	1
1648	<i>ALOX12B</i>	Ichthyosis, congenital, autosomal recessive 2	Dermatology		A		6%	1
1649	<i>KRT16</i>	Pachyonychia congenita 1	Dermatology		A		6%	1
1650	<i>ABCA12</i>	Ichthyosis, congenital, autosomal recessive 4A	Dermatology		A		6%	1
1651	<i>CFAP298</i>	Ciliary dyskinesia, primary, 26	Pulmonology			9	6%	1
1652	<i>SGCD</i>	Muscular dystrophy, limb-girdle, autosomal recessive 6	Neurology		A	5	6%	1
1653	<i>MGP</i>	Keutel syndrome	Cardiovascular		A		6%	1
1654	<i>EPHX2</i>	Hypercholesterolemia, familial, due to LDLR defect, modifier of	Cardiovascular				6%	1
1655	<i>CITED2</i>	Ventricular septal defect 2	Cardiovascular		C		6%	1
1656	<i>CBLN2</i>	Pulmonary hypertension*	Cardiovascular				6%	1
1657	<i>TBX20</i>	Atrial septal defect 4	Cardiovascular		C		6%	1
1658	<i>EIF2AK4</i>	Pulmonary venoocclusive disease 2	Cardiovascular				6%	1
1659	<i>USF1</i>	Hyperlipidemia, familial combined, susceptibility to	Cardiovascular				6%	1
1660	<i>NOTCH1</i>	Aortic valve disease 1	Cardiovascular		C		6%	1
1661	<i>CYP7A1</i>	Hypercholesterolemia due to cholesterol 7alpha-hydroxylase deficiency	Cardiovascular		C		6%	1
1662	<i>ABCA1</i>	HDL deficiency, familial, 1	Cardiovascular				6%	1
1663	<i>ADAMTSL2</i>	Geleophysic dysplasia 1	Cardiovascular		A		6%	1
1664	<i>PRKAG3</i>	Skeletal muscle glycogen content and metabolism QTL	Cardiovascular				6%	1
1665	<i>TRIM37</i>	Mulibrey nanism	Cardiovascular		A		6%	1
1666	<i>HTRA1</i>	CARASIL syndrome	Cardiovascular		A		6%	1
1667	<i>HAND1</i>	Congenital heart disease	Cardiovascular				6%	1
1668	<i>TRPM4</i>	Progressive familial heart block, type IB	Cardiovascular		A		6%	1
1669	<i>CBL</i>	Noonan syndrome-like disorder with or without juvenile myelomonocytic	Cardiovascular		A		6%	1
1670	<i>FOXH1</i>	Congenital heart defects*	Cardiovascular		C		6%	1
1671	<i>SLC2A10</i>	Arterial tortuosity syndrome	Cardiovascular		A		6%	1
1672	<i>APOA2</i>	Hypercholesterolemia, familial, modifier of	Cardiovascular				6%	1
1673	<i>PLOD1</i>	Ehlers-Danlos syndrome, kyphoscoliotic type, 1	Cardiovascular		A		6%	1
1674	<i>PPP1R17</i>	Hypercholesterolemia, susceptibility to	Cardiovascular				6%	1
1675	<i>SMAD6</i>	Aortic valve disease 2	Cardiovascular		C		6%	1
1676	<i>MAP2K2</i>	Cardiofaciocutaneous syndrome 4	Cardiovascular		A		6%	1
1677	<i>BMPR1B</i>	Pulmonary hypertension	Cardiovascular				6%	1
1678	<i>HARS2</i>	Perrault syndrome 2	ENT/Dental		C	10	6%	1
1679	<i>NOG</i>	Symphalangism, proximal, 1A	ENT/Dental		A		6%	1

Rank	Gene	Disorder	Clinical area	RUSP	BabySeq category	ASQM score (/15)	Expert rec.	Predicted list inclusion	Observed list inclusion (/26)
1680	<i>COL4A6</i>	Deafness, X-linked 6	ENT/Dental					6%	1
1681	<i>CLIC5</i>	Deafness, autosomal recessive 103	ENT/Dental					6%	1
1682	<i>AMELX</i>	Amelogenesis imperfecta, type 1E	ENT/Dental		A			6%	1
1683	<i>PNPT1</i>	Deafness, autosomal recessive 70, with or without adult-onset neurodegeneration	ENT/Dental					6%	1
1684	<i>HOMER2</i>	Deafness, autosomal dominant 68	ENT/Dental					6%	1
1685	<i>IRF6</i>	van der Woude syndrome 1	ENT/Dental		A			6%	1
1686	<i>DCDC2</i>	Deafness, autosomal recessive 66	ENT/Dental					6%	1
1687	<i>RIPOR2</i>	Deafness, autosomal recessive 104	ENT/Dental					6%	1
1688	<i>MET</i>	Deafness, autosomal recessive 97	ENT/Dental					6%	1
1689	<i>CRYM</i>	Deafness, autosomal dominant 40	ENT/Dental					6%	1
1690	<i>ELMOD3</i>	Deafness, autosomal recessive 88	ENT/Dental					6%	1
1691	<i>EFTUD2</i>	Mandibulofacial dysostosis, Guion-Almeida type	ENT/Dental		A			6%	1
1692	<i>BAX</i>	Colorectal cancer, somatic	Oncology					6%	1
1693	<i>NUP214</i>	Leukemia, acute myeloid, somatic	Oncology					6%	1
1694	<i>FLT3</i>	Leukemia, acute lymphoblastic, somatic	Oncology					6%	1
1695	<i>BCR</i>	Leukemia, chronic myeloid, Philadelphia chromosome positive, somatic	Oncology					6%	1
1696	<i>TAL2</i>	Leukemia, T-cell acute lymphocytic, somatic	Oncology					6%	1
1697	<i>FBP2</i>	Leukodystrophy, childhood-onset, remitting	Oncology					6%	1
1698	<i>GNB1</i>	Leukemia, acute lymphoblastic, somatic	Oncology					6%	1
1699	<i>WRN</i>	Werner syndrome	Oncology		A			6%	1
1700	<i>MC1R</i>	Melanoma, cutaneous malignant, 5	Oncology					6%	1
1701	<i>TAL1</i>	Leukemia, T-cell acute lymphocytic, somatic	Oncology					6%	1
1702	<i>CALR</i>	Myelofibrosis, somatic	Oncology					6%	1
1703	<i>PRNP</i>	Creutzfeldt-Jakob disease	Neurology			7		6%	1
1704	<i>MYLK2</i>	Cardiomyopathy, hypertrophic, 1, digenic	Cardiovascular	C	5			6%	1
1705	<i>MYLK</i>	Aortic aneurysm, familial thoracic 7	Cardiovascular	B	10			6%	1
1706	<i>LARS2</i>	Perrault syndrome 4	ENT/Dental	C	10			5%	1
1707	<i>SNTA1</i>	Long QT syndrome 12	Cardiovascular	B	6			5%	1
1708	<i>SLC17A8</i>	Deafness, autosomal dominant 25	ENT/Dental			10		5%	1
1709	<i>OSBPL2</i>	Deafness, autosomal dominant 67	ENT/Dental			10		5%	1
1710	<i>IL12RB1</i>	Immunodeficiency 30	Immunology				26%	5%	1
1711	<i>ACD</i>	Dyskeratosis congenita, autosomal dominant 6	Hematology					5%	1
1712	<i>RPS15</i>	Diamond-Blackfan anemia*	Hematology		A			5%	1
1713	<i>CDIN1</i>	Dyserythropoietic anemia, congenital, type Ib	Hematology		C			5%	1
1714	<i>GLRX5</i>	Anemia, sideroblastic, 3, pyridoxine-refractory	Hematology					5%	1
1715	<i>EPB41</i>	Elliptocytosis-1	Hematology					5%	1
1716	<i>ATRX</i>	Alpha-thalassemia/impaired intellectual development syndrome	Hematology		A			5%	1
1717	<i>SH2B3</i>	Erythrocytosis, somatic	Hematology					5%	1
1718	<i>HSPA9</i>	Anemia, sideroblastic, 4	Hematology					5%	1
1719	<i>RPL9</i>	Diamond-Blackfan anemia*	Hematology					5%	1
1720	<i>ANKRD26</i>	Thrombocytopenia 2	Hematology		A			5%	1
1721	<i>SEC23B</i>	Dyserythropoietic anemia, congenital, type II	Hematology					5%	1
1722	<i>KLF1</i>	Dyserythropoietic anemia, congenital, type IV	Hematology		C			5%	1
1723	<i>ERCC6L2</i>	Bone marrow failure syndrome 2	Hematology					5%	1
1724	<i>MCFD2</i>	Factor V and factor VIII, combined deficiency of	Hematology		A			5%	1
1725	<i>CYB5R3</i>	Methemoglobinemia, type I	Hematology					5%	1
1726	<i>THPO</i>	Thrombocytopenia 1	Hematology					5%	1
1727	<i>SLC40A1</i>	Hemochromatosis, type 4	Hematology			9	32%	4%	1
1728	<i>DIABLO</i>	Deafness, autosomal dominant 64	ENT/Dental	C	7			4%	1
1729	<i>GNE</i>	Nonaka myopathy	Neurology		A		25%	4%	1
1730	<i>MCIDAS</i>	Ciliary dyskinesia, primary, 42	Pulmonology			9		4%	1
1731	<i>ODAD4</i>	Ciliary dyskinesia, primary, 35	Pulmonology			9		4%	1
1732	<i>RSPH3</i>	Ciliary dyskinesia, primary, 32	Pulmonology			9		4%	1
1733	<i>GAS8</i>	Ciliary dyskinesia, primary, 33	Pulmonology			9		4%	1
1734	<i>DNAL1</i>	Ciliary dyskinesia, primary, 16	Pulmonology	C	9			4%	1
1735	<i>SMAD9</i>	Pulmonary hypertension, primary, 2	Cardiovascular	C	5			4%	1
1736	<i>CSF2RA</i>	Surfactant metabolism dysfunction, pulmonary, 4	Pulmonology	A	10			4%	1
1737	<i>APOE</i>	Hyperlipoproteinemia, type III	Cardiovascular	C			21%	3%	1
1738	<i>CTNNA3</i>	Arrhythmogenic right ventricular dysplasia 13	Cardiovascular			6		3%	1
1739	<i>ACTN1</i>	Bleeding disorder, platelet-type, 15	Hematology	A	2			3%	1
1740	<i>NAGA</i>	Schindler disease	Metabolism	A	5			3%	1
1741	<i>DBH</i>	Orthostatic hypotension 1, due to DBH deficiency	Cardiovascular	C		18%	3%	1	
1742	<i>SPTLC1</i>	Neuropathy, hereditary sensory and autonomic, type IA	Neurology	A		18%	3%	1	
1743	<i>BLK</i>	Maturity-onset diabetes of the young, type 11	Endocrinology		5			3%	1
1744	<i>TMEM127</i>	Pheochromocytoma, susceptibility to	Oncology			8		3%	1
1745	<i>CCNO</i>	Ciliary dyskinesia, primary, 29	Pulmonology			9		2%	1
1746	<i>NME8</i>	Ciliary dyskinesia, primary, 6	Pulmonology	C	8			2%	1
1747	<i>FOXJ1</i>	Ciliary dyskinesia, primary, 43	Pulmonology					2%	1
1748	<i>DNAH9</i>	Ciliary dyskinesia, primary, 40	Pulmonology					2%	1
1749	<i>ITGA3</i>	Epidermolysis bullosa, junctional 7, with interstitial lung disease and neoplasia	Pulmonology		C			2%	1
1750	<i>CFAP300</i>	Ciliary dyskinesia, primary, 38	Pulmonology					2%	1

Notes: This list of genes is sorted by (1) observed list inclusion and (2) predicted list inclusion. Predicted list inclusion is the average of a linear regression prediction and a random forest prediction, and is based on variables including clinical category, penetrance, age of onset, evidence base, acceptability and efficacy of treatment, disease severity, existence of an orthogonal test, and expert recommendation proportion. The gene-disease pairs which are not listed on OMIM or Clingen are denoted with an asterix.

References

Ceyhan-Birsoy, Ozge, Kalotina Machini, Matthew S Lebo, Tim W Yu, Pankaj B Agrawal, Richard B Parad, Ingrid A Holm, Amy McGuire, Robert C Green, Alan H Beggs et al., “A curated gene list for reporting results of newborn genomic sequencing,” *Genetics in Medicine*, 2017, 19 (7), 809–818.

Gold, Nina B., Sophia M. Adelson, Nidhi Shah, Shardae Williams, Sarah L. Bick, Emilie S. Zoltick, Jessica I. Gold, Alanna Strong, Rebecca Ganetzky, Amy E. Roberts, Melissa Walker, Alexander M. Holtz, Vijay G. Sankaran, Ottavia Delmonte, Weizhen Tan, Ingrid A. Holm, Jay R. Thiagarajah, Junne Kamihara, Jason Comander, Emily Place, Janey Wiggs, and Robert C. Green, “Perspectives of Rare Disease Experts on Newborn Genome Sequencing,” *JAMA Network Open*, 05 2023, 6 (5), e2312231–e2312231.

Milko, Laura V, Julianne M O'Daniel, Daniela M DeCristo, Stephanie B Crowley, Ann Katherine M Foreman, Kathleen E Wallace, Lonna F Mollison, Natasha T Strande, Zahra S Girnary, Lacey J Boshe et al., “An age-based framework for evaluating genome-scale sequencing results in newborn screening,” *The Journal of pediatrics*, 2019, 209, 68–76.