

Supplemental Data 1

Table S1. Rare sequence variants identified in patients with young-onset sporadic pituitary macroadenomas

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>AIP</i> (NM_003977.3)	8215	F	19-30	GH	20	c.158_165delGCCGGGCT, p.Ser53ThrfsTer36	Frameshift deletion	0	0	LP (PVS1, PM2)	37149543*
	7879	M	19-30	GH	26	c.241C>T, p.Arg81Ter	Nonsense	0	0	P (PVS1, PM2, PS4)	18381572, 37149543*
	7329	M	≤18	GH/PRL	14	c.343delC, p.Leu115TrpfsTer41	Frameshift deletion	0	0	LP (PVS1, PM2)	30851160, 37149543*
	8458	M	19-30	GH/PRL	22	c.695C>T, Pro232Leu	Missense	0.000025	0	VUS (PM2)	-
	7632	F	19-30	GH	25	c.736G>T, p.Glu246Ter	Nonsense	0	0	LP (PVS1, PM2)	37149543*
	8092	F	19-30	GH	>10	c.753G>A, p.Leu251Leu	Synonymous	0.000171	0.0034	LB (BP6, BP7)	26792934
	8343	F	19-30	GH	>10	c.753G>A, p.Leu251Leu	Synonymous	0.000171	0.0034	LB (BP6, BP7)	26792934
	7995	F	19-30	PRL	12	c.896C>T, p.Ala299Val	Missense	0.000544	0	VUS (BP6)	17360484
	8079	F	31-40	ACTH	14	c.896C>T, p.Ala299Val	Missense	0.000544	0	VUS (BP6)	17360484
	8158	F	31-40	ACTH	14	c.896C>T, p.Ala299Val	Missense	0.000544	0	VUS (BP6)	17360484
	8182	F	19-30	PRL	15	c.896C>T, p.Ala299Val	Missense	0.000544	0	VUS (BP6)	17360484
<i>CABLES1</i> (NM_001100619.2)	8462	M	19-30	Non-functioning	>10	c.17C>G, p.Ala6Gly	Missense	0	0	VUS (PM2, BP4)	-
	7637	F	19-30	GH	34	c.19G>C, p.Ala7Pro	Missense	0	0	VUS (PM2, BP4)	-
	8163	M	19-30	GH	29	c.19G>C, p.Ala7Pro	Missense	0	0	VUS (PM2, BP4)	-
	7813	F	31-40	GH	40	c.440C>T, p.Pro147Leu	Missense	0.000159	0.0017	VUS (PM2, BP4)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
CDH23 (NM_022124.5)	7703	M	31-40	Non- functioning	30	c.1050A>G, p.Ile350Met	Missense	0.000004	0	VUS (PM2, BP4)	-
	8215	F	19-30	GH	20	c.1260C>T, p.Ser420Ser	Synonymous	0.000064	0.0034	VUS (PM2)	-
	8054	F	31-40	PRL	29	c.1262C>G, p.Ser421Cys	Missense	0.000004	0	VUS (PM2)	-
	7820	F	31-40	PRL	20	c.415G>A, p.Val139Ile	Missense	0.000082	0.0034	VUS (PM2)	24416283
	7804	M	31-40	GH	17	c.535G>A, p.Ala179Thr	Missense	0.000020	0	LB (PM2, BP4, BP6)	30033219
	6905	M	≤18	GH/PRL	>10	c.1122G>T, p.Val374Val	Synonymous	0.000028	0	LB (PM2, BP6, BP7)	-
	7686	M	19-30	Non- functioning	>10	c.1122G>T, p.Val374Val	Synonymous	0.000028	0	LB (PM2, BP6, BP7)	-
	7826	M	≤18	PRL	>10	c.1450-10G>A	Intronic	0.000053	0	LB (PM2, BP4, BP6)	-
	7631	M	19-30	GH	30	c.1672G>A, p.Val558Met	Missense	0.000107	0	VUS (PM2, BP4)	-
	7833	M	19-30	PRL	24	c.1963G>A, p.Val655Ile	Missense	0.000085	0.0017	VUS (PM2)	-
	7959	M	31-40	FSH/LH	23	c.2836G>A, p.Val946Met	Missense	0.000016	0	VUS (PM2)	-
	8215	F	19-30	GH	20	c.2836G>A, p.Val946Met	Missense	0.000016	0	VUS (PM2)	-
	7827	M	19-30	GH/PRL	11	c.3231T>G, p.Pro1077Pro	Synonymous	0.000122	0	LB (PM2, BP6, BP7)	12075507
	7853	F	19-30	PRL	10	c.3739C>T, p.Arg1247Cys	Missense	0.000207	0	VUS (PM2)	-
	8259	F	19-30	GH	>10	c.3852G>A, p.Ser1284Ser	Synonymous	0.000143	0	LB (BS1, BP6, BP7)	-
	7878	M	31-40	Undefined	16	c.3986G>A, p.Gly1329Asp	Missense	0.000300	0	VUS (PP3)	-
	8130	F	31-40	ACTH	14	c.4359+9C>A	Intronic	0.000032	0	VUS (PM2, BP6)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
	7986	M	19-30	PRL	40	c.4582G>A, p.Glu1528Lys	Missense	0.000132	0	VUS (PM2, BP4)	-
	8130	F	31-40	ACTH	14	c.4621G>A, p.Val1541Met	Missense	0.000101	0	VUS	25257991
	8204	M	31-40	GH	>10	c.4780C>T, p.Arg1594Cys	Missense	0.000121	0	VUS (PM2, PP3)	-
	7889	M	31-40	PRL	>40	c.5050C>T, p.Arg1684Cys	Missense	0.000453	0	VUS (BP4)	-
	7745	F	31-40	Non-functioning	22	c.5277G>A, p.Pro1759Pro	Synonymous	0.000020	0	LB (PM2, BP6, BP7)	-
	7868	F	31-40	GH	18	c.5626A>G, p.Ser1876Gly	Missense	0	0	VUS (PM2, BP4)	-
	7986	M	19-30	PRL	40	c.5685C>T, p.Arg1895Arg	Synonymous	0.000008	0	LB (PM2, BP6, BP7)	19375528
	8204	M	31-40	GH	>10	c.6168C>T, p.Leu2056Leu	Synonymous	0.000103	0	LB (PM2, BP6, BP7)	-
	7893	F	31-40	Non-functioning	22	c.6264C>A, p.Val2088Val	Synonymous	0.000020	0	LB (PM2, BP6, BP7)	-
	8152	F	19-30	GH	>10	c.6678C>T, p.Asn2226Asn	Synonymous	0.000106	0	LB (PM2, BP6, BP7)	-
	7837	M	31-40	PRL	33	c.6713-8G>A	Intronic	0.000517	0	LB (BS1, BP4, BP6)	28912962
	7791	M	19-30	GH	25	c.7558G>A, p.Glu2520Lys	Missense	0	0	LP (PS4, PM2, PP3, PP5)	32467589
	7792	M	≤18	TSH	10	c.8167G>C, p.Val2723Leu	Missense	0.000346	0	LB (BS1, BP4, BP6)	22607986
	7632	F	19-30	GH	25	c.8328C>T, p.Asn2776Asn	Synonymous	0	0	VUS (PM2)	-
	7884	F	19-30	GH	18	c.8407G>A, p.Val2803Ile	Missense	0.000129	0	VUS (BP4)	-
	7904	F	19-30	PRL	>10	c.8577C>T, p.Ala2859Ala	Synonymous	0.000019	0	LB (PM2, BP6, BP7)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>CDKN1B</i> (NM_004064.4)	8023	M	31-40	FSH/LH	31	c.8914G>A, p.Glu2972Lys	Missense	0.000050	0	VUS (PM2, BP4)	-
	8471	M	19-30	PRL	47	c.9012T>G, p.Phe3004Leu	Missense	0	0	VUS (PM2)	-
	8014	F	19-30	PRL	14	c.9076C>T, p.Arg3026Trp	Missense	0.000007	0	VUS (PM2)	-
	7688	F	19-30	PRL	12	c.9078G>C, p.Arg3026Arg	Synonymous	0.000004	0	VUS (PM2)	29048421
	7791	M	19-30	GH	25	c.9750T>C, p.Thr3250Thr	Synonymous	0.000025	0	LB (PM2, BP6, BP7)	-
	7634	F	19-30	GH	>10	c.9775C>T, p.His3259Tyr	Missense	0.000012	0	VUS (PM2, BP4)	-
	8331	M	31-40	PRL	69	c.9983G>A, p.Arg3328His	Missense	0.000105	0	LB (PM2, BS2, PP3, BP6)	-
	7837	M	31-40	PRL	33	c.10026C>T, p.Asp3342Asp	Synonymous	0.000549	0	LB (BS1, BP6, BP7)	28912962
	7636	M	19-30	Non-functioning	33	c.471C>A, p.Thr157Thr	Synonymous	0.000026	0	LB (PM2, BP6, BP7)	-
	8044	F	31-40	PRL	11	c.492C>T, p.Asn164Asn	Synonymous	0.000028	0.0017	LB (PM2, BP6, BP7)	-
<i>CDKN2B</i> (NM_004936.4)	7689	F	≤18	GH	>10	c.589C>A, p.Gln197Lys	Missense	0.000012	0	VUS (PM2, BP1)	-
	7689	F	≤18	GH	>10	c.115G>A, p.Asp39Asn	Missense	0.000049	0	VUS (PM2, BP4)	-
<i>DICER1</i> (NM_177438.3)	7911	M	31-40	Undefined	>10	c.21A>G, p.Gln7Gln	Synonymous	0.000008	0	LB (PM2, BP6, BP7)	-
	8243	F	31-40	ACTH	10	c.179C>T, p.Thr60Ile	Missense	0.000050	0	VUS (PM2, PP2, BP6)	29399970
	7889	M	31-40	PRL	>40	c.1124C>G, p.Pro375Arg	Missense	0.000329	0.0017	VUS (PM2, PP2, BP6)	29474644

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
GNAS (NM_000516.7)	8177	M	31-40	PRL	14	c.1124C>G, p.Pro375Arg	Missense	0.000329	0.0017	VUS (PM2, PP2, BP6)	29474644
	7680	F	≤18	PRL	12	c.1293G>A, p.Glu431Glu	Synonymous	0.000004	0	LB (PM2, BP6, BP7)	-
	7992	M	19-30	PRL	28	c.2337A>G, p.Thr779Thr	Synonymous	0.000046	0	LB (PM2, BP6, BP7)	29399970
	7971	F	19-30	GH/PRL/FSH	40	c.5184C>A, p.Ser1728Ser	Synonymous	0.000004	0	LB (PM2, BP6, BP7)	-
	7678	F	19-30	PRL	12	c.5504A>G, p.Tyr1835Cys	Missense	0.000080	0.0017	VUS (PM2, PP2, PP3, BP6)	-
	8342	F	31-40	ACTH	15	c.5550C>G, p.Pro1850Pro	Synonymous	0.000004	0	LB (PM2, PP2, BP4, BP6)	-
	7675	M	19-30	Non- functioning	40	c.18C>T, p.Asn6Asn	Synonymous	0.000162	0	LB (PM2, BP6, BP7)	-
	7685	F	31-40	GH	>10	c.136C>T, p.Leu46Leu	Synonymous	0.000048	0	LB (PM2, BP6, BP7)	-
	8195	F	31-40	GH	>10	c.892G>A, p.Val298Ile	Missense	0.000483	0	LB (PM2, BS2, BP4, BP6)	-
	8195	F	31-40	GH	>10	c.1170C>G, p.Pro390Pro	Synonymous	0.000006	0	VUS (PM2, BP7)	-
MAX (NM_002382.5)	8115	F	19-30	Non- functioning	13	c.*7C>T	3' UTR	0.000375	0	LB (BP6, BP7)	-
MEN1 (NM_130799.2)	7850	M	31-40	GH/PRL	60	c.548G>A, p.Trp183Ter	Nonsense	0	0	P (PVS1, PS4, PP5, PM2)	9215690
	7971	F	19-30	GH/PRL/TSH	40	c.940_945delCGGGAT, p.Arg314_Asp315del	In-frame deletion	0	0	LP (PM1, PM2, PM4)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>MLH1</i> (NM_000249.4)	8330	F	19-30	ACTH	11	c.1080C>T, p.Ile360Ile	Synonymous	0.000110	0	LB (PM2, BP6, BP7)	-
	8126	F	31-40	GH	22	c.1608G>A, p.Gln536Gln	Synonymous	0.000008	0	LB (PM2, BP6, BP7)	-
	7968	M	31-40	PRL	18	c.198C>T, p.Thr66Thr	Synonymous	0.000290	0	LB (PM2, BP6, BP7)	9833759
	7920	M	≤18	ACTH	41	c.977T>C, p.Val326Ala	Missense	0.000463	0	VUS (PM2, BS2, PM5, PP3, BP6)	8592341
	8095	F	31-40	Non- functioning	40	c.1217G>A, p.Ser406Asn	Missense	0.000903	0.0017	VUS (PM2, BP6)	9087566
	7873	F	19-30	PRL	13	c.1808C>G, p.Pro603Arg	Missense	0.000156	0	VUS (PM2, PP3, BP6)	11726306
<i>MSH2</i> (NM_000251.3)	7764	F	31-40	PRL	30	c.725A>C, p.Asn242Thr	Missense	0	0	VUS (PM2, PP3)	-
	8218	M	31-40	Non- functioning	25	c.843A>T, p.Ser281Ser	Synonymous	0.000032	0	LB (PM2, BP6, BP7)	-
	7949	M	31-40	GH	25	c.972G>A, p.Gln324Gln	Synonymous	0.000076	0.0017	LB (BP6, BP7)	10777691
	7642	F	19-30	PRL	>10	c.1571G>A, p.Arg524His	Missense	0.000011	0	LP (PM2, PM5, PP3)	29659569
<i>MSH6</i> (NM_000179.3)	7728	F	31-40	PRL	12	c.818G>T, p.Gly273Val	Missense	0.000004	0.0017	VUS (PM2, BP6)	33827469
	7814	F	≤18	PRL	12	c.840T>C, p.Ser280Ser	Synonymous	0.000004	0	LB (PM2, BP6, BP7)	-
	7934	F	31-40	PRL	>10	c.3015A>G, p.Arg1005Arg	Synonymous	0.000032	0	LB (PM2, BP6, BP7)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
NF1 (NM_000267.3)	8128	M	31-40	ACTH	10	c.3024C>T, p.Thr1008Thr	Synonymous	0.000057	0	LB (PM2, BP6, BP7)	-
	7805	F	19-30	Non- functioning	35	c.3260C>A, p.Pro1087His	Missense	0.000099	0	VUS (PP3, BP6)	27398995
	7684	F	19-30	PRL	12	c.3283C>T, p.Arg1095Cys	Missense	0.000081	0	VUS (PM2, PP3, BP6)	28531214
	7845	F	31-40	GH	>10	c.3852G>A, p.Thr1284Thr	Synonymous	0.000053	0.0034	LB (PM2, BP6, BP7)	14574004
	8340	F	31-40	ACTH	>10	c.3961A>G, p.Arg1321Gly	Missense	0.000139	0	VUS (PM2, PP3, BP6)	16940983
	7703	M	31-40	Non- functioning	30	c.3994T>C, p.Leu1332Leu	Synonymous	0	0	VUS (PM2, BP7)	-
	8278	M	31-40	FSH/LH	41	c.4002-10T>A	Intronic	0.000257	0	LB (PM2, BP4, BP6)	21056691
	8342	F	31-40	ACTH	15	c.4062G>T, p.Leu1354Leu	Synonymous	0.000020	0	LB (PM2, BP6, BP7)	-
	7827	M	19-30	GH/PRL	11	c.1176A>G, p.Gln392Gln	Synonymous	0.000021	0	LB (PM2, BP6, BP7)	-
	7637	F	19-30	GH	34	c.1186-4A>G	Intronic	0.000033	0	LB (PM2, BP4, BP6)	-
	8093	F	31-40	GH	22	c.1599C>G, p.Val533Val	Synonymous	0.000156	0.0017	LB (BS2, BP6, BP7)	-
	8195	F	31-40	GH	>10	c.1599C>G, p.Val533Val	Synonymous	0.000156	0.0017	LB (BS2, BP6, BP7)	-
	7770	M	31-40	GH	>10	c.3468C>T, p.Asn1156Asn	Synonymous	0.000700	0.0050	B (BS1, BP6)	23460398
	8199	F	31-40	PRL	>10	c.3468C>T, p.Asn1156Asn	Synonymous	0.000700	0.0050	B (BS1, BP6)	23460398

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>PMS2</i> (NM_000535.7)	7632	F	19-30	GH	25	c.4686A>G, p.Glu1562Glu	Synonymous	0.000227	0	LB (PM2, BP6, BP7)	21354044
	8115	F	19-30	Non- functioning	13	c.5694G>A, p.Glu1898Glu	Synonymous	0.000127	0	LB (PM2, BP6, BP7)	33673681
	8319	F	19-30	GH	>10	c.7347T>C, p.Asn2449Asn	Synonymous	0.000205	0	B (BS1, BP6, BP7)	-
	7958	M	31-40	GH	>40	c.7978A>G, p.Ile2660Val	Missense	0.000173	0	LB (PM2, PP2, BP4, BP6)	16944272
	7675	M	19-30	Non- functioning	40	c.8044C>T, p.Leu2682Leu	Synonymous	0	0	LB (PM2, BP6, BP7)	-
	8131	F	19-30	Non- functioning	22	c.255G>A, p.Leu85Leu	Synonymous	0.000182	0	LB (PM2, BP6, BP7)	-
	7850	M	31-40	GH/PRL	60	c.383C>T, p.Ser128Leu	Missense	0.000673	0	B (BA1, BP6)	20205264
	7850	M	31-40	GH/PRL	60	c.830C>A, p.Thr277Lys	Missense	0.000417	0	B (BS1, BP6)	17417778
	7835	F	19-30	GH	15	c.831G>A, p.Thr277Thr	Synonymous	0.000088	0	LB (PM2, BP6, BP7)	-
	8072	M	31-40	GH	>10	c.1004A>G, p.Asn335Ser	Missense	0.000273	0	LP (PP3, PM2, BP6)	24549055
	8094	F	31-40	PRL	31	c.1004A>G, p.Asn335Ser	Missense	0.000273	0	LP (PP3, PM2, BP6)	24549055
	8095	F	31-40	Non- functioning	40	c.1004A>G, p.Asn335Ser	Missense	0.000273	0	LP (PP3, PM2, BP6)	24549055
	7648	M	19-30	PRL	>20	c.1458delC, p.Asp486GlufsTer109	Frameshift deletion	0	0	LP (PVS1, PM2)	-
	7833	M	19-30	PRL	24	c.1533G>A, p.Thr511Thr	Synonymous	0.000088	0	LB (PM2, BP6, BP7)	31159747

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>PRKAR1A</i> (NM_002734.5)	7633	F	19-30	GH	>10	c.1560G>C, p.Ala520Ala	Synonymous	0	0	LB (PM2, BP6, BP7)	-
	8198	M	31-40	PRL	39	c.101C>G, p.Ser34Cys	Missense	0.000007	0	VUS (PM2, PP2)	-
	7868	F	31-40	GH	18	c.156A>G, p.Glu52Glu	Synonymous	0.000207	0	LB (PM2, BP6, BP7)	-
	7827	M	19-30	GH/PRL	11	c.221G>A, p.Arg74His	Missense	0.000393	0.0084	B (PM5, PP2, BS1, BP6)	29264456
<i>RET</i> (NM_020975.4)	7839	M	19-30	Non-functioning	17	c.662T>A, p.Val221Glu	Missense	0	0	VUS (PM2, PP2, PP3)	-
	8014	F	19-30	PRL	14	c.96G>A, p.Ser32Ser	Synonymous	0.000033	0	LB (PM2, BP6, BP7)	22174939
	8078	M	31-40	PRL	20	c.785T>C, p.Val262Ala	Missense	0.000248	0	VUS (PM2, PP3, BP6)	11955539
	8253	M	≤18	PRL	26	c.1063+9G>A	Intronic	0.000134	0	VUS (PM2, BP6)	7704557
	8051	M	≤18	PRL	47	c.1462A>T, p.Thr488Ser	Missense	0.000021	0.0017	VUS (PM2, BP6)	25425582
	8298	M	31-40	Non-functioning	20	c.1529C>T, p.Ala510Val	Missense	0.000248	0.0017	B (BS1, BP6)	20103606
	7850	M	31-40	GH/PRL	60	c.1942G>A, p.Val648Ile	Missense	0.000100	0.0050	VUS (PM2, BP6)	12466368
	7643	M	19-30	Non-functioning	>10	c.2052G>A, p.Pro684Pro	Synonymous	0.000241	0.0017	LB (BP6, BP7)	28946813
	8057	F	31-40	Non-functioning	20	c.3139C>T, p.Pro1047Ser	Missense	0	0	VUS (PM2, BP6)	-
	8215	F	19-30	GH	20	c.1242C>T, p.Pro414Pro	Synonymous	0.000024	0	LB (PM2, BP6, BP7)	-
<i>SDHA</i> (NM_004168.3)	7862	F	≤18	PRL	10	c.1409G>A, p.Ser470Asn	Missense	0.000004	0	VUS (PM2, BP4)	-

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
	7934	F	31-40	PRL	>10	c.1569T>C, p.Ala523Ala	Synonymous	0.000251	0	LB (PM2, BP6, BP7)	17376234
	7685	F	31-40	GH	>10	c.1929C>T, p.Pro643Pro	Synonymous	0.000021	0	LB (PM2, BP6, BP7)	-
<i>SDHAF2</i> (NM_017841.2)	8130	F	31-40	ACTH	14	c.424G>C, p.Asp142His	Missense	0	0	VUS (PM2)	-
	8092	F	31-40	GH	27	c.496C>T, p.Arg166Cys	Missense	0.000039	0	VUS (PM2)	-
<i>SDHB</i> (NM_003000.3)	7839	M	19-30	Non- functioning	17	c.138A>G, p.Arg46Arg	Synonymous	0.000004	0	LB (PM2, BP6, BP7)	-
	7887	F	19-30	PRL	20	c.379A>C, p.Ile127Leu	Missense	0.000004	0	LP (PM1, PM2, PM5, PP2, PP3)	23083876
<i>SDHC</i> (NM_003001.5)	8430	M	31-40	PRL	45	c.179+10G>A	Intronic	0.000346	0	B (BS1, BS2, BP6)	-
<i>SDHD</i> (NM_003002.3)	8259	F	19-30	GH	>10	c.282C>G, p.Ser94Ser	Synonymous	0.000036	0	LB (PM2, BP6, BP7)	32688340
<i>TP53</i> (NM_000546.6)	8164	F	31-40	PRL	>10	c.31G>A, p.Glu11Lys	Missense	0.000007	0	LB (BS3, PM2, BP6)	30352134
	7674	F	31-40	GH	>10	c.319T>C, p.Tyr107His	Missense	0.000120	0	B (BS1, BS3, BP6)	25896519
	6907	M	≤18	GH/TSH	>10	c.467G>A, p.Arg156His	Missense	0.000016	0	VUS (BS3, PM2, PM5)	9667734
	6907	M	≤18	GH/TSH	>10	c.582T>C, p.Leu194Leu	Synonymous	0.000008	0	LB (PM2, BP6, BP7)	11454518
	8245	F	≤18	PRL	15	c.642T>G, p.His214Gln	Missense	0.000032	0	VUS (PM2, PM5, BP6)	23259501

Gene (transcript)	Patient number (id)	Sex	Age at diagnosis (yr)	Type of adenoma (hormones produced)	Size of adenoma (mm)	Variant (nucleotide change, protein change) (a)	Effect	Allele frequency in GnomAD	Allele frequency in Portuguese controls	ACMG classification (criteria) (b)	Previous report (PMID)
<i>USP8</i> (NM_005154.5)	8079	F	31-40	ACTH	14	c.845G>A, p.Arg282Gln	Missense	0.000004	0	LP (BS3, PM2, PM5, PM1, PP3, PP5)	10864200
	8360	F	19-30	PRL	15	c.869G>A, p.Arg290His	Missense	0.000152	0	B (BS3, PM2, PM5, BP6)	8829653
	7868	F	31-40	GH	18	c.498+9A>G	Intronic	0.000026	0	VUS (PM2, BP4)	-
	7889	M	31-40	PRL	>40	c.498+9A>G	Intronic	0.000026	0	VUS (PM2, BP4)	-
	7656	M	19-30	GH	>10	c.1972-7A>G	Intronic	0.000004	0	VUS (PM2, BP4)	-
<i>VHL</i> (NM_000551.3)	7943	M	19-30	PRL	30	c.114C>T, p.Ser38Ser	Synonymous	0.000039	0.0017	LB (PM2, BP6, BP7)	11536052
	6906	F	≤18	PRL	>10	c.154G>T, p.Glu52Ter	Nonsense	0.000018	0	LP (PVS1, PM2)	21463266
	8226	M	19-30	PRL	14	c.183C>G, p.Pro61Pro	Synonymous	0.000762	0	B (BS1, BP6, BP7)	10408776
	7792	M	≤18	TSH	10	c.586A>G, p.Lys196Glu	Missense	0	0	P (PM1, PM2, PM3, PP2, PP3, PP5)	23859443

id, identification (anonymization code not known to anyone outside the research group); F, female; M, male; yr, years (presented as age range to protect patient privacy); ACTH, adrenocorticotrophic hormone; FSH, follicle stimulating hormone; GH, growth hormone; LH, luteinizing hormone; PRL, prolactin; TSH, thyroid stimulating hormone; mm, millimeters; GnomAD, Genome Aggregation Database (v2.1.1). (a) All variants were heterozygous. (b) American College of Medical Genetics and Genomics (ACMG) classification of variants (P, pathogenic; LP, likely pathogenic; B, benign) was based on the evidence for pathogenicity [very strong (PVS1), moderate (PM1–6), or supporting (PP1–5)] or benign impact [stand-alone (BA), strong (BS1–4), or supporting (BP1–7)]. ACMG classifications were based on the web-based variant interpretation tool Franklin (Genoox Ltd, <https://franklin.genoox.com/>), accessed on 30 March 2024. PMID, PubMed identifier. *Publication by the authors that included the same patient.