

Full characterization of unresolved structural variation through long-read sequencing and optical genome mapping

Supplemental text

Griet De Clercq^{1,2}, Lies Vantomme¹, Barbara Dewaele³, Bert Callewaert^{1,2}, Olivier Vanakker^{1,2}, Sandra Janssens^{1,2}, Bart Loeys⁴, Mojca Strazisar^{5,6}, Wouter De Coster^{5,6}, Joris Robert Vermeesch^{3,7}, Annelies Dheedene², Björn Menten^{*1,2}

1. Department of Biomolecular Medicine, Ghent University, Ghent, Belgium
2. Center for Medical Genetics Ghent, Ghent University Hospital, Ghent, Belgium
3. Center for Human Genetics Leuven, University Hospital Leuven, Leuven, Belgium.
4. Center for Medical Genetics Antwerp, University of Antwerp, Antwerp University Hospital, Antwerp, Belgium.
5. VIB Center for Molecular Neurology, VIB, Antwerp, Belgium
6. Department of Biomedical Sciences, University of Antwerp, Antwerp, Belgium
7. Department of Human Genetics, KU Leuven, Leuven, Belgium.

***Corresponding author:** Björn Menten (bjorn.menten@ugent.be)

Table of contents

Individual S1	2
Individual S2	5
Individual S3	6
Individual S4	20
Individual S5	24
Individual S6	30

Individual S1

Reference sequences

9A-9B – chr9:82209673-82209674

```
>hg38_dna range=chr9:82209598-82209749 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
catttcatttattgtacttctcagtttcagaatTTTTTTTTTaaattcaat
ctctgttaaatttctcaatttgttcc|atgtattattttcctgattttatt
gaattgtttctctatatattttcttaatgttcactgaacttccttaaaacag
at
```

```
>hg38_dna range=chr9:82209598-82209749 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
atctgttttaaggaagttcagtgaaacattaagaaaatatagagaaacaat
tcaataaaatcaggaaaataatacat|ggaacaaattgagaaatttaacag
agattgaattttaaaaaaaattctgaaactgagaagtacaataaatgaaa
tg
```

10A-10B – chr10:11203945-11203946

```
>hg38_dna range=chr10:11203870-11204021 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
GATACTACAGCGTAAATGGTTGGGAAACAGATTGCGGTGTTGTGTCTTCT
GAGGCATTTTTATTTTAATATGAATC|TGAGCCTCCAAGTAAAGGATGAA
GCTCAGAGGCTGAGTGGAGAGACTGGGGGAGAGGACAGAAGAGGAGGGGC
GC
```

```
>hg38_dna range=chr10:11203870-11204021 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GCGCCCCCTCCTCTTCTGTCTCTCCCCAGTCTCTCCACTCAGCCTCTGA
GCTTCATCCTTTTCAGTTGGAGGCTCA|GATTCATATTAAAAATAAAAAATGCC
TCAGAAGACACAACACCGCAATCTGTTTCCCAACCATTACGCTGTAGTA
TC
```

Variants

9A-10A

-> <-

Expected:

```
catttcatttattgtacttctcagtttcagaatTTTTTTTTTaaattcaat
ctctgttaaatttctcaatttgttcc|GATTCATATTAAAAATAAAAAATGCC
TCAGAAGACACAACACCGCAATCTGTTTCCCAACCATTACGCTGTAGTA
TC
```

LRS:

```
CATTTTCATTTATTGTACTTCTCAGTTTCAGAATTTTTTTTTTAAATTCAAT
CTCTGTAAATTTCTCAATTTGTTCC|GATTCATATTAAAAATAAAAAATGCC
TCAGAAGACACAACACCGCAATCTGTTTCAACCATTACGCTGTAGTATC
AA
```

Sanger:

```
CATTTTCATTTATTGTACTTCTCAGTTTCAGAATTTTTTTTTTAAATTCAAT
CTCTGTAAATTTCTCAATTTGTTCC|GATTCATATTAAAAATAAAAAATGCC
```

TCAGAAGACACAACACCGCAATCTGTTTCCCAACCATTACGCTGTAGTA
TC

Microhomology:

9A-9B	tctgttaaatttctcaa---tttggtccatgtattatcttctgattttattg
LRS	TCTGTTAAATTTCTCAA---TTTGTTCCGATTCATATTAAAAATAAAAATGCCT
sanger	TCTGTTAAATTTCTCAA---TTTGTTCCGATTCATATTAAAAATAAAAATGCCT
10A-10B_reverse	---CTTCATCCTTTTCAGTTGGAGGCTCAGATTCATATTAAAAATAAAAATGCCT
	* * * * * * * * * * * * * * * * * *

9B-10B

<- ->

Expected:

atctgttttaaggaagttcagtgaacattaagaaaatatagagaaacaat
tcaataaaatcaggaaaataatacat | TGAGCCTCCAAGTAAAGGATGAA
GCTCAGAGGCTGAGTGGAGAGACTGGGGGAGAGGACAGAAGAGGAGGGGCG
GC

LRS:

TCTGTTTTAAGGAAGTTCAGTGAACATTAAGAAAAATATAGAGAAACAATT
CAATAAAATCAGGAAAATAATACATG | TGAGCCTCCAAGTAAAGGATGAA
GCTCAGAGGCTGAGTGGAAAGACTGGGGGAGAGGACAGAAGAGGAGGGGCG
CA

Sanger:

TCTGTTTTAAGGAAGTTCAGTGAACATTAAGAAAAATATAGAGAAACAATT
CAATAAAATCAGGAAAATAATACATG | TGAGCCTCCAAGTAAAGGATGAA
GCTCAGAGGCTGAGTGGAAAGACTGGGGGAGAGGACAGAAGAGGAGGGGCG
GC

Microhomology:

9A-9B_reverse	caataaaatcaggaaaataatacatggaa----caaattgagaaatttaacaga
LRS	-AATAAAATCAGGAAAATAATACATGTGAGCCTCCAAGTAAAGGATGAAG---
sanger	-AATAAAATCAGGAAAATAATACATGTGAGCCTCCAAGTAAAGGATGAAG---
10A-10B	-AGGCATTTTATTTTAAATATGAATCTGAGCCTCCAAGTAAAGGATGAAG---
	* * * * * * * * * * * * * * * * * *

Individual S2

Reference sequences

2A-2B – chr2:1939352-1939353

```
>hg38_dna range=chr2:1939277-1939428 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
GAATCGGTTGCTGGCCCAGGGACATAGCAGTCACTAAGAGTGTCAACCCAA
GGAACATGAAAGGCCAGCCTCGGGAT|GCTGACCCAGAACTCCAGCGATCA
GAGGAATGGGACCCCCAGCTTTTAGGGAGTGCATGGTTTCTGCCAAGCC
AC
```

2B-2C – chr2:1943926-1943927

```
>hg38_dna range=chr2:1943851-1944002 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
AGACTTGATAACCTCCTGAAACAAGATGAGCCCTAGGGCTTGTCATGTT
GTATGAAAGCAACTGCATCATTCAAA|GTTCTGCAGAACTTCCTCAGTCTT
AGATGTTATTAGTCCCACGCCAGCATTCCAGAAAACAACCTTCAGTGTTAG
CG
```

Variants

2A-2C

-> ->

Expected:

```
GAATCGGTTGCTGGCCCAGGGACATAGCAGTCACTAAGAGTGTCAACCCAA
GGAACATGAAAGGCCAGCCTCGGGAT|GTTCTGCAGAACTTCCTCAGTCTT
AGATGTTATTAGTCCCACGCCAGCATTCCAGAAAACAACCTTCAGTGTTAG
CG
```

LRS:

```
AATCGGCTGCTGGGCCCAGGGACATAGCAGTCACTAAGAGTGTCAACCCAA
GGAACATGAAAGGCCAGCCTCGGGAT|GTTCTGCAGAACTTCCTCAGTCTT
AGATGTTATTAGTCCCACGCCAGCATTCCAGAAAACAACCTTCAGTGTTAG
CG
```

Sanger:

```
AGATCGGTTGCTGGCCCAGGGACATAGCAGTCACTAAGAGTGTCAACCCAA
GGAACATGAAAGGCCAGCCTCGGGAT|GTTCTGCAGAACTTCCTCAGTCTT
AGATGTTATTAGTCCCACGCCAGCATTCCAGAAAACCCAGA
```

Microhomology:

2A-2B	GAACATGAAAGGCCAGCCTCGGGATGCTGACCCAGAACTCCAGCGATCAG
LRS	GAACATGAAAGGCCAGCCTCGGGATGTTCTGCAGAACTTCCTCAGTCTTA
Sanger	GAACATGAAAGGCCAGCCTCGGGATGTTCTGCAGAACTTCCTCAGTCTTA
2B-2C	TATGAAAGCAACTGCATCATTCAAAAGTTCTGCAGAACTTCCTCAGTCTTA
	* * * * *

Individual S3

Reference sequences

2A-2B - chr2: 143934333-143934334

```
>hg38_dna range=chr2:143934258-143934409 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CAATCAAGCAACCATCATTTGCTAATAAATGTTTTATCACAGCTTTCAA
ACCTTTTTCAAGACATCTGAGCTCAT|CTTCACTTCCTCCTTCTTGAAAAA
GAGACCCCATGGTGTGACACTCTAAAACCACCTCTGGATTTAAACTATG
GC
```

```
>hg38_dna range=chr2:143934258-143934409 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GCCATAGTTTTTAAATCCAGAGGTGGTTTTAGAGTGTACACCATGGGGTC
TCTTTTTTCAAGAAGGAGGAAGTGAAG|ATGAGCTCAGATGTCTTGAAAAA
GTTTGAAAGCTGTGATAAAAACATTTATTAGCAAATGATGGTTGCTTGAT
TG
```

2B-2C - chr2: 143934384-143934385

```
>hg38_dna range=chr2:143934309-143934460 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CCTTTTTCAAGACATCTGAGCTCATCTTCACTTCCTCCTTCTTGAAAAA
AGACCCCATGGTGTGACACTCTAAA|CCACCTCTGGATTTAAACTATGG
CTGCCTGGAATTGAAGGCCAGTTGCTGAGATTCCCTGATTTGCAAAGCA
AG
```

```
>hg38_dna range=chr2:143934309-143934460 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
CTTGCTTTGCAAATCAGGGAATCTCAGCAACTGGGCCTTCAATTCCAGGC
AGCCATAGTTTTTAAATCCAGAGGTGG|TTTTAGAGTGTACACCATGGGGT
CTCTTTTTTCAAGAAGGAGGAAGTGAAGATGAGCTCAGATGTCTTGAAAA
GG
```

2C-2D – chr2: 143960388-143960389

```
>hg38_dna range=chr2:143960313-143960464 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
GATGACTCTTGGAAGATGGGTTGAGCTTTGACAAATAAAGGAGGAGGGAG
GGGCACTGGATGGTGAGATATGAGCC|ATCTTCAGGGAACACTGACTAATC
TAGGCTACAGTCCAGGATATAATGTTCAAGGATTGAAGTAAGGCTAGGAA
GG
```

```
>hg38_dna range=chr2:143960313-143960464 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
CCTTCCTAGCCTTACTTCAATCCTTGAACATTATATCCTGGACTGTAGCC
TAGATTAGTCAGTGTTCCCTGAAGAT|GGCTCATATCTCACCATCCAGTGC
CCCTCCCTCCTCCTTTATTTGTCAAAGCTCAACCCATCTTCCAAGAGTCA
TC
```

2D-2E – chr2: 143961587-143961588

```
>hg38_dna range=chr2:143961512-143961663 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ATTTATTTTCTGTGTCTTTCCCAAGTACACATTTCTCAAACCTTGAGGA
C
AGCTTATGAAAATGACAGAGCATTT|TCCCTCAGTGATGTTTTCATATTT
```

ATAATTTTGTGAGAACAATTTCTTGAGAGATGTTTTGGGAGCTGTATTCCA
GA

```
>hg38_dna range=chr2:143961512-143961663 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TCTGGAATACAGCTCCCAAAACATCTCTCAAGAAATTGTTCTCAAAAATT  
ATAAATATGAAAACATCACTGAGGGA|AAATGCTCTGTCATTTTCATAAGC  
TGTCTCTCAAAGTTTGAGAAATGTGTACTTGGGAAAGACACAGGAAAATAA  
AT
```

2E-2F – chr2: 144301058-144301059

```
>hg38_dna range=chr2:144300983-144301134 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
TAGCATTTAATCTGACCATCTGTTTACCAAAGGCTAGTACATTGAAAAAA  
A  
GAAAGAAAATGGGTTTTTTTTCCTAG|CCAATTGCAATGCCAATGTTTTAA  
TCTTTATTTAAAAAAATCTGATTAAAACCAAAAATCCTTCCAATAAACCA  
TT
```

```
>hg38_dna range=chr2:144300983-144301134 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
AATGGTTTATTGGAAGGATTTTTTGGTTTTAATCAGATTTTTTTTAAATAAA  
GATTAAACATTGGCATTGCAATTGG|CTAGGAAAAAAACCCATTTTCTTT  
CTTTTTTTCAATGTACTAGCCTTTGGTAAACAGATGGTCAGATTAAATGC  
TA
```

2F-2G – chr2: 144301751-144301752

```
>hg38_dna range=chr2:144301676-144301827 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
CCATAAGAGGCTCTTTTTTAAAGCACATCCACTACCAATGCCACATGCT  
TTCTGGAGGAAATGCAAGTATTAAAC|GCCAGGTTCACAAACAGTGGCCT  
CAAAGCACTAATCAAGACCTCTGAAGGCCACTGCCACTCCTCcaggaggc  
at
```

```
>hg38_dna range=chr2:144301676-144301827 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
atgcctcctgGAGGAGTGGCAGTGGCCTTCAGAGGTCTTGATTAGTGCTT  
T  
GAGGCCACTGTTTGTGGAACCTGGC|GTTTAATACTTGCATTTCTCCAG  
AAAGCATGTGGGCATTGGTAGTGGATGTGCTTTTAAAAAGAGCCTCTTAT  
GG
```

2G-2H – chr2: 144313123-144313124

```
>hg38_dna range=chr2:144313048-144313199 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
CTGCAGCTCATTA AACATCCAGACAAACTACATATCAATTTACACTTCTG  
GCAGACAAATCCAAATCCTGGGCTGG|AAAAAAAAGGTCCATTTGGGGAGA  
AACAGGGAAATGTCACAAACTAACTCCCCACTAGATTAAACAGCTCCATC  
GG
```

```
>hg38_dna range=chr2:144313048-144313199 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
CCGATGGAGCTGTTAATCTAGTGGGGAGTTAGTTTTGTGACATTTCCCTG  
T  
TTCTCCCCAAATGGACCTTTTTTTTT|CCAGCCCAGGATTTGGATTTGTCT  
GCCAGAAGTGTAATTGATATGTAGTTTGTCTGGATGTTTAATGAGCTGC  
AG
```

2H-2I – chr2: 144313180-144313181

```
>hg38_dna range=chr2:144313105-144313256 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
AATCCAAATCCTGGGCTGGAAAAAAGGTCCATTTGGGGAGAAACAGGG
AAATGTCACAAAATACTCCCACT|AGATTAACAGCTCCATCGGAATGA
CACTTTTAatctctcttctaatttctcctatatgcgggaaacaggtgttg
ag
```

```
>hg38_dna range=chr2:144313105-144313256 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ctcaacacctgtttcccgcatataggagaaattagaagagagatTAAAAG
TGTCATTCCGATGGAGCTGTTAATCT|AGTGGGGAGTTAGTTTTGTGACAT
TTCCCTGTTTCTCCCCAAATGGACCTTTTTTTTCCAGCCCAGGATTTGGA
TT
```

2I-2J – chr2: 144385912-144385913

```
>hg38_dna range=chr2:144385837-144385988 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TTATCTGATTGTGAAAAGTATCTAATACATTTATTCATATTTATTCAAAT
ATAGTCCCTTCTTTCCCTTTCTCTCC|AAGCCCTCCCACTCCGCCCCCAGT
CCAATTCATGCTAAGGAAGATGTATGTTTTGTTTAGCTCTTGCGGAGAAA
TT
```

```
>hg38_dna range=chr2:144385837-144385988 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
AATTTCTCCGCAAGAGCTAAACAAAACATACATCTTCCTTAGCATGAATT
GGACTGGGGGCGGAGTGGGAGGGCTT|GGAGGAAAGGGGAAAGAAGGGACT
ATATTTGAATAAATATGAATAAATGTATTAGATACTTTTCACAATCAGAT
AA
```

2J-2K – chr2: 144411546-144411547

```
>hg38_dna range=chr2:144411471-144411622 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CATTAAAGTGCATGTATGCGTTTTTGCAGAAGGTTTCCAAAAGACATAT
TGGCACTAGTTACCTAAAAACAACCG|TGAGGGAAGAGGATGATCTTTTTC
TCATTACACAGCTACATGGGCGGCCTCGCAGAGCCTCCAGCTGGTACAGA
GG
```

```
>hg38_dna range=chr2:144411471-144411622 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
CCTCTGTACCAGCTGGAGGCTCTGCGAGGCCGCCCATGTAGCTGTGTAAT
GAGAAAAAGATCATCTCTTCCCTCA|CGGTTGTTTTTAGGTAAGTAGTGC
CAATATGTCTTTTGGAAACCTTCTGCAAAAACGCATACATGCACTTTTAA
TG
```

2K-2L – chr2: 145061847-145061848

```
>hg38_dna range=chr2:145061772-145061923 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ACATGTAGCTCAAGTCTTTCAATGGTACACAAGCAGAACCTGAAAGTGTA
T
GATCTCAGAGTTAAACATGAAAAGT|AGACAAGATACTTTGATAAGAAAT
AGATAAACCCAAAGACAGTCAATGCATTACCTGGTATTTGGGGGGTAGGT
AT
```

```
>hg38_dna range=chr2:145061772-145061923 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ATACCTACCCCCAAATACCAGGTAATGCATTGACTGTCTTTGGGTTTAT
CTATTTCTTATCAAAGTATCTTGTCT|ACTTTTCATGTTTAACTCTGAGAT
```

CATACACTTTCAGGTTCTGCTTGTGTACCATTGAAAGACTTGAGCTACAT
GT

2L-2M – chr2: 145061923-145061924

```
>hg38_dna range=chr2:145061848-145061999 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
AGACAAGATACTTTTGATAAGAAATAGATAAAACCCAAAGACAGTCAATGCA  
TTACCTGGTATTTGGGGGGTAGGTAT|GGAGTTAAGGACAATACAAGGTAT  
TACCTTCAGGTGGGTTCATCAGTTTTTTAGATAACGATTGAATACACATT  
TA
```

```
>hg38_dna range=chr2:145061848-145061999 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TAAATGTGTATTCAATCGTTATCTAAAAAACTGATGAACCCACCTGAAGG  
T  
AATACCTTGTATTGTCCTTAACTCC|ATACCTACCCCCCAAATACCAGGT  
AATGCATTGACTGTCTTTGGGTTTATCTATTTCTTATCAAAGTATCTTGT  
CT
```

2M-2N – chr2: 145070083-145070084

```
>hg38_dna range=chr2:145070008-145070159 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
AACCCAAAACACAAATGAAGATGCTGtcacacctctccacaaaaggggaca  
caaaaagtctcatcttcacttttcat|tctcaaagttgaaggtggtcaagt  
gatacaatgtcctcttcacaggtcttgatgcagtttctcagagtgcagt  
ga
```

```
>hg38_dna range=chr2:145070008-145070159 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
tcactgcactctgagaaactgcatcaagacctgatgaagaggacattgta  
t  
cacttgaccaccttcaactttgaga|atgaaaagtgaagatgagactttt  
tgtgtcccttttgtggagaggtgtgaCAGCATCTTCATTTGTGTTTTGGG  
TT
```

2N-2O – chr2: 145072714-145072715

```
>hg38_dna range=chr2:145072639-145072790 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
agtttactgtgagccagagaaccaggctggggggctgtatcacttagaat  
gagatccaaactcacaccatagttcc|atccttgaggttgccatgttgctg  
ccaccctCCTGCCACCCACCACTGAAGCTTTGGATGCTGGATTCTGGG  
CA
```

```
>hg38_dna range=chr2:145072639-145072790 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TGCCAGAAATCCAGCATCCAAAGCTTCAGTGGTGGGGTGGCAGGaggggt  
g  
gcagcaacatggcaacctcaaggat|ggaactatggtgtgagtttgatc  
tcattctaagtgatacagccccccagcctggttctctggctcacagtaaa  
ct
```

2O-2P – chr2: 145074546-145074547

```
>hg38_dna range=chr2:145074471-145074622 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
ATAGAGTTCAGAATGTGAGTGAAATGTAACTGAAAAGGAAAGCCTTGATT  
TTACATATAAAATATCTTTACCAGAT|GGGTGAAGTAAGGTAACCTAAGAC  
AATACTTAAAATTCAATAACAATGATGAAACTATGAAATACAAAACCTTCT  
GG
```

```
>hg38_dna range=chr2:145074471-145074622 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
CCAGAAGTTTTGTATTTTCATAGTTTCATCATTGTTATTGAATTTTAAGTA
TTGTCTTAAGTTACCTTACTTCACCC|ATCTGGTAAAGATATTTTATATGT
AAAATCAAGGCTTTCCTTTTCAGTTACATTTCACTCACATTCTGAACTCT
AT
```

2P-2Q – chr2: 145075679-145075680

```
>hg38_dna range=chr2:145075604-145075755 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
GGTAGAATTGATTGCAAAGTTGCTTCATATTCTGCAATACTGTTGCTGAA
ACTATTTTAGGTATGTCCTTGGTATT|TCTCAAATATTAGAATTCTAATGT
AGTAAAATCAAATTTAATTTGCAACTGAATCATGCACAACTAAACAGCA
GC
```

```
>hg38_dna range=chr2:145075604-145075755 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GCTGCTGTTTAGTTTGTGCATGATTCAGTTGCAAATTAAATTTGATTTTA
CTACATTAGAATTCTAATATTTGAGA|AATACCAAGGACATACCTAAAATA
GTTTCAGCAACAGTATTGCAGAATATGAAGCAACTTTGCAATCAATTCTA
CC
```

5A-5B – chr5: 92229394-92229395

```
>hg38_dna range=chr5:92229319-92229470 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
AATTGTTTCAAAGAGGTCAAGGTTTGGACTTATGTGAAGTCAACATTTGA
AAACATTTGTAAATATTCTGTCAATC|ATTAGTATATGCTCTTTTATAGGTA
TTACTTCTCATAATTATCATAATTATCTTAATAATTTATTGATTATTTAT
AA
```

```
>hg38_dna range=chr5:92229319-92229470 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TTATAAATAATCAATAAATTATTAAGATAATTATGATAATTATGAGAAAGT
AATACCTAAAAAGAGCATATACTAAT|GATTGACAGAATATTTACAAATGT
TTTCAAATGTTGACTTCACATAAGTCCAAACCTTGACCTCTTTGAAACAA
TT
```

5B-5C – chr5: 92229641-92229642

```
>hg38_dna range=chr5:92229566-92229717 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ACAATTACAGAGGCGTATCAAAAAGGCTTTTAATTGAAGAGTATTTACAA
TTAAATTATAACAGAAAGAATACTGT|AAAAGTAAACAAGTAAGTTCTTTT
TGAAAAACAGGAATGTGTAACATTCAAAAAGACCACAAAAATTAATTTCT
GT
```

```
>hg38_dna range=chr5:92229566-92229717 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ACAGAAATTAATTTTTGTGGTCTTTTTGAATGTTACACATTCCTGTTTTT
CAAAAAGAACTTACTTGTTTACTTTT|ACAGTATTCTTCTGTTATAATTT
AATTGTAAATACTCTTCAATTTAAAGCCTTTTTGATACGCCTCTGTAATT
GT
```

5C-5D – chr5: 92481904-92481905

```
>hg38_dna range=chr5:92481829-92481980 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
tggcataaaaaacacataaacaatggaacaagatagaaagcccagaaata
taccacacatatataaagtcaactaat|ctttgttaaagggtgccaggaatgc
```

acaatgacggaaggacattgtctttaataaatgaccttgggaaagctggc
ta

```
>hg38_dna range=chr5:92481829-92481980 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
tagccagcttttcccaagggtcatttatttaaagacaatgtccttccgtcatt  
gtgcattcctggcacctttaacaaag|attagttgactttatatgtgtggg  
tatatttctgggctttctatcttggtccatttgtttatgtgtttttatgc  
ca
```

5D-5E – chr5: 92489948-92489949

```
>hg38_dna range=chr5:92489873-92490024 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
AGGGAAGAAAATTGATGTTTTGGTTTTGTAAAAACCTATGCTTTTGTATT  
TCATCTGGGCTCTTACCTGCCTACTC|ACATTTTAAAAATGTACTTCATAT  
TGACCCCTTAGTACATTTTCCACAGGATTGTTCCAAGCTTCTGCTCTCTC  
AG
```

```
>hg38_dna range=chr5:92489873-92490024 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
CTGAGAGAGCAGAAAGCTTGGAAACAATCCTGTGGAAAATGTACTAAGGGT  
CAATATGAAGTACATTTTTTAAAATGT|GAGTAGGCAGGTAAGAGCCCAGAT  
GAAATACAAAAGCATAGGTTTTTACAAAACCAAAACATCAATTTTCTTCC  
CT
```

5E-5F – chr5: 92494785-92494786

```
>hg38_dna range=chr5:92494710-92494861 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
aaatatgtggagcacatacacatctgagttgagcattgtgcttgggccaa  
g  
gatgtggaagtaagaggcagagtcc|ttgcctttatgtggaacacaaatGA  
CCGCGTTTTCTCCAAAAGACCTATGAACTGCTTAACACCAATCAATATTT  
TA
```

```
>hg38_dna range=chr5:92494710-92494861 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TAAAATATTGATTGGTGTTAAGCAGTTCATAGGTCTTTTGGAGAAAACGC  
GGTCattgtgttccacataaaggcaa|ggactctgcctcttacttccacat  
ccttggccaagcacaaatgctcaactcagatgtgtatgtgctccacatat  
tt
```

21A-21B – chr21: 23621186-23621187

```
>hg38_dna range=chr21:23621111-23621262 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
TTAAAAGTATACTACTTTAGTGTGTGAAAAAGTATAAACGTGTATATATA  
T  
AAGAACATCTAtacttttttaacac|ttacctgtctgcaccactaatctt  
taagtaccatgcaactgggtctgtttttgttcaccattgtatttccatct  
cc
```

```
>hg38_dna range=chr21:23621111-23621262 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
ggagatggaaatacaatgggtgaacaaaaacagacccagttgcatgggtact  
taaagattagtggtgcagacaggtaa|gtgttaaaaaagtaTAGATGTTCT  
TATATATATACACGTTTATACTTTTTCACACACTAAAGTAGTATACTTTT  
AA
```

21B-21C – chr21: 23622264-23622265

```
>hg38_dna range=chr21:23622189-23622340 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
gactgaccctgtggagtctcctgaggcttctcaattatctgacctctag
t
aattgcCATAACAATATATAATATC|AGCCCTTTTACTTGTGAAATGTAA
ATGCTTGTGTGTCTATAAGAATTAAATACAAATAAAATTGATACAGTTTT
TA

>hg38_dna range=chr21:23622189-23622340 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TAAAAACTGTATCAATTTTATTGTATTTAATTCTTATAGACACACAAGC
ATTTACATTTACACAAGTAAAAGGGCT|GATATTATATATTGTTATGgcaat
tactagaggtcagataattgagaagcctcaggagactccacaggggtcag
tc
```

Variants

2A-20

-> <-

Expected:

CAATCAAGCAACCATCATTTGCTAATAAATGTTTTTATCACAGCTTTCAA
ACCTTTTTCAAGACATCTGAGCTCAT|ATCTGGTAAAGATATTTTATATGT
AAAATCAAGGCTTTCCTTTTCAGTTACATTTCACTCACATTCTGAACTCT
AT

LRS:

CAATCAAGCAACCATCATTTGCTAATAAATGTTTTTATCACAGCTTTCAA
ACCTTTTTCAAGACATCTGAGCTCAT|ATCTGGTAAAGATATTTTATATGT
AAAATCAAGGCTTTCCTTTTCAGTTACATTTCACTCACATTCTGAACTCT
AT

Microhomology (50bp):

2A-2B	CCTTTTTCAAGACATCTGAGCTCATCTTCACTTCCTCCTTCTTGAAAAAG
LRS	CCTTTTTCAAGACATCTGAGCTCATATCTGGTAAAGATATTTTATATGTA
20-2P_reverse	TGTCTTAAGTTACCTTACTTCACCCATCTGGTAAAGATATTTTATATGTA

* * * * * * * * * * * * *

20-21C

<- ->

Expected:

TGCCCAGAATCCAGCATCCAAAGCTTCAGTGGTGGGGTGGCAGGaggggt
ggcagcaacatggcaacctcaaggat|AGCCCTTTTACTTGTGAAATGTAA
ATGCTTGTGTGTCTATAAGAATTAAATACAAATAAAATTGATACAGTTTT
TA

LRS:

GCCCAGAATCCAGCATCCAAAGCTTCAGTGTGGTGGGTGGCAGGAGGGGT
GGCAGCAACATGGCAACCTCAAGGAT|AGCCCTTAATACTTGTGAAATGTA
AATGCTTGTGTGTCTATAAGAATTAAATACAAATAAAATTGATACAGTTT
TT

Microhomology (50bp):

2N-20_reverse	gcagcaacatggcaacctcaaggatggaactatggtgtgagtttggatct-
---------------	---

LRS GCAGCAACATGGCAACCTCAAGGATAGCCCTTAATACTTGTGAAATGTAA-
 21B-21C -aattgcCATAACAATATATAATATCAGCCCTTTTACTTGTGAAATGTAAA
 * *** *** * * ** * * *

5A-2C

-> <-

Expected:

AATTGTTTCAAAGAGGTCAAGGTTTGGACTTATGTGAAGTCAACATTGGA
 AAACATTTGTAAATATTCTGTCAATC | GGCTCATATCTCACCATCCAGTGC
 CCTCCCTCCTCCTTTATTTGTCAAAGCTCAACCCATCTTCCAAGAGTCA
 TC

LRS:

TGTTTCAAAGAGGTCAAGGTTTGGACTTCTATGTGAAGTCAACATTTGGA
 AAACATTTGTAAATATTCTGTCAATC | CACCTCTGATATAGCCTAACTCCC
 ACCTCTGGCTCATATCTCACCATCCAGTGCCCTCCTCCTTTACTTGTCTC
 AA

Microhomology (50bp):

5A-5B AACATTTGTAAATATTCTGTCAATCATTAGTATATGCTCTTTTtaggtat-
 LRS AACATTTGTAAATATTCTGTCAATCACCTCTGATATAGCCTAACTCCCA-
 2C-2D_reverse -AGATTAGTCAGTGTTCCCTGAAGATGGCTCATATCTCACCATCCAGTGCC
 * *** ** * * *** * ** **

Microhomology (150bp):

5A-5B AATTGTTTCAAAGAGGTCAAGGTTTGGACTTATGTGAA--GTCAACAT-TTGAAACATT
 LRS ---TGTTTCAAAGAGGTCAAGGTTTGGACTTCTATGTGAAGTCAACATTTGGAAACATT
 2C-2D_reverse CCTTCCTAGCCTTACTTCAATCCTTGAACATTATA---TCCTGGACTGTAGCCTAGATT
 * * * **** **** * * * * * * *

5A-5B TGTAAATATTCTGTCAATCATTAGTATATGCTCTTTTtaggtattactTCTCATAATTAT
 LRS TGTAAATATTCTGTCAATCACCTCTGATATAGCCTAACTCCACCTCTGGCTCATATCT
 2C-2D_reverse AGTCAGTGTTCCCTGAAG-----ATGGCTCATATCT
 ** * * *** * ** * * * * *

5A-5B CATAATTATCTTAAT-----AATTTATTGATTATTTATAA-----
 LRS CACCATCCAGTGCCC-----TCCTCCTTTACTTGTCTCAA-----
 2C-2D_reverse CACCATCCAGTGCCCCTCCCTCCTTTTATTGTCAAAGCTCAACCCATCTTCCAAGAG
 ** ** * * ** * * * *

5A-5B -----
 LRS -----
 2C-2D_reverse TCATC

Blasting of LRS sequence (150bp) yielded no significant results associated for black insertion sequence.
 (significant defined as in vicinity of previously identified breakpoints)

2C-5E

<- <-

Expected:

CTTGCTTTGCAAATCAGGGAATCTCAGCAACTGGGCCTTCAATTCCAGGC
 AGCCATAGTTTTAAATCCAGAGGTGG | ggactctgcctcttacttccacat
 ccttgGCCaagcacaatgctcaactcagatgtgtatgtgctccacatat
 tt

LRS:

CCTTGCTTTGCAAATCAGGGAATCTCAGCAACTGGGCCTTCAATTCCAGG
 CAGCCATAGTTTTAAATCAGAGGTGG | GGAGTTAGGCCTCTGCCTCTTGGC

TACATCCTTGGCCCAAGCACAAATGCTCAACTCAGATGTGTATGTGCTCCA
CA

Microhomology (50bp):

2B-2C_reverse -GCCATAGTTTTAAATCCAGAGGTGGTTTTAGAGTGTACACCATGGGGTC
LRS AGCCATAGTTTTAAATCAGAGGTGGGGAGTTAGGCTCTGCCTCTTGGCT-
5E-5F_reverse -GTcattgtgttccacataaaggcaaggactctgcctcttacttccacatc
* * * * * * * * * *

Microhomology (150bp):

2B-2C_reverse -CTTGCTTTGCAAATCAGGGAATCTCAGCAACTGG----GCCTTCAATTCCAGGCAGCC
 LRS CCTTGCTTTGCAAATCAGGGAATCTCAGCAACTGG----GCCTTCAATTCCAGGCAGCC
 5E-5F_reverse -----TAAATATTGATTGGTGTTAAGCAGTTCATAGGTCTTTTGGAGAAAACGCGGTC
 * * * * * * * * * * * * * *

2B-2C_reverse
LRS
5E-5F_reverse

ATAGTTTTAAATCCAGAGGTGGTTTTAGAGTGTCAACCATGGGGTCTCTTTTTCAAGAA
ATAGTTTTAAATCAGAGGTGGGGAGTTAGGCCTCTGCCTCTTGGCTACATCCTTGGCCCA
attgtgttcacataaaggcaaggactc---tgccctcttactccacatccttgGCCCA

** ** * *

```

2B-2C_reverse      GGAGGAAGTGAAGATGAGCTCAGATGTCTTGAAAAAGG-----
LRS                 AGCACAAT---GCTCAACTCAGATGTGTATGTGCTCCACA-----
5E-5F_reverse      agcaca---atgctcaactcagatgtgtatgtgctccacatattt
                   *      *      * * * * * * * * * *

```

Blasting of LRS sequence (150bp) yielded a 92% identity to chr5:92494786-92494715 of the underlined sequence + blue sequence

```

Query    7          AGGCCTCTGCCTCTTGGCT--ACATCCTTGGCCCAAGCACAACTGCTCAACTCAGATGTGT    64
          ||| ||||||||| | |||||||||||||||||||||||||||||||||||
Sbjct   92494786 AGGACTCTGCCTCTTACTTCCACATCCTTGGCCCAAGCACAACTGCTCAACTCAGATGTGT
92494727

```

```

Query    65          ATGTGCTCCACA   76
          |||||
Sbjct    92494726    ATGTGCTCCACA   92494715

```

5E-21

 $\langle - \quad - \rangle$

Expected:

CTGAGAGAGCAGAAAGCTTGGAAACAATCCTGTGGAAAATGTACTAAGGGT
CAATATGAAGTACATTTTTTAAATGT | AGATTAACAGCTCCATCGGAATGA
CACTTTTAatctctcttctaattttctcctatatgcgggaaacaggtgttg
ag

LRS:

GCCTAGATTAGTAGCCTAACTCCATACCTACCCCCCAAATACCAGGTAAT
GCATTGACTGTCTTCAGTGTTCTCTGA | AAGATTAAACAGCTCCATCGGAATG
ACACTTTTTTAATCTCTCTTCTAAATTTCTCTATATGCAGGGAAACAGGT
GT

Microhomology (50bp):

5D-5E_reverse AATAT-GAAGTACATTTTTTAAATGTGAGTAGGCAGGTAAGAGCCCAGATG-
 LRS ATTGACTGTCTTCAGTGTTCCTGAAGATTAAGCAGCTCCCATCGGAATG--
 2H-2I AATGTCACAAACTAACTCCCCACTAGATTA-AC-AGCTCCATCGGAATGAC
 * * * * ** * * *

Microhomology (150bp):

5D-5E_reverse CTGAGAGAGCAGAAAGCTTGGAAACATCCTGTGGAAATGTACTAAGGGTCAATATGAAG
LRS --CCTAGATTAGTAGCC-----TAACTCCATA-CC-TACCCCCCA-----AATACCAG

```

2H-2I          -----AATC-----CAAATCCTGG-GC-TGGAAAAAAGGTCCATTG
                *  *          *  * *  *          *          *          *

5D-5E_reverse  TACATTTTAAATGTGAGTAGGCAGGTAAGAGCCAGATGAAATACAAAGCATAGGTT
LRS            GTAATGCATTGACTGTCT--TCAGTGTTTC---CCTGAAGATTAAAGCAGCTCCCATCG-GA
2H-2I          AGAAACAGGGAAATGTCACAAAATACT---CCCCACTAGATTAACAGCTCCATCG-GA
                *          *  * *  *          *  *          * * *  *

5D-5E_reverse  TTTACAAAACC-----AAAACATCAATTTTCTTCCCT-----
LRS            ATGACACTTTTAATCTCTCTCTTCTAATTTCTCCTATATGCGGAAACAGGTGT---
2H-2I          ATGACACTTTTA--atctctcttctaatttctcctatatgcgggaaacaggtgttgag
                *  * *  *          *  *  *  * * * *  *  *  *

```

Microhomology (300bp):

```

5D-5E_reverse  TGAGTTCCAGAATCTCAATCTTGAGAAGCAGAAAATAAGATCAAGTGATAAATGTTTGG
LRS            -----
2H-2I          -----

5D-5E_reverse  AATAAAATATGACCTCTGAGAGAGCAGAAAGCTTGAACAATCCTGTGGAATGTACTA
LRS            -----CAAGCTTGGAACAATCCTGTGGAATGTACTA
2H-2I          -----GCACAAGGAAACAAGATTCTGCAGCTCATTAAACAT
                * *  *  *  *  *  *  *  *  *  *  *  *  *  *

5D-5E_reverse  AGGGTCAATATGAAGTACATTTTTTAAATGTGAGTAGGCAGGTAA-----
LRS            AGGGTCAATATGAAGTACATTTTAAATGTATCCTGGACTGTAGCCTAGATTAGTAGCCTA
2H-2I          CCAGACAACTACATATCAATTTACACTTCTGGCAGACAAATCCAAA---TCCTGGGCTG
                *  * *  *  *  *  *  *  *  *  *  *  *

5D-5E_reverse  -----GAGCCCAGAT
LRS            ACTCCATACCTACCCCCCAAATACCAGGTAATGCATTGACTGTCTTCAGTGTTCTCTGAAA
2H-2I          GAAAAA-AAGGTCCATTTGGGGAGAAACAGGGAAATGTCACAAAATACTCCCCACTA
                * *

5D-5E_reverse  GAAATACAAAAGCATAGGTTTTTAC----AAAACCAAACATCAATTTTCTTCCCTTTTC
LRS            GATTAACAGCTCCATCGGAATGACACTTTTAAATCTCTCTCTAAATTTCTCTATATGC
2H-2I          GATTAACAGCTCCATCGGAATGACACTTTTAAatc--tctcttctaatt-tctcctatatg
                * *  * *  * *  *  *  *  *  *  *  *  *  *  *

5D-5E_reverse  CTGGAAAGATGTAATTGATAGTGCA-----TACTACCTGATGCTCGGCTTGACATGGA
LRS            AGGGAAACAG-GTGTTGAGGGTGAACCAAGTCTATTCTCTTTACTAAGCC-CACATCCC
2H-2I          cgggaaacag-gtgttgaggggaaccaagtctattctcttttactaagcccatatccc
                * * *  *  * *  *  * *  *  *  *  *  *  *  *

5D-5E_reverse  GTATGATAAAGTATAATT-----
LRS            TCTTTAGAAAGCAGGGTTACTTATTACCCTT---
2H-2I          tctttagaaagcagggttacttattaccctttgg
                *  *  * *  *  *  *

```

Blasting of LRS sequence (300bp) yielded a 100% identity to chr2:145061930-145061883 of the second underlined sequence. No further results for other black insertion sequences.

Blasting of black insertion sequence alone yielded no results, except for the one reported above.

Blasting of insertion sequence ATCCTGGACTGTAGCCTAGATTAGTAGCC yielded a 100% identity to chr2:143960430-143960406:

```

Query 1          ATCCTGGACTGTAGCCTAGATTAGT  25
                |||
Sbjct  143960430 ATCCTGGACTGTAGCCTAGATTAGT  143960406

```

2I-5C

-> <-

Expected:

TTATCTGATTGTGAAAAGTATCTAATACATTTATTCATATTTATTCAAAT
ATAGTCCCTTCTTTCCCTTTCTCTCC | attagttgactttatatgtgtggg
tatatttctgggctttctatcttggtccatttgtttatgtgtttttatgc
ca

LRS:

TTATCTGATTGTGAAAAGTATCTAATACATTTATTCATATTTATTCAAATA
TAGTCCCTTCTTTCCCTTTCTCTCCA | TTTGGGGAGAAACAGGGAAATGTC
ACAAAACTAGTATTGACATCTAGTAGCCTAGATTAGTCAGTGTAGCCTAA
AT

Microhomology (50bp):

2I-2J TAGTCCCTTCTTTCCCTTTCTCTCCAAGCCCTCCCACTCCGCCCCAGTC---
LRS -AGTCCCTTCTTTCCCTTTCTCTCCAATTGGGGAGAAACAGGGAAATGTCA--
5C-5D_reverse ---tgcattcctggcacctttaacaaagattagttgactttatatgtgtgggt
* * * * * * * * * * *

Microhomology (150bp):

2I-2J TTATCTGATTGTGAAAAGTATCTAATACATTTATTCATATTTATTCAAATATAGTCCCTT
LRS TTATCTGATTGTGAAAAGTATCTAATACA-TTATTCATATTTATTCAAATATAGTCCCTT
5C-5D_reverse -----tagccagctttcccaaggtcatt-----tattaaagacaatgtccttcgt
* * * * * * * * * * *

2I-2J CTTTCCCTTTCTCTCCAAGCCCTCCCACTCCGCCCCAGTCCAATTTCATGC-TAAGG-AA
LRS CTTTCCCTTTCTCTCCAATTGGGGAGAAACAGGGAAATGTCACAAACTAG-TATTG-AC
5C-5D_reverse cattgtgcattcctggcaccttta---acaaagattagttgactttatatgtgtgggta
* * * * * * * * * * *

2I-2J GATGTAT-GTTTTGTT-----TAGCTCTTGC GGAGAAATT---
LRS ATCTAGTAGCCTAGAT-----TAGTCAGTGTAGCCTAAAT---
5C-5D_reverse tatttctgggctttctatcttggtccatttgtttatgtgtttttatgcc
* * * * * * * * *

Microhomology (300bp):

2I-2J -CTCAAATTTGTGACTAAGATTTGCTTTTATTAAGGCTTACATTATTAGAAAGATAAAAA
LRS CCTCAAATTTGTGACTAAGATTTGCTTTTATTAAGGCTTACATTATTAGAAAGATAAAAA
5C-5D_reverse -----gtccattttgagttgatttttgtgtgtaggataaggaatacaataa
* * * * * * * * * * *

2I-2J ATGACCTTTTAAAGTTATCTGATTGTGAAAAGTATC-TAATACATTTATTCATATTTA
LRS ATGACCTTTTAAAGTTATCTGATTGTGAAAAGTATC-TAATACAT-TATTCATATTTA
5C-5D_reverse gagtccaatccttagtggt--tttcatgtgaatagccagctttcccaaggtcatttattaa
* * * * * * * * * * *

2I-2J TTCAAATATAGTCCCTTCTTTCCCTTTCTCTCCAAGCCCTCCCACTCCGCCCCAGTCCA
LRS TTCAAATATAGTCCCTTCTTTCCCTTTCTCTCCAATTGGGGAGAAACAGGGAAATGTCAC
5C-5D_reverse agacaatgtccttcggtcattgtgcattcctggca-----
* * * * * * * * * * *

2I-2J ATTCATGCTAAGGAAGATGTAT-GTTTTGTTTAGCTCTTGC GGAGAAATTCTGATACGCA
LRS AAAACTAGTATTGACATCTAGTAGCCTAGATTAGTCAGTGTAGCCTAAATTAGTTGACTT
5C-5D_reverse -----cctttaacaaagattagttgactt
* * * * *

2I-2J TCTCTCTTCCCAGTTATTTTCAGGCCTAAGCTTACAGTGTGCAT-GT-----
LRS TATATGTGTGGGTATATTTCTGGGCTTTCTATCTTGTGTTCCATTT-----
5C-5D_reverse tatatgtgtgggtatatatttctgggctttctatcttggtccatttggtttatgtgtttttat
* * * * * * * * * * *

2I-2J -----GAAGAAAAAGAAAAGATTGC-----
LRS -----GTTTATGTGTT--TTTATACC-----
5C-5D_reverse gccattttcaacactgtttcaataactatagttttgtatcaataatataattttgtaatc
* *

```

2I-2J      -----
LRS        -----
5C-5D_reverse aggaagtatgatgtttcca

```

Blasting of LRS sequence (300bp) yielded a 100% identity to chr2:144313134-144313170 of the first underlined sequence. No further results for other black insertion sequences.

Blasting of the black insertion sequence yielded an additional match for the second underlined sequence with a 100% identity match to chr2:143960420-143960400.

5C-2K

<- ->

Expected:

```

ACAGAAATTAATTTTTGTGGTCTTTTTGAATGTTACACATTCCTGTTTTT
CAAAAAGAACTTACTTGTTTACTTTT|TGAGGGAAGAGGATGATCTTTTTC
TCATTACACAGCTACATGGGCGCCTCGCAGAGCCTCCAGCTGGTACAGA
GG

```

LRS:

```

TTCCTGTTTTTCAAAAAGAACTTTACTTTGTTTACTTTTTTAACACTTA
CCTGTCTGCACCACTAGTTAGTAGCC|TGAGGGAAGAGGATGATCTTTTTC
TCATTACACAGCTACATGGGCGTTCCCGCAGAGCCTCCAGCTGGTACAGA
GG

```

Microhomology (50bp):

```

5B-5C_reverse -----AAAAAGAACTTACTTGTTTACTTTTACAGTATTCTTCTGTTATAATTTA
LRS      CTGTCTGCACCACTAGTTAGTAGCCTGAGGGAAGAGGATGATCTTTTTTCT-----
2J-2K    GGCAGTAGTTACCTAAAAACAACCGTGAGGGAAGAGGATGATCTTTTTTCT-----
              *      *      *      *      *      *      *      *

```

Microhomology (150bp):

```

5B-5C_reverse ACAGAAATTAATTTTTGTGGTCTTTTTGAATGTTACACATTCCTGTTTTTCAAAAAGAAC
LRS      -----TTCCTGTTTTTCAAAAAGAA
2J-2K    -----CATTAAAAGTGCAT
              ** *** *

```

```

5B-5C_reverse TTACTTGTTTACTTTTACAGTATTCT-----TTCTG-TTATAATTTAATTGTAAATAC
LRS      CTTTACTTTGTT---TA----CTTTTAAACACTTACCTGTCTGCACCACTAGTTAGTAG
2J-2K    GTATGCGTTTTTGCAGAAAGGTTTCCAAAAGACATATTGGCACTAGTTACCTAAAAACAAC
              *      **      *      *      *      *      *      *

```

```

5B-5C_reverse TCTT-----CAATTAAAAGCCTTTTGATACGCCTCTGTAATT
LRS      CCTGAGGGAAGAGGATGATCTTTTTCTCATTACACAGCTACATGGGCGTTCCCGCAGAGC
2J-2K    CGTGAGGGAAGAGGATGATCTTTTTCTCATTACACAGCTACATGGGCGGCCTCGCAGAGC
              *      **** *      **      **      *      *      *

```

```

5B-5C_reverse -----GT-----
LRS      CTCCAGCTGGTACAGAGG
2J-2K    CTCCAGCTGGTACAGAGG
              *

```

Blasting of LRS sequence (150bp) yielded a 100% identity match of underlined sequence to chr21:23621173-23621205.

2K-2M

-> <-

Expected:

```

ACATGTAGCTCAAGTCTTTCAATGGTACACAAGCAGAACCTGAAAGTGTA
TGATCTCAGAGTTAAACATGAAAAGT|atgaaaagtgaagatgagactttt

```

tgtgtcccttttgtggagaggtgtgaCAGCATCTTCATTTGTGTTTTGGG
TT

LRS:

ACATGTAGCTCAAGTCTTTCAATGGTACACAAGCAGAACCTGAAAGTGTA
TGATCTCAGAGTTAAACATGAAAAGT | GAAGATGAGACTTTTTGTGTCCCT
TTTGTGGAGAGGTGTGACAGCATCTTCATTTGTGTTTTGGGTTGCATTTT
TA

Microhomology:

2K-2L -----GATCTCAGAGTTAAACATGAAAAGTAGACAAGATACTTTGATAAGAAATA
LRS -----GATCTCAGAGTTAAACATGAAAAGTGAAGATGAGACTTTTTGTGTCCCTT
2M-2N_reverse cacttgaccaccttcaactttgagaatgaaaagtgaagatgagacttttt-----
*** * * *

2M-2G

<- <-

Expected:

TAAATGTGTATTCAATCGTTATCTAAAAAACTGATGAACCCACCTGAAGG
TAATACCTTGTATTGTCCTTAACTCC | CCAGCCCAGGATTTGGATTTGTCT
GCCAGAAGTGTAATTGATATGTAGTTTGTCTGGATGTTTAAATGAGCTGC
AG

LRS:

AAATGTGTATTCAATGCGTTATCTAAAAAACTGATGAACCCACCTGAAGG
TAATACCTTGTATTGTCCTTAACTCC | CAGCCCAGGATTTGGATTTGTCTT
AAATCCCAGCCCAGGATTTGGATTTGTCTGCCAAGTGTAGAATTGATATG
TA

Microhomology:

2L-2M_reverse -AATACCTTGTATTGTCCTTAACTCCATACCTACCCCCAAATACCAGGTA
LRS -AATACCTTGTATTGTCCTTAACTCCAGCCCAGGATTTGGATTTGTCTTA
2G-2H_reverse TTCTCCCCAAATGGACCTTTTTTTTCAGCCCAGGATTTGGATTTGTCTG-
* * * * * *

2G-5F

<- ->

Expected:

atgcctcctgGAGGAGTGGCAGTGGCCTTCAGAGGTCTTGATTAGTGCTT
TGAGGCCACTGTTTGTGGAACCTGGC | ttgcctttatgtggaacacaatGA
CCGCGTTTTCTCCAAAAGACCTATGAACTGCTTAACACCAATCAATATT
TA

LRS:

CATGCCTCCTGGAGGAGTGGCAGGGTTTCTCAGAGGTCTTGATTAGTGCT
TTGAGGCCACTGTTTGTGGAACCTGG | CTTGCCTTTATGTGGAACACAATG
ACCGCGTTTTCTCCAAAAGACCTATGAACTGCTTAACACCAATCAATATT
TT

Microhomology:

2F-2G_reverse -GAGGCCACTGTTTGTGGAACCTGGCGTTTAACTTGCATTTCCTCCAGA
LRS TGAGGCCACTGTTTGTGGAACCTGGCTTGCCTTTATGTGGAACACAATGA-
5E-5F -gatgtggaagtaagaggcagagtccttgcctttatgtggaacacaatGAC
* * * * * *

21A-2E

-> ->

Expected:

TTAAAAGTATACTACTTTAGTGTGTGAAAAAGTATAAACGTGTATATATA
TAAGAACATCTAtacttttttaacac | TCCCTCAGTGATGTTTTCATATTT
ATAATTTTGGAGAACAATTTCTTGAGAGATGTTTGGGAGCTGTATTCCA
GA

LRS:

TAAAAGTATACTACTTTAGTGTGTGTGAAAAAGAGTAAACGTGTATATAT
A
TAAGAACATCTATACTTTTTTAACAC | AAAACATCCCTCAGTGATGTTTTC
ATATTTATAATTTTGGAGAACAATTTCTTGAGAGATGTTTGGGAGCTGT
AT

Microhomology:

21A-21B	-AAGAACATCTAtacttttttaacacttacctgtctgcaccactaatcttt-----
LRS	TAAGAACATCTATACTTTTAAACACAAAACATCCCTCAGTGATGTTTTCA-----
2D-2E	----AGCT--TATGAAAATGACAGAGCATTTCCCTCAGTGATGTTTTCATATTTA
	* * *** * * ** * *

2E-2Q

-> ->

Expected:

TAGCATTTAATCTGACCATCTGTTTACCAAAGGCTAGTACATTGAAAAAA
AGAAAGAAAATGGGTTTTTTTCCTAG | TCTCAAATATTAGAATTCTAATGT
AGTAAAATCAAATTTAATTTGCAACTGAATCATGCACAAACTAAACAGCA
GC

LRS:

CATTTAATCTGACCATCTGTTTACCAAAGGAAGCTAGTACATTGAAAAAA
AGAAAGAAAATGGGTTTTTTTCCTAGC | TACAGTCTCAAATATTAGAATTCT
AATGTAGTAAAATCAAATTTAATTTGCAACTGAATCATGCACAAACTAAA
CA

Microhomology:

2E-2F	GAAAGAAAATGGGTTTTTTTCCTAGCCAATTGCAATGCCAATGTTTAAAT-----
LRS	GAAAGAAAATGGGTTTTTT-CCTAGCTACAGTCTCAAATATTAGAATTCTA-----
2P-2Q	----CTATTTTAGG-TATGTCCTTG-GTATTTCTCAAATATTAGAATTCTAATGTA
	* * * * * *** * * * * * *

Individual S4

Reference sequences

3A-3B – chr3: 50011089-50011090

```
>hg38_dna range=chr3:50011014-50011165 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CCCCAAAAGATTGTCTATCAGTTTGTTCAGGAAGTTAGAGTAAAAATGGTCT
T
AAAATGCATCAAGAGGGctgggcac|agtggctgatgcctgtagtttcag
ctactcaggaggctgagataggaggatcacttgagcccaggaattcgagt
ga
```

```
>hg38_dna range=chr3:50011014-50011165 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
tcactcgaattcctgggctcaagtgatcctcctatctcagcctcctgagt
agctgaaactacaggcatcagccact|gtgcccagcCCTCTTGATGCATTT
TAAGACCATTTTACTCTAACTTCCTGACAACTGATAGACAATCTTTTTG
GG
```

3B-3C – chr3: 50097202-50097203

```
>hg38_dna range=chr3:50097127-50097278 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ggctcacgcctgtaatcccagcacttttaggattctgaggcaggcggatca
caagggtcaggagatcgagaccatcct|ggctagcacggtgaaaccctgtct
ctactaaaactacaaaaaaattagccagccgtggtggcgggcgctgtag
tc
```

```
>hg38_dna range=chr3:50097127-50097278 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
gactacaggcgccccgccaccacggctggctaattttttttagttagt
agagacagggtttcaccgtgctagcc|aggatggtctcgatctcctgacct
tgtgatccgcctgcctcagaatcctaaagtgctgggattacaggcgtgag
cc
```

3C-3D – chr3: 52741363-52741364

```
>hg38_dna range=chr3:52741288-52741439 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CACAAACCATTTATAATTTTATCAGTGGGAATACTAGAGATCTAAATACT
ACTGAAAATGCACATTTAATATTCAT|TAAACAGAAATAGTTTATAAAGG
GAGACAGAAAACAAGAACTTACCCTTCCCCGTAATCCCCATCTGACTTA
TC
```

```
>hg38_dna range=chr3:52741288-52741439 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GATAAGTCAGATGGGGATTACGGGGAAGGGTAAGTTCTTGTTTTTCTGTC
TCCCTTTATAAACTATTTCTGTTTTA|ATGAATATTAAATGTGCATTTTCA
GTAGTATTTAGATCTCTAGTATTCCCACTGATAAAATTATAAATGGTTTG
TG
```

3D-3E – chr3: 52741372-52741373

```
>hg38_dna range=chr3:52741297-52741448 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TTTATAATTTTATCAGTGGGAATACTAGAGATCTAAATACTACTGAAAAT
```

GCACATTTAATATTCATTAAAAACAGA|AATAGTTTATAAAGGGAGACAGAA
AAACAAGAACTTACCCTTCCCCGTAATCCCCATCTGACTTATCAGTTGAA
CT

```
>hg38_dna range=chr3:52741297-52741448 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
AGTTCAACTGATAAGTCAGATGGGGATTACGGGAAGGGTAAGTTCTTGT  
TTTTCTGTCTCCCTTTATAAACTATT|TCTGTTTTAATGAATATTAAATGT  
GCATTTTCAGTAGTATTTAGATCTCTAGTATTCCCACTGATAAAATTATA  
AA
```

3E-3F – chr3: 52741456-52741457

```
>hg38_dna range=chr3:52741381-52741532 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
ATAAAGGGAGACAGAAAAACAAGAACTTACCCTTCCCCGTAATCCCCATC  
TGACTTATCAGTTGAACTTGTAGAAG|AACTTAACTCATCCTCAGACAGAC  
AATGAATCTGTTTCCTTTCTATTAAATGTTTGAAGAATTAAAATTCTA  
CA
```

```
>hg38_dna range=chr3:52741381-52741532 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TGTAGAATTTTAATTCTTCCAAACATTTAATAGGAAAGGAAACAGATTCA  
TTGTCTGTCTGAGGATGAGTTAAGTT|CTTCTACAAGTTCAACTGATAAGT  
CAGATGGGGATTACGGGAAGGGTAAGTTCTTGTTTTTCTGTCTCCCTTT  
AT
```

3F-3G – chr3: 52753018-52753019

```
>hg38_dna range=chr3:52752943-52753094 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
cacacacacacaatggaatatttctaataataaaaaaggaatgaagttct  
gatacatgctaaaacacgaatgaacc|ctgaaaacatgctaagtaaaataa  
gccaggccaagtgtggtggctcacacatatcatcccagcacttgagctca  
gg
```

```
>hg38_dna range=chr3:52752943-52753094 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
cctgagctcaagtgtggtgataggtgtgagccaccacacttggcctg  
gcttattttacttagcatgttttcag|ggttcattcgtgttttagcatgta  
tcagaacttcattcctttttatagattagaaatattccattgtgtgtgtg  
tg
```

Variants

3D-3F

-> <-

Expected:

TTTATAATTTTATCAGTGGGAATACTAGAGATCTAAATACTACTGAAAAT
GCACATTTAATATTCATTAAAAACAGA|ggttcattcgtgttttagcatgta
tcagaacttcattcctttttatagattagaaatattccattgtgtgtgtg
tg

LRS:

TTTATAATTTTATCAGTGGGAATACTAGAGATCTAAATACTACTGAAAAT

GCACATTTAATATTCATTAAAAACAGA | CGGTTCATTTCGTGTTTTTAGCATG
TATCAGAACTTCATTCCCTTTATAGATTAGAAATATTCCATTGTGTGTGTG
TG

Microhomology:

3D-3E CACA-TTTAATATTCATTAAAAACAGAAATAGTTTATAAAGGGAGACAGAAA--
LRS CACA-TTTAATATTCATTAAAAACAGACGGTTCATTTCGTGTTTTTAGCATGT--
3F-3G_reverse cttatcttacttagcatgttttcag--ggttcattcgt-gtttttagcatgtat
* * **** * *** *** * *

3C-3E

<- <-

gactacaggcgccccgccaccacggctggctaattttttttagt
agagacagggtttcaccgtgctagcc | CTTCTACAAGTTCAACTGATAAGT
CAGATGGGGATTACGGGGAAGGGTAAGTTCTTGTTTTCTGTCTCCCTT
AT

LRS:

GGACTACAGGCGCCCGCCACCACGGCTGGCTAATTTTTTTGTAGTTTTAGT
AGAGACAGGGTTTCACCGTGTTAGCC | TGGCCTTTGTTTGCTGAAAGTCA
AAGAACCTTCTACAAGTTCAACTGATAAGTCAGATGGGATTACGGGGAAG
CG

Microhomology:

3B-3C_reverse -gactacaggcgccccgccaccacggctggctaattttttttagtagagacagg
LRS GGACTACAGGCGCCCGCCACCACGGCTGGCTAAT-TTTTTGTAGTTTTAGTAGACAGG
3E-3F_reverse -----TGTAGAATTTTAATTCTTCCAAACATTTAATAGGA--AAG
* **** ** * **** ** *

3B-3C_reverse gtttcaccgtgctagccaggatggctcctgatcctcctgaccttgatccgcctgcctcag
LRS GTTTCACCGTGTTAGCCTGGCCTTTGTTTGCTGAAAGTCAAAGAACCTTCTACAAGTTC
3E-3F_reverse GA-----AACAGATTCATTGTCTGTCTGAGGATGAGTTAAGTTCTTCTACAAGTTC
* * * *

3B-3C_reverse aat--cctaaagtgctgggattacaggcgtgagcc-----
LRS AACTGATAAGTCAGATGGGATTACGGGGAAGCG-----
3E-3F_reverse AACTGATAAGTCAGATGGGATTACGGGGAAGGGTAAGTTCTTGTTTTCTGTCTCCCTT
** * * **** * ** *

3B-3C_reverse ---
LRS ---
3E-3F_reverse TAT

Blasting of the black insertion sequence traced it back to chr3:49.989.173-
49.989.199 with a 100% identity match.

3D-3B

<- ->

GATAAGTCAGATGGGGATTACGGGGAAGGGTAAGTTCTTGTTTTCTGTC
TCCCTTTATAAACTATTTCTGTTT | agtggctgatgcctgtagtttcag
ctactcaggaggctgagataggaggatcacttgagcccaggaattcgagt
ga

LRS:

TAAGTCAGATGGGGATTACTACGGGGAAGGGTAAGTTCTTGTTTTCTGT
CTCCCTTTATAAACTATTTCTGTTTT | AGTAGCTGATGCCTGTAGTTTCAG
CTACTCAGGAGGCTGAGATAGGAGGATCACTTGAGCTCAGGAATTCGAGT

GA

Microhomology:

3C-3D_reverse

LRS

3A-3B

-CCCTTTATAAACTATTTCTGTTTTAATGAATATTAAATGTGCATTTTCAG
TCCCTTTATAAACTATTTCTGTTTTAGTAGCTGATGCCTGTAGTTTCAGC-
AAAATGCATCAAGAGGgctgggcacagtggctgatgcctgtagtttcagc-
* ** ** * * * * * **

Individual S5

Reference sequences

2A-2B: chr2:160624413-160624414

```
>hg38_dna range=chr2:160624339-160624490 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ttctcttagtagcaattgtaaatgggagttcactcatgatttggctctct
gtttgtctgttactggtatataggaa|tgcttgtgatttttgcacattgat
tttgatatcctgagactttgctgaagttgcttatcagcttaagattttggg
ct
```

```
>hg38_dna range=chr2:160624339-160624490 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
agcccaaaatcttaagctgataagcaacttcagcaaagtctcaggataca
aatcaatgtgcaaaaatcacaagca|ttcctatataccagtaacagacaa
acagagagccaaatcatgagtgaactcccatTTTacaattgctactaagag
aa
```

2B-2C: chr2:160814579-160814580

```
>hg38_dna range=chr2:160814504-160814655 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CAAAACATAATGTTGTTtatctatctagttatctatctatctatctatcc
atctatctatctatctatctatctTT|GATTCTGTTTCATAATTCACCTTGT
CAAGTGCCAAGGACTCTCTTGCCTTCAAATTTAGACAAGAGCAAGTTTTC
AT
```

```
>hg38_dna range=chr2:160814504-160814655 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ATGAAAACCTTGCTCTTGTCTAAATTTGAAGGCAAGAGAGTCCTTGGCACT
TGACAAGGTGAATTATGAACAGAAATC|AAagatagatagatagatagatag
atggatagatagatagatagataactagatagataAACAACATTATGTTT
TG
```

2C-2D: chr2:160890958-160890959

```
>hg38_dna range=chr2:160890883-160891034 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
cccatgggggagacagatatggCACAAAAGCGCACTCTGAGGaagatatt
agtacagaactcgcaggcctactctg|aggcctgaaagaaaaaatgcagga
aaaagcatttgtttctaggctgcagaaagtactcagcaaatgctagcCAT
TA
```

```
>hg38_dna range=chr2:160890883-160891034 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TAATGgctagcatttgcgtgagtactttctgcagcctagaaacaaatgctt
tttcctgcattttttctttcaggcct|cagagtaggcctgcgagttctgta
ctaatatcttcCTCAGAGTGCCTTTTGTGccatatctgtctcccccattg
gg
```

2D-2E: chr2:161238636-161238637

```
>hg38_dna range=chr2:161238561-161238712 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
AGAGAAAAGCAGCAGGCTGATTACGAGGTGTCAAAACTGCCAGGAGCAAG
AAGGTGATAGCAATCAGGGGTGAGAA|GAGTGCGGCATTTCGTGCGGGGCAA
CTAATTATCCGTCTCATTTGAGAAGAGCAGCATTTGAGGCAGCAGCGTTC
```

GC

```
>hg38_dna range=chr2:161238561-161238712 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GCGAACGCTGCTGCCTCAAATGCTGCTCTTCTCAAATGAGACGGATAATT
AGTTGCCCCGCACGAATGCCGCACTC|TTCTCACCCCTGATTGCTATCACC
TTCTTGCTCCTGGCAGTTTTGACACCTCGTAATCAGCCTGCTGCTTTTCT
CT
```

2E-2F: chr2:161730485-161730486

```
>hg38_dna range=chr2:161730410-161730561 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
attatctgtctatattatctattatctctcactcataaaacaacctattat
c
tatctatattatctattatctatcaa|ccatcatcattatcttctTTGTGA
TAAATCCTGAGAATGTAAGGTGGTCTCACATTCTAACAATAtttctgaat
at
```

```
>hg38_dna range=chr2:161730410-161730561 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
atattcagaaaTATTGTTAGAATGTGAGACCACCTTACATTCTCAGGATT
TATCACAAagaagataatgatgatgg|ttgatagataatagataaatagat
agataataggttggttttatgagtgagagataatagataaatagacagata
at
```

2F-2G: chr2:227301893-227301894

```
>hg38_dna range=chr2:227301818-227301969 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ATCAGAAGCCAGCAAGTCCTTGACCAGAtggttctgttttgtctctctcc
ttttttaacaacactttatccaagca|atcagatggttccttcttttggtct
tcttgctccaaagatagctgggttcaaggccagttttatccttggcacttt
tC
```

```
>hg38_dna range=chr2:227301818-227301969 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
Gaaaagtgccaaaggataaaactggccttgaaccagctatctttggagcaa
gaagaccaaagaaggaaccatctgat|tgcttggataaagtgttggttaaaa
aaggagagagacaaaacagaaccaTCTGGTCAAGGACTTGCTGGCTTCTG
AT
```

2G-2H: chr2:229052601-229052602

```
>hg38_dna range=chr2:229052526-229052677 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TGATGGGACTTGGCTTAGAGAGCTTTTTTTTTTCAACAAATGGGGATCAA
TAAAATATTTGCTGCTTTTAAGACA|GATTTATGTGTTGGTTTACTTTCTC
CTCCAGAAGCCCTCATACATGAAATAAATTTACTTGGTAATCTGTTGTCT
AA
```

```
>hg38_dna range=chr2:229052526-229052677 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TTAGACAACAGATTACCAAGTAAATTTATTTTCATGTATGAGGGCTTCTGG
AGGAGAAAGTAAACCAACACATAAAT|CTGTCTTAAAAGCAGCAAATATTT
TATTGATCCCCATTTGTTGAAAAAAAAAAGCTCTCTAAGCCAAGTCCCAT
CA
```

2H-2I: chr2:229275096-229275097

```
>hg38_dna range=chr2:229275021-229275172 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
```

```
aacctcccagactcaaagcaatccttccacctcagcctcctgaatagctg
ggactacaggtttgtgccaccacacc|cagctaattaaaaaaaaaatttat
ggagatagagtattgctgtgtttcccaggctccctgggctaaagtaattc
ac
```

```
>hg38_dna range=chr2:229275021-229275172 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
gtgaattacttttagcccagggagcctgggaaacacagcaatactctatct
ccataaatttttttttaattagctg|ggtgtggtggcaciaaacctgtagt
cccagctattcaggaggctgaggtggaaggattgctttgagtctgggagg
tt
```

7A-7B: chr7:13292251-13292252

```
>hg38_dna range=chr7:13292176-13292327 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
attattaattctcacaaatcttatgaaatggatactgtttttatccctg
tattttatggaaggaaactgaggttc|agaggatataagtaatttgccaa
gttgtaaagccatctgagtaaagatggattttggaccgcggtcatgtaag
tt
```

```
>hg38_dna range=chr7:13292176-13292327 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
aacttacatgaccgcggtccaaaatccatctttactcagatggcctttaca
acttgggcaaattacttatatctct|gaacctcagtttccttccataaaa
tacagggataaaaaacagtatccatttcataagatattgtgagaattaata
at
```

7B-7C: chr7:130283621-130283622

```
>hg38_dna range=chr7:130283546-130283697 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
tctcctaaagtgccgggattacagacgtgagccaccatgcctggccACCc
attctaacagacttttaaattaagta|tctattatatgttaagcattatgc
caagcactggagacataatgtgccacacagaactctttaatagaagaga
tg
```

```
>hg38_dna range=chr7:130283546-130283697 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
catctcttctattaaagagttctgtgtgggcacattatgtctccagtgt
tggcataatgcttaacatataataga|tacttaattttaaagctctgttaga
atgGGTggccaggcatggtgggtcacgtctgtaatcccggcactttagga
ga
```

Variants

2A-2B

-> <-

Expected:

```
ttctcttagtagcaattgtaaatgggagttcactcatgatttggctctct
gtttgtctgttactggtatataggaa|AAagatagatagatagatagatag
atggatagatagatagatagataactagatagataAACAACATTATGTTT
TG
```

LRS:

```
TTCTCTTAGTAGCAATTGTAAATGGGAGTTCACATCATGATTGGCTCTCT
```

GTTTGTCTGTTACTGGTATATAGGAA | AAGATAGATAGATAGATAGATAGA
TGGATACATAGATAGATAGATAACTAAATAGATAAACACATTATGTTTT
GG

Microhomology:

```
blauw_onder      -tttgtctgttactggtatataggaaatgcttgtg-atTTTTgcacattgatt
LRS              -TTGTCTGTTACTGGTATATAGGAAAAGATAGATAGATAGATAGATAGAT-
blauw_boven_reverse GACAAGGTGAATTATGAACAGAATCAAagatagatagatagatagataga--
                  **          * * * * * * * * * * * * *
```

2B-2C

<- ->

Expected:

ccaaaatcttaagctgataagcaacttcagcaaagtctcaggatacaaaa
tcaatgtgcaaaaatcacaagcattc | tctTTGATTCTGTTTCATAATTCAC
CTTGTC AAGTGCCAAGGACTCTCTTG CCTTCAAATTTAGACAAGAGCAAG
TT

LRS:

AGCCCCAAAATCTAAGCTGATAAGCAACTTCAGCAAAGTCTCAGGATACAA
AATCAATGTGCAAAAATCACAAGCAT | TCTTTGATTATCTTCCATAATTCA
CCTTGTC AAGTGCCAAGGACTCTCTTG CCTTCAAATTTAGACAAGAGCAA
GT

Microhomology:

```
oranje_boven_reverse --caatgtgcaaaaatcacaagcattcctatataccagtaacagacaaacag
LRS                  ATCAATGTGCAAAAATCACAAGCATTCTTTGATTATCTTCCATAATTCAC--
oranje_onder         atccatctatctatctatctatctatcctTTGATTCTGTTTCATAATTCACC--
                    * * * * * * * * * * * * * * *
```

2C-2F

-> ->

Expected:

cccatgggggagacagatatggCACAAAAGCGCACTCTGAGGgaagatatt
agtacagaactcgcaggcctactctg | ccatcatcattatcttctTTGTGA
TAAATCCTGAGAATGTAAGGTGGTCTCACATTCTAACAATAtttctgaat
at

LRS:

CCATGGGGGAGACAGATATGGCACAAAAGCGCACTCTGAGGAAGATATTA
GTACAGAACTCGCAGGCCTACTCTG | TCCATCATCATTATCTTCTTTGTGA
TAAATCCTGAGAATGTAAGGTGGTCTCACATTCTAACAATATTTCTGAAT
AT

Microhomology:

```
geel_links        gtacagaactcgcaggcctactctgaggcctgaaagaaaaaatgcaggaa-
LRS               -TACAGAACTCGCAGGCCTACTCTGTCCATCATCATTATCTTCTTTGTGAT
geel_rechts       -tatctatttatctattatctatcaaccatcatcattatcttctTTGTGAT
                  ** * * * * * * * * *
```

7A-2D

-> <-

Expected:

attattaattctcacaatatcttatgaaatggatactgtttttatccctg
tattttatggaaggaaactgaggttc | TTCTCACCCCTGATTGCTATCACC
TTCTTGCTCCTGGCAGTTTTGACACCTCGTAATCAGCCTGCTGCTTTTCT

CT

LRS:

ATTATTAATTCTCACAATATCTTATGAAATGGATACTGTTTTTATCCCTG
TATTTTATGGAAGGAACTGAGGTTC | TCACCCCTGATTGCTATCACCTTC
TTGCTCCTGGCAGTTTTGACACCTCGTAATCAGCCTGCTGCTTTCTCTTC
TT

Microhomology:

lichtgroen_chr7	attttatggaaggaa---actgaggttcagaggatataagtaatttgcccaag
LRS	ATTTTATGGAAGGAA---ACTGAGGTTCACCCCTGATTGCTATCACCTTCT
lichtgroen_chr2_reverse	GTTGCCCCGCACGAATGCCGCACTCTTCACCCCTGATTGCTATCACCT---
	** * * * * * *** * * * * *

2D-7B

<- ->

Expected:

GTAATGgctagcatttgctgagtactttctgcagcctagaaacaaatgct
ttttcctgcattttttctttcaggcc | aggttcagaggatataagtaattt
gcccaagttgtaaagccatctgagtaaagatggattttggaccgcggtca
tg

LRS:

TAATGGCTAGCATTTGCTGAGTACTTTTCTGCAGCCTAGAAACAAATGCT
TTTTCTGCATTTTTTCTTTTCAGGCC | AGGTTCAGAGGATATAAGTAATTT
GCCCAAGTTGTAAAGCCATCTGAGTAAAGATGGATTTTCTGGACCGCGG
TC

Microhomology:

rood_chr2_reverse	tttcctgcattttttctttcaggcctcagagtaggcctgcgagttctgta
LRS	TTTCCTGCATTTTTTCTTTTCAGGCCAGGTTCAGAGGATATAAGTAATTTG
rood_chr7	ccctgtattttatggaaggaaactgaggttcagaggatataagtaatttg
	* ** * * * * *** * *

7B-2G

-> ->

Expected:

tctcctaaagtgcgggattacagacgtgagccaccatgcctggccACcC
attctaacagacttttaaatagta | acactttatccaagcaatcagatg
gttccttcttttggtcttcttgcctccaaagatagctggttcaaggccagtt
tt

LRS:

GTCTCCTAAAGTGCCGGGATTACAGACGTGAGCCACCATGCCTGGCCACC
CATTCTAACAGACTTTTAAATTAAGT | ACACTTTATCCAAGCAATCAGATG
GTTCTTCTTTGGTCTTCTTGCTCCAAAGATAGCTGGTTCAAGGCCAGTT
TT

Microhomology:

roze_chr7	-ttctaacagacttttaaatagta	tctattatattgtaagcattatgcc
LRS	ATTCTAACAGACTTTTAAATTAAGT	CACTTTATCCAAGCAATCAGATGG-
roze_chr2	gttttgctctctccttttttaaca	cactttatccaagcaatcagatgg-
	** * * ** * **** * **** * ***	

2F-7C

-> ->

Expected:

ATCAGAAGCCAGCAAGTCCTTGACCAGATgggttctgttttgtctctctcc
ttttttaacaacacttttatccaagca | aagcattatgccaagcactggaga
cataatgtgccacacagaactctttaatagaagagatgaacaggaaggc
aa

LRS:

ATCAGAAGCCAGCAAGTCCTTGACCAGATGGTTCTGTTTTGTCTCTCTCC
TTTTTTAACAAGCATTATGCCAAGCA | CTGGAGACATAATGTGCCACACA
GAACTCTTTAATAGAAGAGATGAACAGGGAAGGCAAATGAACTTTTGTAT
GA

Microhomology:

paars_chr2	-----tttttaacaacactttatccaagcaatcagatgggttccttctt
LRS	-----TTTTTAACAAGCATTATGCCAAGCACTGGAGAC----ATAATG
paars_chr7	ttaaattaagtatctattatatgttaagcattatgccaagcactggagac-----
	* * * ** ** ***** *

paars_chr2	tggtctt----
LRS	TGCCACACAG
paars_chr7	-----

2G-2I

-> ->

Expected:

TGATGGGACTTGGCTTAGAGAGCTTTTTTTTTTCAACAAATGGGGATCAA
TAAAATATTTGCTGCTTTTAAGACA | cagctaattaaaaaaaaaatttat
ggagatagagtattgctgtgtttcccaggctccctgggctaaagtaattc
ac

LRS:

TGATGGGACTTGGCTTAGAGAGCTTTTTTTTTTCAACAAATGGGGATCAA
TAAAATATTTGCTGCTTTTAAGACAG | CTAATTAATAAAAAAAAAATTTATGGA
GATAGAGTATTGCTGTGTTTCCAGGCTCCCTGGGCTAAAGTAATTCAC
TG

Microhomology:

donkergroen_links	---AAAATATTTGCTGCTTTTAAGACAGATTTATGTGTTGGTTTACTTTCTCC
LRS	---AAAATATTTGCTGCTTTTAAGACAGCTAATTAATAAAAAAAAAATTTATGGAG
donkergroen_rechts	gactacagggtttgtgccaccacaccagctaattaaaaaaaaaatttatg---
	* * **** * * *** * * * *

Individual S6

Reference sequences

9A-9B – chr9:12273020-12273021

```
>hg38_dna range=chr9:12272945-12273096 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TTTCTAACATGCCAGAGGCTCTTCTCATTGCCAAAATTTCTCCTTTGTCA
GGCTCCATAGGAACTGATGTAGTCC|ATGCTCAAAGACATCCAATAAAA
AGCTATGAAGCTGCCACTGATTCACATCTCCACTGGAGGGGAAAAAAAAA
AA
```

```
>hg38_dna range=chr9:12272945-12273096 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TTTTTTTTTTTCCCCCTCCAGTGGAGATGTGAATCAGTGGCAGCTTCATAG
CTTTTTATTGGATGTCTTTTGAGCAT|GGACTACATCAGTTTCTTATGGAG
CCTGACAAAGGAGAAATTTTGGCAATGAGAAGAGCCTCTGGCATGTTAGA
AA
```

9B-9C – chr9: 12280621-12280622

```
>hg38_dna range=chr9:12280546-12280697 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ATTATTTCCAATTGGAATATCAGTATTCTTTGTTTTCTTCAACTTCCCTG
ACTCTCTACCTATGCTCCTTTGCACT|TGAATGATTCTTATTAGCCATGAG
GCAATGCTTGCTCTTGTC AACACATTCTATCCATCCCTTTAGTGAagcag
tc
```

```
>hg38_dna range=chr9:12280546-12280697 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
gactgctTCACTAAAGGGATGGATAGAATGTGTTGACAAGAGCAAGCATT
GCCTCATGGCTAATAAGAATCATTCA|AGTGCAAAGGAGCATAGGTAGAGA
GTCAGGGAAGTTGAAGAAAACAAAGAATACTGATATTCCAATTGGAAATA
AT
```

10A-10B – chr10: 47661049-47661050

```
>hg38_dna range=chr10:47660974-47661125 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TTAACACAATATTGGCAAGCTAAATTTAATCAAATATTCTGCCCATTTTA
AAATTCACTTCCTagcctgtccatcc|ttccttttattttggtgtttgatt
ttgttttattgtatgcttttagcagcctgaagccatgggttttagtttct
gt
```

```
>hg38_dna range=chr10:47660974-47661125 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
acagaaactaaaaaccatggcttcaggctgctaaaagcatacaataaaac
aaaatcaaacaacaaaataaaaggaa|ggatggacaggctAGGAAGTGAAT
TTTAAAATGGGCAGAATATTTGATTAAATTTAGCTTGCCAATATTGTGTT
AA
```

10B-10C – chr10: 47665532-47665533

```
>hg38_dna range=chr10:47665457-47665608 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CATGATAATGTATTTCTCCATTGAAACAGTATGGTTTGAACAGTGCTATA
TATTCATACTCATTATTATTCCTTAA|ATGAATATTTTAAGCTCCTGATAG
AAGGCAGGTACTGTGTTATATGCTGTTTGTGTTACCAGAATACAAAGATG
```

AA

```
>hg38_dna range=chr10:47665457-47665608 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TTCATCTTTGTATTCTGGTAACACAAACAGCATATAACACAGTACCTGCC
TTCTATCAGGAGCTTAAAATATTCAT|TTAAGGAATAATAATGAGTATGAA
TATATAGCACTGTTCAAACCATACTGTTTCAATGGAGAAATACATTATCA
TG
```

10C-10D – chr10: 48452031-48452032

```
>hg38_dna range=chr10:48451956-48452107 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
TCCGCCACACACAATTGCACACACAATGCACCCTCCGCAGCCTCCCCAAA
TTCCCCCATAACAACATGCACACATA|GTGCACCCTGCTCACCCCCCAGAA
TCCCACATACATATAATCTCGCACACACACAATCCCCCGTGTCTAGGCCA
AG
```

```
>hg38_dna range=chr10:48451956-48452107 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
CTTGGCCTAGACACGGGGGATTGTGTGTGTGCGAGATTATATGTATGTGG
GATTCTGGGGGGTGAGCAGGGTGAC|TATGTGTGCAGTTGTGTATGGGGG
AATTTGGGGAGGCTGCGGAGGGTGCAATTGTGTGTGCAATTGTGTGTGGCG
GA
```

10D-10E – chr10: 48482257-48482258

```
>hg38_dna range=chr10:48482182-48482333 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ttcatctaaggccataaaaagttttcttctaggtttttctttcaaaaagtttc
acagtttttaggattttacatgtaggtc|tatgagttactttttgtatatggg
agaaggtgtaattgaagttcattcttttgcataatgcacattccagcccca
ct
```

```
>hg38_dna range=chr10:48482182-48482333 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
agtggggctggaatgtgcatatgcaaaagaatgaacttcaattacacctt
ctcccatatacaaaaagtaactcata|gacctacatgtaaactcctaaaact
gtgaaacttttgaaagaaaacctagaagaaaacttttatggccttagatg
aa
```

10E-10F – chr10: 49302110-49302111

```
>hg38_dna range=chr10:49302035-49302186 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ATGGCTGGAGGGAAGGATTTTCATCTGGGATATCTCCACCTCAAAGCCTT
CACCTGAAGCTTGAGGAGGGCAGGGG|GAAGGGGAGGCTCTCCAATTTGCT
TGGGAAGCCTCTGAAGGAGTTTCTGAGGCTCTCTCCCTACTCCCCACTGT
GT
```

```
>hg38_dna range=chr10:49302035-49302186 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ACACAGTGGGGAGTAGGGAGAGAGCCTCAGAACTCCTTCAGAGGCTTCC
CAAGCAAATTGGAGAGCCTCCCCTTC|CCCCTGCCCTCCTCAAGCTTCAGG
TGAAGGCTTTTGAGGTGGGAGATATCCAGATGAAATCCTTCCCTCCAGCC
AT
```

10F-10G – chr10: 49311963-49311964

```
>hg38_dna range=chr10:49311888-49312039 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
```

AGGATTAGGAGGGGGAGAGAATTGTATCCGCAAAAAGCAGCACATCCCAG
TCAATAATAACAGCATCATGAGGCAT|GGCATGGAAAAAAGCATCATGTG
AGAAAACATTTTGGAGAGTTAGAATTTAGCAATGACTGTGCAAAGGGTA
TT

```
>hg38_dna range=chr10:49311888-49312039 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
AATACCCTTTGCACAGTCATTGCTAAATTCTAACTCTTCCAAAATGTTTT  
CTCACATGATGCTTTTTTTTCCATGCC|ATGCCTCATGATGCTGTTATTATT  
GACTGGGATGTGCTGCTTTTTTGCGGATACAATTCTCTCCCCCTCCTAATC  
CT
```

10G-10H – chr10: 49564013-49564014

```
>hg38_dna range=chr10:49563938-49564089 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
ttagaatcaccttcagctgcatgagcaaacacactaaatccagaatgtcc  
aataagagcaccatattcacaatca|gggctgatctagtgttagattcca  
ccctccttggtgtaacgcccttagaatgcacttccacacatgcatcctag  
gc
```

```
>hg38_dna range=chr10:49563938-49564089 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
gcctaggatgcatgtgtggaagtgcattctaagggcggttacaccaaggag  
ggtggaatctaacactagatcagccc|tgattgtgaatatgggtgctctta  
ttggacattctggatttagtgtgtttgctcatgcagctgaagggtgattct  
aa
```

10H-10I – chr10: 49589506-49589507

```
>hg38_dna range=chr10:49589431-49589582 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
gatagtgaataatagCTGTTGTATGAGGtcatcttgagtcacttttggt  
aatttgatgcatattagtcattct|cacactgctataaagacatacctt  
agactgggtaatttatataaagaaaaagatgtttaattgggtcactgttc  
tg
```

```
>hg38_dna range=chr10:49589431-49589582 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
cagaacagtgagccaattaacatctttttctttatataaattacccagt  
ctaaggatgtctttatagcagtgtg|agaatggactaatatgcatacaaa  
ttacaaaagtgactcaagatgaCCTCATAACAACAGCctattttcacta  
tc
```

10I-10J – chr10: 49651674-49651675

```
>hg38_dna range=chr10:49651599-49651750 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
AACACAGCCAGGCCACCTCCCCACCCACTCTCCAGAGCAGGGCCGACAC  
CCCACTCAGCTGAGCTCACCTTGGGT|CATAGTAGTCCTGGCCTGGTTTGT  
CTTCTGACACTTTCATAGGTCAAGGCATGTCTCTGACACCTCAGTGCACT  
CC
```

```
>hg38_dna range=chr10:49651599-49651750 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
GGAGTGCACTGAGGTGTCAGAGACATGCCTTGACCTATGAAAGTGTGAGA  
AGACAAACCAGGCCAGGACTACTATG|ACCCAAGGTGAGCTCAGCTGAGTG  
GGGTGTCGGCCCTGCTCTGGAGAGTGGGTGGGGAGGTGGGCCTGGCTGTG  
TT
```

10J-10K – chr10: 49682049-49682050

```
>hg38_dna range=chr10:49681974-49682125 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
CTAAGAAGACAGCCTAAATAAGTGACTTTTCTCTTCCTCCCCCTCTGATG
AGCCACACCTACCCACCCTCACCTCA|TAATCTACCTTTAGTTTATGTTCA
CTGTCTCTAAAAATAACGTGggtaaaacatatattttaaagtgttgccatt
tt
```

```
>hg38_dna range=chr10:49681974-49682125 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
aaaatggcaacatttttaaataatatgttttaccCACGTTATTTTTAGAGAC
AGTGAACATAAACTAAAGGTAGATTA|TGAGGTGAGGGTGGGTAGGTGTGG
CTCATCAGAGGGGGAGGAAGAGAAAAGTCACTTATTTAGGCTGTCTTCTT
AG
```

10K-10L – chr10: 54276117-54276118

```
>hg38_dna range=chr10:54276042-54276193 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ataattaccaaaaaatgtaagtcacatcctttatggtattttaataaaaaa
aagacttcttttaaaaagacacaaaga|aagcaaaaccataaagagaaaaa
ctgatactccttgaagatgttcaagttttaaactcatgcaaaatagcacca
aa
```

```
>hg38_dna range=chr10:54276042-54276193 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
tttgggtgctattttgcagtgagttttaaacttgaacatcttcaagagtatc
agtttttctctttatgggttttgctt|tctttgtgtctttttaaagaagtc
tttttttattttaaataaccataaagatgatgacttacatttttggttaatt
at
```

10L-10M – chr10: 54315782-54315783

```
>hg38_dna range=chr10:54315707-54315858 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
atggtataaggaggggggggtccagcttcaatcttcatatggctagccag
ttctcccagcaccatcttactgaatag|gaagtcttttggcactacttttg
tcagctttgtcgaagggcagatggcagtaggtgtgcagccttatAAAAAT
TA
```

```
>hg38_dna range=chr10:54315707-54315858 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TAATTTTtataaggctgcacacctactgccatctgcccttcgacaaaagct
gacaaaagtagtggaagaaagacttc|ctattcagtaaagtgtgctgggag
aactggctagccatatgaagattgaagctggacccccccctccttatacc
at
```

10M-10N – chr10: 54340702-54340703

```
>hg38_dna range=chr10:54340627-54340778 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ttagagcaggaatgaaagcaagcaaaatactcttggaagacggctaagtg
ggtgacttgaaagatccaagtgcctt|gttcatcccttcacttggggggtt
tctacattggcatgggttgggggttgcattctcctcccttgatttttc
tt
```

```
>hg38_dna range=chr10:54340627-54340778 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
aagaaaaatcaaggaggaggaatggcaaaccaccaaacatgccaatgta
gaaaaccaccaagtgaagggatgaac|aaggcacttggaatctttcaagtca
cccacttagccgtcttccaagagtattttgcttgctttcattcctgctct
aa
```

10N-10O – chr10: 54378120-54378121

```
>hg38_dna range=chr10:54378045-54378196 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
ctgcagattagtgaggactacaggcacgtgttaccatgcctgcctagtttt
tcaaattttttgtcaagacagagtct|tactctattttgccaggctggactc
aaactcctgggctcaagcagttctccccactgggcctcccaaagtgtctgg
ga
```

```
>hg38_dna range=chr10:54378045-54378196 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
tcccagcacttttgggaggccagtgaggagaaactgcttgagcccaggagt
ttgagtcagcctggcacaatagagta|agactctgtcttgacaaaaaattt
gaaaaactaggcaggcatggtaacacgtgcctgtagtcccactaatctgc
ag
```

10O-10P – chr10: 55429308-55429309

```
>hg38_dna range=chr10:55429233-55429384 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
gaaatttttaagcacttcttataagatggatttgctggttattaactattt
catatttataggctctaaaacgtcatt|gttccactttgtttttgaaagata
tttttgctaatagataggacactagtaatacagggttaggctttacctccc
tt
```

```
>hg38_dna range=chr10:55429233-55429384 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
aaggagggttaaagcctaaacctgtattactagtgtcctatcattagcaaa
aatatctttcaaaaacaaagtgggaac|aatgacgttttagacctataaaata
tgaaatagtttaataaccagcaaatccatcttataagaagtgttataaatt
tc
```

10P-10Q – chr10: 55444307-55444308

```
>hg38_dna range=chr10:55444232-55444383 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
atgtaacaaacctgcacattctgcacatgtaccccgaaaagtaaagtgtta
attaaaaaaaaaaaaGAAACAAGAG|TGCTAGTTTTATTTTTTTATTTTA
AAGTTTCTATTTTATAAGCAGACACACAAATACACATGTACATCTTTAT
GT
```

```
>hg38_dna range=chr10:55444232-55444383 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
ACATAAAGATGTACATGTGTATTTGTGTGTCTGCTTATAAAAAATAGAAAC
TTTAAAAATAAAAAATAAACTAGCA|CTCTTGTTTCTtttttttttttta
attacacttttactttctggggtacatgtgcagaatgtgcagggtttgttac
at
```

10Q-10R – chr10: 55481914-55481915

```
>hg38_dna range=chr10:55481839-55481990 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
tctatcagggtgcatttgatccagcactgagttcaggctcctgaatatcttt
gttaattttctgtctcagtgatctaa|tactgtcagtgagggtgttaaat
ccccactataattgtgtggtagtctatgtatctttgaagggtctttaagaa
ct
```

```
>hg38_dna range=chr10:55481839-55481990 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
agttcttaagaccttcaaagatacatagactaccacacaattatagtgg
ggaaatttaacacccccactgacagta|ttagatcactgagacagaaaatta
```

acaaagatattcaggacctgaactcagtgctggatcaaatgcacctgata
ga

10R-10S – chr10: 55508209-55508210

```
>hg38_dna range=chr10:55508134-55508285 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
AATTAAAGTGGGATACATTTTACATGTTTTGGCTCTACCATAAAATTTTAG  
CATGACTTAAGAAAATAACAGAAATG|CATACATGCCTGCATTCTGTAAGG  
ACTGTGCTATCCTTTGGTTCAATGAAATTAGCATGGGAAGAGAGCAGTTC  
CA
```

```
>hg38_dna range=chr10:55508134-55508285 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TGGAACTGCTCTCTTCCCATGCTAATTTTCATTGAACCAAAGGATAGCACA  
GTCCTTACAGAATGCAGGCATGTATG|CATTTCTGTTATTTTCTTAAGTCA  
TGCTAAAATTTATGGTAGAGCCAAAACATGTAAAATGTATCCCACTTTAA  
TT
```

10S-10T – chr10: 55936316-55936317

```
>hg38_dna range=chr10:55936241-55936392 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
TATTGGCCTTTATTTTAGTGGTTCCAAAGAAAACAGGGCAAAttcatata  
tgaagtctaattaaataaaggcagat|ggctacataattttctcttcctggt  
agggacagatcgggtgtaagaaggcttaaagtcaacatgaaaggtttagAA  
AA
```

```
>hg38_dna range=chr10:55936241-55936392 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TTTTtctaaacctttcatgttgactttaagccttcttacaccgatctgtcc  
ctaccaggaagagaaaaatatgtagcc|atctgcctttatttaattagactt  
catatatgaaTTGCCCTGTTTTCTTTGGAACCACTAAAAATAAAGGCCAA  
TA
```

10T-10U – chr10: 55968259-55968260

```
>hg38_dna range=chr10:55968184-55968335 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
ACTTCCTATTGGATGACTCCACTAAGGCAATCACCAGACTCCGGAGTCTG  
GCACACAAGGCCTCCGCCACCTAAGC|ACTTGATTAAAGATCTACTATTATT  
ATTATAAGTGATATTacctgaccgttgctctctctcatgccttgatcaatc  
tc
```

```
>hg38_dna range=chr10:55968184-55968335 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
gagattgacaaggcatgagaagagacaacgggtcaggtAATATCACTTATA  
ATAATAATAGTAGATCTTAATCAAGT|GCTTAGGTGGCGGAGGCCTTGTGT  
GCCAGACTCCGGAGTCTGGTGATTGCCTTAGTGGAGTCATCCAATAGGAA  
GT
```

10U-10V – chr10: 57854781-57854782

```
>hg38_dna range=chr10:57854706-57854857 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
gttacacaggtgcccgtgggcatagtggtttgctgcacctattgaccg  
tcctctaagttccctcctctcacact|ccaccctcaacaggccctggtgt  
gtggttgttccctctctgtgtgcctgtgttctcaatgttcaactcccact  
ta
```

```
>hg38_dna range=chr10:57854706-57854857 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
taagtgggagttgaacattgagaacacagggacacagagaggggaacaac
```

a
cacaccagggcctgttgaggggtgg|agtgtgagaggaggggaacttagag
gacgggtcaataggtgcagcaaaccactatggcccacgggcacctgtgta
ac

10V-10W – chr10: 57866072-57866073

```
>hg38_dna range=chr10:57865997-57866148 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
gaaaaagtacatctcagaatatgccactgtgaaacagcacatttcatctg  
gcaaactgtgggtatctcagcatggt|tggcacattgagcagtatcagaga  
atgataagaaataaaactaaagaaagtaagcaggtgccagatGACTAGGG  
CC
```

```
>hg38_dna range=chr10:57865997-57866148 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
GGCCCTAGTCatctggcacctgcttactttcttttagttttatttcttattc  
attctctgatactgctcaatgtgcca|accatgctgagatacccacagttt  
gccagatgaaatgtgctgtttcacagtggcatattctgagatgtactttt  
tc
```

10W-10X – chr10: 58394858-58394859

```
>hg38_dna range=chr10:58394783-58394934 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
TCTCCAGTCTGCCTTTATACATGTAGAATGGTAATGTAATTTCTAAAGTA  
TATACAGAAGCATTCCAGAAATTAAT|TGCTATTTTAAATAATCATTTTAT  
CTCAAAAATAAGTAAATCATTTTAACAGTTATGCTTTTTCTCAGTTATA  
TA
```

```
>hg38_dna range=chr10:58394783-58394934 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
TATATAACTGAGAAAAAGCATAACTGTTAAATGATTTACTTATTTTTTTG  
AGATAAAATGATTATTTTAAATAGCA|ATTAATTTCTGGAATGCTTCTGTA  
TATACTTTTAGAAATTACATTACCATTCTACATGTATAAAGGCAGACTGGA  
GA
```

10X-10Y – chr10: 58465105-58465106

```
>hg38_dna range=chr10:58465030-58465181 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
tggccaggggaagtattctggtttctcaagcaatgggtgggaccataaag  
ctcctaagagtttatgtgtttgtctt|cagctaccagggcaggtagagaac  
taccattaggtggcggttagggtaggcgggtctgttctcagactctcctt  
gg
```

```
>hg38_dna range=chr10:58465030-58465181 5'pad=75 3'pad=75 strand=-  
repeatMasking=lower  
ccaaggagagtctgagaacagacccgcctaaccctaccgccacctaattgg  
tagttctctacctgccctggttagctg|aagacaaacacataaactccttagg  
agctttatggtcccaccattgcttgagaaaccagaataacttcccctggc  
ca
```

14A-14B – chr14: 103527762-103527763

```
>hg38_dna range=chr14:103527687-103527838 5'pad=75 3'pad=75 strand=+  
repeatMasking=lower  
GGAGCTGTGGAGGGGGCTGTTTCAACGTTGAGAGCAGAAGGCAGGGAGGC  
TGTAAGGCAGAAGTAGAGGCAGCTGG|TGGCCAGCGTGGTGGCCCCACAGG  
GACAGGAGCCACAGAGAGTGGGAGGCCATGGAAGGCCTCTCACCAGCTT  
AC
```

```
>hg38_dna range=chr14:103527687-103527838 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
GTAAGCTGGTGAGAGGCCCTTCCATGGCCTCCCCTCTCTGTGGGCTCCTG
TCCCTGTGGGGCCACCACGCTGGCCA|CCAGCTGCCTCTACTTCTGCCTTA
CAGCCTCCCTGCCTTCTGCTCTCAACGTTGAAACAGCCCCCTCCACAGCT
CC
```

14B-14C – chr14: 103559220-103559221

```
>hg38_dna range=chr14:103559145-103559296 5'pad=75 3'pad=75 strand=+
repeatMasking=lower
AATGCAATCTCAAAGGTTTTTTGGCTATTAGTTTTTCATAATTTTCTTATG
TTGCACACAAAAACAAGATTCTCTC|TAAACGTTAGAGGATGGGGAAAAAT
GCAGATGCTGTTTTTCCAATAAAAAATGTTTACAAAAGAACAGACTGTCT
GA
```

```
>hg38_dna range=chr14:103559145-103559296 5'pad=75 3'pad=75 strand=-
repeatMasking=lower
TCAGACAGTCTGTTCTTTTGTAAACATTTTTAGTTGGAAAAACAGCATCT
GCATTTTCCCCATCCTCTACGTTTTA|GAGAGGAATCTTGTTTTTGTGTGC
AACATAAGAAAATTATGAAAATAATAGCCAAAAAACCTTTGAGATTGCA
TT
```

Variants

9A-10K

-> <-

Expected:

```
TTTCTAACATGCCAGAGGCTCTTCTCATTGCCAAAATTTCTCCTTTGTCA
GGCTCCATAGGAAACTGATGTAGTCC|tccttggtgtcttttaagaagtc
ttttttttattttaataaccataaagatgatgacttacattttggttaatt
at
```

LRS:

```
TTTCTAACATGCCAGAGGCTCTTCTCATTGCCAAAATTTCTCCTTTGTCA
GGCTCCATAGGAAACTGATGTAGTCC|TCTTTGTGTCTTTTAAAGAAGTC
TTTTTTTATTTAAATACCATAAAGATGATGACTTACATTTTGTAAATTAT
GT
```

Microhomology:

9A-9B

LRS

10K-10L_reverse

```
GCTCCATAGGAAACTGATGTAGTCCATGCTCAAAGACATCCAATAAAAA
GCTCCATAGGAAACTGATGTAGTCCCTCTTGTGTCTTTTAAAGAAGTCT
gtttttctctttatgggttttgctttctttgtgtcttttaagaagtcct
* * * * * * * *
```

10K-10G

<- ->

Expected:

```
aaaatggcaacattttaatatatgttttaccCACGTTATTTTAGAGAC
AGTGAACATAAACTAAAGGTAGATTA|GGCATGGAAAAAAGCATCATGTG
AGAAAACATTTTGAAGAGTTAGAATTTAGCAATGACTGTGCAAAGGGTA
TT
```

LRS:

AAATGGCAACATTTTAAATATATGTTTTACCCACGTTATTTTATAGAGACA
GTGAACATAAACTAAAGGTAGATTA | GGCATGGAAAAAAGCATCATGTGAG
AAAACATTTTGAAGAGTTAGAATTTAGCAATGACTGTGCAAAGGGTATT
TC

Microhomology:

10J-10K_reverse

LRS

10F-10G

-GTGAACATAAACTAAAGGTAGATTATGAGGTGAGGGTGGGTAGGTGTGGC-
--TGAACATAAACTAAAGGTAGATTAGGCATGGAAAAAAGCATCATGTGAGA
CAATAATAACAGCATCATGAGGCATGGCATGGAAAAAAGCATCATGTGA--
* * * * * * * * * * * * *

10G-10U

-> <-

Expected:

ttagaatcaccttcagctgcatgagcaaacacactaaatccagaatgtcc
aataagagcacccatattcacaatca | agtgtgagaggagggaacttagag
gacgggtcaataggtgcagcaaacactatggccacgggcacctgtgta
ac

LRS:

TTAGAATCACCTTCAGCTGCATGAGCAAAACACACTAAATCCAGAATGTCC
AATAAGAGCACCCATATTCAATCA | GAGTGTGAGAGGAGGAACTTAGAG
GACGGGTCAATAGGTGCAGCAAAACCCTATGGCCACGGGCACCTGTGTA
AC

Microhomology:

10G-10H

LRS

10U-10V_reverse

ataagagcacccatattcacaatcagggctgatctagtgttagattccac-
ATAAGAGCACCCATATTCAATCAGAGTGTGAGAGGAGGAACTTAGAGG-
-cacaccagggcctgttgaggggtgagtgtgagaggagggaacttagagg
* * * * * * * * * * * * *

10U-100

<- ->

Expected:

gagattgacaaggcatgagaagagacaacggtcaggtaATATCACTTATA
ATAATAATAGTAGATCTTAATCAAGT | tactctatttgccaggctggactc
aaactcctgggctcaagcagttctccccactgggcctcccaaagtgtctgg
ga

LRS:

GGAGATTGACAAGGCATGAGAAGAGACAACGGTCAGGTAATATCACTTAT
AATAATAATAGTAGATTCAATCAAGT | ACTCTATTTGCCAGGCTGGACTCA
AACTCCTGGGCTCAAGCAGTTCTCCCCACTGGGCCTCCCAAAGTGCTGGG
AT

Microhomology:

10T-10U_reverse

LRS

10N-100

--TAATAATAGTAGATCTTAATCAAGTGCTTAGGTGGCGGAGGCCTTGTGTG
-ATAATAATAGTAGATTCAAT-CAAGTACTCTATTTGCCAGGCTGGACTCAA
caaattttttgtcaagacaga-gtcttactctatttgccaggctggactca-
* * * * * * * * * * * * *

100-10C

-> <-

Expected:

gaaattttaagcacttcttataagatggatttgctggttattaactat

catatattataggtctaaaaacgtcatt | TATGTGTGCAGTTGTGTATGGGGG
AATTTGGGGAGGCTGCGGAGGGTGCAATTGTGTGTGCAATTGTGTGTGGCG
GA

LRS:

GACATTTTAAAGCACTTCTTATAAGATGGATTTGCTGATTATTAACATTTT
CATATTTTATAGGTCTAAAACGTCATT | ATGTGTGCAGTTGTGTATGGGGAA
TTTGGGGAGGCTGCGGAGGGTGCAATTGTGTGCAATTGTGTGTGGCGGATT
TT

Microhomology:

100-10P -atatttataggtctaaaaacgtcattgttccactttgttttgaagatat
LRS -ATATTTATAGGTCTAAAACGTCATTATGTGTGCAGTTGTGTATGGGGAAT
10C-10D_reverse ATTCTGGGGGGTGAGCAGGGTGACATATGTGTGCAGTTGTGTATGGGGGA-
* * * * * * * * * *

10C-10S

<- <-

Expected:

TTCATCTTTGTATTCTGGTAACACAAACAGCATATAACACAGTACCTGCC
TTCTATCAGGAGCTTAAAATATTCAT | atctgcctttatttaattagactt
catatatgaaTTGCCCTGTTTTCTTTGGAACCACTAAAATAAGGCCAA
TA

LRS:

TCTTCATATTTTGTATTCTGGTAACACAAACAGCATATAACACAGTACCT
GCCTTCTATCAGGAGCTTAAAATATT | CATCTGCCTTTATTTAATTAGACT
TCATATATGAATTGCCCTGTTTTCTTTGGAACCACTAAAATAAGAGCCA
AT

Microhomology:

10B-10C_reverse ---TCTATCAGGAGCTTAAAATATTCAATTAAGGAATAATAATGAGTATGAAT
LRS CCTTCTATCAGGAGCTTAAAATATTCACTGCCTTTATTTAATTAGACTT---
10S-10T_reverse -taccaggaagagaaaaatatgtagccatctgcctttatttaattagacttc--
* ** * ** * * * * * *

10S-9C

<- ->

Expected:

TGGAAGTCTCTCTTCCCATGCTAATTTCAATTGAACCAAAGGATAGCACA
GTCCTTACAGAATGCAGGCATGTATG | TGAATGATTCTTATTAGCCATGAG
GCAATGCTTGCTCTTGTCAACACATTCTATCCATCCCTTTAGTGAagcag
tc

LRS:

TAAAAAAATGGAAGTCTCTCTTCCCATGCTAATTTCAATTAGACAAGGAT
AGCACAGTCCTTACAGAATGCAGGCA | TTGAATGATTCTTATTAGCCATGA
GGCAATGCTTGCTCTTGTCAACACATTCTATCCATCCCTTTAGTGAAGCA

Microhomology:

10R-10S_reverse -----TCCTTACAGAATGCAGGCATGTATGCATTTCTGTTATTTTCTTAAGTCAT
LRS AGCACAGTCCTTACAGAATGCAGGCATTGAATGATTCTTATTAGCCATGA-----
9B-9C --CTCTCTACCTATGCTCCTTTGCACATTGAATGATTCTTATTAGCCATGAGG-----
* * * * * * * * * *

10A-10E

-> <-

Expected:

TTAACACAATATTGGCAAGCTAAATTTAATCAAATATTCTGCCCATTTTA
AAATTCACTTCCTAGcctgtccatcc | CCCCTGCCCTCCTCAAGCTTCAGG
TGAAGGCTTTGAGGTGGGAGATATCCCAGATGAAATCCTTCCCTCCAGCC
AT

LRS:

CCAACACAATATTGGCAAGCTAAATTTAATCAAATATTTTGCCCATTTTA
AAATTCACTTCCTAGCCTGTTTCATCC | CCCTGCCCTCAAGCTCAGGTGAAG
GTTTTGAGGGTGGAGATATCCCAGATGAAAACCTTCTCCAGCCATCCCC
AG

Microhomology:

10A-10B -AATTCACTTCCTAGcctgtccatcccttccttttattttgttgtttgattt
LRS AAATTCACTTCCTAGCCTGTTTCATCCCCCTGCCCTCAAGCTCAGGTGAAG-
10E-10F_reverse AAGCAAATTGGAGAGCCTCCCCCTTCCCCCTGCCCTCCTC-AAGCTTCAGGT
* * * * * * * *

10E-10I

<- <-

Expected:

agtggggctggaatgtgcatatgcaaaagaatgaacttcaattacacctt
ctcccatatacaaaaagtaactcata | ACCCAAGGTGAGCTCAGCTGAGTG
GGGTGTCGGCCCTGCTCTGGAGAGTGGGTGGGGAGGTGGGCCTGGCTGTG
TT

LRS:

AGTGGGGCTGGAATGTGCATATGCAGAAGAATGAACTTCAATTACACCTT
CTCCCATATACAAAAAGTAACTCATA | CCCAAGGTGAGCTCAGCTGAGTGG
GGTGTGGGCCCTGCTCTGGAGAGTGGTGGGGAGGTGGGCCTGGCTGTGTT
AG

Microhomology:

10D-10E_reverse -tcccatatacaaaaagtaactcatagacctacatgtaaatcctaaaactg
LRS -TCCCATATACAAAAAGTAACTCATACCCAAGGTGAGCTCAGCTGAGTGGG
10I-10J_reverse GACAAACCAGGCCAGGACTACTATGACCAAGGTGAGCTCAGCTGAGTGG-
* * * * * * *

10I-10W

<- ->

Expected:

cagaacagtgagccaattaacatctttttcttttatataaattacccagt
ctaagggtatgtcttttatagcagtggtg | tggcacattgagcagtatcagaga
atgataagaaataaaaactaaagaaagtaagcaggtgccagatGACTAGGG
CC

LRS:

TGCAGAACAGTGAGCCAATTAAACATCTTTTTCTTTTATATAATTACCCA
GTCTAAGGTATGTCTTTATAGCAGTG | TGGCACATTGAGCAGTATCAGAGA
ATGATAAGAAATAAACTAAAGAAAGTAAGCAGGTGCCAGATGACTAGGG
CC

Microhomology:

10H-10I_reverse --taagggtatgtcttttatagcagtggtgagaatggactaatatgcatacaaat
LRS TCTAAGGTATGTCTTTTATAGCAGTGTGGCACATTGAGCAGTATCAGAGAA-
10V-10W caaactgtgggtatctcagcatggttggcacattgagcagtatcagagaa--
* * * * * * * *

10W-10M

-> ->

Expected:

TCTCCAGTCTGCCTTTATACATGTAGAATGGTAATGTAATTTCTAAAGTA
TATACAGAAGCATTCCAGAAATTAAT | gaagtcctttttgccactacttttg
tcagctttgtcgaagggcagatggcagtaggtgtgcagccttatAAAAAT
TA

LRS:

TCTCCAGTCTGCCTTTATACATGTAGAATGGTAATGTAATTTCTAAAGTA
TATACAGAAGCATTCCAGAAATTAAT | GAAGTCTTTTGGCCACTACTTTTG
TCAGCTTTGTCTGAAGGGCAGATGGCATTAGGTGTGCAACCTTATAAAAAAT
TA

Microhomology:

10W-10X	--ATACAGAAGCATTCCAGAAATTAATTGCTATTTTAAATAATCATTTTATC
LRS	--ATACAGAAGCATTCCAGAAATTAATGAAGTCTTTTGGCCACTACTTTTGT
10L-10M	tctcccagcaccatttactgaata--ggaagtctttttgccactacttttgt
	*** * **** *** *** * * **

10M-10Q

-> <-

Expected:

ttagagcaggaatgaaagcaagcaaaatactcttggaagacggctaagtg
ggtgacttgaaagatccaagtgcctt | ttagatcactgagacagaaaatta
acaaagatattcaggacctgaactcagtgctggatcaaatgcacctgata
ga

LRS:

TAGGAGCAGGAATGAAAGCAAGCAAAATACTCTTGGAAGACGGCTAAGTG
GGTGACTTGAAAGATCCAAGTGCCTT | AGATCACTGAGACAGAAAAATTAAC
AAAGATATTCAAGACCTGAACTCAGTGCTGGATCAAATGCACCTGATAGA
CA

Microhomology:

10M-10N	--gtgacttgaaagatccaagtgccttgttcaccccttcaactgggggtttt--
LRS	--GTGACTTGAAAGATCCAAGTGCCTTAG--ATCACTGAGACAGAAAAATTAACA
10Q-10R_reverse	gaaatttaacaccccaactgacagtattag--atcactgagacagaaaattaa--
	* * * * * ** *** ** * **

10Q-14C

<- ->

Expected:

ACATAAAGATGTACATGTGTATTTGTGTGTCTGCTTATAAAAAATAGAAAC
TTTAAAAATAAAAAAATAAACTAGCA | TAAAACGTAGAGGATGGGGAAAAAT
GCAGATGCTGTTTTTCCAACATAAAATGTTTACAAAAGAACAGACTGTCT
GA

LRS:

ATATAAAGATGTGTTTTATGTATTTGTGTGTCTGCTTATAAAAAATAGAAAC
TTTAAAAATAAAAAAATAAACTAGCA | TAAAACGTAGAGGATGGGGAAAAAT
GCAGATGCTGTTTTTCCAACATAAAATGTTTACAAAAGAACAGACTGTCT

Microhomology:

10P-10Q_reverse	-TTAAAAATAAAAAAATAAACTAGCACTCTTGTTTTCTtttttttttttta
-----------------	---

LRS
14B-14C

TTTAAATAAAAAATAAACTAGCATAAACGTAGAGGATGGGGAAAT-
-TGCACACAAAAACAAGATTCCTCTCTAAACGTAGAGGATGGGGAAATG

* * * * * * * * *

14A-10Y

-> ->

Expected:

GGAGCTGTGGAGGGGGCTGTTTCAACGTTGAGAGCAGAAGGCAGGGAGGC
TGTAAGGCAGAAGTAGAGGCAGCTGG | cagctaccagggcaggtagagaac
taccattaggtggcggtagggtaggcgggtctgttctcagactctcctt
gg

LRS:

ACACAGTTCGGGAGCTGTGGAGGGGCTATTTCACTGCGGAGATGAGAACA
GGAGGCTAAAGGGCAGAAGTAGAGG | CAGCTACCAGGGCAGGTAGAGAACT
ACCATTAGGTGGCGGTAGGGTTAGGCGGGTCTGTTCTCAGACTCTCCTTG

Microhomology:

14A-14B -----GTAAGGCAGAAGTAGAGGCAGCTGGTGGCCAGCGTGGTGGCCCCACAGGG
LRS GGAGGCTAAAGGGCAGAAGTAGAGGCAGCTACCAGGGCAGGTAGAGAACT-----
10X-10Y tcctaagagtttatgtgtttgtccttcagctaccagggcaggtagagaact-----

* * * * * * * *