

Longitudinal Dynamics and Pluripotentiality of Polysymptomatic Clustering in Adolescent Mental Health.

SUPPLEMENTARY MATERIAL

Table of Contents

1. Supplementary Methods
2. Supplementary Results

1. Supplementary Methods




Figure S1 Overview of Data collected at each timepoint.




Figure S2: Flowchart of the dimensionality reduction and cluster analyses.

Pluripotential Indexes (algorithm)

States were defined globally, and a state transition probability matrix was calculated using Markov chain modelling. We introduce a pluripotential index from the Shannon entropy of each row of the transition probability matrix. The maximum pluripotential occurs when there is equal probability of transitioning to any state in the matrix. The pluripotential index (P_i) for state i is defined as:

$$P_i = -\frac{\sum_{j=1}^k p_{ij} \log(p_{ij})}{\log(k)} \quad (\text{Equation S1})$$

where p_{ij} is the probability of transitioning from state $i \rightarrow j$, and k is the number of states. A value of zero indicates no transitions, while a value of one means equal probability of transitioning to any

2. Supplementary Results



Figure S3: Feature Importance for each state




Figure S4: UMAP embeddings labelled by state. Points represent observations, larger size points represent greater symptom allocation uncertainty.

Mental Health Seeking tables

Table S2: Mental health professional help seeking by age-group.

Age group	N	N help seeking	% help seeking
12	85	41	48.2
13	113	66	58.4
14	104	60	57.7
15	80	51	63.8
16	52	28	53.8
17	38	18	47.4

Table S3: Mental health professional help seeking at any time.

Help Seeking	N	%
FALSE	70	42.2
TRUE	96	57.8

Table S4: Fraction help seeking by age group and sex.

age group	sex	N	N help seeking	% help seeking
12	Female	50	26	52.0
12	Male	35	15	42.9
13	Female	61	41	67.2
13	Male	52	25	48.1
14	Female	56	36	64.3
14	Male	48	24	50.0
15	Female	44	32	72.7
15	Male	36	19	52.8
16	Female	26	19	73.1
16	Male	26	9	34.6
17	Female	20	8	40.0
17	Male	18	10	55.6

Table S5: Mental health professional help seeking at any time by sex.

Any help seeking	sex	N	%
FALSE	Female	35	21.1
	Male	35	21.1
TRUE	Female	58	34.9

Table S6: Mean psychological distress (K10 score) and Wellbeing (COMPAS-W Wellbeing score) by age group and state (95% CIs in brackets).

Age Group	Well (1)	Depression (2)	Anxiety (3)	Attention (4)	Manic Heritability (5)	Anhedonia (6)
K10 score						
12	12.8(12.1-13.4)	20(16.9-23)	17.8(15.1-20.4)	15(11.4-18.6)	16(10.4-21.6)	17.1(14.4-19.8)
13	13(12.4-13.6)	24.7(20.8-28.7)	15.7(14.1-17.4)	15.8(13.8-17.7)	16.7(12.7-20.7)	17.2(12.8-21.6)
14	13.8(13-14.7)	23(20.4-25.5)	16.5(13.8-19.2)	19.3(16.7-21.8)	15(13.2-16.8)	22(18.5-25.5)
15	14.2(13-15.4)	22.5(19.6-25.4)	17.9(14.1-21.7)	18.5(14.4-22.6)	16.6(13.6-19.6)	20.9(15.3-26.4)
16	14.4(13.2-15.6)	25(21.3-28.6)	16.4(13.7-19.1)	20.5(17-24)	14.6(12.3-16.9)	15.8(13.6-17.9)
17	14.4(13-15.9)	25.2(21.4-28.9)	16.3(13.7-18.8)	18(15.2-20.8)	14.9(13.2-16.6)	-
COMPAS-W Wellbeing						
12	105.7(102.8-108.6)	97.4(93.1-101.8)	101.1(96-106.1)	101.7(95.1-108.2)	105(99.4-110.6)	93.4(85.7-101)
13	105.1(103.1-107.2)	91.5(85.8-97.1)	98.5(94.7-102.3)	96.6(92.4-100.7)	101.8(95.1-108.5)	100.8(95.6-106)
14	104.2(101.6-106.8)	91.1(86.4-95.7)	100.3(95.7-105)	88.3(83.2-93.4)	101.3(96-106.6)	91.8(84.5-99.1)
15	103.9(100.8-107)	90.5(86.4-94.7)	96(87.6-104.4)	92.4(84.4-100.5)	102.2(97.9-106.5)	97.4(90.3-104.6)
16	105.8(102.6-109.1)	90.6(86.5-94.8)	100.2(96.9-103.5)	86.5(67.7-105.3)	106.1(100.2-112)	107(103.1-110.9)
17	104.4(100.1-108.6)	90.7(84.4-96.9)	98.3(90.2-106.3)	79.5(73.2-85.8)	108.3(105.8-110.8)	-