










S1: Supplementary Figures

Figure 8. Image examples of SVR head image quality scoring for inclusion in the dataset, scores of 3 or 4 were considered adequate quality for inclusion in the study.

Quality scoring of whole head SVR output				
				
				
Excellent (4) High contrast resolution low noise complete ROI Excellent diagnostic value	Good (3) Good contrast resolution and noise. Minor crop of ROI (at occiput) Good diagnostic value	Moderate (2) Average contrast resolution and noise. Minor registration arefact noted (irregular internal skull table) Moderate diagnostic value	Poor (1) Poor contrast resolution and high noise. Major registration arefact noted (seen in and around brain) Limited diagnostic value	Fail (0) Severe corruption of registered volume. No diagnostic value




Figure 9. Boxplots of measurements stratified by healthy control (blue) and T21 groups (red). Central tendency is represented by the black horizontal line, and the upper and lower limits of the box represent the interquartile range (2nd to 3rd quartile). The black dots represent outliers

Absolute difference		Observer 0*						Observer 2						Observer 3						Automated					
ID	Variable	N Obs	Mean	Lower CI	Upper CI	absLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	absLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	absLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	absLoA range (+/- mean)	
1	ASBL	10	1.94	-0.80	4.69	2.75		10	0.15	-1.99	2.30	2.14		10	0.12	-1.81	2.06	1.93		10	0.79	-1.32	2.91	2.12	
2	PSBL	10	0.11	-2.51	2.74	2.63		10	-1.05	-4.76	2.67	3.12		10	-0.04	-3.18	3.10	3.14		10	-0.27	-2.81	2.27	2.54	
3	HPL	10	-0.88	-5.91	4.15	5.03		10	-1.38	-10.67	7.91	9.29		10	-3.37	-11.82	5.08	8.45		10	-0.55	-4.32	3.23	3.77	
4	VPL	10	0.02	-5.08	5.12	5.03		10	0.81	-8.79	10.42	9.29		10	-1.73	-8.33	4.88	6.61		10	-2.08	-5.03	0.88	2.95	
5	PAW	10	-0.53	-4.13	3.07	3.80		10	-2.03	-5.74	1.68	3.71		10	-2.03	-5.88	0.40	3.79		10	-0.13	-4.06	3.79	3.92	
6	ChO L	10	-0.11	-3.61	3.39	3.70		10	-0.11	-3.61	3.39	3.70		10	-0.11	-3.61	3.39	3.70		10	-0.11	-3.61	3.39	3.70	
7	ChO R	6	-0.01	-7.61	7.58	7.59		7	-0.17	-1.67	1.33	1.53		6	0.91	-1.67	3.70	2.79		7	0.16	-0.80	1.11	0.95	
8	NPW	6	0.23	-3.50	3.97	3.73		7	0.12	-2.74	2.99	2.87		6	2.09	4.19	8.36	6.28		7	1.66	-0.64	3.96	2.30	
9	NB	7	0.67	-4.20	5.55	4.88		8	0.25	-2.71	5.86	3.29		9	0.10	-3.88	4.07	3.98		9	1.72	-0.26	3.69	1.97	
10	PNth	10	0.38	-3.70	4.46	4.08		10	-0.56	-5.59	4.48	5.03		10	-0.31	-4.33	3.72	4.03		10	0.12	-3.08	3.32	3.20	
11	OFD	10	0.30	-4.50	5.10	4.80		10	-1.18	-6.68	4.31	5.50		10	0.25	-7.05	7.55	7.30		10	0.44	-4.70	5.57	5.13	
12	BPD	10	1.29	-6.27	8.85	7.56		10	-0.81	-7.76	6.15	6.95		10	-0.61	-7.75	6.52	7.14		10	1.96	-4.44	8.36	6.40	
13	HPL	10	0.14	-3.90	4.14	3.90		10	0.14	-3.90	4.14	3.90		10	0.14	-3.90	4.14	3.90		10	0.14	-3.90	4.14	3.90	
14	ChO L	10	-0.71	-2.04	1.62	1.62		10	-0.80	-2.68	0.97	4.21		10	-0.80	-2.68	0.97	4.21		10	-0.80	-2.68	0.97	4.21	
15	OD L	10	-0.48	-1.83	0.87	1.35		10	-0.71	-2.95	1.54	2.25		10	-1.11	-2.61	0.39	1.50		10	0.11	-1.01	1.24	1.11	
16	OD R	10	0.45	-2.00	0.89	2.44		10	-1.23	-4.43	1.98	3.20		10	0.63	-1.87	3.13	2.50		10	0.14	-2.13	2.40	2.27	
17	BOD	10	-0.34	-3.44	2.75	3.09		10	-0.71	-3.74	2.33	3.04		10	-1.06	-4.27	2.15	3.21		10	0.51	-2.05	3.08	2.56	
18	MW	10	1.28	-0.91	3.47	2.19		10	0.72	-3.25	4.70	3.98		10	-0.99	-5.95	3.97	4.96		10	2.05	-0.20	4.29	2.24	
19	MW	10	0.60	-4.49	5.70	5.09		10	0.34	-1.11	1.79	1.45		10	-0.89	-3.41	1.64	2.52		10	0.30	1.58	9.01	3.71	
20	CBAL	10	0.78	-1.44	3.95	3.95		10	-0.14	-5.43	5.08	7.51		10	-0.03	-7.39	7.33	7.36		10	0.39	-6.89	7.66	7.28	
21	CHAZ	10	-7.44	-48.97	34.09	41.53		10	-1.41	-42.85	40.04	41.44		10	8.32	-18.69	35.33	27.01		10	-3.83	-30.10	10.24	20.17	
22	MMA	10	1.65	-1.41	14.70	13.06		10	-3.61	-12.23	5.00	1.66		10	-10.38	-22.02	2.33	12.67		10	0.73	-16.16	17.61	17.61	
23	PAH	10	1.65	-11.41	14.70	13.06		10	-4.27	-8.68	17.21	12.95		10	-2.53	-22.60	18.54	21.07		10	2.68	-9.91	15.26	12.59	
24	FAH	10	-1.37	-4.07	1.32	2.70		10	-1.49	-4.09	1.12	2.60		10	-0.87	-5.08	3.33	4.21		10	-0.15	-2.40	2.10	2.25	
25	ChOH	6	1.32	-0.59	3.23	1.91		6	1.00	-1.15	3.14	2.15		6	-0.53	-2.92	1.86	2.39		6	0.74	-1.39	2.87	2.13	
26	MHL	10	-1.00	-6.33	4.34	5.34		10	0.30	-3.28	3.89	3.58		10	2.47	-8.71	13.64	11.18		10	-0.76	-3.98	2.45	3.22	
27	MHL	10	2.85	-2.43	8.13	5.28		10	0.33	-3.28	3.92	3.59		10	1.04	-4.31	8.40	7.35		10	4.21	0.21	8.22	4.01	
28	NASO	10	16.79	-46.71	79.30	62.50		10	17.93	-22.98	58.85	46.91		10	13.29	-42.36	69.93	56.64		10	13.67	-28.00	55.35	39.67	
29	ONO	10	-8.35	-68.43	51.73	61.06		10	-6.947	-75.44	36.50	165.97		10	-34.70	-119.64	50.25	94.95		10	-47.18	-108.70	14.33	61.51	
30	HC	10	1.65	-15.09	18.39	16.74		10	-6.15	-22.44	10.14	16.29		10	2.67	-17.62	23.17	20.35		10	2.94	-15.94	21.82	18.88	
Relative Difference		Observer 0*						Observer 2						Observer 3						Automated					
ID	Variable	N Obs	Mean	Lower CI	Upper CI	relLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	relLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	relLoA range (+/- mean)		N Obs	Mean	Lower CI	Upper CI	relLoA range (+/- mean)	
1	ASBL	10	5.20	-1.94	12.34	7.14		10	0.32	-5.43	6.07	5.75		10	0.24	-4.86	5.34	5.10		10	2.13	-3.46	7.72	5.59	
2	PSBL	10	0.36	-9.87	10.58	10.22		10	-4.16	-18.69	10.38	14.54		10	-0.19	-13.61	13.23	13.42		10	-1.36	-11.63	8.91	10.27	
3	HPL	10	-4.30	-24.46	15.87	20.16		10	-6.58	-42.75	29.60	36.18		10	-13.91	-48.32	20.50	37.42		10	-2.70	-17.71	12.31	15.01	
4	VPL	10	-0.21	-13.16	12.75	12.95		10	1.76	-22.87	26.39	24.53		10	-4.71	-21.98	12.56	13.27		10	-5.58	-13.48	2.32	7.90	
5	PAW	10	-2.75	-19.79	14.28	17.04		10	-8.69	-24.70	7.32	16.01		10	-11.18	-25.98	3.62	14.50		10	-1.26	-18.81	16.29	17.55	
6	ChO L	6	9.50	-4.04	23.03	13.53		7	-2.76	-30.54	25.02	27.78		6	19.99	-32.33	72.31	52.32		7	2.18	-15.43	18.78	17.61	
7	ChO R	6	0.27	-7.90	8.43	8.70		7	-0.34	-7.91	22.22	25.86		6	16.30	-31.80	64.39	48.10		7	4.47	-27.69	18.74	23.22	
8	NPW	6	2.21	-3.91	8.33	33.17		7	0.66	-6.32	23.75	24.60		6	17.82	-34.58	70.22	52.40		7	14.20	-4.58	32.97	18.78	
9	NB	7	8.21	-5.13	67.54	59.34		8	29.36	-6.32	65.04	35.68		9	-0.36	-50.25	49.46	49.90		9	19.69	-0.06	39.44	19.75	
10	PNth	10	-0.69	-67.52	66.13	66.83		10	-18.60	-138.39	101.19	119.79		10	-12.10	-90.88	66.68	78.78		10	-2.88	-59.90	54.14	57.02	
11	OFD	10	0.24	-4.60	5.07	4.84		10	-1.16	-6.58	4.26	5.42		10	0.32	-6.65	7.29	6.97		10	0.36	-4.77	5.49	5.13	
12	BPD	10	1.48	-7.16	10.11	8.64		10	-0.93	-8.90	7.04	7.97		10	-0.73	-8.98	7.52	7.28		10	2.24	-5.04	9.52	7.28	
13	MCh	10	2.23	-4.62	9.09	6.86		10	1.43	-4.32	7.18	5.75		10	0.99	-6.24	8.21	7.23		10	-0.47	-7.38	6.42	6.89	
14	OD L	10	-4.12	-17.23	8.98	13.11		10	-5.84	-15.77	5.09	10.43		10	-5.82	-19.01	7.37	13.19		10	1.01	-9.43	11.46	10.45	
15	OD R	10	-2.76	-10.67	5.15	7.91		10	-3.90	-16.01	8.20	12.11		10	-6.32	-14.83	2.23	8.93		10	0.56	-5.78	6.90	6.34	
16	BOD	10	2.52	-11.81	16.84	14.32		10	-7.90	-27.23	11.42	19.33		10	3.96	-11.96	19.07	15.51		10	0.46	-13.08	13.99	13.54	
17	BOD	10	-0.65	-6.53	5.22	5.88		10	-1.38	-7.28	4.53	5.91		10	-2.05	-8.24	4.13	6.18		10	0.98	-4.02	5.99	5.01	
18	MW	10	4.81	-3.29	12.91	8.10		10	2.59	-12.26	17.45	14.86		10	-3.82	-23.17	15.52	19.34		10	7.67	-0.42	15.76	8.09	
19	MW	10	4.55	-5.27	14.37	9.82		10	0.93	-3.14	4.99	4.96		10	-0.08	-5.78	5.63	5.64		10	14.62	5.02	24.22	9.60	
20	CBAL	10	0.41	-3.55	4.38	3.96		10	1.61	-4.20	7.42	5.81		10	-0.08	-5.78	5.63	5.64		10	0.27	-5.37	5.91	5.64	
21	CHAZ	10	-7.61	-46.82	31.61	39.21		10	-2.64	-40.13	34.85	37.49		10	6.36	-17.86	30.57	24.22		10	-8.89	-30.61	10.84	20.72	
22	FAH	10	0.43	-11.48	12.34	12.34		10	2.25	-8.03	12.53	10.28		10	-5.24	-20.49	10.01	15.26		10	0.06	-11.74	11.87	11.81	
23	MMA	10	-10.17	-26.13	49.79	157.96		10	-41.68	-172.55	89.20	120.88		10	-10.79	-75.52	61.94	168.73		10	-81.55	-224.31	142.76	21.61	
24	IFA	10	1.98	-23.19	27.16	25.17		10	7.69	-20.03	35.41	27.72		10	-4.96	-42.06	32.17	37.11		10	4.38	-18.75	27.52	23.13	
25	PAH	10	-52.80	-163.65	58.05	110.85		10	-56.26	-175.35	62.83	119.09		10	-47.42	-224.12	129.27</								

Mean within +/- 10% of LoA within +/- 20%
Automated variation higher than human observers

Figure 10. Results of absolute (upper table) and relative (lower table) differences with observer 0 (manual landmark based indirect measurement), observer 2 and 3 (direct manual measurement) and automated results compared to a single expert radiologist (direct manual measurement). Green represents relative mean difference or <10% or relative limits of agreement (+/- mean) of <20%. Orange represents automated measurements with more variation than any one manual observer.

*average measures																
Variable	Intraobserver				Interobserver				Intermethod (Koo and Li, 2016)				ICC threshold criteria: <0.50 = poor; 0.50-0.75 = moderate; 0.75-0.90 = good; >0.90 = excellent			
	Cronbach's		Intraclass	95% Confidence	Cronbach's		Intraclass	95% Confidence	Cronbach's		Intraclass	95% Confidence	Intraclass	Interobserver measurement (indirect)	Intermethod automated (direct, indirect)	
	n	Alpha	Correlation		Lower Bound	Upper Bound	n		Alpha	Correlation	Lower Bound					Upper Bound
ASBL	10	0.952	0.952	0.818	0.988	10	0.936	0.942	0.829	0.984	10	0.963	0.926	0.770	0.980	Excellent
PSBL	10	0.747	0.754	0.033	0.938	10	0.889	0.879	0.659	0.967	10	0.918	0.915	0.793	0.976	Excellent
HPL	10	0.795	0.811	0.190	0.954	10	0.434	0.392	-0.463	0.822	10	0.640	0.603	0.099	0.882	n/a
VPL	10	0.529	0.431	-0.476	0.836	10	0.418	0.397	-0.569	0.829	10	0.588	0.554	-0.009	0.867	n/a
PAW	10	0.973	0.975	0.901	0.994	10	0.899	0.791	0.256	0.947	10	0.926	0.856	0.596	0.960	Good
Cho_r	5	0.741	0.769	-1.788	0.977	6	0.431	0.275	-0.386	0.840	5	0.834	0.660	0.130	0.953	Good
Cho_L	5	0.750	0.429	-0.257	0.909	6	0.627	0.396	-0.206	0.870	5	0.712	0.464	-0.054	0.911	n/a
NPW	6	0.959	0.964	0.759	0.995	6	-0.104	-0.029	-0.326	0.608	5	-1.419	-0.292	-0.616	0.566	Excellent
NB	7	0.417	0.429	-2.607	0.903	8	-0.578	-0.254	-0.964	0.553	5	0.458	0.448	-0.864	0.934	n/a
PNTh	10	0.560	0.521	-0.522	0.873	10	0.345	0.361	-1.043	0.833	10	0.507	0.514	-0.223	0.863	n/a
OFD	10	0.981	0.981	0.927	0.995	10	0.974	0.974	0.926	0.993	10	0.982	0.982	0.956	0.995	Excellent
BPD	10	0.994	0.987	0.765	0.998	10	0.933	0.937	0.818	0.983	10	0.923	0.916	0.795	0.976	Excellent
MCh	10	0.959	0.927	0.446	0.984	10	0.958	0.958	0.882	0.989	10	0.971	0.968	0.921	0.991	Excellent
OD_R	10	0.943	0.926	0.661	0.982	10	0.773	0.691	0.180	0.912	10	0.895	0.837	0.584	0.953	Good
OD_L	10	0.866	0.774	-0.058	0.947	10	0.846	0.793	0.403	0.943	10	0.916	0.878	0.687	0.966	Good
IOD	10	0.909	0.861	0.284	0.968	10	0.685	0.556	-0.033	0.866	10	0.824	0.750	0.413	0.926	Good
BOD	10	0.955	0.943	0.743	0.986	10	0.941	0.930	0.793	0.981	10	0.960	0.950	0.873	0.986	Excellent
MxW	10	0.936	0.942	0.762	0.986	10	0.428	0.411	-0.559	0.835	10	0.796	0.727	0.372	0.919	Excellent
MdW	10	0.823	0.833	0.323	0.959	10	0.934	0.904	0.677	0.975	10	0.901	0.835	0.176	0.888	n/a
CBA1	10	0.555	0.581	-0.965	0.899	10	0.915	0.907	0.735	0.974	10	0.934	0.934	0.839	0.981	Good
CBA2	10	0.855	0.745	-0.139	0.822	10	-0.332	-0.300	-2.319	0.627	10	0.154	0.130	-0.755	0.722	n/a
FMA	10	0.607	0.602	-0.474	0.940	10	0.777	0.692	0.181	0.913	10	0.817	0.777	0.475	0.935	Good
MNMA	10	0.612	0.619	-0.514	0.905	10	-0.557	-0.176	-0.581	0.423	10	0.197	0.090	-0.246	0.574	n/a
IFA	10	0.863	0.872	0.479	0.968	10	0.730	0.701	0.201	0.916	10	0.760	0.747	0.395	0.927	Good
PAH	10	0.890	0.827	0.138	0.960	10	0.082	0.067	-1.011	0.709	10	0.044	0.036	-0.880	0.685	Good
ChoH	10	0.440	0.445	-1.226	0.862	6	0.465	0.375	-0.565	0.886	6	0.617	0.505	-0.139	0.907	n/a
MXL	10	0.555	0.556	-0.704	0.883	10	0.543	0.528	-0.274	0.869	10	0.501	0.471	-0.195	0.843	n/a
MDL	10	0.654	0.647	-0.299	0.910	10	0.442	0.448	-0.634	0.852	10	0.674	0.515	0.057	0.839	n/a
NASO	10	0.847	0.833	0.384	0.958	10	-0.219	-0.168	-1.421	0.625	10	0.316	0.309	-0.647	0.800	n/a
ORO	10	0.671	0.675	-0.265	0.919	10	0.601	0.431	-0.146	0.813	10	0.745	0.618	0.187	0.880	Good
HC	10	0.988	0.979	0.839	0.996	10	0.968	0.953	0.831	0.988	10	0.964	0.959	0.899	0.988	n/a
														Excellent	Excellent	Excellent

Figure 11. Table of Intraclass Correlation Coefficient (ICC) results. Green is and excellent or good agreement, yellow a moderate agreement, red is poor agreement (n.b. ICC threshold criteria interpreted only if Cronbach's Alpha is >0.70).

Figure 13. GA-matched fetal MRI datasets used in the control (104) and T21 (24) comparison a. GA distribution b. MRI protocols and fetal sex




Figure 14. Chart demonstrating the proportion of biometrics that fell outside of normative range (5th - 95th percentile) for each T21 subject, upper chart: for most significant biometrics and lower chart all biometrics.

