

Supplemental Table 1: Timing of data collection, expected season, actual rainfall received and early warning classification, Turkana

Data collection		Actual rainfall received (mm)	Early warning classification †		
Timing	Expected season		Pastoral	Agro-pastoral	Fisher folk
Wave 1, May 2021	Long rains	46	Alert	Normal	Normal
Wave 1, Jun 2021	Long rains	5	Alert	Normal	Normal
Wave 2, Dec 2021	Short rains	6	Alarm	Alarm	Alarm
Wave 3, Apr 2022	Long rains	18	Alarm	Alert	Alarm
Wave 4, Sep 2022	Short rains	8	Alarm	Alarm	Alarm
Wave 5, Feb 2023	Dry season	3	Emergency	Emergency	Emergency
Wave 5, Mar 2023	Dry season	60	Emergency	Emergency	Emergency
Wave 6, Aug 2023	Cold lean season	11	Alert	Normal	Alert

Source: Information on rainfall and early warning classification is from the National Drought Management Authority, Kenya

†The drought status is categorized into five levels: Normal, Alert, Alarm, Emergency, and Recovery.

Supplemental Table 2: Timing of data collection, expected season, actual rainfall received and early warning classification, Samburu

Data collection		Actual rainfall received (mm)	Early warning classification †		
Timing	Expected season		Agropastoral	Pastoral north	Pastoral east
Wave 1, Jun 2021	Continental rains	10	Normal	Normal	Alarm
Wave 1, Jul 2021	Continental rains	12	Normal	Normal	Alarm
Wave 2, Dec 2021	Short rains	45	Alert	Alert	Alarm
Wave 3, Apr 2022	Long rains	99	Alarm	Alarm	Alarm
Wave 4, Sep 2022	Short rains	8	Alarm	Alarm	Alarm
Wave 5, Feb 2023	Dry season	5	Alarm	Alarm	Alarm
Wave 5, Mar 2023	Dry season	missing	Alarm	Alarm	Alarm
Wave 6, Aug 2023	Continental rains	26-50	Alert	Alert	Alert

Source: Information on rainfall and early warning classification is from the National Drought Management Authority in Kenya

†The drought status is categorized into five levels: Normal, Alert, Alarm, Emergency, and Recovery.

Supplemental Table 3: Characteristics of study participants

	Turkana						Samburu					
	Wave 1 (N=1,211)	Wave 2 (N=1,068)	Wave 3 (N=1,019)	Wave 4 (N=1,134)	Wave 5 (N=1,082)	Wave 6 (N=1,156)	Wave 1 (N=586)	Wave 2 (N=556)	Wave 3 (N=522)	Wave 4 (N=549)	Wave 5 (N=543)	Wave 6 (N=544)
Turkana												
Child's age (months), Mean $\pm$ SD	16.8 $\pm$ 10.6	22.7 $\pm$ 10.6	28.5 $\pm$ 10.6	34.1 $\pm$ 10.5	38.4 $\pm$ 10.5	44.1 $\pm$ 10.5	14.4 $\pm$ 10.0	19.3 $\pm$ 10.0	24.1 $\pm$ 10.0	29.9 $\pm$ 10.0	35.2 $\pm$ 10.2	39.9 $\pm$ 10.1
Child's sex												
Girls	45.2	47.3	46.9	46.2	48.0	47.2	47.8	48.4	48.9	47.7	48.1	48.7
Boys	54.8	52.7	53.1	53.8	52.0	52.8	52.2	51.6	51.1	52.3	51.9	51.3
Stunted	25.9	27.8	27.9	30.4	29.3	26.5	24.5	35.9	37.2	41.4	43.6	41.3
Survey zone												
Central	21.0	20.6	19.8	20.3	21.6	21.4	7.1	6.8	7.0	6.7	6.7	6.7
North	25.6	26.6	28.6	26.2	27.2	26.4	77.1	77.9	78.0	78.1	77.5	77.7
South	24.1	24.8	21.7	24.0	22.4	23.9	--	--	--	--	--	--
West	29.2	28.0	30.0	29.5	28.8	28.3	--	--	--	--	--	--
East	--	--	--	--	--	--	15.8	15.3	14.9	15.2	15.8	15.5
Livelihood zone												
Agropastoral	14.8	15.5	16.5	10.1	8.6	10.4	5.2	6.0	5.5	4.9	4.9	4.9
Pastoral	63.9	44.8	58.7	67.5	68.6	67.2	83.4	80.7	86.0	80.2	81.6	81.5
Urban/peri-urban	6.5	21.5	6.5	8.7	8.1	8.0	11.4	13.3	8.5	14.9	13.5	13.6
Fisherfolk	14.8	18.2	18.2	13.7	14.7	14.4	--	--	--	--	--	--

Note: The numbers are percentages except for age.


Supplemental Table 4: Mean WHZ, MUAC and MAZ by county, survey wave, and sex

	Turkana (mean $\pm$ SD)			Samburu (mean $\pm$ SD)		
	WHZ	MUAC	MAZ	WHZ	MUAC	MAZ
Wave 1						
Girls	-1.08 $\pm$ 1.48	13.52 $\pm$ 1.10	-0.92 $\pm$ 1.12	-1.26 $\pm$ 1.60	13.56 $\pm$ 1.16	-0.79 $\pm$ 0.95
Boys	-1.08 $\pm$ 1.46	13.66 $\pm$ 1.07	-1.16 $\pm$ 1.11	-1.27 $\pm$ 1.21	13.91 $\pm$ 0.99	-0.85 $\pm$ 1.05
Overall	-1.08 $\pm$ 1.47	13.59 $\pm$ 1.09	-1.05 $\pm$ 1.12	-1.26 $\pm$ 1.43	13.73 $\pm$ 1.10	-0.82 $\pm$ 1.00
N	1,117	919	889	533	459	459
Wave 2						
Girls	-1.08 $\pm$ 1.02	13.77 $\pm$ 1.02	-0.95 $\pm$ 0.99	-0.79 $\pm$ 1.14	13.62 $\pm$ 0.96	-0.93 $\pm$ 0.85
Boys	-1.24 $\pm$ 1.06	13.86 $\pm$ 1.06	-1.20 $\pm$ 1.08	-1.24 $\pm$ 1.08	13.71 $\pm$ 0.86	-1.24 $\pm$ 0.91
Overall	-1.16 $\pm$ 1.04	13.82 $\pm$ 1.04	-1.08 $\pm$ 1.05	-1.01 $\pm$ 1.13	13.66 $\pm$ 0.92	-1.08 $\pm$ 0.89
N	1,046	1,009	1,008	517	530	528
Wave 3						
Girls	-1.33 $\pm$ 0.99	13.69 $\pm$ 0.97	-1.27 $\pm$ 0.98	-0.96 $\pm$ 0.96	13.77 $\pm$ 0.94	-1.00 $\pm$ 0.85
Boys	-1.54 $\pm$ 1.01	13.74 $\pm$ 1.05	-1.46 $\pm$ 1.04	-1.39 $\pm$ 0.93	13.80 $\pm$ 0.91	-1.29 $\pm$ 0.92
Overall	-1.44 $\pm$ 1.00	13.72 $\pm$ 1.01	-1.37 $\pm$ 1.01	-1.17 $\pm$ 0.97	13.78 $\pm$ 0.92	-1.14 $\pm$ 0.90
N	979	964	959	489	506	506
Wave 4						
Girls	-1.28 $\pm$ 0.99	13.88 $\pm$ 1.00	-1.34 $\pm$ 0.95	-1.22 $\pm$ 0.99	14.08 $\pm$ 1.04	-0.96 $\pm$ 0.97
Boys	-1.35 $\pm$ 0.97	14.01 $\pm$ 1.08	-1.43 $\pm$ 1.07	-1.60 $\pm$ 0.92	14.01 $\pm$ 0.96	-1.29 $\pm$ 0.95
Overall	-1.32 $\pm$ 0.98	13.95 $\pm$ 1.04	-1.39 $\pm$ 1.02	-1.40 $\pm$ 0.97	14.05 $\pm$ 1.00	-1.12 $\pm$ 0.97
N	1,079	1,096	1,082	547	545	545
Wave 5						
Girls	-1.34 $\pm$ 0.95	14.02 $\pm$ 1.03	-1.38 $\pm$ 0.95	-1.23 $\pm$ 0.81	14.11 $\pm$ 0.96	-1.16 $\pm$ 0.88
Boys	-1.42 $\pm$ 0.98	14.06 $\pm$ 1.03	-1.50 $\pm$ 1.01	-1.64 $\pm$ 0.88	13.92 $\pm$ 0.97	-1.55 $\pm$ 0.96
Overall	-1.38 $\pm$ 0.96	14.04 $\pm$ 1.03	-1.44 $\pm$ 0.98	-1.43 $\pm$ 0.87	14.02 $\pm$ 0.97	-1.35 $\pm$ 0.94
N	1,035	1,070	1,070	543	543	543
Wave 6						
Girls	-1.25 $\pm$ 0.99	14.46 $\pm$ 1.03	-1.17 $\pm$ 0.90	-1.11 $\pm$ 1.00	14.30 $\pm$ 0.94	-1.18 $\pm$ 0.86
Boys	-1.33 $\pm$ 0.97	14.40 $\pm$ 1.03	-1.30 $\pm$ 0.94	-1.45 $\pm$ 1.03	14.19 $\pm$ 1.00	-1.42 $\pm$ 0.98
Overall	-1.29 $\pm$ 0.98	14.43 $\pm$ 1.03	-1.24 $\pm$ 0.92	-1.27 $\pm$ 1.03	14.25 $\pm$ 0.97	-1.30 $\pm$ 0.93
N	1,026	1,125	1,012	529	540	529

Supplemental Table 5: Prevalence of wasting based on different anthropometric indicators stratified by child's sex

	Turkana			Samburu		
	WHZ (%)	MUAC (%)	MAZ (%)	WHZ (%)	MUAC (%)	MAZ (%)
Wave 1						
Girls	23.1	15.6	18.1	23.7	14.5	9.8
Boys	20.6	11.7	20.5	22.8	10.1	19.1
N	1,117	919	889	533	459	459
Wave 2						
Girls	18.6	10.4	14.2	10.0	15.7	7.8
Boys	21.3	10.5	19.8	23.9	8.6	21.3
N	1,046	1,009	1,008	517	530	528
Wave 3						
Girls	22.8	11.2	23.3	11.7	9.0	11.3
Boys	33.4	13.8	28.9	32.0	5.9	22.4
N	979	964	959	489	506	506
Wave 4						
Girls	22.0	8.0	26.1	26.4	3.1	14.2
Boys	21.8	8.5	26.7	35.1	2.8	26.2
N	1,079	1,096	1,082	547	545	545
Wave 5						
Girls	24.1	5.0	29.0	15.1	4.6	20.3
Boys	25.8	8.5	33.3	40.7	6.3	33.2
N	1,035	1,070	1,070	543	543	543
Wave 6						
Girls	18.4	3.3	16.0	17.3	2.4	14.8
Boys	25.5	1.8	25.0	30.8	2.3	27.9
N	1,026	1,125	1,012	529	540	529

Supplemental Figure 1: Seasonality of wasting based on different anthropometric indicators in Turkana and Samburu




Supplemental Table 6: Correlation of WHZ with MUAC and MAZ by county and survey wave

	Pearson's correlation coefficient (rho)			
	Turkana		Samburu	
	WHZ vs. MUAC	WHZ vs. MAZ	WHZ vs. MUAC	WHZ vs. MAZ
Wave 1	0.472	0.496	0.656	0.695
Wave 2	0.667	0.691	0.651	0.729
Wave 3	0.692	0.698	0.727	0.782
Wave 4	0.681	0.690	0.736	0.797
Wave 5	0.668	0.684	0.735	0.796
Wave 6	0.615	0.647	0.679	0.721


Supplemental Table 7: Mean of the difference between WHZ and MAZ by wave and child's age

	Turkana		Samburu	
	N	Mean $\pm$ SD	N	Mean $\pm$ SD
Wave 1				
≤ 24 months	688	-0.16 $\pm$ 1.31	364	-0.31 $\pm$ 0.84
> 24 months	278	0.15 $\pm$ 1.09	111	-0.08 $\pm$ 0.69
Total	966	-0.06 $\pm$ 1.25	475	-0.26 $\pm$ 0.82
Wave 2				
≤ 24 months	565	-0.30 $\pm$ 0.79	325	-0.04 $\pm$ 0.77
> 24 months	443	0.14 $\pm$ 0.75	168	0.04 $\pm$ 0.78
Total	1,008	-0.09 $\pm$ 0.80	493	-0.01 $\pm$ 0.80
Wave 3				
≤ 24 months	382	-0.40 $\pm$ 0.69	239	-0.23 $\pm$ 0.66
> 24 months	558	0.19 $\pm$ 0.74	239	0.16 $\pm$ 0.58
Total	940	-0.06 $\pm$ 0.78	478	-0.05 $\pm$ 0.70
Wave 4				
≤ 24 months	247	-0.34 $\pm$ 0.73	187	-0.50 $\pm$ 0.62
> 24 months	821	0.16 $\pm$ 0.70	358	-0.15 $\pm$ 0.62
Total	1,068	0.06 $\pm$ 0.74	545	-0.28 $\pm$ 0.06
Wave 5				
≤ 24 months	106	-0.38 $\pm$ 0.77	73	-0.36 $\pm$ 0.48
> 24 months	929	0.11 $\pm$ 0.74	470	-0.02 $\pm$ 0.61
Total	1,035	0.07 $\pm$ 0.76	543	-0.08 $\pm$ 0.60
Wave 6				
≤ 24 months	0	--	0	--
> 24 months	1,009	-0.05 $\pm$ 0.75	529	0.02 $\pm$ 0.79
Total	6,026	-0.02 $\pm$ 0.86	3,063	-0.11 $\pm$ 0.72

Supplemental Figure 2: Sensitivity, Specificity, and predictive values of MUAC and MAZ with reference to WHZ, Turkana



Supplemental Figure 3: Sensitivity, Specificity, and predictive values of MUAC and MAZ with reference to WHZ, Samburu



Supplemental Table 8: The percentage of children by wasting status based on a combination of different anthropometric indicators by survey wave and county

	Wave 1 (%)	Wave 2 (%)	Wave 3 (%)	Wave 4 (%)	Wave 5 (%)	Wave 6 (%)	Total (%)
Turkana							
Wasting based on WHZ and MUAC							
Not wasted by WHZ and MUAC	72.6	76.6	69.2	76.2	74.1	77.1	73.4
Wasted by MUAC only	5.2	3.4	2.3	1.9	1.0	0.8	2.4
Wasted by WHZ only	14.0	13.0	18.4	15.8	19.2	20.4	16.8
Wasted by WHZ and MUAC	8.3	7.0	10.1	6.1	5.8	1.7	6.5
N	913	1,007	943	1,079	1,035	1,026	6,003
Wasting based on WHZ and MAZ							
Not wasted by WHZ and MAZ	68.4	72.8	62.6	65.8	61.2	70.1	66.7
Wasted by MAZ only	8.7	7.2	10.2	11.9	13.8	7.6	10.0
Wasted by WHZ only	12.3	10.1	11.2	7.9	7.1	9.2	9.5
Wasted by WHZ and MAZ	10.7	9.9	16.0	14.4	17.8	13.0	13.7
N	884	1,006	938	1,065	1,035	1,006	5,934
Samburu							
Wasting based on WHZ and MUAC							
Not wasted by WHZ and MUAC	77.2	77.0	75.5	68.8	71.8	75.4	74.1
Wasted by MUAC only	4.7	6.0	2.4	0.6	0.7	0.9	2.4
Wasted by WHZ only	10.7	10.7	16.8	28.2	22.8	22.3	19.1
Wasted by WHZ and MUAC	7.4	6.3	5.3	2.4	4.7	1.4	4.4
N	434	493	478	545	543	529	3,022
Wasting based on WHZ and MAZ							
Not wasted by WHZ and MAZ	75.1	76.4	70.2	63.9	64.9	68.1	69.5
Wasted by MAZ only	6.8	6.6	7.7	5.5	7.6	8.2	7.1
Wasted by WHZ only	10.1	9.2	12.6	16.2	8.5	10.8	11.3
Wasted by WHZ and MAZ	8.0	7.8	9.4	14.5	18.9	12.9	12.2
N	434	491	478	545	543	529	3,020