

1 **Title: Clinical and economic inpatient burden of respiratory syncytial virus (RSV) infections in children**
2 **<2 years of age in Germany, 2014-2019: a retrospective health claims analysis**

3 Authors:

4 Authors in order:

5 Caroline Lade¹ – Lead and corresponding author

6 Lea Bayer¹

7 Bennet Huebbe²

8 Jennifer Riedel³

9 Sima Melnik³

10 Gordon Brestrich⁴

11 Christof von Eiff¹

12 Tobias Tenenbaum⁵

13

14 Affiliation:

15 1 Pfizer Pharma GmbH, Berlin, Germany

16 2 IGES Institute, Berlin, Germany

17 3 Gesundheitsforen Leipzig GmbH, Leipzig, Germany

18 4 Pfizer Inc, New York, USA

19 5 Sana Klinikum Lichtenberg, Clinic for Child and Adolescent Medicine, Academic Teaching Hospital

20 Charité-Universitätsmedizin Berlin, Germany

21 **Supplementary Materials**

22 **Table S1** RSV seasons according to Cai et al., 2022

Season	Calendar weeks
2013/2014	3-19
2014/2015	46-12
2015/2016	49-15
2016/2017	44-11
2017/2018	50-14
2018/2019	49-12
2019/2020	50-14

23

24 **Table S2** Risk Factor Definition by ICD-10 Codes

Risk Condition	ICD-10-GM Code	Description
Conditions originating in the perinatal period	P07	Disorders of newborn related to short gestation and low birth weight, not elsewhere classified
	P23	Congenital pneumonia
	P25	Interstitial emphysema and related conditions originating in the perinatal period
	P27.1	Bronchopulmonary dysplasia originating in the perinatal period
	P27.8	Other chronic respiratory diseases originating in the perinatal period
	P28	Other respiratory conditions originating in the perinatal period
	P27.9	Unspecified chronic respiratory disease originating in the perinatal period
	P29	Cardiovascular disorders originating in the perinatal period
Chronic cardiac disease	Q20-26	Congenital malformations of the circulatory system
	I42, I43, I50-I52	Other forms of heart disease
Chronic respiratory disease	J43	Chronic lower respiratory diseases
	J96.1	Chronic respiratory failure
	E84	Cystic fibrosis
	Q79.0, Q79.1	Congenital diaphragmatic hernia, Other congenital malformations of diaphragm
	Q30 - Q34	Congenital malformations
Immunosuppression	D57	Sickle-cell disorders
	D80, D81, D83, D84,	Certain disorders involving the immune mechanism
	Q90-Q95	Chromosomal abnormalities, not elsewhere classified
	Z94.0-Z94.4	Transplanted organ and tissue status
Neurological disease	G12, G13	Systemic atrophies primarily affecting the central nervous system
	G31.8, G31.9, G32	Other degenerative diseases of the nervous system
	G40	Epilepsy
	G71	Primary disorders of muscles
	G93.1, G93.4	Other disorders of the nervous system
	P91	Other disturbances of cerebral status of newborn
Patient History	Z29.1	Encounter for prophylactic immunotherapy
Diabetes mellitus	E10	Type 1 diabetes mellitus
	P70.2	Neonatal diabetes mellitus

26 **Table S3** Proportion (%) of inpatient cases per calendar months in infants and toddlers across 2014-2019

Calendar months	Infants			Toddlers		
	RSV-UBP N = 5,565	RSV-specific N = 3,706	UBP N = 1,859	RSV-UBP N = 2,131	RSV-specific N = 741	UBP N = 1,390
January	24.0	24.6	23.0	26.9	26.3	27.2
February	28.0	28.5	26.9	29.8	32.0	28.7
March	19.0	19.1	18.7	17.7	19.0	17.1
April	5.9	6.5	4.6	2.1	4.3	0.9
May	1.3	1.9	-	0.5	1.5	-
June	0.3	0.4	-	-	-	-
July	-	-	-	-	-	-
August	0.2	0.2	-	-	-	-
September	0.1	0.2	-	-	-	-
October	0.5	0.6	-	0.5	1.1	-
November	3.5	2.9	4.7	3.6	2.2	4.3
December	17.3	15.0	21.8	18.6	12.8	21.7

Note: UBP cases were only taken into consideration within the RSV season (see Table S1)

28 **Table S4** Case Numbers (N) and Incidence Rates (IR) per 1,000 person-years per Month of Life by Pre-
 29 term Status and Underlying Disease across 2014-2019

Months of life	All		Full Term		Pre- term		Underlying disease	
	N	IR	N	IR	N	IR	N	IR
RSV-UBP								
1	467	30.46	420	29.21	47	49.36	163	110.16
2	878	57.28	785	54.60	93	97.66	126	85.15
3	688	44.88	590	41.04	98	102.91	101	68.26
4	579	37.77	516	35.89	63	66.16	85	57.45
5	559	36.47	482	33.53	77	80.86	84	56.77
6	488	31.83	419	29.14	69	72.46	68	45.96
7	441	28.77	378	26.29	63	66.16	78	52.71
8	381	24.85	319	22.19	62	65.11	70	47.31
9	288	18.79	234	16.28	54	56.71	61	41.23
10	264	17.22	232	16.14	32	33.60	45	30.41
11	266	17.35	229	15.93	37	38.86	47	31.76
12	266	17.35	221	15.37	45	47.26	46	31.09
13	206	16.84	179	15.61	27	35.36	46	33.06
14	206	16.84	174	15.18	32	41.91	43	30.90
15	195	15.95	164	14.30	31	40.60	34	24.43
16	206	16.84	180	15.70	26	34.05	39	28.03
17	233	19.05	200	17.44	33	43.22	52	37.37
18	200	16.35	173	15.09	27	35.36	47	33.78
19	187	15.29	157	13.69	30	39.29	41	29.46
20	174	14.23	148	12.91	26	34.05	32	23.00
21	151	12.35	127	11.08	24	31.43	28	20.12
22	147	12.02	121	10.55	26	34.05	29	20.84
23	108	8.83	91	7.94	17	22.27	18	12.94
24	118	9.65	101	8.81	17	22.27	23	16.53
RSV-specific								
1	408	26.62	369	25.67	39	40.96	144	97.32
2	693	45.21	624	43.40	69	72.46	97	65.56
3	534	34.84	456	31.72	78	81.91	70	47.31
4	421	27.46	374	26.01	47	49.36	62	41.90
5	381	24.85	331	23.02	50	52.51	56	37.85
6	330	21.53	282	19.61	48	50.41	47	31.76
7	246	16.05	208	14.47	38	39.91	37	25.01
8	194	12.66	155	10.78	39	40.96	36	24.33
9	144	9.39	116	8.07	28	29.40	32	21.63
10	121	7.89	103	7.16	18	18.90	17	11.49
11	126	8.22	112	7.79	14	14.70	27	18.25
12	108	7.05	93	6.47	15	15.75	21	14.19
13	96	7.85	83	7.24	13	17.03	24	17.25
14	79	6.46	65	5.67	14	18.34	15	10.78
15	57	4.66	47	4.10	10	13.10	13	9.34
16	71	5.81	60	5.23	11	14.41	13	9.34
17	76	6.21	65	5.67	11	14.41	19	13.65
18	64	5.23	56	4.88	8	10.48	14	10.06
19	65	5.32	53	4.62	12	15.72	18	12.94
20	65	5.32	54	4.71	11	14.41	11	7.91
21	50	4.09	42	3.66	8	10.48	11	7.91
22	54	4.42	44	3.84	10	13.10	12	8.62
23	33	2.70	27	2.35	6	7.86	6	4.31
24	31	2.53	29	2.53	<5	NA	10	7.19

31 **Table S5** Case Numbers (N), Mean (M) and Standard Deviation (SD) of Costs in RSV-UBP-, RSV-specific and UBP-patients in Infants and Toddlers

	Month of life	N	Controls			Incident Cases		
			30 days	90 days	365 days	30 days	90 days	365 days
			M (SD)	M (SD)	M (SD)	M(SD)	M(SD)	M(SD)
<i>RSV-UBP</i>								
	1-3	1,891	201 (1,695)	413 (3,531)	819 (6,766)	4,228 (6,552)	5,025 (9,789)	5,884 (13,951)
	4-6	1,430	99 (1,538)	188 (2,098)	480 (2,876)	3,114 (3,238)	3,537 (6,796)	4,243 (8,231)
	7-12	1,588	32 (355)	92 (641)	324 (2,909)	3,007 (2,689)	3,663 (8,429)	5,103 (24,383)
	1-12	4,909	116 (1,357)	243 (2,497)	560 (4,777)	3,508 (4,717)	4,151 (8,591)	5,153 (16,952)
	13-24	1,730	14 (176)	65 (461)	223 (989)	3,081 (5,606)	3,549 (9,166)	4,507 (15,131)
<i>RSV-specific</i>								
	1-3	1,536	196 (1,624)	335 (2,487)	699 (4,743)	4,420 (6,963)	5,027 (9,427)	5,699 (12,334)
	4-6	1,029	117 (1,786)	205 (2,226)	505 (3,010)	3,298 (3,352)	3,682 (6,091)	4,255 (7,005)
	7-12	806	38 (416)	99 (681)	252 (1,161)	3,271 (2,061)	3,937 (6,570)	5,735 (32,098)
	1-12	3,371	134 (1,490)	239 (2,109)	533 (3,656)	3,803 (5,181)	4,356 (7,905)	5,267 (18,188)
	13-24	618	20 (207)	64 (394)	166 (808)	3,541 (3,704)	3,985 (6,638)	4,889 (9,354)
<i>UBP</i>								
	1-3	355	221 (1,976)	750 (6,293)	1,336 (12,105)	3,397 (4,255)	5,018 (11,235)	6,684 (19,461)
	4-6	401	50 (498)	145 (1,726)	416 (2,501)	2,642 (2,877)	3,164 (8,336)	4,212 (10,766)
	7-12	782	25 (280)	84 (597)	398 (3,975)	2,735 (3,189)	3,381 (9,985)	4,452 (12,057)
	1-12	1,538	77 (1,005)	254 (3,186)	620 (6,600)	2,863 (3,403)	3,702 (9,917)	4,905 (13,865)
	13-24	1,112	10 (156)	65 (494)	254 (1,075)	2,825 (6,411)	3,307 (10,302)	4,295 (17,538)

33 **Table S6** Overall base population and extrapolation factors for infants and toddlers per calendar year
 34 between 2014-2019

	Live birth in Germany	DADB infants	Extrapolation Factor infants	DADB toddler	Extrapolation Factor toddlers
2014	714,927	30,605	23.36	NA	NA
2015	737,575	30,211	24.41	28,904	25.52
2016	792,141	30,853	25.67	28,731	27.57
2017	784,901	31,609	24.83	29,508	26.60
2018	787,523	31,191	25.25	30,272	26.01
2019	778,090	29,483	26.39	29,337	26.52

35

