

PREDICTING any PA from all types of PA, UNDER 65s

Logistic regression

Log likelihood = -11236.659

Number of obs = 27,684
 LR chi2(16) = 828.30
 Prob > chi2 = 0.0000
 Pseudo R2 = 0.0355

yAll	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9556457	.0061884	-7.01	0.000	.9435932	.9678521
Male sex	1.120526	.040536	3.15	0.002	1.043828	1.20286
Lim'g disab	.541905	.0243238	-13.65	0.000	.4962681	.5917387
Healthy BMI						
Over/underw't	.8926239	.0356613	-2.84	0.004	.8253954	.9653282
Obese/morbid	.6642101	.030577	-8.89	0.000	.6069043	.7269268
Major Urban						
Minor Urban	.955819	.0874042	-0.49	0.621	.798984	1.14344
City and Town	1.049754	.0440164	1.16	0.247	.9669331	1.139668
Rural Town	1.097246	.0688426	1.48	0.139	.9702834	1.240822
Village	1.330168	.0977924	3.88	0.000	1.151668	1.536335
Hamlet	1.306086	.1160513	3.01	0.003	1.097334	1.55455
Most deprived	.5878193	.0226569	-13.79	0.000	.5450484	.6339464
Working FT	(1.0)					
Working PT	1.263041	.0563242	5.24	0.000	1.157335	1.378403
Retired	1.543043	.0699693	9.57	0.000	1.411823	1.686459
Nov-Feb						
Y2Q2: Feb-May	1.119012	.0521034	2.41	0.016	1.021412	1.225938
Y2Q3: May-Aug	1.41377	.0725065	6.75	0.000	1.278568	1.563268
Y2Q4: Aug-Nov	1.393022	.0658775	7.01	0.000	1.269708	1.528313
Constant	75.41763	28.90988	11.28	0.000	35.57798	159.869

Note: _cons estimates baseline odds.

Log likelihood = -12869.422

Number of obs	=	27,684
LR chi2(16)	=	919.55
Prob > chi2	=	0.0000
Pseudo R2	=	0.0345

Note: `_cons` estimates baseline odds.

. . . PREDICTING any Gardening PA, UNDER 65s

Logistic regression	Number of obs	=	27,684
	LR chi2(16)	=	979.59
	Prob > chi2	=	0.0000
Log likelihood = -17359.072	Pseudo R2	=	0.0274

yGard	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9949128	.0048378	-1.05	0.294	.9854759	1.00444
sex_recl	1.268483	.0343688	8.78	0.000	1.202878	1.337665
disab3_sub	.8670898	.0344282	-3.59	0.000	.8021706	.9372629
bmig_sub						
2	1.048962	.0304114	1.65	0.099	.9910189	1.110294
3	1.067806	.0391184	1.79	0.073	.9938228	1.147296
urbrur6_sub						
2	1.024309	.0779038	0.32	0.752	.8824551	1.188965
3	1.214133	.0404105	5.83	0.000	1.137458	1.295977
4	1.310728	.0608971	5.82	0.000	1.196645	1.435687
5	1.700644	.0841007	10.74	0.000	1.543546	1.873731
6	1.630537	.0968277	8.23	0.000	1.451386	1.831801
imd10_recl	.7737542	.0253774	-7.82	0.000	.7255804	.8251265
workstat_sub						
2	1.171773	.039778	4.67	0.000	1.096347	1.252389
3	1.348896	.0450864	8.95	0.000	1.26336	1.440222
Quarter						
Y2Q2: Feb..	1.255226	.0480749	5.94	0.000	1.164451	1.353078
Y2Q3: May..	2.008915	.0782208	17.92	0.000	1.861309	2.168227
Y2Q4: Aug..	1.998953	.0731512	18.93	0.000	1.860601	2.147594
_cons	.3113269	.0894556	-4.06	0.000	.1772699	.5467617

Note: _cons estimates baseline odds.

. PREDICTING any Active Travel PA, UNDER 65s

Logistic regression	Number of obs	=	27,684
	LR chi2(16)	=	417.35
	Prob > chi2	=	0.0000
Log likelihood = -17629.32	Pseudo R2	=	0.0117

yAT	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9898634	.0047555	-2.12	0.034	.9805866	.999228
sex_recl	1.117447	.0299962	4.14	0.000	1.060176	1.177813
disab3_sub	.8127262	.0323921	-5.20	0.000	.7516552	.8787592
bmig_sub						
2	.8512794	.0243188	-5.64	0.000	.8049252	.9003031
3	.7357475	.0270906	-8.33	0.000	.6845216	.7908069
urbrur6_sub						
2	.8878914	.0635805	-1.66	0.097	.7716257	1.021676
3	.8824501	.0277542	-3.98	0.000	.8296957	.9385589
4	.6181343	.0291098	-10.21	0.000	.563634	.6779046
5	.5675303	.0295024	-10.90	0.000	.5125549	.6284023
6	.5529333	.0350099	-9.36	0.000	.4884021	.6259909
imd10_recl	.9644398	.0302205	-1.16	0.248	.9069909	1.025528
workstat_sub						
2	1.042431	.0345529	1.25	0.210	.9768615	1.112402
3	.9057743	.0302152	-2.97	0.003	.848448	.9669738
Quarter						
Y2Q2: Feb..	.9916105	.0359629	-0.23	0.816	.9235714	1.064662
Y2Q3: May..	1.009795	.0385083	0.26	0.798	.9370713	1.088162
Y2Q4: Aug..	1.110974	.0392316	2.98	0.003	1.036682	1.190589
_cons	1.28716	.3648209	0.89	0.373	.7385429	2.24331

Note: _cons estimates baseline odds.

. . PREDICTING any PA from all types of PA, AGE 65-74

Logistic regression	Number of obs	=	30,396
	LR chi2(16)	=	1376.37
	Prob > chi2	=	0.0000
Log likelihood = -14487.046	Pseudo R2	=	0.0453

yAll	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9443937	.0051505	-10.49	0.000	.9343526	.9545426
sex_recl	1.174582	.0351251	5.38	0.000	1.107716	1.245483
disab3_sub	.4433214	.0146343	-24.64	0.000	.4155469	.4729523
bmig_sub						
2	.8939866	.0302652	-3.31	0.001	.836593	.9553176
3	.6485184	.0263075	-10.68	0.000	.5989531	.7021854
urbrur6_sub						
2	.9766021	.0821646	-0.28	0.778	.8281393	1.15168
3	1.08364	.0395636	2.20	0.028	1.008807	1.164026
4	1.170328	.0616807	2.98	0.003	1.055471	1.297685
5	1.412394	.0860802	5.67	0.000	1.253367	1.591598
6	1.398759	.1074675	4.37	0.000	1.203219	1.626078
imd10_recl	.7080291	.0241808	-10.11	0.000	.6621869	.7570449
workstat_sub						
2	1.650252	.1400897	5.90	0.000	1.397308	1.948986
3	1.60482	.1167417	6.50	0.000	1.391574	1.850745
Quarter						
Y2Q2: Feb..	1.137847	.0463214	3.17	0.002	1.050586	1.232356
Y2Q3: May..	1.362668	.0599849	7.03	0.000	1.250029	1.485457
Y2Q4: Aug..	1.354448	.054751	7.51	0.000	1.251279	1.466123
_cons	142.9773	53.9332	13.16	0.000	68.26228	299.4699

Note: _cons estimates baseline odds.

. PREDICTING any leisure PA, AGE 65-74

Logistic regression

Number of obs = 30,396

LR chi2(16) = 1644.83

Prob > chi2 = 0.0000

Pseudo R2 = 0.0476

Log likelihood = -16450.285

yLTPA	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9378139	.0047109	-12.78	0.000	.928626	.9470927
sex_recl	1.076361	.0296126	2.67	0.007	1.019858	1.135994
disab3_sub	.426015	.0131683	-27.60	0.000	.4009718	.4526222
bmig_sub						
2	.8468972	.0262079	-5.37	0.000	.7970574	.8998535
3	.5957924	.0224338	-13.75	0.000	.5534061	.641425
urbrur6_sub						
2	1.002554	.0794397	0.03	0.974	.8583428	1.170994
3	1.050631	.0357103	1.45	0.146	.9829202	1.123006
4	1.09158	.0527018	1.81	0.070	.9930228	1.199919
5	1.273231	.069704	4.41	0.000	1.143688	1.417447
6	1.277868	.0880581	3.56	0.000	1.116425	1.462657
imd10_recl	.7365188	.0235535	-9.56	0.000	.6917717	.7841602
workstat_sub						
2	1.706338	.1337657	6.82	0.000	1.46331	1.989728
3	1.606866	.1082654	7.04	0.000	1.408084	1.833711
Quarter						
Y2Q2: Feb..	1.090562	.0415204	2.28	0.023	1.012146	1.175054
Y2Q3: May..	1.163574	.0469363	3.76	0.000	1.075123	1.259302
Y2Q4: Aug..	1.222749	.0457597	5.37	0.000	1.136272	1.315808
_cons	199.7545	69.42967	15.24	0.000	101.0741	394.778

. PREDICTING any Gardening PA, AGE 65-74

Logistic regression

Number of obs = 30,396

LR chi2(16) = 944.26

Prob > chi2 = 0.0000

Pseudo R2 = 0.0237

Log likelihood = -19421.984

yGard	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9924749	.0044703	-1.68	0.094	.9837519	1.001275
sex_recl	1.341218	.0331127	11.89	0.000	1.277864	1.407714
disab3_sub	.8709739	.0269177	-4.47	0.000	.8197822	.9253622
bmig_sub						
2	1.073381	.0289393	2.63	0.009	1.018133	1.131626
3	.9921041	.0354734	-0.22	0.825	.9249577	1.064125
urbrur6_sub						
2	1.06072	.0790658	0.79	0.429	.9165418	1.227578
3	1.13642	.0359376	4.04	0.000	1.068122	1.209085
4	1.29862	.0560558	6.05	0.000	1.193272	1.413269
5	1.576778	.0731809	9.81	0.000	1.439676	1.726936
6	1.764751	.1011225	9.91	0.000	1.577278	1.974505
imd10_recl	.7732735	.023853	-8.34	0.000	.7279078	.8214666
workstat_sub						
2	1.25673	.0924642	3.11	0.002	1.087965	1.451675
3	1.365213	.0891191	4.77	0.000	1.201255	1.551549
Quarter						
Y2Q2: Feb..	1.225173	.0439763	5.66	0.000	1.141943	1.314469
Y2Q3: May..	1.80542	.0664656	16.05	0.000	1.679739	1.940505
Y2Q4: Aug..	1.886867	.0645531	18.56	0.000	1.764494	2.017727
_cons	.3755805	.1171828	-3.14	0.002	.2037625	.6922799

Log likelihood = -17164.471

Number of obs	=	30,396
LR chi2(16)	=	575.18
Prob > chi2	=	0.0000
Pseudo R2	=	0.0165

	yAT	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]
AGE		.9557809	.0047127	-9.17	0.000	.9465887 .9650623
sex_recl		1.104272	.0296215	3.70	0.000	1.047715 1.163883
disab3_sub		.7546298	.0263035	-8.08	0.000	.7047975 .8079856
bmig_sub						
2		.8751493	.0254084	-4.59	0.000	.8267402 .926393
3		.7203653	.0287332	-8.22	0.000	.6661944 .7789412
urbrur6_sub						
2		.8836438	.0691651	-1.58	0.114	.7579691 1.030156
3		.8638936	.0281972	-4.48	0.000	.8103589 .9209651
4		.6772095	.0323446	-8.16	0.000	.616692 .7436657
5		.5553198	.0300325	-10.88	0.000	.4994695 .6174152
6		.5581	.037977	-8.57	0.000	.4884165 .6377254
imd10_recl		.9517997	.0310869	-1.51	0.130	.8927797 1.014721
workstat_sub						
2		1.344258	.1012258	3.93	0.000	1.159806 1.558046
3		.9373393	.0631323	-0.96	0.337	.8214216 1.069615
Quarter						
Y2Q2: Feb..		1.007967	.0381736	0.21	0.834	.9358578 1.085633
Y2Q3: May..		1.049262	.0416189	1.21	0.225	.9707804 1.134088
Y2Q4: Aug..		1.10445	.0403398	2.72	0.007	1.028149 1.186414
_cons		10.86818	3.696622	7.01	0.000	5.580016 21.16792

. PREDICTING avg /7 day total MIEMS, FOR THOSE WHO DO ANY PA, UNDER 65s

Zero-truncated negative binomial regression

Number of obs	=	22,886
LR chi2(16)	=	819.09
Prob > chi2	=	0.0000
Pseudo R2	=	0.0023

Dispersion = mean
Log likelihood = -174704.65

mems7_all_~b	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9878086	.0022711	-5.34	0.000	.9833674	.99227
Male sex	1.167626	.0148993	12.14	0.000	1.138786	1.197196
Lim'g disab	.8690542	.0167639	-7.28	0.000	.8368109	.9025399
Healthy BMI						
Over/underw't	.9378221	.0127878	-4.71	0.000	.9130903	.9632237
Obese/morbid	.8295596	.0146247	-10.60	0.000	.8013852	.8587245
Major conurb.						
Minor conurb.	.9731371	.0343025	-0.77	0.440	.9081753	1.042746
City & Town	1.008876	.0155647	0.57	0.567	.9788265	1.039848
Rural Town	1.048499	.0229086	2.17	0.030	1.004547	1.094374
Village	1.116894	.0262486	4.70	0.000	1.066615	1.169544
Hamlet	1.197012	.0338618	6.36	0.000	1.13245	1.265254
Most deprived	.9939988	.01534	-0.39	0.697	.9643832	1.024524
Working FT	(1.0) ref					
Working PT	1.049712	.0166259	3.06	0.002	1.017627	1.082809
Retired	1.233206	.0194765	13.27	0.000	1.195618	1.271977
Nov-Feb						
Feb-May	1.097085	.0189906	5.35	0.000	1.060488	1.134945
May-Aug	1.296861	.023472	14.36	0.000	1.251663	1.343691
Aug-Nov	1.241023	.0209451	12.79	0.000	1.200643	1.282762
constant	1239.467	167.9609	52.56	0.000	950.3595	1616.522
/lnalpha	-.1750362	.0085267			-.1917482	-.1583242
alpha	.8394266	.0071575			.8255147	.853573

. PREDICTING avg/ 7 day leisure MIEMS, FOR THOSE WHO DO ANY leisure PA, UNDER 65s

Zero-truncated negative binomial regression		Number of obs	=	22,059
		LR chi2(16)	=	556.98
Dispersion = mean		Prob > chi2	=	0.0000
Log likelihood = -165760.75		Pseudo R2	=	0.0017

mems7_sp_sub	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9839597	.002389	-6.66	0.000	.9792885	.9886531
sex_recl	1.17092	.0157804	11.71	0.000	1.140396	1.202261
disab3_sub	.8760789	.0180826	-6.41	0.000	.841345	.9122468
bmig_sub						
2	.91826	.0131765	-5.94	0.000	.8927944	.944452
3	.7994662	.0150012	-11.93	0.000	.7705984	.8294154
urbrur6_sub						
2	.9681966	.0360284	-0.87	0.385	.9000959	1.04145
3	.985594	.0160136	-0.89	0.372	.9547025	1.017485
4	1.025329	.0236578	1.08	0.278	.9799932	1.072762
5	1.026513	.0253279	1.06	0.289	.9780523	1.077374
6	1.084655	.0321236	2.74	0.006	1.023486	1.149479
imd10_recl	1.007955	.0165206	0.48	0.629	.9760897	1.04086
workstat_sub						
2	1.041532	.0174119	2.43	0.015	1.007958	1.076224
3	1.205835	.0200671	11.25	0.000	1.167139	1.245814
Quarter						
Y2Q2: Feb..	1.059755	.0192956	3.19	0.001	1.022604	1.098257
Y2Q3: May..	1.180472	.0225024	8.70	0.000	1.137182	1.22541
Y2Q4: Aug..	1.15404	.0205145	8.06	0.000	1.114524	1.194956
_cons	1518.288	217.3773	51.16	0.000	1146.794	2010.124
/lnalpha	-.1070603	.0087078			-.1241272	-.0899933
alpha	.8984715	.0078237			.8832675	.9139373

. PREDICTING avg/ 7 day gardening MIEMS, FOR THOSE WHO DO ANY gardening PA, UNDER 65s

Zero-truncated negative binomial regression	Number of obs	=	9,570
	LR chi2(16)	=	498.21
Dispersion = mean	Prob > chi2	=	0.0000
Log likelihood = -66336.211	Pseudo R2	=	0.0037

MEMS7_GAR~08	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	1.015924	.0040649	3.95	0.000	1.007988	1.023922
sex_recl	1.111639	.0243685	4.83	0.000	1.064889	1.160441
disab3_sub	1.010559	.0334093	0.32	0.751	.9471548	1.078209
bmig_sub						
2	.9978071	.0237251	-0.09	0.926	.9523737	1.045408
3	1.004593	.0301621	0.15	0.879	.9471823	1.065484
urbrur6_sub						
2	.9926287	.0643216	-0.11	0.909	.8742379	1.127052
3	1.068279	.0299385	2.36	0.018	1.011183	1.128599
4	1.11263	.0423506	2.80	0.005	1.032645	1.198811
5	1.336934	.0521904	7.44	0.000	1.238458	1.44324
6	1.511199	.0709471	8.79	0.000	1.378351	1.656851
imd10_recl	1.063863	.0293453	2.24	0.025	1.007875	1.122962
workstat_sub						
2	1.058601	.0293353	2.06	0.040	1.002638	1.117687
3	1.274995	.0345346	8.97	0.000	1.209074	1.344511
Quarter						
Y2Q2: Feb..	1.26423	.0420733	7.05	0.000	1.1844	1.349441
Y2Q3: May..	1.607244	.0523917	14.56	0.000	1.507769	1.713281
Y2Q4: Aug..	1.418575	.043824	11.32	0.000	1.33523	1.507122
_cons	83.29837	19.73327	18.67	0.000	52.3586	132.5211
/lnalpha	.0525658	.0136122			.0258864	.0792452
alpha	1.053972	.0143469			1.026224	1.08247

PREDICTING avg/ 7 day active day MIEMS, FOR THOSE WHO DO ANY AT PA, UNDER 65s

Zero-truncated negative binomial regression	Number of obs	=	9,546
	LR chi2(16)	=	334.18
Dispersion = mean	Prob > chi2	=	0.0000
Log likelihood = -63860.743	Pseudo R2	=	0.0026

acttrav_sub	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	1.002446	.0042891	0.57	0.568	.9940744	1.010888
sex_recl	1.196636	.0283077	7.59	0.000	1.14242	1.253424
disab3_sub	1.091703	.039762	2.41	0.016	1.016488	1.172484
bmig_sub						
2	.9689861	.0244147	-1.25	0.211	.9222966	1.018039
3	1.001284	.0331498	0.04	0.969	.9383743	1.06841
urbrur6_sub						
2	.9196437	.0577332	-1.33	0.182	.8131732	1.040055
3	.9092445	.0247076	-3.50	0.000	.8620855	.9589833
4	.8930638	.0381228	-2.65	0.008	.8213849	.9709978
5	.8711675	.0415497	-2.89	0.004	.7934219	.9565313
6	.921065	.0539529	-1.40	0.160	.8211638	1.03312
imd10_recl	1.296218	.0358546	9.38	0.000	1.227816	1.368432
workstat_sub						
2	.8117822	.0234814	-7.21	0.000	.7670397	.8591345
3	.8176894	.0242378	-6.79	0.000	.7715377	.8666018
Quarter						
Y2Q2: Feb..	1.059142	.0341474	1.78	0.075	.9942852	1.12823
Y2Q3: May..	1.184016	.0401677	4.98	0.000	1.107849	1.26542
Y2Q4: Aug..	1.104325	.0344137	3.18	0.001	1.038894	1.173877
_cons	247.6737	62.49491	21.85	0.000	151.0422	406.1267
/lnalpha	.1875295	.0141183			.1598581	.2152009
alpha	1.206266	.0170304			1.173344	1.240111

PREDICTING avg/7 day MIEMS FOR ANY TYPE OF PA, FOR THOSE WHO DO ANY PA, AGE 65-74

Zero-truncated negative binomial regression		Number of obs	=	23,744
		LR chi2(16)	=	1018.49
Dispersion = mean		Prob > chi2	=	0.0000
Log likelihood = -180081.71		Pseudo R2	=	0.0028

mems7_all_~b	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9812468	.0021994	-8.45	0.000	.9769455	.9855671
sex_recl	1.241916	.0152335	17.66	0.000	1.212415	1.272135
disab3_sub	.8588537	.0137968	-9.47	0.000	.8322338	.8863252
bmig_sub						
2	.9501678	.0126476	-3.84	0.000	.9256996	.9752828
3	.8178308	.0148604	-11.07	0.000	.7892174	.8474815
urbrur6_sub						
2	.9816561	.0364339	-0.50	0.618	.9127823	1.055727
3	1.044906	.0162713	2.82	0.005	1.013496	1.077288
4	1.095129	.0235136	4.23	0.000	1.049999	1.142198
5	1.153288	.0266548	6.17	0.000	1.102211	1.206731
6	1.262747	.0361844	8.14	0.000	1.193782	1.335697
imd10_recl	.9632645	.0147709	-2.44	0.015	.9347449	.9926543
workstat_sub						
2	1.125291	.0408848	3.25	0.001	1.047945	1.208346
3	1.205988	.0390057	5.79	0.000	1.131911	1.284913
Quarter						
Y2Q2: Feb..	1.105694	.0191464	5.80	0.000	1.068798	1.143865
Y2Q3: May..	1.312585	.0238247	14.99	0.000	1.266711	1.360121
Y2Q4: Aug..	1.28725	.0215695	15.07	0.000	1.245661	1.330227
_cons	1777.054	275.3497	48.29	0.000	1311.624	2407.643
/lnalpha	-.1505476	.0083778			-.1669678	-.1341274
alpha	.8602368	.0072069			.8462268	.8744786

mems7_sp_sub	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.9754228	.0023586	-10.29	0.000	.970811	.9800565
sex_recl	1.255558	.016538	17.28	0.000	1.223559	1.288394
disab3_sub	.8397826	.0148264	-9.89	0.000	.8112204	.8693504
bmig_sub						
2	.9198248	.0130954	-5.87	0.000	.8945131	.9458527
3	.7922346	.0156907	-11.76	0.000	.7620707	.8235924
urbrur6_sub						
2	.9436815	.0376121	-1.45	0.146	.8727691	1.020356
3	1.03703	.0173723	2.17	0.030	1.003534	1.071644
4	1.075123	.0248435	3.13	0.002	1.027517	1.124935
5	1.058644	.0262082	2.30	0.021	1.008503	1.111278
6	1.109272	.0340173	3.38	0.001	1.044563	1.177989
imd10_recl	.9976531	.0165294	-0.14	0.887	.9657764	1.030582
workstat_sub						
2	1.101703	.0433141	2.46	0.014	1.019997	1.189953
3	1.175321	.0412915	4.60	0.000	1.097115	1.259103
Quarter						
Y2Q2: Feb..	1.063918	.0197558	3.34	0.001	1.025893	1.103351
Y2Q3: May..	1.138369	.0222098	6.64	0.000	1.095661	1.182743
Y2Q4: Aug..	1.130617	.0203138	6.83	0.000	1.091495	1.17114
_cons	2554.731	427.6031	46.87	0.000	1840.237	3546.637
/lnalpha	-.0702858	.0086891			-.0873161	-.0532555
alpha	.9321274	.0080993			.9163874	.9481377

PREDICTING avg/ 7 day gardening MIEMS, FOR THOSE WHO DO ANY gardening PA, AGE 65-74

Zero-truncated negative binomial regression	Number of obs	=	11,000
	LR chi2(16)	=	651.70
Dispersion = mean	Prob > chi2	=	0.0000
Log likelihood = -78158.014	Pseudo R2	=	0.0042

MEMS7_GAR~08	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	1.009903	.0036159	2.75	0.006	1.002841	1.017015
sex_recl	1.149964	.0229054	7.02	0.000	1.105935	1.195746
disab3_sub	1.016769	.0256695	0.66	0.510	.9676825	1.068346
bmig_sub						
2	1.00291	.0216865	0.13	0.893	.9612932	1.046328
3	1.025852	.0297779	0.88	0.379	.9691176	1.085908
urbrur6_sub						
2	1.056942	.0648159	0.90	0.366	.9372422	1.191928
3	1.089711	.0283446	3.30	0.001	1.035549	1.146706
4	1.159169	.0400949	4.27	0.000	1.08319	1.240479
5	1.399058	.0505896	9.29	0.000	1.303336	1.50181
6	1.471952	.0638641	8.91	0.000	1.351955	1.602599
imd10_recl	1.034885	.0264102	1.34	0.179	.9843954	1.087965
workstat_sub						
2	1.07561	.0645816	1.21	0.225	.9561965	1.209936
3	1.187651	.063412	3.22	0.001	1.069648	1.318672
Quarter						
Y2Q2: Feb..	1.255555	.0379731	7.52	0.000	1.183292	1.332231
Y2Q3: May..	1.849777	.0556412	20.45	0.000	1.743875	1.962111
Y2Q4: Aug..	1.569698	.0440281	16.07	0.000	1.485733	1.658407
_cons	109.2016	27.16778	18.86	0.000	67.05983	177.8262
/lnalpha	.0280384	.0125741			.0033936	.0526831
alpha	1.028435	.0129316			1.003399	1.054096

PREDICTING avg/7 day ACTIVE TRAVEL MIEMS, FOR THOSE WHO DO ANY ACTIVE TRAVEL PA,
AGE 65-74

Zero-truncated negative binomial regression		Number of obs	=	7,932
		LR chi2(16)	=	124.86
Dispersion = mean		Prob > chi2	=	0.0000
Log likelihood = -52370.135		Pseudo R2	=	0.0012

acttrav_sub	IRR	Std. Err.	z	P> z	[95% Conf. Interval]	
AGE	.989986	.0046955	-2.12	0.034	.9808256	.9992319
sex_recl	1.1524	.0295329	5.53	0.000	1.095946	1.211762
disab3_sub	1.019559	.034857	0.57	0.571	.9534795	1.090219
bmig_sub						
2	.999118	.0275868	-0.03	0.975	.9464858	1.054677
3	1.040445	.0404072	1.02	0.307	.9641878	1.122734
urbrur6_sub						
2	.918008	.0681534	-1.15	0.249	.7936935	1.061794
3	1.044177	.0321345	1.40	0.160	.9830561	1.109097
4	.9416118	.0437476	-1.29	0.195	.8596561	1.031381
5	.9011544	.0481562	-1.95	0.051	.8115447	1.000659
6	.8734051	.058794	-2.01	0.044	.7654492	.9965867
imd10_recl	1.175313	.0370211	5.13	0.000	1.104948	1.25016
workstat_sub						
2	.8270478	.0579913	-2.71	0.007	.7208513	.9488892
3	.7975857	.0505292	-3.57	0.000	.704452	.9030324
Quarter						
Y2Q2: Feb..	1.023341	.0372847	0.63	0.527	.9528128	1.09909
Y2Q3: May..	1.148797	.0436901	3.65	0.000	1.06628	1.2377
Y2Q4: Aug..	1.093599	.0381893	2.56	0.010	1.021253	1.171069
_cons	562.6947	183.9325	19.37	0.000	296.5062	1067.854
/lnalpha	.2251956	.015699			.1944261	.2559652
alpha	1.252568	.0196641			1.214614	1.291708