

E-TABLE 5: Socio-demographic risk factors for adolescents aged 13 to 17 years self-reported smoking of any type and frequency, sensitivity analysis including highest parental education (N=799).

	Crude		Adjusted	
	OR	(95% CI)	aOR	(95% CI)
Age, per year increase	2.0	(1.7 - 2.2)	1.8	(1.5 - 2.1)
Sex, male	1.9	(1.5 - 2.3)	2.2	(1.6 - 3.0)
Socioeconomic position index	0.9	(0.8 - 1.0)	1.0	(0.8 - 1.1)
Urbanization degree				
Large urban area	1.4	(1.2 - 1.8)	1.0	(0.7 - 1.5)
Small urban area	ref.		ref.	
Rural area	1.4	(0.9 - 2.1)	1.4	(0.8 - 2.3)
Paternal highest education				
Elementary school	1.5	(0.9 - 2.3)	1.2	(0.7 - 2.2)
Professional school	1.3	(0.9 - 1.8)	1.1	(0.7 - 1.6)
Business or technical school	1.1	(0.7 - 1.7)	1.0	(0.6 - 1.6)
Teaching degree or university	ref.		ref.	
Maternal highest education				
Elementary school	1.4	(0.9 - 2.1)	1.0	(0.6 - 1.8)
Professional school	1.3	(0.9 - 1.9)	1.1	(0.7 - 1.7)
Business or technical school	1.2	(0.7 - 1.8)	1.0	(0.6 - 1.7)
Teaching degree or university	ref.		ref.	
Paternal current smoking	1.6	(1.3 - 2.0)	1.5	(1.0 - 2.1)
Maternal current smoking	1.9	(1.5 - 2.5)	1.5	(1.0 - 2.3)

OR: odds ratio. aOR: adjusted odds ratio. CI: confidence interval. The multivariable model includes all the variables in the table.