

Supplemental Table S1 Characteristics of the Single Nucleotide Polymorphisms (SNPs) used as instrumental variables for body mass index (BMI), waist circumference (WC), and waist-to-hip ratio (WHR) in the two-sample Mendelian randomization analyses

	BMI	WC	WHR
Sample size	322 154	232 101	232 101
Consortium	GIANT	GIANT	GIANT
Number extracted SNPs (not in LD)	69 ^a	42 ^a	29 ^a
Removed palindromic SNPs	rs1558902	rs1558902	rs9491696
Explained variance	1.3 %	0.9 %	0.6 %
Unit	kg/m ²	cm	cm/cm
Reference	Locke et al, 2015	Shungin et al, 2015	Shungin et al, 2015

Abbreviations: LD, Linkage Disequilibrium; SD, Standard Deviation.

^a extraction of SNPs based on the threshold $\alpha = 5 \cdot 10^{-8}$ and LD $r^2 = 0.001$.

Supplemental Table S2 Associations of genome-wide significant SNPs used as instruments for body mass index and the susceptibility as well as hospitalization due to COVID-19

SNP	EA	OA	COVID-19 susceptibility (n= 1079768)				COVID-19 hospitalization (n=900687)			
			eaf	beta	se	P-value	Eaf	Beta	se	P-value
rs1000940	G	A	0.343	-0.004	0.023	0.864	0.368	-0.007	0.035	0.835
rs10132280	A	C	0.334	0.016	0.024	0.490	0.332	0.047	0.035	0.181
rs1016287	C	T	0.708	-0.040	0.028	0.150	0.695	-0.039	0.037	0.288
rs10182181	G	A	0.495	-0.010	0.022	0.662	0.476	-0.012	0.033	0.715
rs10733682	G	A	0.517	-0.001	0.026	0.974	0.491	-0.009	0.034	0.790
rs10938397	G	A	0.408	-0.007	0.022	0.749	0.430	-0.015	0.033	0.661
rs10968576	G	A	0.281	-0.003	0.025	0.910	0.305	0.028	0.037	0.446
rs11030104	G	A	0.216	-0.045	0.028	0.103	0.244	-0.057	0.040	0.149
rs11057405	A	G	0.097	0.002	0.047	0.959	0.142	0.039	0.064	0.543
rs11165643	T	C	0.527	0.013	0.022	0.546	0.552	0.012	0.033	0.716
rs1167827	G	A	0.595	0.009	0.023	0.701	0.565	0.012	0.034	0.726
rs11727676	C	T	0.102	-0.053	0.039	0.173	0.133	-0.077	0.057	0.181
rs12286929	G	A	0.510	0.049	0.025	0.045	0.499	0.065	0.033	0.053
rs12429545	A	G	0.158	0.046	0.033	0.162	0.182	0.025	0.049	0.611
rs12940622	A	G	0.422	0.012	0.022	0.579	0.418	-0.013	0.033	0.684
rs12986742	C	T	0.480	-0.024	0.022	0.274	0.472	-0.010	0.033	0.769
rs13021737	G	A	0.814	0.027	0.030	0.370	0.780	-0.014	0.043	0.752
rs13078960	G	T	0.195	0.028	0.028	0.310	0.218	0.024	0.041	0.548
rs13107325	T	C	0.079	0.068	0.049	0.164	0.119	0.061	0.062	0.328
rs13191362	G	A	0.132	-0.019	0.034	0.581	0.156	-0.079	0.050	0.114
rs1516725	C	T	0.836	0.013	0.032	0.685	0.817	-0.010	0.047	0.837
rs1528435	T	C	0.620	0.008	0.023	0.732	0.614	-0.002	0.034	0.955
rs16851483	T	G	0.097	-0.054	0.044	0.224	0.125	0.000	0.066	1.000

rs16951275	C	T	0.286	0.022	0.026	0.394	0.280	-0.013	0.038	0.736
rs17001654	G	C	0.188	0.006	0.030	0.851	0.212	0.017	0.045	0.708
rs17024393	C	T	0.057	0.120	0.065	0.066	0.086	0.174	0.108	0.109
rs17066856	C	T	0.164	-0.028	0.038	0.456	0.172	-0.045	0.055	0.418
rs17094222	C	T	0.203	0.014	0.028	0.621	0.238	0.036	0.040	0.370
rs17405819	C	T	0.291	0.016	0.024	0.518	0.318	0.059	0.036	0.102
rs17724992	G	A	0.285	0.021	0.025	0.401	0.307	0.006	0.037	0.870
rs1808579	T	C	0.460	-0.024	0.022	0.289	0.469	-0.026	0.033	0.436
rs1928295	C	T	0.443	0.020	0.022	0.369	0.451	0.034	0.033	0.306
rs2033529	G	A	0.269	0.020	0.029	0.498	0.312	0.041	0.038	0.287
rs2033732	C	T	0.750	-0.002	0.026	0.953	0.733	-0.010	0.039	0.797
rs205262	G	A	0.313	0.024	0.025	0.343	0.299	-0.029	0.036	0.426
rs2112347	G	T	0.412	0.040	0.023	0.079	0.411	0.062	0.034	0.068
rs2121279	T	C	0.132	0.027	0.034	0.423	0.167	0.049	0.052	0.342
rs2176598	C	T	0.728	-0.015	0.026	0.568	0.702	-0.034	0.038	0.374
rs2207139	G	A	0.189	0.024	0.029	0.406	0.219	0.022	0.044	0.612
rs2245368	T	C	0.778	0.001	0.029	0.963	0.766	-0.048	0.043	0.263
rs2287019	T	C	0.199	-0.001	0.028	0.980	0.223	-0.073	0.043	0.088
rs2365389	T	C	0.485	-0.031	0.022	0.174	0.472	-0.039	0.033	0.249
rs2820292	C	A	0.526	0.032	0.022	0.144	0.534	0.037	0.033	0.260
rs29941	G	A	0.663	0.016	0.024	0.492	0.641	0.035	0.035	0.321
rs3101336	C	T	0.613	-0.010	0.025	0.696	0.625	-0.024	0.035	0.487
rs3736485	G	A	0.515	-0.030	0.022	0.179	0.524	-0.038	0.033	0.242
rs3817334	T	C	0.387	0.034	0.023	0.134	0.403	0.015	0.033	0.653
rs3849570	A	C	0.367	0.004	0.023	0.852	0.373	0.043	0.035	0.220
rs3888190	A	C	0.348	-0.001	0.023	0.967	0.366	0.015	0.034	0.654
rs4256980	G	C	0.600	-0.006	0.023	0.795	0.596	-0.020	0.034	0.553
rs4740619	C	T	0.475	-0.015	0.022	0.504	0.491	-0.032	0.033	0.324
rs4889606	G	A	0.368	0.022	0.023	0.344	0.390	0.019	0.034	0.581
rs543874	G	A	0.206	0.004	0.028	0.893	0.218	0.063	0.043	0.146
rs6477694	T	C	0.610	0.018	0.023	0.446	0.598	-0.031	0.035	0.367
rs6567160	C	T	0.265	0.015	0.029	0.593	0.275	-0.004	0.039	0.924
rs657452	G	A	0.568	-0.035	0.022	0.108	0.569	-0.038	0.034	0.255
rs6656785	G	A	0.393	0.048	0.022	0.030	0.411	0.050	0.034	0.136
rs6804842	G	A	0.537	0.011	0.022	0.626	0.537	-0.008	0.033	0.804
rs7138803	A	G	0.364	0.015	0.023	0.512	0.376	0.028	0.034	0.414
rs7141420	T	C	0.539	0.020	0.022	0.365	0.535	0.026	0.033	0.436
rs758747	T	C	0.322	-0.010	0.025	0.704	0.317	0.008	0.036	0.823
rs7599312	A	G	0.277	-0.020	0.025	0.422	0.282	-0.035	0.038	0.363
rs7899106	G	A	0.080	0.080	0.049	0.104	0.105	0.053	0.076	0.487
rs7903146	T	C	0.312	0.023	0.024	0.332	0.325	0.043	0.035	0.226
rs879620	T	C	0.528	0.011	0.023	0.632	0.549	-0.009	0.034	0.780
rs9400239	C	T	0.615	0.030	0.024	0.204	0.619	0.065	0.035	0.062
rs9579083	C	G	0.184	0.001	0.029	0.966	0.211	-0.023	0.043	0.595
rs9926784	C	T	0.241	0.006	0.029	0.830	0.236	0.048	0.042	0.256

Abbreviations: SNP, Single Nucleotide Polymorphism; EA, effect allele; OA, other allele; eaf, effect allele frequency; se, standard error

Supplemental Table S3 Associations of genome-wide significant SNPs used as instruments for waist circumference and the susceptibility as well as hospitalization due to COVID-19

SNP	EA	OA	COVID-19 susceptibility (n=1079768)				COVID-19 hospitalization (n=900687)			
			eaf	beta	se	P-value	eaf	beta	se	P-value
rs10132280	A	C	0.334	0.016	0.024	0.490	0.332	0.047	0.035	0.181
rs10767658	G	C	0.693	-0.032	0.024	0.186	0.678	-0.007	0.037	0.850
rs10840100	G	A	0.599	0.001	0.023	0.949	0.597	-0.020	0.034	0.562
rs10938397	G	A	0.408	-0.007	0.022	0.749	0.430	-0.015	0.033	0.661
rs10968576	G	A	0.281	-0.003	0.025	0.910	0.305	0.028	0.037	0.446
rs11165623	A	G	0.448	0.006	0.022	0.782	0.464	0.020	0.033	0.534
rs12429545	A	G	0.158	0.046	0.033	0.162	0.182	0.025	0.049	0.611
rs1516725	C	T	0.836	0.013	0.032	0.685	0.817	-0.010	0.047	0.837
rs16894959	C	T	0.164	0.032	0.032	0.325	0.179	0.052	0.048	0.276
rs16996700	C	T	0.279	0.001	0.025	0.971	0.297	0.018	0.036	0.617
rs17066856	C	T	0.164	-0.028	0.038	0.456	0.172	-0.045	0.055	0.418
rs17381664	C	T	0.335	0.053	0.024	0.027	0.362	0.073	0.036	0.043
rs2033529	G	A	0.269	0.020	0.029	0.498	0.312	0.041	0.038	0.287
rs2112347	G	T	0.412	0.040	0.023	0.079	0.411	0.062	0.034	0.068
rs2287019	T	C	0.199	-0.001	0.028	0.980	0.223	-0.073	0.043	0.088
rs2293576	A	G	0.329	-0.027	0.024	0.248	0.356	-0.013	0.035	0.712
rs2325036	C	A	0.403	-0.005	0.023	0.831	0.416	0.001	0.034	0.965
rs2489623	C	A	0.529	-0.033	0.022	0.137	0.524	-0.011	0.033	0.734
rs2531992	G	A	0.774	0.020	0.031	0.521	0.766	-0.018	0.046	0.688
rs2820292	C	A	0.526	0.032	0.022	0.144	0.534	0.037	0.033	0.260
rs3127553	A	G	0.615	-0.021	0.023	0.352	0.600	-0.017	0.034	0.619
rs3849570	A	C	0.367	0.004	0.023	0.852	0.373	0.043	0.035	0.220
rs4776970	T	A	0.417	-0.010	0.023	0.666	0.403	-0.040	0.034	0.241
rs6163	A	C	0.396	0.045	0.023	0.056	0.411	0.048	0.034	0.164
rs633715	C	T	0.198	0.003	0.028	0.920	0.222	0.054	0.043	0.207
rs6440003	A	G	0.453	0.006	0.023	0.805	0.426	-0.059	0.034	0.080
rs6545714	A	G	0.622	-0.020	0.023	0.373	0.615	-0.035	0.034	0.301
rs6567160	C	T	0.265	0.015	0.029	0.593	0.275	-0.004	0.039	0.924
rs6755502	C	T	0.815	0.034	0.030	0.260	0.789	-0.006	0.043	0.896
rs7138803	A	G	0.364	0.015	0.023	0.512	0.376	0.028	0.034	0.414
rs7144011	T	G	0.212	0.003	0.028	0.915	0.230	0.015	0.041	0.711
rs7239883	A	G	0.612	0.005	0.023	0.815	0.610	-0.003	0.034	0.928
rs749671	A	G	0.349	0.016	0.023	0.480	0.380	0.028	0.033	0.406
rs7498665	G	A	0.348	-0.003	0.023	0.913	0.364	0.013	0.035	0.700
rs7531118	C	T	0.484	-0.026	0.022	0.247	0.532	-0.038	0.034	0.259
rs7550711	T	C	0.052	0.124	0.067	0.063	0.085	0.189	0.111	0.088
rs7903146	T	C	0.312	0.023	0.024	0.332	0.325	0.043	0.035	0.226
rs806794	G	A	0.338	0.013	0.024	0.588	0.364	0.006	0.036	0.864
rs929641	G	A	0.429	-0.008	0.022	0.717	0.433	-0.037	0.033	0.267
rs9400239	C	T	0.615	0.030	0.024	0.204	0.619	0.065	0.035	0.062
rs943005	T	C	0.189	0.022	0.029	0.446	0.218	0.020	0.044	0.657

Abbreviations: SNP, Single Nucleotide Polymorphism; EA, effect allele; OA, other allele; eaf, effect allele frequency; se, standard error

Supplemental Table S4 Associations of genome-wide significant SNPs used as instruments for waist-to-hip ratio and the susceptibility as well as hospitalization due to COVID-19

SNP	EA	OA	COVID-19 susceptibility (n=1079768)				COVID-19 hospitalization (n=900687)			
			EAF	BETA	SE	P-value	EAF	BETA	SE	P-value
rs1011731	G	A	0.458	0.004	0.022	0.840	0.440	-0.001	0.033	0.986
rs10245353	A	C	0.223	0.002	0.028	0.949	0.256	0.020	0.042	0.632
rs10783615	G	A	0.224	-0.021	0.034	0.535	0.224	-0.022	0.046	0.625
rs11048470	T	G	0.256	0.045	0.026	0.079	0.286	0.041	0.038	0.290
rs1121980	A	G	0.447	0.012	0.022	0.594	0.442	0.050	0.033	0.124
rs1128249	G	T	0.590	0.021	0.023	0.364	0.606	0.024	0.034	0.472
rs11663816	C	T	0.274	-0.012	0.025	0.645	0.287	-0.023	0.037	0.542
rs12549058	G	T	0.115	-0.132	0.050	0.009	0.159	-0.152	0.067	0.023
rs1294421	G	T	0.609	-0.011	0.026	0.680	0.604	0.001	0.035	0.985
rs1316952	T	C	0.814	0.049	0.032	0.120	0.816	0.068	0.046	0.140
rs1440372	C	T	0.713	-0.002	0.025	0.919	0.701	-0.049	0.036	0.176
rs1563355	T	C	0.346	0.000	0.023	0.988	0.350	0.012	0.035	0.733
rs1569135	A	G	0.489	0.036	0.022	0.112	0.508	0.018	0.033	0.589
rs16996700	T	C	0.721	-0.001	0.025	0.971	0.703	-0.018	0.036	0.617
rs17109256	A	G	0.212	0.005	0.028	0.844	0.230	0.017	0.041	0.685
rs17451107	T	C	0.620	-0.002	0.023	0.947	0.623	-0.018	0.034	0.600
rs2179129	A	G	0.590	-0.022	0.023	0.332	0.575	-0.024	0.033	0.472
rs2207139	G	A	0.189	0.024	0.029	0.406	0.219	0.022	0.044	0.612
rs2287019	C	T	0.801	0.001	0.028	0.980	0.777	0.073	0.043	0.088
rs2765539	C	T	0.294	-0.011	0.027	0.683	0.314	0.017	0.037	0.634
rs2972164	C	T	0.526	-0.004	0.022	0.874	0.544	-0.017	0.033	0.606
rs3786897	G	A	0.414	-0.027	0.023	0.238	0.400	0.014	0.034	0.683
rs459193	A	G	0.316	0.019	0.025	0.446	0.320	-0.015	0.037	0.689
rs4640244	G	A	0.359	0.016	0.023	0.493	0.401	0.043	0.034	0.207
rs4929927	G	A	0.603	-0.006	0.023	0.793	0.599	-0.015	0.034	0.660
rs929641	A	G	0.571	0.008	0.022	0.717	0.567	0.037	0.033	0.267
rs9860730	A	G	0.559	-0.011	0.024	0.650	0.584	-0.022	0.035	0.535
rs998584	A	C	0.480	0.002	0.022	0.945	0.501	-0.002	0.033	0.945

Abbreviations: SNP, Single Nucleotide Polymorphism; EA, effect allele; OA, other allele; eaf, effect allele frequency; se, standard error

Supplemental Table S5 Power analysis for the associations between genetically predicted anthropometric measures (continuous) and COVID-19 susceptibility as well as hospitalization (binary)

Exposure	Outcome	Var(X)	N cases	N controls	OR=1.1	OR=1.2	OR=1.3	OR=1.4	OR=1.5	OR=1.6	OR=1.7	OR=1.8
BMI	Suscept.	0.013	6696	1073072	0.149	0.446	0.780	0.954	0.995	1.000	1.000	1.000
WC	Suscept.	0.009	6696	1073072	0.120	0.337	0.636	0.867	0.970	0.996	1.000	1.000
WHR	Suscept.	0.006	6696	1073072	0.098	0.248	0.483	0.724	0.891	0.969	0.994	0.990
BMI	Hosp.	0.013	3199	897488	0.106	0.282	0.545	0.789	0.932	0.985	0.998	1.000
WC	Hosp.	0.009	3199	897488	0.090	0.215	0.417	0.645	0.830	0.938	0.983	0.997
WHR	Hosp.	0.006	3199	897488	0.077	0.163	0.307	0.491	0.678	0.828	0.924	0.972

Abbreviations: Var(X), explained variance; OR, odds ratio; BMI, body mass index; WC, waist circumference; WHR, waist-to-hip ratio

Explained variance in the appropriate exposure X is given as proportion of total variance

Supplemental Table S6 Results of the MR-PRESSO global and Egger-intercept tests for detecting horizontal and directional pleiotropy

Exposure	Outcome	MR-PRESSO RSSobs	P_presso	Egger-intercept	se	P_egger
BMI	susceptibility	53.927	0.910	0.424	0.387	0.277
WC	susceptibility	33.773	0.817	0.569	0.637	0.377
WHR	susceptibility	14.550	0.982	-0.049	0.658	0.941
BMI	hospitalization	55.239	0.889	0.681	0.380	0.078
WC	hospitalization	40.478	0.540	0.698	0.673	0.306
WHR	hospitalization	24.564	0.694	-0.791	0.810	0.338

Abbreviations: MR-PRESSO, Mendelian Randomization Pleiotropy RESidual Sum and Outlier; RSSobs, observed residual sum of squares; se, standard error; BMI, body mass index; WC, waist circumference; WHR, waist-to-hip ratio

Supplemental Table S7 Between SNP-heterogeneity based on the radial regression framework

Exposure	Outcome	Crohans Q	df	P _Q	Rueckers Q'	P _{Q'}	Q-Q'	P _{Q-Q'}	Q'/Q
BMI	susceptibility	52.333	67	0.906	51.516	0.919	0.817	0.366	0.984
WC	susceptibility	32.268	40	0.803	31.667	0.824	0.600	0.438	0.981
WHR	susceptibility	13.581	26 ^a	0.978	13.571	0.978	0.009	0.924	0.999
BMI	hospitalization	53.512	67	0.884	51.040	0.926	2.472	0.116	0.954
WC	hospitalization	38.684	40	0.529	37.583	0.580	1.101	0.294	0.972
WHR	hospitalization	22.743	27	0.699	21.586	0.758	1.157	0.282	0.949

Abbreviations: BMI, body mass index; WC, waist circumference; WHR, waist-to-hip ratio

^a After exclusion of the influential SNP rs12549058 (Cochran's Q_j = 7.42; P-value = 0.006)