D. Average predicted probabilities (and 95% confidence interval) of support for each policy in Scenarios 1, 2, 3 and 4.

| | Scenario 1 | Scenario 2 | Scenario 3 | Scenario 4 |
|-----------------|--------------|--------------|--------------|---------------|
| Avoid social | 0.67 | 0.73 | 0.80 | 0.44 |
| gathering | [0.63, 0.70] | [0.68, 0.77] | [0.68, 0.91] | [-0.77, 1.64] |
| School closure | 0.34 | 0.53 | 0.89 | 1.00 |
| | [0.31, 0.38] | [0.49, 0.58] | [0.83, 0.96] | [1.00, 1.00] |
| Work from | 0.53 | 0.71 | 0.93 | 1.00 |
| home | [0.49, 0.57] | [0.67, 0.76] | [0.89, 0.98] | [1.00, 1.00] |
| Shut down | 0.17 | 0.28 | 0.52 | 0.90 |
| transportation | [0.15, 0.20] | [0.24, 0.33] | [0.38, 0.66] | [0.50, 1.29] |
| Lockdown | 0.26 | 0.46 | 0.76 | 0.99 |
| | [0.23, 0.29] | [0.41, 0.50] | [0.65, 0.86] | [0.96, 1.02] |
| Quarantine | 0.81 | 0.79 | 0.82 | 0.70 |
| - restricted | [0.78, 0.84] | [0.75, 0.83] | [0.72, 0.93] | [-0.32, 1.72] |
| countries | [0.78, 0.84] | [0.75, 0.85] | [0.72, 0.95] | [-0.52, 1.72] |
| Quarantine | 0.68 | 0.74 | 0.90 | 1.00 |
| -all countries | [0.64, 0.72] | [0.69, 0.78] | [0.83, 0.96] | [0.99, 1.01] |
| No entry | 0.75 | 0.75 | 0.90 | 1.00 |
| - restricted | | | | |
| countries | [0.72, 0.79] | [0.71, 0.79] | [0.83, 0.96] | [0.98, 1.02] |
| No entry | 0.53 | 0.61 | 0.82 | 0.98 |
| - all countries | [0.49, 0.57] | [0.56, 0.66] | [0.72, 0.91] | [0.84, 1.10] |

Scenario 1: Total cases = 200, new cases = 5%, ICU cases = 1%, mortality = 1%, number countries = 4 Scenario 2: Total cases = 200, new cases = 20%, ICU cases = 10%, mortality = 10%, number countries = 4 Scenario 3: Total cases = 2000, new cases = 5%, ICU cases = 1%, mortality = 1%, number countries = 4

Scenario 4: Total cases = 2000, new cases = 20%, ICU cases = 10%, mortality = 10%,

number countries = 4