

Study ID	Age range (years), Sex, Clinic	WGS			SOC			
		Variants Reported*	Variant Classification	Molecular Diagnosis	Test Ordered	Variants Reported*	Variant Classification	Molecular Diagnosis
3CGS	30-40, M, Cardiovascular	MYL3 , NM_000258.2: c.427G>A (p.Glu143Lys)	Likely Pathogenic	Hypertrophic cardiomyopathy (OMIM: 608751)	Cardiomyopathy Panel	MYL3 , NM_000258.2: c.427G>A (p.Glu143Lys)	Pathogenic	Hypertrophic Cardiomyopathy (OMIM: 608751)
		MYL3 , NM_000258.2: c.530A>G (p.Glu177Gly)	Uncertain Significance			MYL3 , NM_000258.2: c.530A>G (p.Glu177Gly)	Uncertain Significance	
						VCL , NM_014000.2: c.1534C>T (p.Arg512Cys)	Uncertain Significance	
4CGS	40-50, F, Cardiovascular				Aortopathy Panel			
5CGS	40-50, F, Cardiovascular				Aortopathy Panel			
9CGS	50-60, M, Ataxia	SYNE1 , NM_182961.3: c.2097+3_2097+15del (p.?)	Uncertain Significance		AD Triplet Repeat Expansion Ataxia Panel			
		SYNE1 , NM_182961.3: c.3855C>T (p.Ile1285Ile)	Uncertain Significance					
11CGS	50-60, F, Gastrointestinal Cancer				Cancer Panel			
12CGS	40-50, F, Gastrointestinal Cancer	APC , NM_000038.4: c.5761G>T (p.Gly1921Cys)	Uncertain Significance		Cancer Panel	APC , NM_000038.4: c.5761G>T (p.Gly1921Cys)	Uncertain Significance	
13CGS	40-50, M, Gastrointestinal Cancer				Cancer Panel			
15CGS	30-40, F, Cardiovascular	TGFB2 , NM_001135599.2: c.823G>A (p.Glu275Lys)	Uncertain Significance		Aortopathy Panel	TGFB2 , NM_001135599.2: c.823G>A (p.Glu275Lys)	Uncertain Significance	
						FBNI , NM_000138.4: c.5917+3A>G (p.?)	Uncertain Significance	
17CGS	70-80, M, Cardiovascular	TTN , NM_133378.4: c.96125G>A (p.Arg32042His)	Uncertain Significance		Hypertrophic Cardiomyopathy Panel			
18CGS	30-40, M, Medical Genetics	GCK , NM_000162.3: c.642C>A (p.Tyr215X)	Likely Pathogenic	MODY, Type 2 (OMIM: 125851)	Maturity Onset Diabetes of the Young Panel	GCK , NM_000162.3: c.642C>A (p.Tyr215X)	Pathogenic	MODY, Type 2 (OMIM: 125851)
		HNFLA , NM_000545.5: c.1573A>T (p.Thr525Ser)	Uncertain Significance			HNFLA , NM_000545.5: c.1573A>T (p.Thr525Ser)	Uncertain Significance	
21CGS	50-60, M, Gastrointestinal Cancer	APC , NM_000038.4: c.1743+6T>C (p.?)	Uncertain Significance		Cancer Panel			
22CGS	30-40, F, Medical Genetics	CHRNE , NM_000080.3: c.130dupG (p.Glu44GlyfsX3)	Pathogenic		Mitochondrial Disease Panel			
						MT-TT : m.15943T>C, homoplasmic	Uncertain Significance	
						TARS2 , NM_025150.4: c.1037G>A (p.Arg346His)	Uncertain Significance	
						MARS2 , NM_138395.3: c.1310G>C (p.Gly437Ala)	Uncertain Significance	
						NUBPL , NM_025152.2: c.272C>G (p.Ala91Gly)	Uncertain Significance	
						SLC22A5 , NM_003060.3: c.1463G>A (p.Arg488His)	Uncertain Significance	
24CGS	40-50, M, Cardiovascular				Aortopathy Panel			
27CGS	30-40, F, Cardiovascular				Aortopathy Panel	NOTCH1 , NM_017617.3: c.1682C>T (p.Thr561Met)	Uncertain Significance	
		GCK , NM_033508.1: c.676G>A (p.Val226Met)	Pathogenic	MODY, Type 2 (OMIM: 125851)		GCK , NM_033508.1: c.676G>A (p.Val226Met)	Likely Pathogenic	MODY, Type 2 (OMIM: 125851)

29CGS	30-40, F, Medical Genetics	SOSTM1 , NM_001142298.1: c.1175C>T (p.Pro392Leu)	Pathogenic	Paget disease of bone 3 (OMIM: 167250)	Maturity Onset Diabetes of the Young Panel			
		AIP , NM_003977.2: c.911G>A (p.Arg304Gln)	Uncertain Significance					
30CGS	70-80, F, Cardiovascular	VCL , NM_014000.2: c.2875A>C (p.Asn959His)	Uncertain Significance		Hypertrophic Cardiomyopathy Panel	VCL , NM_014000.2: c.2875A>C (p.Asn959His)	Uncertain Significance	
31CGS	30-40, F, Cardiovascular				Aortopathy Panel			
32CGS	50-60, F, Endocrine	ARMC5 , NM_001105247.1: c.1767_1771dupGGCGC (p.Leu591ArgfsX41)	Likely Pathogenic	ACTH-independent macronodular adrenal hyperplasia 2 (OMIM: 615549)	Custom Breast and Hyperthyroidism Panel			
		GLMN , NM_053274.2: c.1355delT (p.Leu452TrpfsX24)	Likely Pathogenic	Glomuvenous malformations (OMIM: 138000)				
35CGS	20-30, M, Cardiovascular	MYH7 , NM_000257.2: c.2652_2654delGAA (p.Lys884del)	Likely Pathogenic	Hypertrophic cardiomyopathy (OMIM: 192600)	Hypertrophic Cardiomyopathy Panel	MYH7 , NM_000257.2: c.2652_2654delGAA (p.Lys884del)	Uncertain Significance	
		BAG3 , NM_004281.3: c.317G>A (p.Arg106Gln)	Uncertain Significance			BAG3 , NM_004281.3: c.317G>A (p.Arg106Gln)	Uncertain Significance	
		SCN5A , NM_198056.2: c.2977G>A (p.Ala993Thr)	Uncertain Significance					
38CGS	50-60, F, Cardiovascular				Aortopathy Panel	NOTCH1 , NM_017617.3: c.5560C>T (p.Arg1854Cys)	Uncertain Significance	
41CGS	30-40, M, Cardiovascular				Long QT Panel			
42CGS	60-70, F, Gastrointestinal Cancer				Common Cancer Panel			
45CGS	70-80, M, Ataxia (Neurology)	PANK2 , NM_153638.2: c.1351C>T (p.Arg451X)	Pathogenic		AD Triplet Repeat Expansion Ataxia Panel; reflex: WES			
48CGS	40-50, F, Medical Genetics				Hereditary Hemorrhagic Telangiectasia Panel			
49CGS	20-30, M, Medical Genetics	COL2A1 , NM_001844.4: c.1681-2_1681-1delAG (p.?)	Likely Pathogenic	Stickler syndrome (OMIM: 108300)	Stickler Panel	COL2A1 , NM_001844.4: c.1681-2_1681-1delAG (p.?)	Likely Pathogenic	Stickler syndrome (OMIM:108300)
		TMPRSS3 , NM_024022.2: c.1276G>A (p.Ala426Thr)	Pathogenic					
52CGS	20-30, M, Medical Genetics				Microarray			
53CGS	0-10, M, Medical Genetics	ASXL3 , NM_030632.1: c.3547C>G (p.Gln1183Glu)	Uncertain Significance		Microarray			
54CGS	0-10, F, Medical Genetics	PHKA2 , NM_000292.2: c.1042-12G>C (p.?)	Uncertain Significance		Glycogen Storage Disorder Panel			
55CGS	30-40, M, Cardiovascular				Aortopathy Panel			
56CGS	50-60, M, Medical Genetics				MT-DNA Sequencing with Deletion Testing			
57CGS	60-70, F, Gastrointestinal Cancer	BRIP1 , NM_032043.2: c.590C>T (p.Ser197Phe)	Uncertain Significance		Common Cancer Panel	BRIP1 , NM_032043.2: c.590C>T (p.Ser197Phe)	Uncertain Significance	
		POLE , NM_006231.2: c.1583C>T (p.Thr528Met)	Uncertain Significance			POLE , NM_006231.2: c.1583C>T (p.Thr528Met)	Uncertain Significance	
58CGS	30-40, F, Pulmonary				Single Gene Sequencing: PHOX2B			
60CGS	70-80, F, Cardiovascular				Hypertrophic Cardiomyopathy Panel			

61CGS	40-50, M, Cardiovascular	SCN5A , NM_198056.2: c.3573G>A (p.Trp1191X)	Likely Pathogenic	Brugada/Long QT syndrome (OMIM: 600163)	Arrhythmia Panel	SCN5A , NM_198056.2: c.3573G>A (p.Trp1191X)	Pathogenic	Brugada/Long QT syndrome (OMIM:600163)
63CGS	70-80, F, Ataxia (Neurology)	HFE , NM_000410.3: c.187C>G (p.His63Asp)	Pathogenic	Hereditary hemochromatosis (OMIM: 235200)	Comprehensive Ataxia Panel; reflex: WES			
		HFE , NM_000410.3: c.845G>A (p.Cys282Tyr)	Pathogenic	see above				
		SYNE1 , NM_182961.3: c.16390-2A>G (p.?)	Likely Pathogenic			SYNE1 , NM_182961.3: c.16390-2A>G (p.?)	Pathogenic	
		TORIA , NM_000113.2: c.613T>A (p.Phe205Ile)	Uncertain Significance			TORIA , NM_000113.2: c.613T>A (p.Phe205Ile)	Likely Pathogenic	Torsion dystonia 1 (OMIM 128100)
						POLG , NM_002693.2: c.970G>A (p.Pro324Thr)	Uncertain Significance	
64CGS	0-10, M, Pulmonary	FRYL , NM_015030.1: c.2557_2558insAA (p.Thr853LysfsX17)	Uncertain Significance		Fragile X, Microarray, Single Gene Sequencing: PTEN			
65CGS	0-10, F, Medical Genetics	GJB2 , NM_004004.5: c.35delG (p.Gly12ValfsX2), compound heterozygous	Pathogenic	Autosomal recessive deafness (OMIM: 220290)	Fragile X, Microarray; reflex: Autism ID Panel			
		GJB2 , NM_004004.5: c.416G>A (p.Ser139Asn), compound heterozygous	Pathogenic	see above				
70CGS	0-10, M, Pulmonary	PRDM1 , NM_001198.3: c.281delA (p.Asn94ThrfsX8), de novo	Uncertain Significance		Primary Immunodeficiency Panel			
		TLR3 , NM_003265.2: c.1660C>T (p.Pro554Ser)	Uncertain Significance			TLR3 , NM_003265.2: c.1660C>T (p.Pro554Ser)	Uncertain Significance	
						NBN , NM_002485.4: c.596C>G (p.Pro199Arg)	Uncertain Significance	
						PTPRC , NM_002838.4: c.1297G>A (p.Asp433Asn)	Uncertain Significance	
						STK4 , NM_006282.3: c.1223T>C (p.Ile408Thr)	Uncertain Significance	
						TAPI , NM_000593.5: c.184G>A (p.Ala62Thr)	Uncertain Significance	
						DOCK8 , NM_203447.3: Gain (Exons 8-48), copy number = 3	Uncertain Significance	
						NOD2 , NM_022162.2: c.3019dupC (p.Leu1007ProfsX2)	Increased Risk	
77CGS	20-30, F, Medical Genetics				NF1 and Schwannoma Panel			
78CGS	60-70, F, Cardiovascular				Aortopathy Panel			
80CGS	40-50, F, Ataxia (Neurology)	MFN2 , NM_014874.3: c.2119C>T (p.Arg707Trp)	Likely Pathogenic	Charcot-Marie-Tooth disease type 2A (OMIM: 609260)	AD Triplet Repeat Ataxia Panel; reflex: WES			
		NPCI , NM_000271.4: c.1312C>T (p.Gln438X)	Likely Pathogenic			NPCI , NM_000271.4: c.1312C>T (p.Gln438X), compound heterozygous	Pathogenic	Niemann-Pick Disease Type C (OMIM: 257220)
		NPCI , NM_000271.4: c.201_203delCTT (p.Phe68del)	Uncertain Significance			NPCI , NM_000271.4: c.201_203delCTT (p.Phe68del), compound heterozygous	Likely Pathogenic	see above
83CGS	40-50, M, Ataxia (Neurology)	PLA2G6 , NM_003560.2: c.610-1G>T (p.?)	Likely Pathogenic		WES	PLA2G6 , NM_003560.2: c.610-1G>T (p.?)	Likely Pathogenic	
86CGS	30-40, M, Gastrointestinal Cancer				Colorectal Cancer Panel; reflex: Expanded Cancer Panel			

88CGS	70-80, F, Gastrointestinal Cancer				Common Cancer Panel; reflex: Expanded Cancer Panel			
90CGS	50-60, M , Endocrine	SDHB , NM_003000.2: c.722A>G (p.Tyr241Cys)	Uncertain Significance		Paranganglioma/Pheochromocytoma Panel	SDHB , NM_003000.2: c.722A>G (p.Tyr241Cys)	Uncertain Significance	
91CGS	0-10, F, Pulmonary				WES			
92CGS	30-40, F, Medical Genetics	GCK , NM_033508.1: c.784T>C (p.Ser262Pro)	Likely Pathogenic	MODY, Type 2 (OMIM: 125851)	Maturity Onset Diabetes of the Young Panel	GCK , NM_033508.1: c.784T>C (p.Ser262Pro)	Likely Pathogenic	MODY, Type 2 (OMIM: 125851)
95CGS	50-60, F, Gastrointestinal Cancer				Cancer Panel	ATM , NM_000051.3: c.1592C>T (p.Ala531Val)	Uncertain Significance	
						BRIP1 , NM_032043.2: c.1255C>T (p.Arg419Trp)	Uncertain Significance	
99CGS	60-70, M, Cardiovascular	TTN , NM_133378.4: c.80001C>G (p.Tyr26667X)	Likely Pathogenic	Dilated Cardiomyopathy (OMIM: 604145)	Cardiomyopathy Panel	TTN , NM_133378.4: c.80001C>G (p.Tyr26667X)	Likely Pathogenic	Dilated Cardiomyopathy (OMIM: 604145)
103CGS	30-40, M, Cardiovascular	COL3A1 , NM_000090.3: c.1763G>A (p.Gly588Asp)	Likely Pathogenic	Ehlers-Danlos syndrome, vascular type (OMIM: 130050)	Aortopathy Panel	COL3A1 , NM_000090.3: c.1763G>A (p.Gly588Asp)	Pathogenic	Ehlers-Danlos syndrome, vascular type (OMIM: 130050)
104CGS	40-50, M, Cardiovascular				Aortopathy Panel			
110CGS	10-20, F, Medical Genetics				Ehlers Danlos Syndrome Panel			
111CGS	40-50, M, Cardiovascular				Hypertrophic Cardiomyopathy Panel			
112CGS	10-20, F, Medical Genetics	GNRHR , NM_000406.2: c.317A>G (p.Gln106Arg)	Pathogenic		Karyotype, Fragile X, Hypogonadotropic Hypogonadism panel	GNRHR , NM_000406.2: c.317A>G (p.Gln106Arg)	Pathogenic	
		DUOX2 , NM_014080.4: c.2895_2898delGTTC (p.Phe966SerfsX29)	Pathogenic					
113CGS	40-50, M, Cardiovascular	MYBPC3 , NM_000256.3: c.1000G>A (p.Glu334Lys)	Uncertain Significance		Hypertrophic Cardiomyopathy Panel	MYBPC3 , NM_000256.3: c.1000G>A (p.Glu334Lys)	Uncertain Significance	
117CGS	40-50, M, Medical Genetics	BTD , NM_000060.2: c.1330G>C (p.Asp444His)	Pathogenic		Primary Immunodeficiency Panel			
		FLG , NM_002016.1: c.2282_2285delCAGT (p.Ser761CysfsX36)	Pathogenic					
						ATM , NM_000051.3: c.6814G>A (p.Glu2272Lys)	Uncertain Significance	
120CGS	20-30, F, Cardiovascular	KCNQ1 , NM_000218.2: c.535G>A (p.Gly179Ser)	Pathogenic	Long QT syndrome (OMIM: 192500)	Aortopathy Panel	KCNQ1 , NM_000218.2: c.535G>A (p.Gly179Ser)	Pathogenic	Long QT syndrome (OMIM: 192500)
		DSG2 , NM_001943.3: c.160G>A (p.Ala54Thr)	Uncertain Significance					
121CGS	30-40, F, Medical Genetics				Hereditary Hemorrhagic Telangiectasia Panel			
128CGS	0-10, F, Medical Genetics	CC2D2A , NM_001080522.2: c.4667A>T (p.Asp1556Val)	Pathogenic		Microarray			
		FKRP , NM_001039885.2: c.826C>A (p.Leu276Ile)	Pathogenic					
		SACS , NM_016058.2: c.258721C>T (p.Trp863Leu)	Pathogenic					
		SACS , NM_014363.4: c.11100dupA (p.Trp3701MetfsX17)	Likely Pathogenic					
129CGS	20-30, F, Cardiovascular	ALPK3 , NM_020778.4: c.3251_3276del (p.Gly1084AlafsX11)	Likely Pathogenic		Hypertrophic Cardiomyopathy Panel			
132CGS	20-30, F, Gastrointestinal Cancer				Single Gene Sequencing: PTEN			

134CGS	60-70, M, Cardiovascular	GAA , NM_001079803.1: c.925G>A (p.Gly309Arg)	Pathogenic		Hypertrophic Cardiomyopathy Panel	GAA , NM_001079803.1: c.925G>A (p.Gly309Arg)	Pathogenic	
						GAA , NM_001079803.1: c.2065G>A (p.Glu689Lys)	Benign (pseudodeficiency allele)	
140CGS	30-40, F, Cardiovascular	FBN2 , NM_001999.3: c.2036C>T (p.Ser679Phe)	Uncertain Significance		Aortopathy Panel			
141CGS	30-40, F, Cardiovascular				Aortopathy Panel			
145CGS	50-60, F, Endocrine	HNF4A , NM_001258355.1: c.146T>A (p.Val49Asp)	Uncertain Significance		Maturity Onset Diabetes of the Young Panel	HNF4A , NM_001258355.1: c.146T>A (p.Val49Asp)	Uncertain Significance	
148CGS	20-30, F, Endocrine	RET , NM_020975.4: c.3148C>G (p.Arg1050Gly)	Uncertain Significance		Single Gene Sequencing: RET	RET , NM_020975.4: c.3148C>G (p.Arg1050Gly)	Uncertain Significance	
147CGS	40-50, M, Endocrine				Paraganglioma/ Pheochromocytoma Panel			
151CGS	20-30, F, Ataxia (Neurology)				Single Gene Sequencing: SYNE1			
152CGS	20-30, F, Ataxia (Neurology)	HFE , NM_000410.3: c.845G>A (p.Cys282Tyr), homozygous	Pathogenic	Hereditary hemochromatosis (OMIM: 235200)	WES	HFE , NM_000410.3: c.845G>A (p.Cys282Tyr), homozygous	Pathogenic	Hereditary hemochromatosis (OMIM: 235200)
						22q11.2 duplication (2 Mb)	Pathogenic	Chromosome 22q11.2 microduplication syndrome (OMIM: 608363)
153CGS	40-50, F, Cardiovascular				Hypertrophic Cardiomyopathy Panel			
155CGS	0-10, M, Medical Genetics				Microarray; Methylation studies for Beckwith-Wiedemann Syndrome/Russel-Silver Syndrome			
156CGS	0-10, M, Medical Genetics	FOXP1 , NM_001244810.1: c.274G>C (p.Ala92Pro)	Uncertain Significance		Chromosomal Microarray; Fragile X			
						15q11.2 duplication (min: arr 15q11.2(22,652,061 - 23,586,276)x3 (934.216 kb), max: arr 15q11.2(22,587,189 - 23,656,935)x3 (1.070 Mb))	Uncertain Significance	
157CGS	0-10, M, Medical Genetics	TRIO , NM_007118.2: c.3562A>G (p.Thr1188Ala)	Uncertain Significance		Microarray, Fragile X			
159CGS	0-10, M, Pulmonary	G6PD , NM_000402.3: c.292G>A (p.Val98Met), hemizygous	Pathogenic	G6PD deficient hemolytic anemia (favism) (OMIM: 300908)	Microarray			
160CGS	60-70, M, Cardiovascular	MYL2 , NM_000432.3: c.278C>A (p.Ala93Glu)	Uncertain Significance		Hypertrophic Cardiomyopathy Panel	MYL2 , NM_000432.3: c.278C>A (p.Ala93Glu)	Uncertain Significance	
163CGS	60-70, M, Ataxia (Neurology)	ERCC2 , NM_000400.3: c.1847G>C (p.Arg616Pro)	Pathogenic		Single Gene Sequencing: SYNE1; reflex: WES			
		ERCC2 , NM_000400.3: c.1238G>T (p.Gly413Val)	Uncertain Significance					
166CGS	60-70, M, Endocrine				Hyperparathyroidism Panel			
167CGS	70-80, M, Gastrointestinal Cancer				CustomNext-Cancer Panel			

169CGS	60-70, F, Cardiovascular	<i>TTN</i> , NM_133378.4: c.8780_8781insAT (p.Phe2927LeufsX4)	Likely Pathogenic	Dilated Cardiomyopathy (OMIM: 604145)	Aortopathy Panel			
170CGS	0-10, M, Medical Genetics	<i>STRC/CATSPER2</i> , Chr15:g.(?_43892948)_(43931260_?)del, homozygous	Pathogenic	Deafness-Infertility Syndrome (OMIM: 611102)	Hearing loss panel	<i>STRC/CATSPER2</i> Chr15:g.(?_43892948)_(43931260_?)del homozygous	Pathogenic	Deafness-Infertility Syndrome (OMIM: 611102)
		<i>HFE</i> , NM_000410.3: c.845G>A (p.Cys282Tyr), homozygous	Pathogenic	Hereditary hemochromatosis (OMIM: 235200)				
172CGS	70-80, M, Cardiovascular				Hypertrophic Cardiomyopathy Panel			
173CGS	70-80, F, Cardiovascular				Aortopathy Panel			
176CGS	50-60, M, Endocrine				Paraganglioma/Pheochromocytoma Panel			
177CGS	70-80, M, Gastrointestinal Cancer				Cancer Panel			
180CGS	70-80, F, Ataxia (Neurology)				Ataxia Panel; reflex: WES	<i>STUB1</i> , NM_005861.3: c.154G>A (p.Ala52Thr)	Uncertain Significance	
183CGS	10-20, M, Medical Genetics	<i>AIRE</i> , NM_000383.3: c.132+1_132+3delinsCT (p.?)	Pathogenic	APECED (OMIM: 240300)	Single Gene Sequencing: AIRE	<i>AIRE</i> , NM_000383.3: c.132+1_132+3delinsCT (p.?)	Pathogenic	APECED (OMIM: 240300)
		<i>AIRE</i> , NM_000383.3: c.967_979del (p.Leu323SerfsX51)	Pathogenic	see above		<i>AIRE</i> , NM_000383.3: c.967_979del (p.Leu323SerfsX51)	Pathogenic	see above
184CGS	20-30, F, Medical Genetics				Microarray	Regions of homozygosity		
187CGS	60-70, F, Medical Genetics	<i>F8</i> , NM_000132.3: c.5587-93C>T (p.?)	Likely Pathogenic		WES	<i>F8</i> , NM_000132.3: c.5587-93C>T (p.?)	Pathogenic	
		<i>HIBCH</i> , NM_014362.3: c.852delA (p.Leu284PhefsX10)	Likely Pathogenic			<i>HIBCH</i> , NM_014362.3: c.852delA (p.Leu284PhefsX10)	Pathogenic	
						<i>TNFRSF13B</i> , NM_012452.2: c.542C>A (p.Ala181Glu)	Pathogenic	
189CGS	60-70, F, Ataxia (Neurology)				Comprehensive Ataxia Panel, Whole Genome Sequencing			
190CGS	50-60, F, Cardiovascular				Breast/Ovarian Cancer Panel			
191CGS	30-40, F, Medical Genetics				Mitochondrial Disease Panel			
193CGS	0-10, M, Medical Genetics				RASopathy Panel; reflex: HCM Panel			
194CGS	30-40, M, Cardiovascular				Aortopathy Panel			
196CGS	10-20, F, Pulmonary	<i>PIK3CA</i> , NM_006218.2: c.323G>A (p.Arg108His)	Uncertain Significance		WES	<i>PIK3CA</i> c.323G>A (p.Arg108His), de novo	Pathogenic	Megalencephaly-capillary malformation-polymicrogyria syndrome (OMIM: 602501)
198CGS	0-10, F, Pulmonary	<i>FECH</i> , NM_001012515.2: c.47delG (p.Gly16AlafsX63)	Likely Pathogenic	Erythropoietic protoporphyria (OMIM: 177000)	Porphyria Panel	<i>FECH</i> , NM_001012515.2: c.47delG (p.Gly16AlafsX63)	Pathogenic	Erythropoietic protoporphyria (OMIM: 177000)
		<i>FECH</i> , NM_001012515.2: c.333-48T>C (p.?)	Pathogenic	see above	Porphyria Panel	<i>FECH</i> , NM_001012515.2: c.333-48T>C (p.?)	Uncertain Significance	see above
199CGS	20-30, F, Medical Genetics				Retinal Dystrophy Panel			
200CGS	50-60, F, Endocrine				Hyperparathyroidism Panel			

203CGS	30-40, F, Cardiovascular	<i>TTN</i> , NM_133378.4: c.33439G>A (p.Ala11147Thr)	Uncertain Significance		Cardiomyopathy Panel			
204CGS	0-10, F, Medical Genetics	<i>PAX2</i> , NM_003990.3: c.44-12_44- 8dupGTCTC (p.?)	Uncertain Significance		Microarray			
						5p15.33-p15.32 duplication (1.102 Mb)	Uncertain Significance	
						15q11.2 duplication (648.23 kb)	Possibly Pathogenic	Chromosome 15q11.2 duplication syndrome (OMIM: 608636)

Table S6. cWGS and SOC Results

*All variants are heterozygous unless otherwise noted

** While the reported diagnosis had some overlap with a patient phenotype, it was not thought to be a compelling explanation for that phenotype and the WGS report was interpreted as "Inconclusive."